


Block diagram




< M E M O >

■ LCD & Key control section

NOTES


- VOLTAGES ARE DC-MEASURED WITH A DIGITAL VOLT METER WITHOUT INPUT SIGNAL. CONDITION - - - FM MODE.
- UNLESS OTHERWISE SPECIFIED, ALL RESISTORS ARE 1/4W 5% CARBON RESISTOR OR 1/4W-1/10W 5% METAL GLAZE RESISTOR. ALL CAPACITORS ARE 50V CERAMIC CAPACITOR. ALL RESISTANCE VALUES ARE IN OHM(Ω). ALL CAPACITANCE VALUES ARE IN μF(μF) / RATED VOLTAGE(V).



REF_NO.	MODEL	KS-FX460RE	KS-FX463RE
D601- D612-D614 - D624	LAMP	LNJ308G81/1-3/XLED	SML-310VT/JK/-XLED
D613	LAMP	LNJ308G81/1-3/XLED	SML-310DT/KL/-XLED
D623	LAMP	SML-310LT/MN/-XLED	SML-310LT/MN/-XLED
LAMPS	LAMP	QLL0092-001	QLL0076-001


SW.P.W.B. FSMW1077

■ Head amp & Mecha control section





Printed circuit boards


■ Main board




■ LCD & key control board



■ Head amp board



■ Motor control board



6
5
4
3
2
1

A B C D E F G H I