

| | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|
| 4 PIN | 1 | 4 | 2 | 3 | | | | |
| 5 PIN | 1 | 5 | 4 | 2 | 3 | | | |
| 6 PIN | 1 | 6 | 5 | 2 | 3 | 4 | | |
| 7 COMB. | 1 | 7 | 6 | 2 | 3 | 4 | 5 | |
| 7 SUB-MIN. | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| 8 SUB-MIN. | 3 | 6 | 2 | 8 | 5 | 1 | 7 | 4 |
| | | | | | | | | |
| 8 OCTAL PLUG | 2 | 7 | 8 | 3 | 4 | 5 | 1 | 6 |

MAT.

FINISH

DIMENSION TOLERANCES UNLESS OTHERWISE SPECIFIED
 DECIMAL DIMENSIONS $\pm .005$ FRACTIONAL DIMENSIONS $\pm \frac{1}{16}$ "

CHANGES

DATE

THE JACKSON ELECTRICAL INSTRUMENT CO.
 DAYTON, OHIO

BLOCK WIRING DIAGRAM - MODEL PIP

DATE **8-65**

SCALE

OWN. BY **W. Mobley**

CHKD. BY

PART NO.

SER. NO. **11-1000 up**

DRAWING NO. **C 566**