















- 25B1565  

- DTA144EUA  
DTC114YUA  
DTC343TK  
25A1362  
25A1576A  
25D2114K  

- 25B1188  

- 25D1760  

- 25C4081  

- DTA124EUA  
DTC144EUA  
DTC124EUA  
DTC144EUA  

- NJM4565MD  

- DAN202U  

- TA78L05F  

- DA204K  

- AN8806SB  

- TDA7479D  




**CAUTION:** For continued safety, replace safety critical components only with manufacturer's recommended parts (refer to parts list).  
 ▲ Indicates safety critical components. To reduce the risk of electric shock, leakage current or resistance measurements shall be carried out (exposed parts are acceptably insulated from the supply circuit) before the appliance is returned to the customer.  
 • DC voltages are as measured with a high impedance voltmeter. Values may vary slightly due to variations between individual instruments on/and units.



**CAUTION:** For continued safety, replace safety critical components only with manufacturer's recommended parts (refer to parts list).  
 1. Indicates safety critical components. To reduce the risk of electric shock, leakage-current or resistance measurements shall be carried out (opened parts are acceptably insulated from the supply circuit) before the application is returned to the customer.  
 2. DC voltages are as measured with a high impedance voltmeter. Values may vary slightly due to variations between individual instruments and/or units.

