


CAUTION: For continued safety, replace safety critical components only with manufacturer's recommended parts (refer to parts list).
 ⚠ Indicates safety critical components. To reduce the risk of electric shock, leakage-current or resistance measurements shall be carried out (exposed parts are acceptably insulated from the supply circuit) before the appliance is returned to the customer.
 • DC voltages are as measured with a high impedance voltmeter. Values may vary slightly due to variations between individual instruments or/and units.

IC1	MPX3500AZ (VPP)	Q1	2N3858E-F1 or 2SD1608E-F1	Q7	8207H-A 02-10-19, 32, 33, 35, 37
IC2	TCA705	Q2	2SD201A or 2SC241K	Q3	8207H-A 02-10-19, 32, 33, 35, 37
IC3	PTH1589	Q3	12AT7 or 12X12	Q4	MAN21N-40 MAN21N-40
IC4	NE573C2PFP	Q4	12AT7 or 12X12	Q5	MAN21N-40 MAN21N-40

—— SIGNAL LINE
—— GND LINE
—— +15V

Q17-21	DTC144E or DTC114Y DTC114YK	Q5	12AT7 or 12X12	Q6	100S13
Q18	DTC114YK	Q6	12AT7 or 12X12	Q7	100S13
Q19	DTC114YK	Q7	12AT7 or 12X12	Q8	100S13
Q20	DTC114YK	Q8	12AT7 or 12X12	Q9	100S13
Q21	DTC114YK	Q9	12AT7 or 12X12	Q10	100S13

Q11	2SD1974	D18, 19	MAX7000MP (DAF202K or DA204K)
Q12	2SD1974	D20	MAX7000MP (DAF202K or DA204K)
Q13	2SD1974	D21	MAX7000MP (DAF202K or DA204K)



MODEL NAME	15V	D13 115	REF. 201	REF. 101
REC1215	DAF202K	Y18	Y18	Y18
REC1216	DAF202K	Y18	Y18	Y18

2SB1565
2SD2396



DAN202U



DTA124EK
DTC114YK
DTC1437K
2SA1036K
2SB709A

DTA144EK
DTC124EK
DTC144EK
2SA1362
2SC2412K

TA78L05F



2SB1188



DAP202K
DA204K



2SB1184



AN8806SB



2SB1277



DTC124EUA
KRC104S




NJM4565MD



KDC-1016/115S

KENWOOD



KDC-1016/115S

KENWOOD