KENWOOD

DVD NAVIGATION SYSTEM

KNA-DV4100

INSTRUCTION MANUAL

KENWOOD CORPORATION



© PRINTED IN JAPAN B64-2891-00/00 (K)

Contents

Before Use	3
Replacing Map Disc	4
Inserting and Removing the Map Disc	4
About the Map Discs	
Starting Up Navigation	
Language Selection	
Markers (and Controls) Displayed	
on Maps	7
Screens Before Setting Route	7
Screens During Route Guidance	
Menu Screen Change Chart	8
Map Operations	9
Changing the Map Orientation	9
Changing the Map Scale	10
Set Route	
Setting Destination	11
Setting Destination by Scrolling the Map	11
■ Selecting route Setting Destination from the Navigation Menu	12
■ Address	14
■ Memory Point	16
■ Home/Stored Destination	17
■ Point of Interest ■ Previous Destination	17 18
■ Select from Map	18
■ Freeway Entrance/Exit	19
■ Emergency ■ Coordinates	20
■ Coordinates Intersection	22
■ Phone number	23
■ Change (Change Search Area)	
Route Guidance	24
Guidance Screen	24
Enlarged Junction Diagram	24
Display Dual map	25
Freeway information	25 25
Replaying Voice Guidance	
Route Options	Z6
Setting Route Options	2b
Detour	27
Route Preferences	28
Destination & Way Points	29
■ Addition of way points■ Modification of Destination or Way Point Positions	25 30
■ Modification of the Visiting Order	30
■ Deletion of Destination or Way Points	31
■ Deletion of Destination and All Way Points	31
Display Route Route Preview	32
■ Setting the conditions for simulation run	3

Setting Navigation System	
	34
User Setting	
Quick POI Selection	
Volume Adjustment	36
2D/3D View	
Calibration	38
■ Adjusting Current Position and Direction	38
■ Distance	38
Navigation Information	39
■ Vehicle Signal	39
■ Map Version	39
Set Clock	40
Restore System Defaults	
Stored Locations	42
Memory Points	43
■ Memory Point Storage	43
■ Memory Point Confirmation and Modification	44
■ Memory Point Deletion	46
■ All Memory Point Deletion	46
■ Category Name Modification	47
Avoid Area	47
■ Avoid Area Storage	47
■ Avoid Area Confirmation and Modification	
Home	48
■ Home Storage	48
Previous Destination (Deleting Stored Locations)	49
Preset Destination	5U
■ Preset Destination Storage	50 51
■ Preset Destination Confirmation and Modification	51
■ Preset Destination Confirmation and Modification Other Functions	51 52
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	51 52 52
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	51 52 52
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map ■ Local Search Showing POI Data	51 52 52 53
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	51 52 52 53
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map ■ Local Search Showing POI Data	51 52 52 53
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map Local Search Showing POI Data Deleting POI Markers	515252525353
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map Local Search Showing POI Data Deleting POI Markers Remote Control Remote Control Functions	5152525353
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	5152525353535454
■ Preset Destination Confirmation and Modification Other Functions. Displaying POI's on a Map	51 52 52 53 53 54 54
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	51 52 52 53 53 54 54 55
■ Preset Destination Confirmation and Modification Other Functions. Displaying POI's on a Map	51 52 52 53 53 54 54 55
■ Preset Destination Confirmation and Modification Other Functions. Displaying POI's on a Map ■ Local Search Showing POI Data Deleting POI Markers Remote Control Remote Control Functions Shortcut Key Storage Voice Activate Description Voice Recognition	51 52 52 53 53 54 54 55 56
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	51525253535455565656
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map ■ Local Search Showing POI Data Deleting POI Markers Remote Control Remote Control Functions Shortcut Key Storage Voice Activate Description Voice Recognition Basic Usage Pattern Voice Activate Command	51525253535455565656
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	515252535354555656565757
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	5152535354555656565757
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	5152535354555656575758
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	5152535354555656575758
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	515253535455565657575858
■ Preset Destination Confirmation and Modification Other Functions Displaying POI's on a Map	515253545556565757585858

Before Use

Warning Messages

For safe usage please observe the following !!!

READ THIS MANUAL FIRST

Read this manual carefully before starting to operate the Kenwood Car Navigation System and follow the manual's instructions. Kenwood are not liable for problems or accidents resulting from failure to observe the instructions in this manual.

OBSERVE LOCAL TRAFFIC SIGNS AND REGULATIONS

Always observe the local traffic signs and regulations whilst driving and check them against the system's instructions. Due to frequent changes in local signs and regulations, the traffic sign and regulation data on the Map DVD-ROM may be outdated. Furthermore the Map DVD-ROM cannot reckon with certain conditions such as traffic density at certain times of the day, (temporary) road closures due to construction work, weather conditions or special events taking place. Therefore always obey the local traffic signs and regulations rather than the system's instructions. Failure to do so may place you in illegal, unsafe or dangerous situations.

DRIVE SAFELY

Before following the system's guidance instructions, such as changes in direction, always check first whether it is safe to do so given the current traffic conditions. Then follow the given instructions, but make sure you do so in a safe manner.

Keep the system's volume at a low enough level to be able to hear outside noises whilst driving. If you can no longer hear outside noises, you may be unable to react adequately to the traffic situation. This may cause accidents.

FOREIGN OBJECTS

Keep fingers and foreign objects out of the disc-loading slot, so as not to cause accidents. In the event of there being foreign objects inside the unit, or smoke or noxious odours coming out, stop operation immediately and contact the closest Kenwood dealer.

STOP OPERATION IN THE EVENT OF PROBLEMS

In event of problems such as a lack of sound or video occurring, stop operation and push the reset button. Should the problems persist, stop operation of the system and contact the closest Kenwood dealer. When upgrading the program, insert the version-up disk and press the reset



NEVER DISASSEMBLE OR ALTER

Never try to disassemble or alter the navigation equipment: Any attempt to do so may cause accidents, fire or electric shock.

When replacing fuses always use the same rated ampere. Failure to do so may cause fire.

SMALL ARTICLES

Keep small articles (like screws or batteries) out of the reach of children. If any such object is accidentally swallowed, consult a doctor immediately.

Information in this document is subject to change without notice.

■ Before Use

Start the car engine before use

This mobile navigation system can be used when the ignition key is turned to ON or ACC. However, to preserve the battery, it should be used with the engine running whenever possible. Using the navigation system for a long time with the engine switched off can cause the battery to run down.

Time before current position is displayed

The mobile navigation system will not display the correct current position of the vehicle the first time it is used after purchase, or if the battery has been removed for a long time. GPS positioning signals will soon be received, however, and the correct position will be displayed.

Reading programmes after the battery has been turned off

The navigation programmes will be deleted if the battery is The having the programmes will be deleted in the battery is removed for repairs, etc. If this happens, set one of the map discs provided into the mobile navigation system and switch on the engine. The mobile navigation system will automatically load the programmes and start operating normally again.

When driving on rough roads

The mobile navigation system might not operate properly or be able to read map data from the disc if there is severe vibration caused by driving on rough roads.

Handling the GPS antenna

- Do not paint the antenna. This will impair or disable signal recention
- Remove any object or accumulated snow, etc., from the top of the antenna. It will reduce reception strength.

 Do not pull the cord when removing the antenna or adjusting its
- position. This can cause a short or snap the wires.

Operating whilst driving

The GPS voice navigation system displays the switches disabled during driving in fainter colours. These switches stop functioning and no message is displayed.

Precautions for handling precision machines

Be careful of the surrounding temperature. Using the mobile navigation system at extremely high or low temperatures can lead to malfunction or damage. Also note that the unit can be damaged by strong vibration or by metal objects or water getting inside.

Condensation

Condensation can form on the lens inside the main unit just after the car heater is switched on in cold weather, for example, leading to malfunction. The main unit will start working normally again if it is just left alone for about one hour for this condensation to go away. If normal operation is not restored after several hours, return the main unit to the store where you purchased the mobile navigation system.

Map disc


Always replace the map disc with another compatible map disc. Never insert an incompatible disc. It can damage the main unit.

■ Precautions when Handling Map Discs


- You should handle discs carefully, as excessive werping or scratches on the disc surface or label can lead to reading errors.
 Store discs away from direct sunlight. The disc might warp and
- become unusable.
 Lightly wipe the disc with a soft cloth in a straight line from the
- centre of the disc towards the outer edge.
 If you touch the date surface of a disc (the surface without a label printed on it) it might get dirty and lead to a malfunction.
 Always hold a disc either by its centre hole and an edge or by
- two edges.
 Do not write on, or stick paper or seals onto, the surface of a
- Never clean discs with benzene, thinners, record spray, antistatic spray or chemical swabs.

 A map disc rotates at high speed inside the main unit. Do not
- use a cracked or badly warped disc, therefore, because it might damage the main unit.


Inserting and Removing the Map Disc



Slide the front cover downward to open the discinsertion slot.



Press the eject button when removing the map disc.



Insert or remove the map disc (facing upward) and close the front cover.

About the Map Discs

This navigation system includes two map discs containing different areas (West and East). Select the map disc containing the destination area you wish and insert it in the navigation system. Make sure to reselect your destination when you change the map disc.

Refer to the section Set Route (see page 11) for instructions on reselecting the destination.





- Road information for all of the above locations is included on the map discs.
- This means that the following operations can be performed regardless of which map disc is loaded in the system;
 - Scrolling Map to Select Destination (Select from Map)
 - Selecting Destination from the previously registered points as a memory point (Home, Memory Point, Previous Destination)
- Selecting Destination by Latitude and Longitude (Coordinates), Phone number, Emergency, and Ouick POI.
 After replacing the map disc, stored data including the POI icon on the map and stored Avoid Street settings will be deleted, and Quick POI selections (Gas Station, Grocery Store, ATM, All Restaurants, Parking and Hotel) will return to default.
- In the Current Location display, the arrival time and the distance to the destination are displayed for Next Way Point.
- When you change the map disc system, a message saying "Unable to calculate route" may appear on a pop-up window. In this case, reselect the destination again.

Starting Up Navigation

Start up navigation and display the map of the area around your vehicle.

1



Turn on the car engine.

The Opening screen appears, followed by the CAUTION screen.




Read CAUTION carefully, and select Asset.

CAUTION Most functions are inhibited

CAUTION

Most functions are inhibited while the vehicle is in motion. Please read the handbook for operating instructions.

Always obey traffic regulations.



The Current Position screen appears.




- The buttons displayed on the screen can be selected by actually touching the screen.
 You can select the language by touching You can also alter the language by Language Selection (see page
- If 3 minutes elapse without any operation, the display changes automatically to Language Selection (see page 6).
- The CAUTION screen remains on the display unless you select.
- When you use Navigation System for the first time, Greenwich Mean Time is displayed. Set the right time with <Set
- When you operate this car navigation system using Remote Control (KNA-RC300, optional), read "Remote Control" section on page 54 first, then operate subsequently.

Language Selection

You can change the language of the menu and the voice guidance.

1



Select 📟.

2



Select (Language Selection).

3




Select your preferred language from the list.

- : Displays up to five previous items.
- : Displays the previous item.
- Displays the next item.
- : Displays up to five of the next items.

- The LANGUAGE screen can also be displayed even if has been selected on the CAUTION screen (see page
- 5).KNA-VC300 is required for Voice Recognition.

Markers (and Controls) Displayed on Maps

Screens Before Setting Route



- Time display
 Displays the current time.
- ② GPS (Global Positioning System) marker Shows the status of the signal from the GPS satellite. When this marker appears, the GPS satellite signal is being received and used to calculate the position of your vehicle.
- (3) Map Orientation control Shows and Changes the Map Orientation (see page 9).
- ② Zoom Out/Zoom In control, scale display Press to display a wide area map and to display a detailed map. The numbers on the display indicate the scale of the map currently shown.
- ⑤ Menu control Shows the menu (see page 8).
- (6) Screen Configuration Switches to the display of route guidance (see page 24).

7) Vehicle marker


Shows the current position and direction of your vehicle.

(8) Store Memory Point button Stores markers on the map. This button only appears when the screen is selected,

and disappears after a few seconds.

- (§) POI (Point of Interest) Display button Displays the POI Selection screen (see page 52). This button appears when the screen is selected, and disappears after a few seconds.
- ① Distance from current position Displays the distance from the current position to the position pointed by ...
- ① Destination/Way Point button The destination or way point will be set at the position pointed by o in the scroll screen.

Screens During Route Guidance



① Distance and Time to Destination display
Displays the time* and distance to the destination or
way point.
Selecting this will display the next and further


Selecting this will display the next and further information on the way point or time and distance to the destination.

(* Either required time or estimated time arrival)


- ② Route display Shows the provided route as a thick green line.
- 3 Turn Arrow display Shows the direction to turn at the next junction and the distance to the junction.
- A Repeat Voice button Repeats the last voice guidance message.
- Shows the name of the road you are currently driving on.
- 6 Display Whole Route button Shows the entire route (see page 32).
- ⑦ Change route button Displays the Route Option menu so that settings for route calculation can be changed.

Menu Screen Change Chart

<Current Position screen>



<Menu screen>



Destination Entry	Address	page 14
Destination Entry	Point of Interest	page 17
Grand Section 1	Select from Map	page 18
	Emergency	page 20
	Memory Point	page 16
	Previous Destination	page 18
	Intersection	page 22
	Freeway Ent/Exit	page 19
	Phone number	page 23
	Coordinates	page 21
Stored Locations	Memory Points	page 43
	Avoid Area	page 47
	Dest. & Way Pt.	page 29
	Home	page 48
	Previous Dest.	page 49
	Preset Dests.	page 50
Language Selection	Language Selection	page 6
Navigation Set Up	User Settings	page 35
	Quick POI Selection	page 36
	Volume	page 36
	2D/3D View	page 37
	Calibration	page 38
	Set Clock	page 40
	Navigation Information	page 39
	Restore System Defaults	page 41
	Remote Control	page 54
Route Options	Search conditn	page 27
	Detour	page 27
	Route Pref.	page 28
	Dest. & Way Pt.	page 29
	Display route	page 32
	Route Preview ~	page 32

Changing the Map Orientation

Either the direction in which you are headed or north can be shown as upwards on the map.

1

<Heading Up>



Select 🗿 or 📵.

Selecting rotates the map to so that direction you are heading is always shown as upwards on the screen (the red arrow indicates North):

<North Up>




Selecting or rotates the map to so that North is always shown as upwards on the screen:

Map Operations

Changing the Map Scale

You can increase or decrease the scale of the map.

7



SAN FRANCISCO




Select or to change the map scale.

Selecting or changes the scale of the map as shown left.



- You can keep selecting or to continually change the map scale.
- By touching the right of the scale bar after or is selected, you can directly change between 5 scale levels.



• The scale can be displayed in imperial or metric units. To change the units, see page 35.

Setting Destination

Setting Destination by Scrolling the Map

You can set the destination or way point if the exact address not known.



Touch the screen to scroll the map until \diamondsuit is at the destination point or way point.



Select (Destination or Way Point).



Select (Destination). Route calculation will be carried out and the entire route will be displayed on the map.

Select (Way Point) to set the address as a way point on your route (see page 42). You can set up to 5 way points per trip.



Select Set .

Route guidance begins using displayed route.



- If your desired route cannot be found, (Change route) allows the route option settings to be changed (see page 26).
 Selecting at for five seconds and more will start the Demo
- mode. Selecting will cancel the Demo mode.

Set Route

■ Selecting route

When the destination set, it is simultaneously calculated for three types of route (Quick, Altern. (Alternative), and Short). You can select the route used actually out of them.

1 Los ariestes

Select 3Routes.

The calculation route can be selected from one of three types namely, Quick (the fastest route), Altern. (Alternative) (the other route), or Short (the shortest route).

Che route 3 Routes Start

Into Quick
24, 0,05.
Altern.
24, 0,05.
Short
23, 0,34.

Select (Information).

Details regarding the individual routes (i.e., required time, total distance, roads used, etc.).

Select either when, Men, or Short, and then select when you have decided on the route to be used.

Setting Destination from the Navigation Menu

You can set the destination using various ways provided by the system.



Select .

Select (Destination Entry).







Select the item you want.


2	(Address)*	see page 14
Felial of Territory	(Point of Interest)*	see page 17
	(Select from Map)	see page 18
MGE terrency	(Emergency)	see page 20
Hearty Pour	(Memory Point)	see page 16
Part of the last o	(Previous Destination)	see page 18
and the same	(Intersection)*	see page 22
	(Freeway Ent/Exit)	see page 19
() :	(Phone number)	see page 23
(S) Dominion	(Coordinates)	see page 21
	(Home)	see page 48

You can switch between screens by selecting a (Next Page) or a (Prev. Page).



- If the destination setting is different to the Search Area shown in the right of the screen, you must select and designate the search area again.
- The functions marked with an asterisk * search the Area set with Change Search Area) (see page 23).
 Depending on the search method or the display status of the map, the searched point may be different from the place where the facility you want to visit actually exists.

■ Address



Enter the street name.

If the some letters of a street name are entered, the desired street can then be selected from the displayed list.

: Selecting this deletes the character that was last entered. Selecting it continuously deletes all the characters that have been entered.

You can switch between the input screens showing different input characters by selecting , , (symbols) or .

Select .

ADDRESS


House No. | 2201 | City

Street | ERST | 578

EAST | EAST | EAST | EASTBER RD |

FASTBERD CT | EASTBER CT

Select the street from the list.



Select the right city from the list.

If the same street name exists in more than one city, a list of those cities is shown.

: Displays the Street name input screen.



Select (Destination) to set the address as your final destination.

Route calculation will be carried out and the entire route will be displayed on the map.

Select (Way Point) to set the address as a way point on your route. You can set up to 5 way points per trip.

Select Start

Route guidance begins using displayed route.



If your desired route cannot be found, (Change route) allows the route option settings to be changed (see page 26).



- If the map disc contains no house number data, an error message will be displayed and the map for the street will be displayed allowing you to set the destination.

 If your destination is not on a road, set a destination point on main road nearest to your actual destination.
- When the house number that you input is not found, inputting street will display the house number input screen again.
- Selecting the will display a screen that searches the destination on a city basis.


: Search the destination from all cities.

Search the destination from the nearby five cities within 20

miles from the current position.

rectiliphen: : Search the destination by inputting the city name.


You can also search the destination from the five cities that you searched in the past.



Set Route

■ Memory Point


If you have stored a memory point, you can make it the destination.



MEMORY POINTS

[MARKED POINT
[PERSONAL
[BUSINESS

Select the category for the desired memory point.



Select the desired Memory Point.

: Displays up to five previous suggestions.

Displays the previous suggestions.Displays the next suggestions.

: Displays up to five of the next suggestions.

Select (Destination) or (Way Point).



3

• (IIII.), (IIII.), or (IIII.), or (IIII.) can be selected to change the sequence in which memory points are displayed.

You cannot use this function if no Memory Point is stored. To store Memory Points, see page 43.

■ Home/Stored Destination

If you have already stored your home address, you can set this as your destination. Similarly, if destinations are stored in advance, they can be selected as the current destination in a one-touch operation.

Before Steps



(Destination Entry)



Select (Home) or destinations in through ...

The map for the area around your Home location or around the stored destination will be displayed.

2

Select (Destination) or (Way Point).



The icon (Home) or through is displayed after you have stored your home position or destinations. For how to store your home position or destinations, see page 48.

■ Point of Interest


You can find a point of interest from those listed and make it your destination.



(Destination Entry) > (Point of Interest)



Enter the name of the point and select



Select the desired point of interest from the list.

- : Displays up to five previous suggestions.
- Displays the previous suggestions.
- : Displays the next suggestions.
- : Displays up to five of the next suggestions.

Select (Destination) or (Way Point).




- If several points of interest share the same name, they will be listed on-screen. Select your desired destination from
- If there is more than one item with the same name, select or to shorten the list.
- Displayed information about each facility might be changed. You are recommended to check the location or business days/hours before departure.

Set Route

■ Previous Destination

This lets you choose one of the most recent 100 destinations or way points and make it your new destination.



PREVIOUS DEST.

Previous Start Point

1 334 S AVENUE 16, LOS AWGELES

2 3299 SANTA MONICA BLVD

3 9746 VICKSBURG AVE, LOS ANGE

4 SUN VALLEY, CA

Sort by

Rame (Date)

Select the Previous Destination from the list.

- : Displays up to five previous suggestions.
- : Displays the previous suggestions.
- : Displays the next suggestions.
- : Displays up to five of the next suggestions.

Select (Destination) or (Way Point).



or can be selected to change the sequence in which previous destinations are displayed.

■ Select from Map

You can find a location on the map that was last displayed and make it your destination.



(20) E 1ST ST / 100S ANGELES CA) Rical Reference Parties on Ca

Scroll the map until Φ is at the destination or way point.

When you operate using Remote Control (optional), press CANCEL key first.

Select (Destination) or (Way Point).

■ Freeway Entrance/Exit

You can find the name of a freeway entrance or exit from those listed and make it your destination or way point.



FREEWAY ENT/EXIT

Freeway | Input Freeway Name 457

ABCDEFGH

TJKLMNOP

RSTUVW

Enter the name of the freeway and select



Select the name of the freeway you want.

- : Displays up to five previous suggestions.
- : Displays the previous suggestions.
- : Displays the next suggestions.
- : Displays up to five of the next suggestions.

G FREEWAY ENT/EXIT

1-464 E

Please Please Scientification (CS)

Figure Scientification (CS)

Figure Scientification (CS)

Figure Scientification (CS)

Select - Entrace or & Edit .



Select the name of the street to enter from or exit to.

- : Allows you to enter the street name.
- : Sorts the list by distance.
- : Sorts the list in alphabetical order by name.

Select (Destination) or (Way Point).

5

Set Route

■ Emergency

This function allows the nearest police station or hospital to be set as the destination.



O EMERGENCY

Durrent 201 E 1ST ST

Position LOS ANGELES, CA

LAT. N34"3'5" LONG. W116"14'32"

Select either & Police in or least police stations or hospitals will be displayed accordingly.

Select the desired institution from the list.

: Displays up to five previous suggestions.

. Displays the previous suggestions.

: Displays the next suggestions.

: Displays up to five of the next suggestions.

: Sorts the list by distance.

: Sorts the list in alphabetical order by name.

Select (Destination) or (Way Point).

Displayed information about each facility might be changed. You are recommended to check the location or business days/hours before departure.

■ Coordinates

This function allows destinations to be set using latitude and longitude.





Enter the latitude.

This can be done using the number keys in combination with [°] (degrees), ['] (minutes), and ["] (seconds).



Enter the longitude.

- : Switches over to north latitude.
- : Switches over to south latitude.
- : Switches over to west longitude.
- : Switches over to east longitude.
- : This deletes the last character entered. Selecting it continuously deletes all of the characters entered.



Select .

Select (Destination) or (Way Point).

■ Intersection

Designate the intersection with 2 street names, and search for the place you want.







Select the street you want from the list .

Displays up to five previous suggestions.Displays the previous suggestions.

: Displays the next suggestions.

: Displays up to five of the next suggestions.



Specify the 2nd street with the same operation.

~ -

Select (Destination) or (Way Point).




4

The intersection can't be searched for in the cases shown below.

- The 2 streets selected don't cross
- A freeway and highway
- A street for right or left turns only
- A one way street
- A street for U-turns
- Roads that cross on the inside lane
- A on/off ramp
- · A frontage street
- There may be cases when the intersection can't be searched for on other roads also.

■ Phone number

This function allows buildings and the like to be located using their phone number.



Input phone number

(Input phone number)

Enter the phone number starting with the area code.

2 PHONE NUMBER (5)

866_

(1) (2) (3) (4) (5) (6)

(7) (8) (9) (0) (0)


Select .

3 Select (Destination) or (Way Point).

If a number of candidates exist as a result of, for example, different area codes, these will be displayed in a list. Your desired destination can then be selected from the list.

■ Change (Change Search Area)

This designates the general geographical area where the destination is located.



SEARCH AREA

(US1) (US2)

(US3) (US6)

(US7) (US8)

(US7) (US8)

(US7) (US8)

Select the desired Search Area.

: Displays up to five previous suggestions.: Displays up to five of the next suggestions.

Select .

Select .

DESTINATION ENTRY Menu screen appears.

The SEARCH AREA screen above is the imaged screen. It may be slightly different than the screen of the unit.

Guidance Screen

While driving along during route guidance, the directions for the next junction where you have to turn are shown as a Turn Arrow or Turn List.

<Turn Arrow>



Directions are indicated by an arrow.

<Turn List>



Directions are indicated as a list.

1



Select (Screen configuration).


Select either i (Turn Arrow) or (Turn List).

Enlarged Junction Diagram

Before a fork in the road, an enlarged diagram of the junction automatically appears in a second screen. This is to make route guidance even clearer.



During route guidance, an enlarged diagram of an approaching fork or junction appears. When you drive past the junction, the enlarged diagram disappears.



During route guidance, an enlarged diagram of the freeway automatically appears in a second screen as you approach a fork on the freeway. This is to make route guidance even clearer.



The following procedure can be used to recall the lane display for the intersection or freeway which was most-recently displayed.

- 1. Select (Screen configuration).
- Select (Re-display of intersection/range guidance).
 If no items are to be selected, the screen can be closed by selecting .

Display Dual map

It is possible to perform two-screen display of maps.

<Single map>




<Dual map>



1

2



Select ((Screen configuration).

Select (Dual map).

If you wish to return to one-screen display, select (a) (Single map). If no items are to be selected, the screen can be closed by selecting



If you wish to modify the display selections for the right-hand screen, touch the top of this screen. When the settings have been completed, select .


- Refer to page 10 for details regarding scale changes.
- Refer to page 52 for details regarding
- Refer to page 37 for details regarding

Freeway information

A list of buildings and facilities on the freeway can be displayed.

1

2



Select (Screen configuration).


Select (Freeway Information).

If no items are to be selected, the screen can be closed by selecting

Replaying Voice Guidance

This function allows you to listen to the last voice guidance message again during route guidance.

1



Select .

You can hear the voice guidance again.

Route Options

Setting Route Options

During route guidance you can change the route options, stop or check the route.





Select Co.

(Route Options).

The Route Options screen appears.

(Search conditn):

Set the method for route calculation between locations (see page 27).

(Detour):

This calculates an alternative route from your current position within a specified distance (see page 27).

(Route Pref.):

Allows you to alter the route search conditions and recalculate (see page 28).

(Dest. & Way Pt.):

Modify the destination and way points (see page 29).

(Display route):

Allows you to confirm the route information during guidance (see page 32).

(Route Preview):

The calculation route can be checked using a simulation run (see page 32).


:Recalculates the route.

:Stops route guidance. Note that this deletes the destination and way points. To start guidance again, select

Recalculating the route sometimes provides the same route as before.


Search Condition

You can set the conditions and the mobile navigation system calculates a route.



Detour

You can specify the distance from your current position and the mobile navigation system calculates an alternative route.



If you are driving off the route, it will not be possible to calculate a detour route.

Route Options

Route Preferences

The function allows settings to be made for the roads to be used and to start route calculation.



1

Each time a button is selected it will toggle between usage and non-usage of the corresponding roads or ferries.

Select Calculate.



- The route will not necessarily follow the specified conditions.

Destination & Way Points

The destination or way points used in route calculation can be changed using this function.

■ Addition of way points

The following procedure can be used to add new way points to the current route for calculation.




Select Add



Set the way point using your preferred method.

When a new destination is set by (Destination), it will replace the current destination and route calculation will be carried out once again.



When the required way points have been setup, indicate the order in which they are to be visited.

Choose the location to be added, and then select

Select Galculate



4

- When a new destination is set by (Destination), it will replace the current destination and route calculation will be carried out once again.
- Step 3 is required when setting the 2nd way point and more after.
- Repeat step 1 and 3 until all desired way points have been set.

Route Options

■ Modification of Destination or Way Point Positions

This function allows the calculated route will be displayed and the positions of the destination or way points to be modified.



1



Select List

Select (Change Location).

3



4 (334 S AVENUE 18, LOS ANGELES)

5


Select Cardian.

■ Modification of the Visiting Order

The order in which way points are to be visited can be modified using this function.



1



Select the buttons for the way points in the order that they should be visited.

G CHANGE ORDER Undo

WHO STATE VICKSBURG AVE, LOS 3 Chg.

Jy 3259 SANTA MONICA BLVD 1 Loc.

FIE 1639 N MAIN ST., LOS ANG 2 OK

When the sequence has been completed, the visiting order will be updated automatically.

•

Select .

Select Carlate

30 English

■ Deletion of Destination or Way Points

The destination or any way point which has been set may be deleted using this function.



1



Select Pelate

Select the button corresponding to the destination or way point to be deleted.

3



Select when the confirmation message is displayed.


Select to cancel the deletion.

4

Select Salculate

■ Deletion of Destination and All Way Points

The destination and all way points which have been set may be deleted using this function.



1



Select Del All

Select when the confirmation message is displayed.

Select to cancel the deletion.

Route Options

Display Route

Use this function to display the entire calculated route.



Rocte with preference (Cm List)

Select Control

The Entire Route screen appears.



You can set any areas you want to avoid from the list of street names.

Recalculates the route.

If the data for the route cannot be shown on one screen, you can scroll using \blacksquare and \blacksquare .

Select Start.

2

Route Preview

The mobile navigation system can show you an automated simulation of the calculated route.



Route preview (Next PDI)

Use the buttons displayed onscreen to carry out a simulation run.

(III): Move to the start point.

Carry out a simulation run in the direction of the start point. When the run has been started, this button will be displayed as and when selected, it will cause running to take place at high speed.

: Stop the simulation run.

: Carry out a simulation run in the direction of the destination. When the run has been started, this button will be displayed as , and when selected, it will cause running to take place at high speed.

: Move to the destination.

: Displays the EDIT ROUTE PREVIEW screen (see page 33).

The speed of the simulation run can be altered by changing the scale of the map. The simulation run is faster with a wider area map and slower with a closer up map.

■ Setting the conditions for simulation run



(Route Options) ► (Route Preview)



1





EDIT ROUTE PREVIEW screen appears.

Stops at the destination or the next way point.

Stops at a point of interest which has been setup on the route.

Delete the POI which has been selected.

POIs:

Displays the six POIs from Quick-POI storage. When one of these is selected, it will be displayed on the map; furthermore, can be selected to display items other than those shown here. For more details, refer to page 36.




If, for example, Restaurant is selected for POIs and a simulation run is started using (), this will then stop at a restaurant on the route.

If is selected here, the system will display information relating to the establishment in question.



COFFEE OUVNH NO



IMPORTANT

Finish the simulation run before actually starting to drive. The simulation run will automatically finish when you actually start to drive, but this can lead to an error in the display of the current position of your vehicle.

Setting Navigation System

You can alter the map display conditions, the route guidance conditions and show the system information.



Select .



Select (Navigation Set Up). The Navigation Set Up screen appears.





(User Settings):



Allows you to change the settings for the screen display and sound (see page 35).

Select a setting button while changing the screen using
or ...





(Volume):

Perform settings for voice guidance and adjust the volume (see page 36).

(2D/3D View):

Allows you to switch between a 2D and 3D map display screen (see page 37).

(Calibration):

Allows you to correct any error in the display of the vehicle's position or direction (see page 38).

(Set Clock):

Set the clock (see page 40).

(Navigation Information):

Allows you to confirm the version of the map disc and the signals from the vehicle (see page 39).

(Restore System Defaults):


Restore the system settings to their original condition (i.e., upon factory shipment) (see page 41).


(Remote Control):


Register user-setting keys for the remote control (The remote control is an optional extra.) (see page 54).

User Setting

You can change the settings for the screen display and sound.







Select the desired item.

Select a setting button while changing the screen using 🤝 or 🖬.

Distance:

Units for distance can be selected as or units.

Road Restriction Warnings:

The display of warnings during route guidance when passing through areas with traffic restrictions can be turned on or off.

Audio Mute:

Select whether the audio is to be muted during voice guidance.

Keyboard layout:

Arrival Time:

The time which is displayed until the destination or a way point can be set as an estimated arrival time or the remaining time. Select to display the estimated arrival time, or to display the remaining time.



<Estimated arrival time>



<Required remaining time>

Color Scheme:

Select a screen color from of the options.

Map Mode:

The display can be set to either Day or Night illumination mode.

- : The display will automatically switch between Day and Night illumination mode when the headlights are turned off and on respectively.
- : The display will be presented in Day illumination mode regardless of whether the headlights are on or off.
- : The display will be presented in Night illumination mode regardless of whether the headlights are on or off.

Guidance Screen:

Allows selection of whether guidance is to be displayed.


Freeway Information:

Allows selection of whether guidance screen is to be displayed while driving on Freeway.

Navigation Set Up


Quick POI Selection

This function allows you to set the categories on that are displayed when the (Point of Interest) menu is selected the map. Quick POI enables you to store up to six different kinds of category which you use most regularly (see page 52 to display markers on the map and search for nearby points of interest).



Volume Adjustment


This function replaces all the settings in the mobile navigation system with the initial default settings.



2D/3D View


You can switch between a 2D and 3D display screen. You can also change the viewing angle of the 3D display.





Select a 2D or 3D display for the Map Screen and the Guidance Screen.

Changes the map screen display. Map Screen: Guidance Screen: Changes the route guidance screen, such as the enlarged junction diagrams.





Select or on the angle indicator.

In situations where 3D is selected on the Map screen, it will be possible to modify the map angle.

The view point will be higher up when closer to , and lower down when closer to .








Restores the initial default angle setting.

To implement 3D display on the right side of a dual map, touch the top of the right-hand screen and then select




English

Navigation Set Up

Calibration


This function allows you to correct any error in the position or direction of your vehicle display.

■ Adjusting Current Position and Direction



■ Distance

This function automatically corrects any error in the display of the current position that might occur after tire replacement.




You will have to drive about 6 miles (10km) before distance correction is complete.

Navigation Information


■ Vehicle Signal

This function allows vehicle and GPS satellite data to be displayed.



■ Map Version


This function enables you to check the version of the map disc you are currently using.



Navigation Set Up

Set Clock

The current time is set using this function. Since time notification is provided by a GPS satellite, time-zone adjustment can be carried out automatically.



hour.

and similarly, select to move it back by one

Restore System Defaults

This function replaces all the settings in the mobile navigation system with the initial default settings.





Select

Restores the average speed setting to the initial value upon factory setting.

IMPORTANT

If you execute Restore System Defaults, all of your Stored setting data will be deleted.

[Default List]

Item	Initial condition	
Map display		
Search Area	US9	
Display Guidence Language	US English, female	
Map Orientation	North up	
(1 and 2 screen)	•	
Map Display Mode	2D, single-screen display	
Map Display Scale	Single-screen;	
	10,000 map (1/16 min) (100 m)	
	Dual-screen:	
	40,000 map (1/4 min) (500 m)	
Map Configuration	Arrow Mode	
Q-POI Map Display	Off	
Show POI Icon Display	Off	
Map Mode	Auto	
Right Screen Setting, POI	On	
Right Screen Setting, 3D	Off	
Passage Point Display/	Next passage point	
Current Location, Map Screen		
(Time Requirement, Time,		
Direction/Distance)		
Passage Point Display/	Destination	
Full Route, Map Screen		
(Time Requirement, Time,		
Direction/Distance)		
Notify Seasonal Restrict	On	
Freeway Information	On	
Language Selection Menu	US English, female	
Language		
Voice Recognition	US English, female	
Navigation Setup Menu	Mile	
Distance .	On	
Notify Traffic Restriction	On	
Audio Mute	ABC	
Keyboard Layout		
Arrival Time	Estimated arrival-time display	

Item	Initial condition
Color Scheme	1
Guidance Screen	On
Q-PO Selection	A : Gas station
	B: ATM
	C : Parks
	D : Grocery store
	E : All Restaurant
	F: Hotel
Volume Presets	4
2D/3D View	2D (Map/Guidance Screen)
	23°
	24h
Remote Control	Short Cut 1: Detour
	Short Cut 2: Map Direction
Route Options	
Search Condition	Quick
Route Preferences	Allow Freeway :On
	Allow Toll Road; Off
	Allow Ferry: Off
	Allow Restricted Road: Off
	Allow Sessonal Restricted Road: Off
	Allow Car Train: On

Eng

Stored Locations

You can store, edit, or delete any destinations, way points, or marked point.

1

2



Select

Select (Stored Locations).

3



Select the item you want.

(Memory Points):

Places a marker on the map (see page 43).

(Avoid Area):

Stores any areas to be avoided (see page 47).

(Dest. & Way Pt.):

Sets the destination (and way points) (see pages 29 through 31).

(Home):

Stores the location of your home (see page 48).

(Previous Dest.):

Deletes previously stored destinations (and way points) (see page 49).

(Preset Dests.):

Stores destinations for a maximum of five buttons (see page 50).

E Display Homory Pt., Icons - E

Displays icons at memory points.

Calculate

Starts route calculation.

Each of the items has four editing functions — as standard.

: Stores a new location.

: Displays the list of stored locations.

: Deletes stored locations.
: Deletes all stored locations.

The buttons displayed vary according to the item (see below)

M (10	Memory Points (100)	, page
	(100)	List
		Dolete
		101,61
		Edit Category
Home (1)		Add:
	(1)	Lin
	-	Bolsto
حد ا	Avoid Area	
(10)	Urt	
		Delete
		Solvall

Previo	Previous Dest.	Delete
	(100)	.Del.;All
Dest. & Way Pt. (Destination: 1 Way Point: 5)	Dest. & Way Pt.	Add
	Way Point: 5)	List
		Delete
		Dol. Ati
Preset Dests. (5)		A.E.
	List	
	Delete	
		Del.All

The number in the parentheses indicate the maximum items you can store in the memory.

Memory Points

■ Memory Point Storage

Memory points can be classified into one of four categories for storage.



Stored Memory Points: 4/100

Stored Memory Points: 4/100


Del. All

PERSONAL

BUSINESS

ENTERTAINMENT.


Select the category for storage of the memory point.



Select .



Set a memory point using your preferred method.



Up bef

Up to 100 memory points can be stored. You must delete a memory point that you no longer require (see page 46) before storing a new memory point. The remaining number of spaces in the memory is indicated at the screen.


■ Memory Point Confirmation and Modification

This function allows stored memory points to be displayed in list form and allows names, icons, telephone numbers, and the like to be modified.






Select the category of the memory point to be modified.



Select Care



Select the memory point to be modified.

(Destination), , and can be selected to change the sequence in which memory points are listed,




Select the button corresponding to the item to be modified.



Allows the display icon to be selected. Pages 1 and 2 contain standard icons, whereas the With Sound page contains icons which also playback sounds. Select to listen to these sounds.





The With direction () of the With Sound contains is used to playback sounds only when you come near the Memory Point from a specific direction. Select the 🗖 or 😝 and set the direction with




: Allows the storage category to be changed. Select the button corresponding to the new category.











Stored Locations



■ Memory Point Deletion


Stored memory points can be deleted using this function.



Select Peter.

5 11013 MASSACHUSETTS AVE. LOS * 1119 N POINSETTIA PL, LOS AN

Select the memory point to be deleted.




Select when the confirmation message is displayed.


Select the category of the memory point to be deleted.

Select to cancel the deletion.

■ All Memory Point Deletion

This function allows all memory point to be deleted.






Select Del All .

Select when the confirmation message is displayed.

Select to cancel the deletion.

■ Category Name Modification

The category names — Personal, Business, Entertainment, and Market Point — can be changed if so required.



1

. 2



Select the category whose name is to be changed.

Select Editatesory.

Erase letters using , enter the new letters, and then select .

Avoid Area

■ Avoid Area Storage

This function allows the storage of Areas to be avoided when calculating routes.



Select Add

Setup an avoid area using your preferred method.

A map including the Avoid Area appears.

The method for setting avoid areas is identical to that for setting destinations,



Select Reduce or Enlarge .

Reduces the size of the avoid area.

Increases the size of the avoid area.

Select .



4

- Reduce the scale of the map to designate a larger area.
- Avoid areas can be set when the scale of the map is 1 km (1/2 mile) or less.

Stored Locations



Avoid Area Confirmation and Modification

This function allows stored avoid areas to be displayed in list form and allows them to be modified.



1

2

Name 9730 GLINDAYS BLVD, SUN VALL
Show Mane 0n) (Off 1),

Position 9730 GLINDAYS BLVD, SUN VALLE 1
LAT. N34'14'47' LDNG. E118'23'2'

Select the avoid area to be modified.

Select the button corresponding to the item to be modified.

For details regarding each button's function, refer to <Memory Point Confirmation and Modification> (see page 44).



The methods for individual deletion and bulk deletion of avoid areas are the same as those described on page 46 for memory points. Specifically, refer to <Memory Point Deletion> and <All Memory Point Deletion> (see page 46).

Home

■ Home Storage

This function allows you to store your Home location.

Home: .0/1



CO HOME

Select Add .

Add States St. AB Substitution of the St. AB Sub


Move ♦ to the Home position and select .



To change the location for your Home, select and then carry out procedures in the same way as for storage. Furthermore, select to delete the stored Home. Refer to Memory Point Deletion> (see page 46) for more details regarding Home deletion methods.

Previous Destination (Deleting Stored Locations)

Previously-set destinations can be deleted using this function.




PREVIOUS DESTS.

Previous Destinations: 46/100

Delete Del. All

Select Delete

If is selected, all previous destinations will also be deleted.



Select the destination to be deleted.

: Displays up to five previous suggestions.

Displays the previous suggestions.

: Displays the next suggestions.

: Displays up to five of the next suggestions.

: Sorts the list in alphabetical order by name.

(Fire): Sorts the list by date.

3 1759 MAIN ST, SANTA MONICA,

Select when the confirmation message is displayed.

Select to cancel the deletion.



Preset Destination

■ Preset Destination Storage

Up to five regularly-used destinations can be stored so that, when required, they can be set for the actual destination in a one-touch operation.





Select Add .



Select a preset number.

3

Set a preset destination area using your preferred method.

The method for setting preset destinations is identical to that for setting destinations.

Select .

1


■ Preset Destination Confirmation and Modification

This function allows preset destinations to be displayed in list form and allows them to be modified.





Select Cartis



Select ① through ⑤ in accordance with the destination to be modified.



Select the button corresponding to the item to be modified.

For details regarding each button's function, refer to <Memory Point Confirmation and Modification> (see page 44).



The methods for individual deletion and bulk deletion of preset destinations are the same as those described on page 46 for memory points. Specifically, refer to <Memory Point Deletion> and <All Memory Point Deletion> (see page

Other Functions



Displaying POI's on a Map

You can select one of the six categories on the menu or List Categories and then select the POI(s) to be displayed on the map.

1


2



Select the screen.

Select (Points of Interest).

3



Select the categories to be displayed up to a maximum of five.

For categories other than the six displayed, select **categories** and select them from the list shown.

: Allows you to search for a POI (see below).


After you make a selection, POI markers will appear on the map. To delete POIs see page 53.

Displayed information about each facility might be changed. You are recommended to check the location or business days/hours before departure.

■ Local Search

1





Select the screen.

Select (Points of Interest).

3



Select (All Local Points of Interest).

4



Select the POI you want to find from the listed categories.


- : Displays up to five previous suggestions.
- : Displays the previous suggestions.
- : Displays the next suggestions.
- 3 : Displays up to five of the next suggestions.
- : Sorts the list by distance.
- : Sorts the list according to the types of icons.
- : Sorts the list in alphabetical order by name.

After you make a selection, the point of interest you selected appears on the map.

Showing POI Data

You can display POI (Point of Interest) data, such as name, address and telephone number.

1



Display the POI (see pages 36 and 52).

Select the desired POI by moving \diamondsuit on top of the POI icon

The name of the selected POI appears.
If no data is stored for the selected POI, the POI name is not displayed.

3



Select (Information).

The POI's data is displayed.

: Stores the location of POI as a memory point.

Deleting POI Markers

This function deletes any POI markers shown.

1

Z



Select the screen.

Select (Points of Interest).

Select (Points of Interest Off).


The POI markers disappear.

Remote Control



Remote Control Functions

The KNA-RC300 Remote Control is used in the same way as the touch panel. (The KNA-RC300 Remote Control is an optional extra.)



No.	Name	Description of function	
1	Mode	Mode switching (Navi, Monitor, Audio)	
2	Enlarge/Reduce/	Enlarged and reduced map indication	
	Right Screen Setting	(If the button is held in either position, the map can be	
		smoothly enlarged or reduced.)	
		Alternative, the button can be pressed down to perform setting	
		on the map's right screen	
3	Cancel	Return	
4	Current Position	Current position	
5	Number button	Character/Number entry	
6	Joystick	Scrolling on the map, Moving of the cursor	
		Alternatively, the button can be pressed down to implement	
		your selection.	
7	Menu	Menu display	
8	Route	Route Option menu display	
9	Voice	Plays Voice guidance	
10	SC1	Shortcut 1 (see the following page.)	
11	SC2	Shortcut 2 (see the following page.)	
12	↑ ↓ → ←	Icon selection, Horizontal scrolling of characters	

IMPORTANT

- Set Mode Setting switch to "NAVI" position while operating this navigation system.
- Be careful to place the remote control at a position where it will not interfere with brake or steering wheel operation. If it should fall
 under the brake pedal or to some other similar location, a dangerous situation can develop where driving safety will be impaired.
- Kenwood monitors contain an integrated signal receiver for the remote control. Accordingly, there will be no need to install the
 remote control's signal receiver if using a Kenwood monitor; furthermore, it will not be possible to use the monitor's receiver if the
 remote control's signal receiver is connected.
- Press 3 (cancel) key to scroll the map when the joystick mode (selecting the button) is selected for such operation as changing the
 destination position.

54 English

Shortcut Key Storage

The remote control features a pair of shortcut keys, and these can be assigned to any functions that jou use on a regular basis. Select 📟.




Select (Remote Control).

Select (Navigation Set Up).



Select **a** to display the second page.





Select either (sci or scz

Select the function to be stored from the list.


: Displays up to five previous suggestions.

: Displays the previous suggestions.

: Displays the next suggestions.

: Displays up to five of the next suggestions.

If the remote control should become unresponsive, replace with new batteries (i.e., $2 \times AAA$). Make sure that the batteries are inserted in the correct direction, and do not use old batteries together with new ones.




Voice Activate



Description

If the KNA-VC300 Microphone & Talk switch is connected, it will be possible to control the Navigation System through voice recognition. (The KNA-VC300 Microphone & Talk Switch is an optional extra.)






- · Care should be given to the following points to ensure that the voice microphone's level of voice recognition is as high as possible while performing voice control.
- This microphone has directional characteristics, so you should speak towards the microphone surface.
- Use your normal speaking voice.
- Ensure that the car windows are shut and turn down the volume of the audio
- When connecting a KNA-VC300 Microphone & Talk switch (Optional extra) to the navigation system and using it for the first time, after turning the car's ACC switch on, turn it off then back on again. If this is not done, the navigation system will not recognize the KNA-VC300 and the KNA-VC300 cannot be used.

Microphone surface



Voice Recognition

Select the language to be used for voice control.



Select @

Select (Language Selection).

3

<u>(a)</u>	LANGUAGE	(T)
Engl	ish (US), female Voice Recognit	ion
1	Engilsh (US), female	
	(English (US), male	gradi Age
	Français	
$\sqrt{\mathbf{T}}$	[Italiano	
	Deutsch	

Select Voice Recognition

(P)	VOICE RECOGNITION 5
Englis	h (US), female
	(Eiglish (US), female
	(English (US), traie
	Français.
(T)	Italiano
(Deutsch

Select the language for voice control from the displayed

- : Displays up to five previous suggestions.
- : Displays the previous suggestions.
- : Displays the next suggestions.
- : Displays up to five of the next suggestions.

Basic Usage Pattern

Voice control can be carried out by simply clicking the talk switch and speaking a voice command (see the following section) into the microphone.

Click the talk switch.

The system will emit a short confirmation beep.

Speak the desired voice command.

Upon recognition, the system will emit a confirmation sound.

When an announcement for confirmation is made to the input voice command, press the talk switch again and

When an announcement is made for the selected point to be set to the route point after inputting one of destination operation commands, press the talk switch again and speak "Enter destination", "Add to waypoint", "Renew destination", or "Cancel".



- If the same voice command is not read back, redo the sequence from the beginning.
- To cancel input of a voice command, hold down the talk switch until the system emits a beep (long or short), or
- Using the Help command will display the Help screen for voice recognition.

Amusement Park

Voice Activate Command

The following voice commands can be used with voice control.

Shortcut Commands
[Show] Current (Position/Location)
[Show] Map
(Command) (Help/List)
Repeat [Voice] [Guidance]
Cancel
Map Operation Commands
Zoom in
Zoom Out
Zoom In Maximum
Zoom Out Maximum
Right Man Zoom In
Right Map Zoom In Right Map Zoom Out
Right Map (Zoom In Maximum/Minimum Scale)
Right Map (Zoom Out Maximum/Maximum Scale)
IChange to/Showl North up [Mode]
[Change to/Show] North up [Mode]
[Change to/Show] Heading up [Mode]
[Change] Map Direction
Right Map [Show] North up [Mode]
Right Map [Show] Heading up [Mode]
Right Map [Change] Map Direction
IShow/Change tol Dual Map (Mode)
Show/Change to Single Map [Mode]
(Store/Mark) [This point]
[Change to] 3D map [Mode]
[Change to] 2D map [Mode]
POI Display Commands
Automobile Club/Triple A
Car wash
Gas Station/Gas
Parking/Parking Lot/Parking Garage/Car Park
Auto Service & Maintenance/Auto Service
Other Automotive
ATM
Bank
Other Financial Services
City Center
Convention Center
Exhibition Center
Court House
Government Offices
Higher Education/University/College
Hospital
Library
Parks & Recreation/Park & Recreation
Police Station
Post Office
tost office

Amusement Park
Botanical/Zoological Gardens
Casino
Cinema
Golf Course
Historical Monument
Horse Racing
Marina
Museum
National and State Parks
Ski Resort/Skiing
Speedway
Sports Complex/Stadium
Performing Arts
Tourist Attraction
Tourist Information
Video Rental
Winery
Restaurant/I'm Hungry/Show Restaurant
American Restaurant/American Food
Chinese Restaurant/Chinese Food
Continental Restaurant/Continental Food
Fast Food/Fast Food Restaurant
French Restaurant/French Food
Italian Restaurant/Italian Food
Japanese Restaurant/Japanese Food
Mexican Restaurant/Mexican Food
Seafood Restaurant/Seafood
Thai Restaurant/Thai Food
Other Restaurant/Other Food
Convenience Store
Department Store
Grocery Store
Home and Garden
Pharmacy
Shopping Mall
Specialty Food Store
Other Retail Stores
Airport
Bus Station
Campground
Ferry Terminal
Hotel
Rental Car Agency
Rest Area
Train Station
Beauty and Barber shops
Coffee House

Dry Cleaning
Health and Fitness Club
ice Cream Parlor
Business Facility
POI Off
Destination Operation Commands
[Go] Home
Enter Destination
Add to waypoint
Renew Destination
[Go to/Previous] Starting Point
IGo tol Previous Destination
[Go to] Preset Destination [Number] One
[Go to] Preset Destination [Number] 2
Go to Preset Destination [Number] 3
Go to Preset Destination [Number] 4
[Go to] Preset Destination [Number] 5
Cancel
Guidance Commands
Louder
Softer
Show (Whole/Entire) Route [Map]
[Show] Next Way Point [Map]
Show First Way Point [Map] Show Second Way Point [Map]
Show Second Way Point [Map]
Show Third Way Point [Map] Show Fourth Way Point [Map]
Show Fourth Way Point [Map]
Show Fifth Way Point [Map]
Show Destination [Map]
(Delete/Cancel) Next Way Point
Yes
No
(Delete/Cancel) Destination
(Delete/Cancel) All Way Points and Destination
Voice guidance OFF
Voice guidance ON
Quick
Alternative
Short
Detour
Detour Entire Boute
(Channe to) Arrow (Guide/Guidance)
[Change to] Turn List (Guide/Guidance)
[Change to] Motorway (Guide/Guidance)
[Change to] Motorway (duide/Guidence)
Display Commands
Display [set] day [mode]
Display [set] day [mode]
Display [set] night (mode) Display [set] auto [mode]
DisbigA Izeri garo litionel



School

Voice commands are sorted into the above six categories.

• Items in [square brackets] can be omitted. In addition, one of the items shown separated by a forward-slash must be selected.

General Information

Accuracy of the Vehicle's Position

Area in which GPS signals cannot be received

Because the radiowave signals from the GPS satellites travel primarily by line of sight, the navigation system might not be able to receive the signals in the areas described below. (If the GPS mark does not appear on the map screen, it means that

the GPS radiowave signals are not being properly received.) Inside a tunnel

(2) Inside a building (3) Under a three-dimensional road such as a high-speed road

(3) Under a three-dimensional road such as a high-speed road
(4) On boulevards lined with trees
(5) Between buildings
(6) Under a cliff or in a cave
If the GPS antenne or its surroundings are blocked by an obstacle (including cargo), it might not be possible for the system to receive the GPS radiowave signals.
If multiple paths are created due to the reflection from the buildings, a large measurement error could occur, causing the vehicle's mark to deviate from its actual position.

Deviation of the vehicle's position mark

The vehicle's position mark could deviate from its actual position

when the vehicle is being driven under the conditions listed below or due to conditions of the GPS satellites. If the vehicle travels on a road whose actual shape differs from that in the map data, the vehicle's mark could deviate from the actual position. The correct position will eventually appear on the screen through the correction function. If the screen does not show the correct position for a long time, correct the current position or make an automatic correction.

The vehicle's mark could appear on a parallel road. When the road splits into a narrow Y, the vehicle's mark could appear on the other fork of the Y. When the vehicle makes a right or left turn, the vehicle's mark could appear on one street ahead or behind. If the vehicle is transported by a means other than the vehicle's own power, such as on a ferry boat, the vehicle's mark will remain in the position it was before the transport until the system can calculate the position through the GPS. When the vehicle is driven on a steep incline, the vehicle's mark could deviate from its actual position.

could deviate from its actual position.
If there are continuous gradual curves in the same direction, the

vehicle's mark could deviate from its actual position. If the vehicle is driven in a zigzag pattern, such as through frequent lane changes, the vehicle's mark could deviate from its actual position.

actual position.

If the vehicle is placed on a turntable, such as in a parking area, and turned with the ignition OFF, the orientation of the vehicle's mark could deviate from its actual orientation. The vehicle's mark could also deviate even after the vehicle has exited the

mark could also deviate even after the vehicle has exited the parking area.

(9) The vehicle's mark could deviate from its actual position if the vehicle is driven on a snow-covered road or on a mountainous road with tire chains or snow tires.

• After driving the vehicle under those conditions, perform the same operation given in the section on "After changing tires".

(10) The vehicle's mark could deviate from its actual position after the tire have been replaced.

the tires have been replaced.

• After replacing the tires, refer to the section on *After changing tires*.

■ How the Vehicle's Position is detected

Detecting the vehicle's position through the GPS

GPS stands for the "Global Positioning System"; it is a system for detecting an object's position through the use of the satellites of the Defense Department of the United States.
Radiowave signals from three or more satellites are received by the

naciowave signals from line of more straints are received by the navigation system, which utilizes the principle of triangulation to detect the position in which the radiowave signals are received. When the navigation unit is receiving the GPS radiowave signals, a "GPS" mark will appear on the map screen.

Detecting the vehicle's position through self-contained navigation

Self-contained navigation is a system that detects the vehicle's position by calculating the vehicle's driven distance and turning angle though the use of various types of sensors that are mounted

on the vehicle.

Through the use of self-contained navigation, the vehicle's position can be detected even in an area where the GPS radiowaves signals cannot be received.

Making corrections to the detection of the vehicle's position through map matching

 In map matching, the position information resulting from the detection of the vehicle's position and the locus of the travel of the vehicle up to the present are constantly compared to the shapes of the roads on the map in order to correct the vehicle's position mark to the most appropriate road.

of the vehicle is driven on a road whose actual shape differs from its map data, the vehicle's position mark on the map could deviate

from its actual position. Occasionally, the correction of the vehicle's position mark to the actual road on the map can be observed particularly after the vehicle has turned at an intersection or has come out of a parking

■ Accuracy of the Route Guidance

The conditions listed below do not indicate a malfunction.

- The guidance might prompt the driver to drive straight even
- though the vehicle is being driven on a straight road.

 The directional guidance could display multiple place names.

 If the vehicle makes a turn at an intersection before the guided
- If the vehicle makes a turn at an intersection before the guided route, the wrong type of voice guidence could be output. The guidance might not be output while the vehicle is making a turn at an intersection. The system might not be able to search for the proper route. If there is no road to the destination or if there is only a narrow road, the route might only indicate up to an area that is short of
- the destination.

 The repeat search time could be long while the vehicle is being driven at high speeds.

 While the system is searching again for the route, the route

- (8) While the system is searching again for the route, the route indication might not appear in time for the next right or left turn.
 (9) The route might not change even if a search is made again.
 (10) The system might guide the driver to make a U-turn.
 (11) The system might guide the driver on a road that cannot actually be travelled (such as on a road in which entry is prohibited).
 (12) The system might not output guidance even if the vehicle is driven in reverse on the guided route.
 (13) The extern might not use a local ferry host even if it the farm.
- (13) The system might not use a local ferry boat even if it the ferry priority is selected.
 (14) If the intersection you're being guided to is near the end of the route search, the system might not be able to provide guidance.
 (15) The route might not go on a toll road even the toll-road priority is calested.
- is selected.

is selected.
Similarly, a route that uses a toll road could appear on the screen even if the toll-road priority is not selected.
(The driver may or may not be able to select the "toll-road priority" if both toll and free roads are available.)

Troubleshooting

Confirm whether any problem is due to a minor operational error or a malfunction. Check the table below before contacting your local dealer for any repair service.

The power does not come on.

The fuse might be blown.

Check the fuse. Replace it if it is blown.

The map does not scroll even when the vehicle is moving.

The screen shown might not be the Current Position screen.

See page 7 of this manual to display the Current Position

The vehicle marker does not appear.

The screen shown might not be the Current Position screen.

See page 7 of this manual to display the Current Position screen

The GPS marker is not displayed.

The GPS antenna or your vehicle might be in a position where GPS signals cannot be received.

Try moving the GPS antenna or your vehicle to a position where there are no obstacles around.

There is no voice guidance.

- Route guidance might be suspended.
- The guidance volume might be turned down low.
- The route guidance is off, see Route Options (page 35).
- See <Volume Adjustment> (page 36).

Small spots or bright flashes appear in the screen displayed

This is probably due to the nature of the LCD display.

There is nothing wrong with the display and no need for concern.

The map disc cannot be ejected

The disc might be incompatible or might have been inserted incorrectly.

Restart the engine and see page 5 of this manual.

English

Specifications

Specifications subject to change without notice.

Navigation Section

Antenna	1575.42 MHz (C/A code) Less than -130 dBm
General	
Operating voltage	14.4 V DC (11 to 16 V)
Current consumption	Less than 2.5 A
Operational temperature range	-10°C to +55°C
Operational temperature range	_30°C to +95°C
Storage temperature range	1 Vm = (Commonite) (0.7 Vm = (Analog BCB)
Video output level (75 Ω)	vp-p (composite)/ u./ vp-p (Analog ndb)
Audio output level (10 kΩ)	1.2 vrms
Size (Navigation unit)	(ע)ט.פי/ו x (א)טכ x (עע)כ.4פו
·	6-1/2(VV) x 1-15/16(H) x 6-15/16(D) in.
(Antenna unit)	34(W) x 13.2(H) x 38(D) mm
	1-5/16(\M) x 1/2(H) x 1-1/2(D) in.
Mass (Navigation unit)	
(Antenna unit)	25 a (0.055 LBS)
(Antenna unit)	20 g (0.000 ED0)

ACAUTION

Use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.

In compliance with Federal Regulations, following are reproductions of labels on, or inside the product relating to laser product safety.

KENWOOD CORPORATION 2967-3, ISHIKAWA-MACHI, HACHIOJI-SHI TOKYO, JAPAN

KENWOOD CORP. CERTIFIES THIS EQUIPMENT CONFORMS TO DHHS REGULATIONS NO.21 CFR 1040. 10, CHAPTER 1, SUBCHAPTER J.

Location: Bottom Panel

FCC WARNING

This equipment may generate or use radio frequency energy. Changes or modifications to this equipment may cause harmful interference unless the modifications are expressly approved in the instruction manual. The user could lose the authority to operate this equipment if an unauthorized change or modification is made.

NOTE

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment may cause harmful interference to radio communications, if it is not installed and used in accordance with the instructions. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Recrient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE

This Class B digital apparatus complies with Canadian ICES-003.

60 English