

Test Weights and Boxes

Class F2



Milligram weights,
flat polygonal sheet



Individual weights/Weight sets,
knob shape



Block weight, stainless steel



Test weights (10 – 50 kg), finely turned
stainless steel, KERN 337-141 ff,
optional: Wooden box



Plastic box,
lined, for
individual
weights
≤ 200 g



Plastic box,
lined, for
individual
weights
≥ 500 g



Aluminium protected box, lined,
for individual weights



Wooden box, not lined
for individual weights ≤ 500 g



Wooden box, not lined,
for individual weights ≥ 1 kg



Milligram weight
set in plastic case
(338-22)



Milligram weight
set in aluminium
protected case,
lined (338-226)



Plastic case, lined, for weight sets,
knob shape



Aluminium protected case, lined,
for weight sets, knob shape






Wooden case, for weight sets,
knob shape

Bestel via e-mail naar metil@rycobel.com of online via www.metil-industrie.com

Meer informatie: +32 56 78 21 70 (Algemeen), 0800 665 52 22 (Nederland), +33 (0)3 28 40 22 17 (Frankrijk), +49 221 27 799 971 (Duitsland)




Class F2 - Milligram weights, flat polygonal sheet

Test weight material: stainless steel

Weight	Tol +/- mg	Milligram weight, flat polygonal sheet		Plastic box		Aluminium protected box		Wooden box		DAkkS certificate	
		KERN	€	KERN 	€	KERN 	€	KERN 	€	KERN	€
1 mg	0,06	338-01	10,-	347-009-400	2,-	317-009-600	14,-	338-090-200	34,-	962-451	21,-
2 mg	0,06	338-02	10,-	347-009-400	2,-	317-009-600	14,-	338-090-200	34,-	962-452	21,-
5 mg	0,06	338-03	10,-	347-009-400	2,-	317-009-600	14,-	338-090-200	34,-	962-453	21,-
10 mg	0,08	338-04	10,-	347-009-400	2,-	317-009-600	14,-	338-090-200	34,-	962-454	21,-
20 mg	0,10	338-05	10,-	347-009-400	2,-	317-009-600	14,-	338-090-200	34,-	962-455	21,-
50 mg	0,12	338-06	10,-	347-009-400	2,-	317-009-600	14,-	338-090-200	34,-	962-456	21,-
100 mg	0,16	338-07	10,-	347-009-400	2,-	317-009-600	14,-	338-090-200	34,-	962-457	21,-
200 mg	0,20	338-08	10,-	347-009-400	2,-	317-009-600	14,-	338-090-200	34,-	962-458	21,-
500 mg	0,25	338-09	10,-	347-009-400	2,-	317-009-600	14,-	338-090-200	34,-	962-459	21,-


Class F2 - Individual weights, knob shape

Test weight material: finely turned stainless steel

Weight	Tol +/- mg	Individual weight, knob shape		Plastic box		Aluminium protected box		Wooden box		DAkkS certificate	
		KERN	€	KERN 	€	KERN 	€	KERN 	€	KERN	€
1 g	0,3	337-01	23,-	347-030-400	2,-	317-010-600	14,-	337-010-200	21,-	962-431	21,-
2 g	0,4	337-02	24,-	347-030-400	2,-	317-020-600	17,-	337-020-200	17,-	962-432	21,-
5 g	0,5	337-03	26,-	347-030-400	2,-	317-030-600	15,-	337-030-200	18,-	962-433	21,-
10 g	0,6	337-04	28,-	347-050-400	2,-	317-040-600	15,-	337-040-200	18,-	962-434	21,-
20 g	0,8	337-05	29,-	347-050-400	2,-	317-050-600	15,-	337-050-200	18,-	962-435	21,-
50 g	1,0	337-06	32,-	347-070-400	2,-	317-060-600	14,-	337-060-200	20,-	962-436	21,-
100 g	1,6	337-07	36,-	347-070-400	2,-	317-070-600	14,-	337-070-200	24,-	962-437	23,-
200 g	3,0	337-08	48,-	347-080-400	2,10	317-080-600	14,-	337-080-200	25,-	962-438	23,-
500 g	8,0	337-09	71,-	347-090-400	3,-	317-090-600	19,-	337-090-200	29,-	962-439	23,-
1 kg	16	337-11	93,-	347-110-400	3,80	317-110-600	27,-	337-110-200	43,-	962-441	23,-
2 kg	30	337-12	147,-	347-120-400	5,-	317-120-600	32,-	337-120-200	47,-	962-442	30,-
5 kg	80	337-13	265,-	347-130-400	11,-	317-130-600	53,-	337-130-200	92,-	962-443	30,-
10 kg	160	337-14	510,-	347-140-400	16,-	317-140-600	75,-	337-140-200	93,-	962-444	30,-
20 kg	300	337-15	770,-	-	-	317-150-600	105,-	337-150-200	390,-	962-445	34,-
50 kg	800	337-16	1520,-	-	-	317-160-600	305,-	337-160-200	610,-	962-446	46,-


Class F2 - Test weights, stackable

Test weight material: finely turned stainless steel

Weight	Tol +/- mg	Test weight		Wooden box		DAkkS certificate	
		KERN	€	KERN 	€	KERN	€
10 kg	160	337-141	650,-	337-141-200	360,-	962-444	30,-
20 kg	300	337-151	830,-	337-151-200	390,-	962-445	34,-
50 kg	800	337-161	2130,-	337-161-200	610,-	962-446	46,-

Class F2 - Block weights

Block weight material: stainless steel glass bead blasted




Weight	Tol +/- mg	Block weight		Aluminium protected box		DAkkS certificate	
		KERN	€	KERN 	€	KERN	€
5 kg	80	336-36	550,-	346-060-600	80,-	962-443	30,-
10 kg	160	336-37	820,-	346-070-600	104,-	962-444	30,-
20 kg	300	336-38	1120,-	346-080-600	152,-	962-445	34,-
50 kg	800	336-39	2300,-	346-090-600	171,-	962-446	46,-

Bestel via e-mail naar metil@rycobel.com of online via www.metil-industrie.com

Meer informatie: +32 56 78 21 70 (Algemeen), 0800 665 52 22 (Nederland), +33 (0)3 28 40 22 17 (Frankrijk), +49 221 27 799 971 (Duitsland)

Class F2 · Weight sets, knob shape

Test weight material: Milligram weights stainless steel, individual weights finely turned stainless steel

Weight	Knob shape in plastic case		Knob shape in aluminium protected case		Knob shape in wooden case		DAkkS certificate	
	KERN 	€	KERN 	€	KERN 	€	KERN	€
1 mg - 500 mg	338-22	159,-	338-226	200,-	-	-	962-450	118,-
1 mg - 50 g	333-024	390,-	333-026	410,-	333-02	410,-	962-401	197,-
1 mg - 100 g	333-034	435,-	333-036	450,-	333-03	455,-	962-402	210,-
1 mg - 200 g	333-044	510,-	333-046	520,-	333-04	520,-	962-403	235,-
1 mg - 500 g	333-054	580,-	333-056	600,-	333-05	610,-	962-404	245,-
1 mg - 1 kg	333-064	730,-	333-066	750,-	333-06	760,-	962-405	255,-
1 mg - 2 kg	333-074	1030,-	333-076	1050,-	333-07	1060,-	962-406	295,-
1 mg - 5 kg	333-084	1310,-	333-086	1420,-	333-08	1420,-	962-407	310,-
1 mg - 10 kg	-	-	333-096	2060,-	333-09	1980,-	962-408	335,-
1 g - 50 g	334-024	255,-	334-026	275,-	334-02	270,-	962-415	79,-
1 g - 100 g	334-034	300,-	334-036	315,-	334-03	320,-	962-416	91,-
1 g - 200 g	334-044	395,-	334-046	415,-	334-04	415,-	962-417	116,-
1 g - 500 g	334-054	470,-	334-056	490,-	334-05	490,-	962-418	128,-
1 g - 1 kg	334-064	610,-	334-066	620,-	334-06	630,-	962-419	141,-
1 g - 2 kg	334-074	890,-	334-076	940,-	334-07	940,-	962-420	177,-
1 g - 5 kg	334-084	1150,-	334-086	1300,-	334-08	1290,-	962-421	196,-
1 g - 10 kg	-	-	334-096	1750,-	334-09	1810,-	962-422	215,-