

This manual is for reference and historical purposes, all rights reserved.

This page is copyright© by M. Butkus, NJ.

This page may not be sold or distributed without the expressed permission of the producer

I have no connection with any camera company

On-line camera manual library

This is the full text and images from the manual. This may take 3 full minutes for the PDF file to download.

If you find this manual useful, how about a donation of \$3 to: M. Butkus, 29 Lake Ave., High Bridge, NJ 08829-1701 and send your e-mail address so I can thank you. Most other places would charge you \$7.50 for a electronic copy or \$18.00 for a hard to read Xerox copy.

This will allow me to continue to buy new manuals and pay their shipping costs.

It'll make you feel better, won't it?

**If you use Pay Pal or wish to use your credit card,
click on the secure site on my main page.**

THE FOLLOWING ARE REGISTERED TRADEMARKS:

BINDOMAT®	FOCOSLIDE®	PERFLEKTOMETER®
CINOVID®	HEKTOR®	PRADOVIT®
CLASSIMAT®	LEICA®	REPROVIT®
COLORPLAN®	LEICAFLEX®	SIMPLEX®
DYGON®	LEICA-METER®	SUMMARON®
E. LEITZ, INC.®	LEICA PHOTOGRAPHY®	SUMMICRON®
E. LEITZ WETZLAR®	LEICINA®	SUMMILUX®
ELCAN®	LEITZ®	TERICAN®
ELMAR®	ORTHOLUX®	TRINOVID®
ELMARIT®	PANPHOT®	VISOFLEX®

Gayson's Camera Supplies

120 So. Central Ave.
Glendale, California 91204
CI 2-0363 - CH 5-5486



New and genuine Leica equipment is sold only through franchised Leica dealers, who are distinguished by the display of the Leica dealer emblem.

E. LEITZ INC., 468 PARK AVENUE SOUTH, NEW YORK, NEW YORK 10016

Distributors of products made by Ernst Leitz GmbH, Wetzlar, Germany, Ernst Leitz (Canada) Ltd., Midland, Ontario, Canada and other manufacturers domestic and foreign.



Leica and Leicaflex

CAMERAS AND ACCESSORIES



GAYSON'S CAMERA SUPPLIES
120 SOUTH CENTRAL
GLENDALE, CALIF. 91204
242-0363 245-5486

Your assurance that the Leica camera or lens you buy is a new one, is the Leitz Registration Card which identifies the equipment by serial number. On returning this card to E. Leitz, Inc., you will receive your Leitz Guarantee Certificate. Only a Franchised Leica Dealer can provide you with the Leitz Registration Cards. We cannot guarantee any camera or lens sold to you without a Leitz Registration Card, since it must be assumed to be second-hand equipment.

TABLE OF CONTENTS

LEICA "M" CAMERAS & LENSES		LEICAFLEX	
	<i>Page</i>		<i>Page</i>
Leica M-4	3	Leicaflex Cameras	20
Leica M-3	3	Leicaflex Lenses	20-21
Leica M-2	3	Leicaflex Bellows	20
Leica MDA	3		
Cameras, Lenses, Etc. in Black Finish	4	LEICAFLEX ACCESSORIES	
Motor Drive for Leica	4	Camera Cases	22
Basic Accessories for Leica "M" Cameras	5	Lens Cases	22
Bayonet Mounted Lenses:		Miscellaneous Accessories	23
Wide-Angle Lenses	6	Replacement Parts	23
Normal Lenses	7		
Long-Focus Lenses	8	CARRYING CASES	
Leica Lens Data	9	Leica Camera Cases	24
		Leica Combination Cases	24
		Component Parts for Combination Cases	24
		Lens Cases	25
		Filter Cases	25
		Finder Cases	25
		EXPOSURE METERS	
		Light Meters	26
		Replacement and Accessory Parts	26
		FILTERS	
		M-Camera Filters	28
		Leicaflex Filters (Series Filters)	29
		Replacement Parts	29
VISOFLEX			
Visoflex System—Chart	10		
Visoflex III	11		
Focusing Mounts for Visoflex Lenses	12		
Adapters for Visoflex Lenses	13		
Lenses for Visoflex	14		
Lens Data Chart, Visoflex Lenses	15		
"M" CAMERA ACCESSORIES			
Viewfinders	16		
Lens Hoods	16		
Lens Protection Covers	17		
Correction Lenses	18		
Miscellaneous Attachments	18		

TABLE OF CONTENTS

CLOSE-UP		DARKROOM	
	<i>Page</i>		<i>Page</i>
Close-Up Adapters for Visoflex	31	Film Magazines	39
Focusing Bellows II	31	Hand Film Winder	39
Bellows II Chart	32	Rondinax Developing Tank	39
Visoflex Close-Up Chart	33	Eldia Contact Printer	39
Range-Viewfinder Attachments	34	Focomat 1c Enlarger	40
Copy Stands, Fixed Ratios	34	Valoy II and Focomat 1c Accessories	41, 42
Copy Stands, Variable Ratios	35	Focomat 11c Enlarger	43
Focomat 1c Copying Stand	35	Focomat 11c Accessories	43
Reprovit 11a	36	Focomat 11c Negative Masks	44
Micro-Ibso	37	Enlarging Easels	44
Accessories for Photomicrography	37	Enlarger Bulbs	44
Close-Up Data Chart	38		
		PUBLICATIONS	
		Magazines	45
		Books	45

35mm PROJECTORS ARE DESCRIBED IN OTHER LEITZ LITERATURE AND CATALOGS AVAILABLE FROM YOUR FRANCHISED LEICA DEALER

Prices and specifications effective June 1, 1968. Both are subject to change without notice.

LEICA "M" CAMERAS

The Leica "M" models are the achievement of more than a third of a century of progress in the design of rangefinder 35mm cameras. Since 1925, when the introduction of the first Leica

launched the present era of 35mm photography, constant improvements have been added to make operation easier and success more certain.

THE LEICA MODELS M4, M3, M2, AND M2X ALL HAVE THESE ADVANCED FEATURES:

- Brilliant, single-window range- and viewfinder.
- Automatic Parallax correction.
- Accurate, rugged focal-plane shutter.
- One-stroke film-advance and shutter-wind lever.
- Single speed-setting dial with click-stops for speeds from 1 second to 1/1000th and B.
- **Automatic flash synchronization** for both conventional flash bulbs and electronic flash.
- Rewind lever resets **automatically** to "advance" position as film is loaded.
- Built-in self-timer (up to 10 seconds delay). (Leica M2X does not have self-timer.)
- Accessory shutter-coupled exposure meter available.
- Accessory reflex housing available for long-lens and close-up work.
- Many other accessories for close-up, copying and photo-micrography available.

- Full line of interchangeable lens.

M 4

The newest M model Leica featuring:

- Easy-fast position loading
- Cleverly designed "canted rewind-crank"
- View-finder image three quarter life size
- Built-in, bright-line frames for four focal lengths; 35mm, 50mm, 90mm and 135mm
- Built-in exposure counter automatically resets itself to zero on reloading camera

M 3

The Leica M3 a companion model differing slightly from the M4

- Brilliant, single window range- and viewfinder with life size image
- Bright line picture frames for the 50mm, 90mm and 135mm lenses

M 2

The M2 is a "special purpose" camera with slight differences from the M4 and M3

- Built-in bright-line frames for the 35mm, 50mm and 90mm lenses
- Manually-reset automatic exposure counter. In addition, the M2 may be used with the Leica Motor Drive and the Leicavit Rapid Winder for fast sequence photography
- Viewfinder image three quarter life size

M 2X


The M2X is a variation of the M2 with the self-timer eliminated

LEICA "M" CAMERAS


Catalog Number	Item	Retail Price
10,400	Leica M 4 without lens	\$288.00
10,402	Leica M 4 in black finish without lens	324.00
10,405	Leica M 4 with 50mm Elmar f/2.8 lens	366.00
10,406	Leica M 4 with 50mm rigid Summicron f/2 lens ...	438.00
10,407	Leica M 4 with 50mm Summicron DR f/2 lens and optical viewing unit	477.00
10,408	Leica M 4 with 50mm Summilux f/1.4 lens	501.00
10,150	Leica M 3 without lens	288.00
10,157	Leica M 3 with 50mm Elmar f/2.8 lens	366.00
10,180	Leica M 3 with rigid 50mm Summicron f/2 lens ...	438.00
10,185	Leica M 3 with Dual-Range 50mm Summicron f/2 lens and Optical Viewing Unit	477.00
10,167	Leica M 3 with 50mm Summilux f/1.4 lens	501.00
10,308	Leica M 2 with self-timer but without lens	249.00
10,333	Leica M 2 with 35mm Summaron f/2.8 lens	372.00
10,331	Leica M 2 with 35mm Summicron f/2 lens	412.50
10,335	Leica M 2 with 50mm Elmar f/2.8 lens	327.00
10,336	Leica M 2 with 50mm rigid Summicron f/2 lens ...	399.00
10,338	Leica M 2 with 50mm Dual-Range Summicron f/2 lens and Optical Viewing Unit	438.00
10,337	Leica M 2 with 50mm Summilux f/1.4 lens	462.00
10,300	Leica M 2X without lens	214.00



Leica M 4



Leica M 3



Leica M 2


LEICA MDa

The Leica MDa is a camera designed for industrial, medical and scientific use with the Visoflex reflex housing, Micro-IBSO and other specialized attachments. It is similar in construction to the M 4 camera but lacks a rangefinder and viewfinder. Shutter speeds are from one to 1/1000th of a second, and the MDa accepts the lenses and accessories used with the other "M" Leica models.

Frame Identification

For laboratory use, the MDa permits frame identification to be printed on the negative at the same time the picture is made. This is accomplished by using a special baseplate (available as an accessory) which permits a transparent plastic strip to be inserted and positioned across one short edge of the film gate, in front of the film. Information marked on the plastic strip is thus printed on the negative when the exposure is made.

10,103	Leica MDa without lens and with standard baseplate	\$210.00
10,913	Leica MDa without lenses, with special baseplate #14,142	220.00
14,142	Special Baseplate for Leica MDa. Permits identification strips to be inserted into camera	21.00
14,131	Special Baseplate for Leica MD. Permits identification strips to be inserted into camera	19.00
14,132	Negative Marking Strips for use with special baseplate #14,131 & #14,142. Can be written on and positioned in front of film in camera for frame identification at time of exposure. Package of 100 strips	8.50



LEICA MDa

MOTOR DRIVE FOR LEICA M2

The Motor Drive enables the Leica Photographer to take sequence and/or single frame pictures with automatic shutter firing and instant film advance. Ideal for news, sports, industrial, science, technology, medicine, aviation, military and surveillance purposes. This motor is for all "M" model Leicas except the "M3".

Catalog Number	Item	Retail Price
98,700	Motor Drive for Leica M2, M1, MD and MP Cameras (not for M3)	\$372.00
10,903	Leica Camera Body M2X Modified to accept Motor Drive Catalog No. 98,700	256.00
10,904	Leica Camera Body M2S Modified to accept Motor Drive Catalog No. 98,700	291.00
98,712	Remote Control Card, a 15 foot cord with push-button switch and connector plug	9.00
98,713	Remote Control Card, a 100 foot cord with push-button switch and connector plug	12.00

Note: New Leicas which have been modified (Catalog No. 10,903 and 10,904) for the Motor Drive are offered only with a Motor Drive (Catalog No. 98,700) E. Leitz, Inc. will modify Leica M2's M1's, MD's and MP's to accept a Motor Drive when the camera requiring modification is accompanied by a Motor Drive or an order for one. The price is \$44.60. Cameras requiring conversion should be sent to:

E. LEITZ, INC.
PHOTO-REPAIR DEPT.
304 HUDSON ST.
NEW YORK
NEW YORK 10013

CAMERAS, LENSES & ACCESSORIES AVAILABLE IN BLACK FINISH

To meet a limited but definite demand, certain Leica cameras, lenses, and accessories are now offered in a black as well as a chrome finish. These black-finish items will be available in limited quantities and on special order only.

The black cameras and lenses have white lettering and numerals except for the footage markings on the feet/meter focusing scales of the lenses. These are in red.

CAMERAS IN BLACK FINISH

10,402	Leica M 4, black finish without lens	324.00
--------	--------------------------------------	--------

LENSES IN BLACK FINISH

SEE LENS LISTINGS ON PAGES 6, 7, AND 8 OF THIS SECTION.
 LENSES AVAILABLE IN BLACK ARE SO NOTED.

ACCESSORIES IN BLACK FINISH

14,212	Leica-Meter MR	54.00
14,218	Leica-Meter MR-4	54.00
14,124	Front Lens Cap, in black finish, for 90mm f/2 and 135mm f/2.8	2.40

BASIC CAMERA ACCESSORIES

BASIC ACCESSORIES FOR LEICA "M" MODELS

Catalog Number	Item	Retail Price
14,217	Leica-Meter MR-4, battery operated with CdS cell and self-locking indicator needle. Has 27° angle of acceptance. Couples to speed dial of Leica "M" models. Complete with Mallory PX 625 "button" battery	\$48.00
14,218	Leica-Meter MR-4 in black finish, otherwise same as #14,217	54.00
14,212	Leica-Meter-MR, in black finish otherwise same as #14,210	54.00
14,210	Leica-Meter MR-4 same as #14,217 except it is designed for all M models except M4	48.00
14,215	Case for exposure meter MR	4.80
14,213	Case for exposure meter MR-4	4.80
14,128	Mallory PX 625 battery for Leica Meter MR (as replacement)	0.75
14,526	Eveready Case for Leica M 3 or M 2 with 35mm "RF" lenses or 50mm Dual-Range Summicron, each with Optical Viewing Unit attached	21.60
14,528	Eveready Case for Leica M 3, M 2 or M 1 with Leica Meter MR attached and lenses through 50mm without Optical Viewing Unit or collapsible 90mm lens	20.40
14,094	Shoulder Grip for strap of Eveready case. Fits carrying straps up to 1/2" wide	0.90
14,006	Film Magazine for all Leicas except 250 exposure model; with screw-cap plastic container	10.50
14,097	Bayonet Adapter actuating the 50mm viewfinder frame of the Leica M2, M3 and M4 For M3 with: All screw-mounting 135mm Leica lenses or less in focal length. For M2, and M4 with: All screw-mounting 50mm Leica lenses.	9.00
14,098	Bayonet Adapter actuating the 90mm viewfinder frame of the Leicas M2 and M3 and M4 For M2, M3 and M4 with: All screw-mounting 90mm Leica lenses.	9.00
14,099	Bayonet Adapter actuating the 135mm viewfinder frame of the Leica M3 and M4 and the 35mm frame of the Leica M2 and M4 For M3 with: All screw-mounting 135mm Leica lenses. For M2 with: All screw-mounting Leica lenses 35mm or less in focal length. For M4: All screw-mounting 35mm and 135mm Leica lenses.	9.00

Note: Any of the above Bayonet Adapters can be used to attach 135mm screw-mounting lenses to the M2. Since a separate viewfinder must be used for this focal length on the M2, the bright-line frame which is actuated in the range-viewfinder is unimportant.

This is also true for adapting the screw-threaded Visoflex I to "M" Leicas, since viewing and focusing are done on the ground glass screen. (The screw-mounting Visoflex II cannot be adapted to bayonet-mounting cameras.)



14,217



14,526



14,528




14,006

WIDE-ANGLE BAYONET LENSES

The versatility and popularity of the Leica System of photography have always been rooted in the large selection of interchangeable lenses available for it. The lenses below have bayonet mounts which fit the "M" series Leicas. Screw-mounting lenses for older Leicas, and lenses designed for use on Visoflex reflex housings will be found in other sections of this catalog.

Rangefinder-coupled lenses for the "M" Leicas are available in focal lengths from the extreme wide-angle 21mm to the long-focus 135mm. This group affords great control, both creative and technical, over the final picture. Through proper choice of lens, you can control perspective, bring distant scenes "closer," or work in small crowded areas, yet record all the important subject matter without the need to move back from it.

Catalog Number	Item	Retail Price
11,103	21mm Super-Angulon f/3.4 in black finish, including special lens hood	\$270.00
12,002	Optical Bright-line Viewfinder for 21mm lenses	67.50
11,801	28mm Elmarit f/2.8 in black finish with lens hood	226.50
11,802	28mm Elmarit f/2.8 in black finish without lens hood	216.00
12,007	Optical Viewfinders for 28mm lens	40.50
11,106	35mm "RF" Summaron f/2.8 in chrome finish with Optical Viewing Unit for M 3	159.00
11,306	35mm Summaron f/2.8 in chrome finish M 2 and M 4	123.00
11,108	35mm "RF" Summicron f/2 in chrome finish with Optical Viewing Unit for M 3	198.00
11,308	35mm Summicron f/2 in chrome finish for M 2 and M 4	163.50
11,870	35mm Summilux f/1.4 in black finish with lens hood for M 2 and M 4	183.00
11,871	35mm "RF" Summilux f/1.4 in black finish with Optical Viewing Unit and lens hood for M 3	213.00
12,585	Lens Hood with clamping device for 35mm and 50mm Summicron and Summaron lenses with 42mm flange diameter	10.50
12,501	Lens Hood for 28mm Elmarit and 21mm Super Angulon lens	10.50
12,504	Lens Hood for 35mm Summilux with serial number #2166701 and above (as replacement)	10.50



11,103



11,306



11,308



11,870




12,585




12,002




12,007




11,801



11,106



11,108



11,871

There is a Leica lens for every purpose. Some have the extremely high aperture of f/1.4 for work under very poor light. One—the Dual Range 50mm Summicron f/2—can be focused as close as 19" without extra accessories. And the 135mm Elmarit f/2.8 combines high speed with long focal length for situations which demand both from a lens. Still others are designed for all-around usefulness at modest cost.

Several of the longer focal lengths — particularly models of the 90mm and 135mm lenses — can also be used on the Visoflex II and III by means of adapters. This adaptation is especially useful for close-up and portrait work.

The longer focal length lenses, from 200mm to 560mm, which must be focused by a reflex system, are described in the section on the Visoflex housings.




11,318

NORMAL BAYONET LENSES

Catalog Number	Item	Retail Price
11,112	50mm Elmar f/2.8 in chrome finish	\$ 78.00
11,118	50mm Summicron f/2, rigid in chrome finish	150.00
11,117	50mm Summicron f/2 same as #11,118 but in black finish	171.00
11,318	50mm Dual-Range Summicron f/2 with Optical Viewing Unit for M 2, M 3, and M 4 in chrome finish	189.00
14,002	Optical Viewing Unit for bayonet-mounting 50mm Dual-Range Summicron f/2 lens (as replacement)	39.00
11,114	50mm Summilux f/1.4, in chrome finish, includes lens hood and lens hood cap	213.00
11,113	50mm Summilux f/1.4 same as #11,114 but in black finish	222.00
11,820	50mm Noctilux f/1.2 lens in black finish with sunshade and lens cap	678.00
12,585	Lens Hood with clamping device for 35mm and 50mm lenses with 42mm flange diameter	10.50
12,586	Lens Hood for 50mm Summilux f/1.4 (as replacement)	10.50
12,503	Lens Hood for 50mm Noctilux f/1.2 lens (as replacement)	12.80



11,820



11,112



11,114




11,118



12,585


LONG-FOCUS BAYONET LENSES



11,130



11,851



11,123



11,131




11,129



12,030



12,575



11,829

Catalog Number	Item	Retail Price
11,130	90mm Elmar f/4, rigid in chrome finish	\$105.00
11,131	90mm Elmar f/4, collapsible in chrome finish	123.00
11,800	90mm Tele-Elmarit f/2.8 in black finish. Telephoto design; mount is only 60mm long	177.00
11,129	90mm Elmarit f/2.8, rigid in chrome finish	174.00
11,123	90mm Summicron f/2, rigid; black finish with built-in collapsible lens hood	234.00
11,851	135mm Tele-Elmar f/4; telephoto design black anodized finish	177.00
11,829	135mm Elmarit f/2.8, black finish only, with built-in collapsible lens hood and filter retaining ring to accept Series 7 filters	273.00
12,030	Optical Bright-Line Viewfinder for 135mm Elmar lens when lens is used on M 2	27.00
12,575	Lens Hood with clamping device for bayonet-mounting 90mm Elmarit, Tele-Elmarit and Elmar and 135mm Hekor, Elmar and Tele-Elmar lenses with 42mm front diameter.	10.50

(Other viewfinders and lens hoods are listed in the Accessories Section.)

DATA FOR RANGEFINDER-COUPLED "M" LEICA LENSES

Focal Length	Lens	Aperture Maximum/Minimum	Angle	Class	Click Diaphragm	Flange Diameter	Filter Designation	Weight Ounces	Minimum Focus	Approx. Min. Focus Area (in.)	Application
21mm	Super-Angulon	f/3.4 f/22	92°	Wide Angle	Yes	52.5mm	Series 7	9	With R ² M2-2'4" M3-3'4" M4-2'4"	15 x 23 (at 8F min. distance)	Interiors Architecture Panoramic
28mm	Elmarit	f/2.8 f/22	76°	Wide Angle	Yes	52.5mm	Series 7 or E 48	8	w/range-finder M2-2'4" M3-3'4" M4-2'4"	2'x2'8"	Architecture Industrial Photo-Journalism
35mm	Summilux 1	f/3.4 f/16	64°	Wide Angle	Yes	43mm	E41	M2-8.7 M3-11.5 M4-8.7	M2 3" M3 2' 3" M4 3"	22 x 33 16 x 24	Interiors Architecture Panoramic
35mm	Summaron 1	f/2.8 f/22	64°	Wide Angle	Yes	42mm	A38	M2-6 M3-7.2 M4-2'4"	M2-2'4" M3-2'3" M4-2'4"	17 x 25.5 16.2 x 24.5	Interiors Architecture Panoramic
35mm	Summicron 1	f/2 f/16	84°	Wide Angle	Yes	42mm	E39	8.25	M2-2'4" M3-2'2" M4-2'4"	17 x 25.5 16.2 x 24.5	Interiors Architecture Panoramic
50mm	Elmar (collapsible mount)	f/2.8 f/16	45°	Standard	Yes	42mm	E39	7.5	3.5'	18 x 27	General Copying Macro
50mm	Summicron	f/2 f/16	45°	Standard	Yes	42mm	E39	8.25	3.5'	18 x 27	General Action Poor Light Close-up
50mm	Dual-Range Summicron	f/2 f/16	45°	Standard	Yes	42mm	E39	14.25 w/o.v.u.	Normal-3'4" Close-up	7 x 10 (close-up) 18 x 27 (normal)	General Action Poor Light Close-up
50mm	Summilux	f/3.4 f/16	45°	Standard	Yes, incl. 1/2 stops	45mm	E43	11.5	3.5'	18 x 27	General Existing light Fast action
50mm	Noctilux	f/1.2 f/16	45°	Standard	Yes, incl. 1/2 stops	52.5	Series 8	16	40"	16.5 x 25"	General Existing light Fast action
90mm	Elmar 2 (Either rigid or collapsible mount)	f/4 f/32	27°	Medium-Long focus	Yes	42mm	E39	6.5 & 12	3.5'	9.5 x 14.25 In Viso. 8.75 x 13	
90mm	Tele-Elmarit	f/2.8 f/16	27°	Telephoto	Yes, incl. 1/2 stops	42mm	E39	12.5	3'4"	8.6 x 13	
90mm	Elmarit 2	f/2.8 f/22	27°	Medium-Long focus	Yes	42mm	E39	11.5	3.5'	9.5 x 14.25 In Viso. 19.6	Animals Sports Landscapes Portraiture Close-up
90mm	Summicron 2	f/2 f/16	27°	Medium-Long focus	Yes, incl. 1/2 stops	63.5mm	E48	25	3.5'	9.5 x 14.25	
135mm	Tele-Elmar 2	f/4 f/22	18°	Telephoto	Yes, Half & full stop	42mm	E39	18	5'	8.75 x 13	Animals Sports Distance Portraiture Close-up
135mm	Elmarit 3	f/2.8 f/32	18°	Long focus	Yes, Half & full stop	65	Series 7	26	5'	8.75 x 13	


1. Separate models for M3 and M2 or M4
2. Lens unit can be used on Visoflex II or III with adapters
3. Lens unit adapts to Bellows II only

* 21mm lens focuses between minimum range-finder distances and 16", but range-finder does not function in this area.

THE VISOFLEX SYSTEM
For Normal-Range Photography
(Visoflex Close-Up Equipment Appears in The Close-Up Section)

Area size: Field covered at closest distance.
Printed in heavy type: Extension rings for the normal taking distance
Printed in normal type: Extension rings for the close-up and macro range (black ext. rings)

**Combinations with the
VISOFLEX III**




Experts acknowledge that no one method of focusing is best for all photo situations. For general photography with wide angle and normal lenses, the rangefinder system is faster and more accurate than a reflex camera. For extreme close-ups and telephotography, however, a reflex system is a "must."

made both focusing methods available in one camera by means of the Visoflex reflex housings. These accessories attach to the Leica body as quickly and easily as an ordinary lens and accept Leica lenses from 65mm to 560mm in focal length. (See chart on Page 1 Visoflex Section.) By adding extension tubes or a focusing bellows (or both), the Visoflex can be used for extreme close-up and scientific photography.

And so the Leica System has for many years

VISOFLEX III

The Visoflex III is available for Leica "M" models only. It provides a selection of three mirror actions, any of which can be set quickly for best efficiency with varying types of photography:



16,497

- automatic quick-return, for sports or other action pictures
- soft upswing to minimize vibration for slow speeds and short time exposures
- mirror locked out of light path for long time exposures and scientific photography



16,499

A special lever-lock on the Visoflex III permits it to be attached to or removed from the camera even more quickly than a lens.

A 4X prism magnifier for eye-level use and a 5X straight magnifier for work with the camera below eye-level are available for the Visoflex III.



16,461

Catalog Number	Item	Retail Price
16,498	Visoflex III, bayonet mounting, with 4X magnifier . . .	\$162.00
16,497	Visoflex III, bayonet mounting without magnifier	102.00
16,499	4X Eye-Level Magnifier for Visoflex III.	60.00
14,118	Correction Lenses for magnifier #16,499. Corrects for near- or far-sightedness. Prescription for eye to be used must be furnished with order. (Delivery 8 to 12 weeks.)	15.00
16,461	5X Standard Magnifier for Visoflex II or III	30.00

SHORT LENS MOUNTS

The lens units of certain rangefinder-coupled Leica lenses are removable. In special short mounts or adapters, they can then be used on the Visoflex and Bellows Focusing Device.

What's more the lens units of some short-mounted lenses for the Visoflex can be removed

and remounted in long, rangefinder-coupled mounts, if desired.

Mounts, and some adapters are listed below. Adapters and extension tubes which fit Leica lenses for close-up photography will be found in the Close-up Section of this catalog.


Catalog Number	Item	Retail Price
16,464	Universal Focusing Mount. Necessary with f/3.5 65mm on Visoflex II and 135mm Tele-Elmar f/4 or III. Also adapts lens unit of f/2.8 90mm Elmarit to Visoflex II or III. With extension tube #16,472 it adapts lens unit of f/4.5 135mm Hektor or Elmar f/4 to Visoflex II or III.	\$39.00
16,467	Short Focusing Mount, for lens unit of rigid f/4 90mm Elmar lenses above #1,572,401; permits focusing from infinity to 3'4" in Visoflex II or III.	21.00
16,462	Universal Focusing Mount in black finish accepts Lens Unit of 90mm f/2 Summicron or Lens Unit of 135mm f/2.8 Elmarit for use on Visoflex II or III.	57.00
14,071	Short Focusing Mount, for 135mm Elmar lens unit. Fits Visoflex II and III (special order, serial number of lens must be furnished). Delivery 8-10 weeks.	30.00
14,111	Focorapid mount for Visoflex II and III. Provides instant focus change to any of three predetermined distance settings. Settings changeable at will. Accepts lens unit of 200mm Telyt f/4.	159.00
14,114	Adapter to use 135mm Hektor f/4.5 (serial numbers over 250,000) or Elmar f/4 (but not Tele-Elmar) lens with Focorapid Mount.	5.70
14,113	Adapter to use discontinued 200mm Telyt f/4.5 lens with Focorapid Mount.	5.70
14,112	Adapter to use 280mm Telyt f/4.8 lens with Focorapid Mount.	6.30



16,464




16,467



14,111

RAPID FOCUSING DEVICE TELEVIT

14,136	Televit Pistol Grip Rapid Focusing Device for long focus lenses for use on Leica Cameras with Visoflex II and III. Has built-in filter slot for Series 7 filters.	363.00
14,137	Iris Diaphragm Adapter with preset diaphragm for Televit rapid focusing device. This will accept the lens heads of the new Telyt 400mm f/5.6 or Telyt 560mm f/5.6.	96.00
14,138	Bayonet Adapter for using lens heads of Telyt 280mm and the discontinued 400mm f/5 on Televit Rapid Focusing Device.	9.00



14,136

ADAPTERS FOR VISOFLEX II AND III

Catalog Number	Item	Retail Price
16,466	Adapter fitting bayonet on front side of Visoflex II with standard Leica thread, increasing extension length of Visoflex II to that of the Visoflex I and permitting use of short-mounted lenses of 125mm, 135mm, 200mm, 280mm and 400mm focus.	\$21.00
16,472	Adapter Tube. Adapts lens unit of 135mm [†] to Universal Focusing Mount #16,464. Permits the lens to be focused to infinity on the Visoflex II or III. Can also be used with #16,464 and extension tube #16,471 at distances from 38" to 26".	5.40
14,116	Three Filter Turret for use with short mounted 135mm [†] , 200mm, 280mm, and 400mm lenses on Visoflex II and III, replaces Adapter No. 16,466, accepts 3 filters size E43. Adapters required for series 6 filters.	57.00
14,117	Adapter Ring to use Series 6 filters in Filter Turret.	2.40
14,020	Extension Tube (15mm), fitting between 200mm Telyt and Visoflex for photography between 6 and 10 feet.	3.90
14,024	Intermediate Collar (63.5mm) with special viewfinder shoe. Replaces Visoflex and adapter #16,466 when using 200mm or 400mm Telyt directly on Leica cameras having bayonet lens flange. Must be used with #12,035 or #12,037 and focusing of lenses is possible only by distance scale on lens mount.	30.00
12,035	Sports Frame Finder for 200mm lens for use with Intermediate Collar.	25.50
12,037	Sports Frame Finder for 400mm lens for use with Intermediate Collar.	25.50



16,466




14,116



14,117



14,020




14,024



12,035

[†]Except 135mm Tele-Elmar f/4

VISOFLEX LENSES




11,062




11,026

Catalog Number	Item	Retail Price
11,062	65mm Elmar f/3.5 for Visoflex II or III only. Lens unit without focusing mount. Use with Universal Focusing Mount #16,464	\$ 84.00
11,026	90mm Elmarit f/2.8 lens unit for use on Visoflex II or III only. Used with Universal Focusing Mount #16,464	129.00
11,132	90mm Summicron f/2 lens unit only, in black finish, with preset diaphragm (without focusing mount), for use with universal focusing mount #16,462 on Visoflex III	150.00
11,133	90mm Summicron f/2 lens head only, in black finish, with standard type diaphragm (not preset diaphragm) without focusing mount. Use with universal focusing mount #16,462	141.00
11,828	135mm Elmarit f/2.8 lens head only in black finish (without focusing mount), with built-in collapsible lens hood and filter retaining ring to accept series 7 filters. Use with universal focusing mount #16,462	153.00
11,852	135mm Tele-Elmar f/4 lens unit for use on Visoflex II or III only. Used with universal focusing mount #16,464	138.00

The following lenses require the adapter #16,466 for use on the Visoflex II or III (without adapter, they are used directly on the non-current Visoflex I):



11,912



11,063

11,063	200mm Telyt f/4 short mount, includes pre-set diaphragm built-in collapsible lens hood and lens hood cap	246.00
11,912	280mm Telyt f/4.8 in parallel focusing mount with tripod socket; matte black finish, pre-set diaphragm; built-in collapsible lens hood	291.00
THE FOLLOWING LENSES CAN ONLY BE USED WITH THE TELEVIT PISTOL GRIP RAPID FOCUSING DEVICE #14,136; PLUS DIAPHRAGM ADAPTER #14,137		
11,866	Telyt 400mm f/5.6 lens head only, w/out diaphragm	123.00
11,867	Telyt 560mm f/5.6 lens head only, w/out diaphragm	201.00

DATA FOR VISOFLEX II AND III LENSES*

Focal Length	Lens	Aperture Max.	Min.	Angle	Class	Click Diaphragm	Flange Diameter	Filter Designation	Weight Ounces	Min. Focus	Approx. Min. Focus Area (in.)	Application
65mm	Elmar	f/3.5	f/22	36°	Standard Med. Long	Yes incl. 1/2 stops	43mm	E41	4 1/2 (less focusing mt.)	13"	2.25 x 3.25	General Close-up Copying
90mm	Summicron	f/2	f/16	27°	Medium Long focus	Yes incl. 1/2 stops	63.5mm	E48	19	3.5"	9.5 x 14.25	Portraiture Theatrical Existing light Animals
125mm <small>NET WEIGHT</small>	Hektor	f/2.5	f/22	20°	Long focus	Yes	59.8mm	E58	20.5	4"	7.5 x 11.25	Portraiture Close-up
135mm	Tele-elmar	f/4	f/22	18°	Tele-photo	Yes incl. 1/2 stops	42mm	E39	6.75 (less focusing mt.)	5'	8.75 x 13	Sports Distance Portraiture Close-up
200mm	Telyt	f/4	f/22	12°	Tele-photo	Yes (Preset)	65mm	E58	23	10'	11.75 x 17.75	Sports Distance Portraiture
280mm	Telyt	f/4.8	f/32	8.5°	Tele-photo	Yes (Preset)	65mm	E58	52.3	19'	18 x 27	Distance Wild life Sports
400mm	Telyt	f/5	f/32	6°	Tele-photo	No	91mm	E85	76	25'	16 x 24	Distance Wild life Sports
400mm	Telyt** Lens Head	f/5.6	f/32	6°	Tele-photo	**	**	Series 7	22.2	7' 3"	6.4" x 9.6"	Distance Wild life Sports
560mm	Telyt** Lens Head	f/5.6	f/32	4.5°	Tele-photo	**	**	Series 7	61.2	11' 10"	9.1" x 13.7"	Distance Wild life Sports

*Removable lens units of certain other Leica lenses can also be used on the Visoflex with proper adapters. See other lens data chart and individual lens listings. **The lens head may filter in the rapid focusing device. The filter slot for Series 7 filters is in the rapid focusing device.

VIEW FINDERS AND LENS HOODS

VIEWFINDERS

Viewfinder frames for lenses from 50mm through 135mm are provided automatically by the range-viewfinder system of the Leica M 3. In the M 2 the 35mm through 90mm lenses are provided for.

But with extreme wide-angle lenses, or with a rangefinder-coupled 135mm lens on the M 2, accessory finders are needed for accurate composition.

Leitz Optical Bright Line viewfinders slip into the camera accessory clip and outline the appropriate picture field with a brilliant white line. Parallax compensation is provided, except in the case of the 21mm finder.

The Sports Frame finders outline the subject area in an open frame. They are especially useful for making action pictures and for general sports work. The frame finders also provide for parallax compensation.

(Carrying cases for the viewfinders are listed with cases for other Leica equipment)

OPTICAL FINDERS

Catalog Number	Item	Retail Price
12,002	Optical Bright-Line Viewfinder for 21mm lens	\$ 67.50
12,007	Optical Bright-Line Viewfinder for 28mm lens	40.50
12,010	Optical Bright-Line Viewfinder for 35mm lenses	34.50
12,015	Optical Bright-Line Viewfinder for 50mm lenses	27.00
12,025	Optical Bright-Line Viewfinder for 90mm lenses	30.00
12,030	Optical Bright-Line Viewfinder for 135mm lenses	27.00

FRAME FINDERS

12,035	Sports Frame Finder for 200mm lens	25.50
12,037	Sports Frame Finder for 400mm lens	25.50




LENS HOODS

The purpose of a lens hood is to protect the clarity, contrast and brilliance which have been designed into your lenses. A lens hood keeps direct light rays — whether from the sun, flood or flash lamp — from hitting the front of the lens, causing internal reflections and loss of contrast in the picture.

Use a lens hood at all times — indoors and out — to keep picture quality high.

LENS HOODS

12,501	Lens Hood for 21mm Super Angulon f/3.4 lens and 28mm Elmarit f/2.8 lens (as replacement)	10.50
12,585	Lens Hood for 35mm and 50mm lenses with 42mm front diameter, complete with plastic dust cap for use when lens is reversed for carrying and storage. Does not obstruct viewfinder	10.50
12,522	Lens Hood for 35 mm Summilux f/1.4 (as replacement for lens #2166700 and below)	10.50
12,504	Lens Hood for 35mm Summilux with serial #2166701 and above (as replacement)	10.50
12,521	Lens Hood for all 50mm Summilux f/1.4 lenses (as replacement)	9.30
12,575	Lens Hood with clamping device for bayonet-mounting 90mm Elmarit, Tele-Elmarit and Elmar and 135mm lenses with 42mm front diameter	10.50
12,503	Lens Hood for 50mm Noctilux f/1.2 lens (as replacement)	12.80



LENS AND BODY CAPS

LENS PROTECTION COVERS

Scratched lens surfaces can spoil the definition and contrast of even the finest lenses. Lens covers are the best and most inexpensive protection available against dust, moisture and abrasion. Safeguard lens elements — both front and rear — whenever the lens is not in use.

Lens-opening covers are used to protect the camera body whenever it is stored or carried without a lens attached.

Catalog Number	Item	Retail Price
14,102	Front Lens Cap, Plastic, for 21mm Super Angulon f/3.4 28mm Elmarit f/2.8 and 50mm Noctilux f/1.2 lenses	\$ 1.65
14,078	Front Lens Cap, Plastic for 35mm f/1.4 Summilux lens with serial # below 2166701 (fits front lens flange not lens hood)	1.65
14,143	Front Lens Cap, Plastic cap for 35mm Summilux f/1.4 with serial #2166701 and above	1.65
14,031	Front Lens Cap, chrome plated, fitting 50mm Summicron and all Leica lenses with 42mm flange diameter)	1.95
14,036	Front Lens Cap, chrome plated, for 50mm Summilux f/1.4 lens. (Fits front lens flange, not lens hood)	1.95
14,033	Front Lens Cap. Fits over rear of Lens Hood #12,585 for 35mm and 50mm lenses when hood is reversed for storage45
14,037	Front Lens Hood Cap, plastic. Fits lens hood #12,521 for 50mm Summilux reversed on lens for carrying or storage45
14,034	Front Lens Cap, chrome plated, for 65mm Elmar lens (as replacement)	1.65
14,028	Front Lens Cap, chrome finish, for 90mm Summicron f/2 lenses with serial numbers 1,651,00 or over and 135mm f/2.8	2.40
14,124	Front Lens Cap, for 90mm f/2 and 135mm f/2.8 same as 14,028 but in black finish	2.40
14,044	Front Lens Cap, for 200mm f/4 Telyt lens	2.70
14,079	Front Lens Cap, for 280mm f/4.8 Telyt lens	3.30
14,046	Front Lens Cap, black finish, for 400mm f/5 Telyt lens.	3.75
14,140	Front Lens Cap, for 400mm f/5.6 lens	2.10
14,141	Front Lens Cap, for 560mm f/5.6 lens	2.10



REAR COVERS

14,042	Rear Lens Cap, for bayonet-mounting 21mm Super Angulon 28mm Elmarit and Stemar lenses	3.00
14,051	Rear Lens Cap, plastic, for all bayonet-mounting lenses (except 21mm lens) and Visoflex	1.95
14,074	Rear Lens Cap, for 65mm Elmar90
14,050	Rear Lens Cap, for all Visoflex lenses with screw mount	1.95
14,166	Rear Lens Cap, for 400mm f/5.6 and 560mm f/5.6 lens heads	1.50

CAMERA COVERS

14,056	Lens Opening Cover, for Leica cameras having bayonet-type lens flange	1.95
--------	-----------------------------------------------------------------------------	------

CAMERA ATTACHMENTS

CORRECTION LENSES

Special correction lenses are available for the eyepiece of the range-viewfinder of the Leica to correct the system for your individual eyesight, should you be one of the many who normally wear glasses. With such a lens, you can use your camera accurately and conveniently without using eyeglasses. Please provide a prescription for your "camera eye" when ordering correction lenses.


(Correction lenses are custom-made accessories and are available on special order only. Prescription for the eye used must be furnished when ordering. Delivery: 8-12 weeks.)

Catalog Number	Item	Retail Price
14,061	Correction Lenses for Leica M2, M3 and M4. To correct near and far sightedness	\$ 10.00
14,602	Correction Lenses for Leica M2, M3 and M4. To correct astigmatism	15.00
14,063	Correction lenses for 4X and 5X magnifiers for Visoflex I and II. Corrects for near- and far-sightedness	9.00
14,118	Correction Lens for Visoflex III magnifier #16,499. Corrects for near- or far-sightedness. Prescription for eye to be used must be furnished with order	15.00

MISCELLANEOUS ATTACHMENTS

A selection of small accessories adds extra fun and convenience to picture-taking. These attachments, whose functions are self-explanatory, help in various ways to make it easier for you to get the most from your Leica.

Catalog Number	Item	Retail Price
14,067	Cable Release (10 inches) with locking screw for bayonet-mounting Leica models	\$ 1.95
14,022	Take-Up Spool (marked "M") with pop-knob for Leica "M" models and Ig and IIg. (Unmarked spools cannot be used with the Ig, IIg)	3.90
14,092	Adjustable Neck Strap for all Leicas	2.10
14,100	Table Tripod without ball-and-socket head	9.60
14,105	Ball-and-Socket Head, small	10.50
14,121	Ball-and-Socket Tripod Head, large rigid construction, with interchangeable adapters for European and ASA Tripod threads	21.00
14,130	Adjustable Heavy Duty Shoulder Strap with two tripod screws for use with camera and equipment with tripod screw receptacle	9.60
98,206	Benser Base Plate Lens Holder for all Leica "M" cameras. Holds two bayonet-mount Leica lenses (21mm lens requires adapter 16,469). Fits camera base plate, matte chrome finish	39.00
14,054	Synchro Outlet Cover for Leica Cameras MD, M1, M2, and M330
15,526	Synchro Outlet Cover for Leica MDa, M4 and the Leicaflex30



LEICAFLEX CAMERAS

The Leicaflex and the Leicaflex SL answer the demand for a system of single-lens reflex photography which has the same superb quality and the Leica rangefinder system. The Leicaflexes are eye-level 35mm reflex cameras featuring a virtually vibration free, instant return mirror, and rapidly interchangeable auto-aperture lenses that remain wide open when focusing and viewing, closing down to a preselected aperture as the picture is taken, and reopening instantly.

LEICAFLEX SL

The Leicaflex SL is the new model that incorporates through-the-lens light measurement, full field focusing, depth-of-field preview button and rapid almost automatic film loading. The Leicaflex SL can not be motorized. However late in 1968 the Leicaflex SL/MOT, a motorized version, will be available.

- 1/2000 of a second shutter speed
- Electronic flash synchronization up to 1/100 of a second
- Automatic resetting counter-counts backwards when rewinding
- ASA speeds 8-6400 coupled to the meter

LEICAFLEX

The Leicaflex is a less expensive model offer-

ing Leica quality with these features:

- Brilliant viewfinder and accurate focusing system
- 1/2000 of a second shutter speed
- Automatic resetting counter
- Electronic flash synchronization up to 1/100 of a second
- Built-in external coupled CdS meter

ELPRO CLOSE-UP LENSES


The Elpro close-up lenses for the Leicaflex are two-element achromats especially designed for the prime lenses with which they are used. They are threaded into the front of the basic lens.

The Elpros retain the superb performance of the Leicaflex lenses in the close-up area and also permit the automatic diaphragm of the lenses to function. And, since they require no bellows extension, Elpro-close-up photography requires no increased exposure factors.

LEICA-TO-LEICAFLEX LENS ADAPTER

A Leica-to-Leicaflex adapter will permit the use on the Leicaflex and the Leicaflex SL lenses designed for the Leica Visoflex. It will also permit the use of the Leica Bellows II on these cameras.

LEICAFLEX CAMERAS & LENSES



Catalog Number	Item	Retail Price
LEICAFLEX CAMERAS		
10,011	Leicaflex SL, without lens	\$465.00
10,228	Leicaflex SL, with 50mm Auto-Aperture Summicron-R f/2 lens, reversible lens hood and Series 6 Filter Retaining Ring	639.00
10,001	Leicaflex, without lens	384.00
10,218	Leicaflex, with 50mm Auto-Aperture Summicron-R f/2 lens, reversible lens hood and Series 6 Filter Retaining Ring	549.00

LEICAFLEX LENSES

The Leicaflex lenses listed below are, with the exception of the 21mm, Catalog Number 11,803 for use on both model cameras — the Leicaflex and Leicaflex SL. See note below regarding modifying the previously offered Leicaflex R lenses for use with the Leicaflex SL.

11,803	21mm Super Angulon-R f/3.4 with lens hood. Uses Series 8 Filters in lens hood. This lens must be used with Optical Viewfinder #12,002 and cannot be used on the Leicaflex SL	\$303.00
12,002	Optical Viewfinder for 21mm lens #11,803	67.50
11,813	21mm Auto-Aperture Super Angulon-R f/4 lens. Its retrofocus design permits viewing and focusing through the lens. This lens will be available in late 1968	348.00
11,201	35mm Auto-Aperture Elmarit-R f/2.8, complete with Series 6 Filter Retaining Ring, reversible lens hood and lens cap	207.00
11,228	50mm Auto-Aperture Summicron-R f/2, complete with Series 6 Filter Retaining Ring, reversible lens hood and cap	174.00
11,239	90mm Auto-Aperture Elmarit-R f/2.8, complete with Series 7 Filter Retaining Ring, built-in collapsible lens hood and lens cap	237.00
11,211	135mm Auto-Aperture Elmarit-R f/2.8, complete with Series 7 Filter Retaining Ring, built-in collapsible lens hood and lens cap	273.00
11,919	180mm Auto-Aperture Elmarit-R f/2.8 lens with collapsible lens hood and lens cap and Series 8 Filter Retaining Ring	387.00

FORMER LEICAFLEX LENSES

The Leicaflex lenses previously offered do not properly activate the follow-pointer of the meter in the viewfinder, in the Leicaflex SL. These lenses may be modified to work with the Leicaflex SL.

LEICA LENS ADAPTER

Note: The Leica lens adapter listed below carries a star designation after the catalog number. The adapter previously offered without the star does not properly activate the follow-pointer of the meter in the viewfinder of the Leicaflex SL. The previous adapters without the star can be modified for the Leicaflex SL.

14,127*	Lens Adapter, adapts Leica lenses for Visoflex II and III as well as Bellows II to Leicaflex and Leicaflex SL. Lenses which require Adapter #16,466 for use on Visoflex II or Visoflex III will also require it for use with this Leicaflex lens adapter	36.00
---------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------

BELLOWS FOR THE LEICAFLEX SL

16,860	Leicaflex Focusing Bellows-R, for use with the Leicaflex SL. Permits close-ups with all Leicaflex lenses without adapters, intermediate rings, etc. Will be available in late 1968	129.00
11,230	100mm Macro-Elmar f/4 lens, for use with Leicaflex Focusing Bellows-R. Can be focused from infinity to a ratio of 1:1 will be available in late 1968	159.00

LEICAFLEX & LENSES

ELPRO CLOSE-UP LENSES

Leicaflex Lens	ELPRO	Catalog Number And Price	Distance Scale Setting	Approx. Distance		Field covered (inches)	Reproduction ratio	Depth of Field (inches)		
				Subject to film	Subject to ELPRO			f/8	f/11	f/16
50mm SUMMICRON-R f/2	Via	16,531 \$28.50	∞	19-11/16	16-1/16	7-1/4 x 10-7/8	1:7.7	1-3/8	1-7/8	2-3/4
			20"	12-1/8	8-1/4	3-5/8 x 5-7/16	1:3.8	25/64	9/16	25/32
	Vib	16,532 \$28.50	∞	11-7/8	8-3/16	3-11/16 x 5-9/16	1:3.9	13/32	9/16	13/16
			20"	9-1/2	5-9/16	2-7/16 x 3-11/16	1:2.6	3/16	9/32	3/8
90mm ELMARIT-R f/2.8	Via	16,533 \$36.00	∞	29-1/16	24-1/16	6-5/16 x 9-1/2	1:6.7	1-1/16	1-1/2	2-1/8
			28"	17-7/16	11-13/16	2-7/8 x 4-5/16	1:3.0	17/64	3/8	17/32
135mm ELMARIT-R f/2.8	Viiib	16,534 \$36.00	∞	59	53-1/4	9-5/16 x 14	1:9.9	2-1/4	3-1/8	4-1/2
			5	33-1/2	27-3/16	4-1/4 x 6-3/8	1:4.5	17/32	23/32	1-1/16
	Via	16,533 \$36.00	∞	29-13/16	24-1/16	4-1/4 x 6-3/8	1:4.5	17/32	23/32	1-1/16
			5"	23-1/8	16-13/16	2-5/8 x 3-15/16	1:2.8	7/32	5/16	7/16

Focusing data are given for ∞ and the shortest engraved distance setting of the Leicaflex lenses. Since the lenses can slightly exceed these engraved settings, somewhat higher reproduction ratios can be obtained than are shown in this table. All figures are approximate, having been rounded off for convenience.

Catalog Number	Item	Retail Price
14,134	Divisible extension ring for close-up photography with Leicaflex and Summicron-R 50mm lens (object to film distance 8 1/2 to 9 1/4 inches, ratio 1:1.63 to 1:2.08)	\$19.50
14,135	Extension Tube for 14,134 increasing lens extension so as to focus as close as 7 15/16" ratio 1:1 (fits between two parts of ring 14,134)	5.70
14,139	Divisible extension ring set, complete (14,134 and 14,135)	25.20

NOTE: ELPRO lenses Via and Vib can be used on the 50mm Summicron-R lens, in addition to the extension rings to further reduce the working distance. Maximum ratio obtainable with ring plus ELPRO Vib combination 1.25:1.



14,139

LEICAFLEX ACCESSORIES

CARRYING CASES

Catalog Number	Item	Retail Price
14,555	Eveready Carrying Case, brown leather, for Leicaflex and Leicaflex SL with 35mm or 50mm lens attached and lens hood reversed	\$28.50
14,809	Universal Carrying Case III, with Insert III and coupling ring #98204 for Leicaflex and Leicaflex SL equipment, accommodating the following: 1 - a 90mm lens, coupled with a 35mm or a 50mm lens with lenshood and lens cap, 2 - a 135mm lens, coupled with a 50mm or 35mm lens with lenshood and lens cap, 3 - a Leicaflex with a 35mm or 50mm lens attached, with lenshood and lens cap, 4 - four Elpro close-up lenses, each in its leather case, 5 - other accessories	70.50
98,204	Coupling Ring holds 2 Leicaflex lenses back to back for storage in carrying case	2.25
14,815	Universal Carrying Case III without insert	48.00
14,819	Insert III for Universal Carrying Case III. Holds equipment described in Cat. #14,809 above	22.50
14,822	Leicaflex Combination Case, accommodating the following: A Leicaflex or Leicaflex SL Body with a 35mm, 50mm or 90mm lens in position. Also one 90mm or 135mm lens, coupled with 35mm or 50mm lens, or one 180mm lens. Below the Leicaflex with lens in position the following can be accommodated: A 50mm lens or Elpro close-up lenses or filters in containers or films.	39.60
14,094	Shoulder Grip for strap of Eveready case. Will fit carrying straps up to 1/2 inch wide	.90
98,094	Shoulder Grip for strap of Universal Case	.90


LENS CASES

14,616	Plastic Case for 35mm Elmarit-R f/2.8 or 50mm Summicron-R f/2 lens	2.40
14,618	Plastic Case for 90mm Elmarit-R f/2.8 lens	3.30
14,619	Plastic Case for 135mm Elmarit-R f/2.8 lens	3.30

COPYING STAND

16,707	Copying Stand, baseboard 18x19 3/4", upright 31 3/4" high with parallel guide, carrying arm with coarse and fine adjustment, accepting all Leica cameras with Visoflex II (with or without Leica Bellows Device II), Leica "M" cameras with Visoflex III (with or without Leica Bellows II), Leicaflex with or without Bellows	90.00
--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------


FILTERS SEE FILTER SECTION



14,809



25646-12



16,707

LEICAFLEX ACCESSORIES

MISCELLANEOUS LEICAFLEX ACCESSORIES

Catalog Number	Item	Retail Price
14,612	Plastic Filter Box for Series 6 filters	\$.90
14,614	Plastic Filter Box for Series 7, 8, and polarizing filters	.90
15,525	Connecting Cords, (50cm long) right-angled head, for Leicaflex (P-C connectors) and flash units accepting standard "household" male plug	3.30
15,526	Synchro-Outlet Cover for Leicaflex flash outlets	.30
14,553	Leather Case for one Elpro lens	5.10
14,067	Cable Release (10 inches), with locking screw	1.95
14,092	Adjustable Neck Strap, leather	2.10
14,130	Adjustable Heavy Duty Shoulder Strap with two tripod screws for use with camera and equipment with tripod screw receptacle	9.60
14,118	Correction Lens for Leicaflex eyepiece. Corrects for near or far-sightedness. Prescription for eye to be used must be furnished with order (Correction lenses are custom-made accessories and are available on special order only. Prescription for the eye used must be furnished when ordering. Delivery: 8-12 weeks.)	15.00
REPLACEMENT PARTS		
14,160	Filter Retaining Ring, Series 6, for 35mm Elmarit-R f/2.8 lens and 50mm Summicron-R f/2 lens (as replacement)	2.40
14,161	Filter Retaining Ring, Series 7, for 90mm Elmarit-R f/2.8 and 135mm Elmarit-R f/2.8 lens (as replacement)	2.40
14,165	Filter Retaining Ring, Series 8 for 21mm & 180mm lenses (as replacement)	7.20
12,511	Lens Hood for 21mm R lens (as replacement)	10.50
14,107	Front Lens Cap for 21mm R lens (as replacement)	1.80
12,564	Lens Hood, reversible, clamp-on type for 35mm Elmarit-R f/2.8 and 50mm Summicron-R f/2 lenses. Includes lens cap (as replacement)	10.50
14,163	Front Lens Cap for 35mm Elmarit-R f/2.8 and 50mm Summicron-R f/2 lenses. Fits over rim of reversed lens hood (as replacement)	1.20
14,089	Front Lens Cap for 90mm and 135mm Elmarit-R f/2.8 lenses. Fits over rim of built-in lens hood (as replacement)	1.50
14,166	Front Lens Cap for 180mm Elmarit-R lens (as replacement)	1.50
14,128	Mallory PX-625 (with white ring) for Leicaflex exposure meter (as replacement)	.75
14,162	Rear Lens Cap for Leicaflex lenses except 21mm	1.50
14,106	Rear Lens Cap for 21mm Super Angulon-R lens	3.30
14,103	Lens Opening Cover, plastic, for Leicaflex. (As replacement)	1.65