

This manual is for reference and historical purposes, all rights reserved.

This page is copyright© by M. Butkus, NJ.

This page may not be sold or distributed without the expressed permission of the producer

I have no connection with any camera company

On-line camera manual library

This is the full text and images from the manual. This may take 3 full minutes for the PDF file to download.

If you find this manual useful, how about a donation of \$3 to: M. Butkus, 29 Lake Ave., High Bridge, NJ 08829-1701 and send your e-mail address so I can thank you. Most other places would charge you \$7.50 for a electronic copy or \$18.00 for a hard to read Xerox copy.

This will allow me to continue to buy new manuals and pay their shipping costs.

It'll make you feel better, won't it?

**If you use Pay Pal or wish to use your credit card,
click on the secure site on my main page.**

INSTRUCTIONS



LEICA R 4 s MOD. P



111-193

Amerik.

We wish you pleasant and successful photography with your new LEICA.

However, the service from LEITZ is not yet through. The following are also available:

LEITZ Information Service

Any question on 35 mm photography, projection, enlarging and binoculars can be answered by telephone or post by the Leitz Information Service.

Monday to Fridays, 8-12.00 and 13-16.00 on (0 64 41) 29 24 36.

ERNST LEITZ WETZLAR GMBH.,
Information Service,
Postfach 2020,
D-6330 Wetzlar,
West Germany

Customer Service

Our Technical Service Department is ready to undertake maintenance of your LEICA R 4 s MOD. P or any repairs that may become necessary.

ERNST LEITZ WETZLAR GMBH.,
Technical Service Department,
Postfach 2027,
D-6330 Wetzlar,
West Germany

Outside of Germany, the local Leitz agency can be contacted.

LEICA School

The LEICA School is another part of LEITZ service. It was founded to meet the wishes of many keen photographers for thorough further training in photography, projection and enlarging.

The courses offer an extensive programme and provide many practical suggestions as well as a great stimulus.

Further details and registration forms are available from:

ERNST LEITZ WETZLAR GMBH.,
LEICA School,
Postfach 2020,
D-6330 Wetzlar,
West Germany

Contents	Page		Page
Brief description	4	Uniform groundglass screen with grid division	31
Attaching the carrying strap	6	Clear glass plate with crosslines	31
Inserting the lens	7	Correction lenses	32
Removing the lens	7	Eyecup	32
Inserting and testing the batteries	8	Eye-piece blanking	33
Rapid transport lever	10	Multiple exposures	33
Setting the film speed	10	Flash synchronisation	34
Inserting the film	11	Automatic switch-over to "X"	35
Removing the film	14	Depth-of-field lever	36
Switching on the exposure system	14	Depth-of-field scale	36
The alternative exposure measuring methods	15	Self-timer	37
LEITZ largefield integrating measurement	16	Lens hoods	37
LEITZ selective measurement	16	Automatic spring-back diaphragm	38
Exposure corrections	17	Design of the LEICA R lenses	38
Sensitivity of the exposure meter	18	Holding the camera correctly	39
Measuring with working aperture	18	Filters	40
Insufficient light for measurement	18	The use of filters	40
Long-time range	19	The use of existing LEICA R lenses and accessories	41
Selecting the programs	20	LEICA M lenses on the LEICA R 4 s MOD. P	42
Shutter speed ring	21	Care of the LEICA R 4 s MOD. P	42
Automatic shutter speed control with LEITZ largefield integrating measurement	22	Cases	43
Automatic shutter speed control with LEITZ selective measurement	24	MOTOR-WINDER R 4, MOTOR-DRIVE R 4	44
Manual setting with LEITZ selective measurement	26	RC LEICA R electronic control unit	45
The viewfinder as a composition and control centre	28	DB LEICA R 4 Databack	45
Focusing with the universal focusing screen	30	Interchangeable lenses	46
Interchangeable focusing screens	31	Enlargers	47
Uniform groundglass screen, micro-prism screen	31	Projectors	47
		Binoculars	47
		Camera spare parts	47
		Focusing screens	47
		Suitability for use in the tropics	47



Brief description

- 1 Automatic frame counter
- 2 Control window for film transport
- 3 Lever for rapid shutter wind and film transport
- 4 Release button with thread for cable release
- 5 Shutter speed ring
- 6 Program selector
- 7 Viewing window for the set program
- 8 Accessory shoe with centre and control contact
- 9 Does not apply to LEICA R 4 s
- 10 LED (Light Emmiting Diode) for self-timer
- 11 Locking button for exposure correction (override)
- 12 Override setting lever
- 13 Locking button for ISO (ASA/DIN) setting of the exposure meter, battery test knob (C), LED for battery test
- 14 Folding rewind crank
- 15 Film-speed setting ring



- 16 Scale for exposure correction
- 17 Electronic self-timer
- 18 Bayonet lock
- 19 Depth-of-field lever
- 20 Red dot marking for lens change
- 21 Distance setting ring
- 22 Depth-of-field scale
- 23 Aperture preselection ring
- 24 Flash contact

- 25 Eyelet for carrying strap
- 26 Viewing window for inserted film
- 27 Eyepiece blank
- 28 Viewfinder eyepiece, correction lenses can be inserted
- 29 Cap for battery compartment
- 30 A 1/4 tripod thread
- 31 Rewind release and double-exposure button
- 32 Motor winder connector



Attaching the carrying strap

Attach the carrying strap to the eyelets (25).

Remove the metal hooks from the carrying strap and hook them into the eyelets on the camera.

Attention: Make sure that the carrying strap is inserted to the second part of the metal hooks completely before you push the securing loops over them (see pictures above).



Inserting the lens

Only lenses with control cam for Leica R cameras may be attached to the Leica R 4 s MOD. P otherwise damage to the camera will result.

Independently of the distance and aperture setting the LEICA R lenses are exchanged as follows:

Grip the lens by the fixed ring (22). Make the red dot (20) on the lens mount face the bayonet lock (18) on the camera body. Insert the lens in this position. After a slight clockwise turn the lens clicks into position.



Removing the lens

Grip the lens by the fixed ring (22). Depress the bayonet lock (18) on the camera. Turn the lens anticlockwise and remove it.

With the camera loaded change lenses in the shadow of your body, since light may enter through the shutter when openly exposed to direct sunlight.



Inserting and testing the batteries

The LEICA R 4 s MOD. P requires electrical power for exposure measurement and shutter control. This is supplied by 2 1.5v or 1.5v silver oxide button cells, or a Lithium battery 3 Volt. To insert the batteries unscrew with a coin and remove the cap (29) on the underside of the camera body. Remove films of oxide from the batteries with a clean cloth and insert the batteries in the cap according to the insertion symbols. Screw the cap and batteries into the baseplate of the camera.

Check the state of the batteries before you

start taking photographs, especially when you have not used the camera for a prolonged period. Press the battery test knob (13), marked "C" on top left of the camera. The LED lights up in red when the batteries are in working order. The battery test knob should remain pressed for about 5 seconds. A noticeable reduction in the light intensity of the LED during the 5 sec. indicates the imminent exhaustion of the batteries, which should be replaced.

Depressing battery test button (13) will switch on the camera and the LEDs in the viewfinder will light up.

Important

When the MOTOR-WINDER R4 or MOTOR-DRIVE R4 is attached, the batteries are tested when the battery test knob and the exposure system is simultaneously switched on, for instance by means of pressing the locking button on the program selector (see "Switching on the exposure system", page 14).

Tips for battery care and use:

Store batteries in a cool and dry place. Do not use new and used batteries together. The batteries cannot be recharged. Do not throw used batteries into the fire. Do not mix different batteries from different manufacturers. Discarded batteries should be returned to the camera shop.

Silver-oxide button cells

Suitable for the LEICA R 4 s MOD. P

UCAR	EPX 76
UCAR	S 76 E
UCAR	No. 357
Mallory	10 L 14
Mallory	MS 76 H
Varta	V 76 PX
Varta	V 76 HS
Varta	No. 541
Eveready	S 76 E
National	G 13
Ray-o-vac	RS 76 G
Maxell	SR 44 F

Attention:

Remove batteries if the camera is not being used for a long time.




Rapid transport lever

The rapid transport lever (3) transports the film, winds the shutter, and operates the film counter (1).

When the lever is turned out (standby position) the thumb can be moved behind it and thereby securely support the camera.

When the MOTOR-WINDER R4 or MOTOR-DRIVE R4 is attached, consult instructions for the MOTOR-WINDER or MOTOR-DRIVE respectively.

The \ominus symbol indicates the film plane.



Setting the film speed

To set the exposure meter for the speed of the film in the camera press the locking button (13) and at the same time rotate the setting ring (15) until the desired film speed is displayed in the viewing windows (DIN at the front, ASA at the rear).

The adjustment range extends from ISO 12/12° (ASA 12/12 DIN) to ISO 3200/36° (ASA 3200/36 DIN). ISO is the international scale unit for film speed.

Inserting the film


Pull up the rewind crank (14) to open the camera back*. After some spring force has been overcome the camera back opens automatically. The film counter returns to "S" (start).

Wind the shutter with the rapid transport lever and release it.

To save time during film loading, it is recommended to set the speed dial to "X", thus setting a short shutter speed independent of the exposure automation.


* - The operation is identical with the Databack DB LEICA R 4 attached.





Pick up the film cartridge as illustrated above. The emulsion side points to the viewer. Push the end of the film obliquely from above into one of the slots of the take-up spool. Ensure that the end of the film is fully gripped by at least one lug and protrudes under the next lug.


Fully pull up the rewind crank and insert the film cartridge in the empty film cartridge chamber. Now push in the rewind crank. The edge of the film must be parallel to the film guide and the sprockets of the transport drum must engage in the perforation holes of the film when the rapid transport lever is operated.



Transport the film through one frame with the rapid transport lever so that it will be taut in the film guide and the film cartridge mouth is not proud.

Important.

Load the film in the shade of one's body; it is possible for light to enter the film cartridge when exposed directly to sunlight.



Close the camera by snapping the camera back shut. Release the shutter. Transport the film through one frame and again release the shutter. Transport the film once again. The camera is now ready for operation. The film counter (1) points at 1. It counts forward to "36". For the various lengths of film the numbers "20", "24", and "36" are marked in red.

Do not forget:
If the speed dial was set to "X" while loading the film, it must now be re-set.



The film has been correctly inserted and is transported when a bright field becomes visible in the control window (2) in front of the rapid transport lever; it advances towards the front edge of the window with each exposure.

It is also possible to observe the rewinding process (page 14) in the control window (2); the white field becomes smaller and then disappears just before the film is withdrawn from the take-up spool.





Rewinding and taking out the film

When the film has been exposed to the last frame the rapid transport lever can no longer be operated. Before the film is removed from the camera it must be rewound into its cartridge. Press the rewind release button (31) on the underside of the camera body, turn out the rewind crank and rotate it clockwise (in the direction of the arrow) until the film is pulled out of the take-up spool after slight resistance has been overcome. Open the camera body by pulling up the rewind crank and take out the film cartridge.



Switching on the exposure system

The exposure system of the LEICA R 4 s MOD.P is switched on with slight pressure of the release button (4) or pressure of the locking button on the program selector (6). The LED displays in the viewfinder light up.



The alternative exposure measuring methods


The LEICA R 4 s MOD. P has an exposure measuring system with alternative measuring methods:

- LEITZ largefield integrating measurement
- LEITZ selective measurement

These exposure measurement methods are combined with the automatic shutter speed control.

For manual settings of exposure time and lens aperture the Leitz selective measurement is used.


The exposure is measured through the lens. With the LEICA R lenses with fully automatic preset diaphragm measurement is carried out at full aperture. The symbol of the measuring method employed is displayed in the viewing window (7) next to the program selector and in the bottom left-hand corner of the viewfinder as a program. The exposure is measured by a silicon photo diode housed in the bottom part of the camera where it is protected against stray light.



LEITZ largefield integrating measurement

Most photographic subjects are composed of details of varied brightness. The reflection of such ordinary subjects corresponds to that of a mean grey value of 18%, for which every exposure meter is calibrated.

As a rule the details of varied brightness are equally distributed throughout the entire field. Here the program with largefield integrating measurement **A** (see p. 22) should be chosen.




LEITZ selective measurement

This method is used whenever great brightness differences occur in the entire subject and a certain detail is to be exposed accurately.

Since the measuring field in the viewfinder is outlined by the large central circle, the important image detail is measured exactly. The measuring field is the same size for all lenses and all focusing screens and, therefore, becomes clearly visible in the viewfinder.

The programs with selective measurement are called **A** and **m** (see pp. 24 and 26).



Exposure correction (override)

Exposure meters are calibrated for a mean grey value corresponding to the brightness of an ordinary photographic subject. If the subject of which a reading is taken does not meet these requirements, a suitable exposure correction must be applied. Exposure corrections are used particularly with largefield integrating measurements.

With selective measurement, a representative detail of average grey value can be selected from the entire subject for a reading through the smaller and precisely defined measuring field.

Example for corrections

"+": With very bright subjects, such as snowscapes, or the beach, the exposure meter, owing to the greater reflection of the light, will indicate a shutter speed which is too high and therefore produces underexposure. The shutter speed must be reduced, for instance from 1/125 to 1/60 sec. with the "+1" correction.


"-": With very dark subjects which reflect little light the exposure meter will indicate a shutter speed which is too slow and therefore produces overexposure. The shutter speed must be increased, for instance from 1/15 to 1/30 sec. with the "-1" correction.

Press the locking button (11) and set the scale (12) to the desired value. The locking button can be arrested by pressing in and turning to the left. The "0" setting is given when the lever (12) is completely inside the corner of the camera. Exposure values to +/-2 stops in 1/3 stop intervals can be set. At the end values of the ISO (ASA/DIN) scale, exposure corrections can be set only within limitations.

When the camera is switched on, the symbol ∇ will blink in the bottom left-hand corner of the viewfinder when a correction has been set.

Sensitivity of the exposure meter

The measuring range with integrating measurement is 0.25 cd/m² to 63 000 cd/m² at f/1.4. In exposure values (EV): at ISO 100/21° from +1 to +19, or f/1.4/1 sec to f/22/1/1000 sec. The measuring range with selective measurement is 1 cd/m² to 63 000 cd/m² at f/1.4. In exposure values (EV): at ISO 100/21° from +3 to +19, or f/1.4/1/4 sec to f/22/1/1000 sec.



Measurement with the working aperture

The 35 mm PA-CURTAGON-R f/4, the long-focal-length lenses from 400 mm, the focusing bellows-R, the extender-R 2x for the LEICAFLEX SL/SL 2 and the 3-part ring combination have no automatic diaphragm or no coupling for it. Here the exposure must be measured through the lens aperture used, i.e. through the working aperture. Here the lens aperture is adjusted to regulate the amount of light reaching the measuring cell of the LEICA R 4 s MOD. P.

Values below the measuring range

The measuring range of the camera used for correct exposures is linear. When in very poor light this range is not reached, these conditions no longer apply and an accurate exposure can no longer be determined. The measuring values indicated in the viewfinder will lead to wrong results. A warning signal is therefore given by a constant lighting up of the override symbol ▼.

In the transitional range the symbol might blink.

Long-time range

The working range of the exposure meter of the LEICA R 4 s MOD. P depends on the measuring sensitivity of the photo diode, the film speed setting, and the speed of the lens. The highest shutter speed measured or determined is 1/1000 sec, the slowest about 8 sec. Minor deviations in the automatic long-time range from about 2 sec and longer can be ignored in practice. In the viewfinder the shutter speeds from 1/1000 sec to "1 sec or longer" are displayed. In addition an indication is given by the override symbol ▼ when the measuring range is not being reached, i.e. if a correct exposure is impossible.

When the f/1.4 lens is used the slowest shutter speed to be measured or determined is:

ISO 800/30° = 1/8 sec

ISO 400/27° = 1/4 sec

ISO 200/24° = 1/2 sec

ISO 100/21° = 1 sec

Because as a rule high-speed films and high-speed lenses are used in poor lighting conditions this will hardly impose limitations. Even when the lens is stopped down 3 stops (with ISO 100/21°) the shutter speed will still be determined automatically (although it will not be indicated). Needless to say measurements can also be carried out at full aperture, the shutter speed measured converted for a different aperture value, and the exposure made at the "B" setting.


For slow films the following values are produced in the same conditions:

ISO 50/18° = 2 sec

ISO 25/15° = 4 sec

ISO 12/12° = 8 sec

Here the indication is "1 sec and longer". In practice this is of hardly any significance, because as a rule long time exposures are made from a tripod. Whether the film is exposed for 2, 3, 4, or 8 seconds is practically immaterial.



The program selector must engage in the chosen position. It can be reset only after the locking button has been pressed.

Choice of programs

The programs are set by pressure of the locking button and simultaneous sliding of the program selector (6). When changing from **A** to **M**, the locking button should be released on reading **A** and then re-pressed. This ensures that one can change over from **A** to **A** and vice versa without accidentally engaging the manual exposure mode **M**. As the locking button is being pressed the camera is switched on. The chosen program is displayed in the bottom left-hand corner of the viewfinder window. In addition, the program setting can be read at any time in the viewing window (7) next to the shutter speed ring.

The following programs can be chosen:

- A** automatic shutter speed control with LEITZ largefield integrating measurement
- A** automatic shutter speed control with LEITZ selective measurement
- M** manual setting of shutter speed and lens aperture with LEITZ selective measurement

Shutter speed ring

With the **M** program the shutter speeds are set with the shutter speed ring (5). It engages at all the indicated values. The set speed is the one next to the mode indicator. The shutter speeds from 1/1000 to 1 sec are determined electronically. Intermediate values cannot be set.

In the **A** and **A** programs the shutter speed ring may be set for any desired value except "X", "100" and "B". All shutter speeds between 1/1000 and 8 sec are determined continuously and displayed on the right in the viewfinder window up to 1 sec by LEDs. If 2 diodes light up simultaneously, the values produced are intermediate.

The use of electronic flash units requires the "X" setting. At "B" the shutter remains open as long as the release button is being pressed.

Slightly more resistance is to be overcome between "1" and "X" when compared to the other values, so as to avoid accidentally leaving automatic range.



"B" and "100" (= 1/100 sec) can be used without batteries.

At "X", "B" and "100" the exposure is not measured even when the button cells are inserted. This is indicated in the viewfinder by the lighting up of the upper triangular LED.



- A** **automatic shutter-speed control**
with LEITZ largefield integrating
measurement.
- Preselect the desired lens aperture**

This program is universally useful, since experience has shown that in 90% of all cases the largefield integrating measurement is correct and dependable. The range of applications includes landscapes, monuments, individual groups (also see page 16). The lens opening is selected by means of the aperture diaphragm ring (23).


The shutter speed is automatically determined according to the existing brightness. The shutter speed ring may be set at any value between 1/1000 and 1 sec, but not at "X", "100" or "B".

Viewfinder displays:

The program setting is displayed in the bottom left-hand corner of the viewfinder window, the preset aperture to the right of it.

The time scale is visible on the right in the viewfinder frame. The automatically produced shutter speed is indicated by an LED next to the figures. The shutter speeds are produced continuously, two LEDs light up with intermediate values.

Speeds of 1/60 sec and higher are indicated by circular, of 1/30 sec and slower by



square LEDs. The LEDs indicate the danger of camera shake.

With extreme brightness the shutter speed range may no longer be adequate for the preselected aperture. This is indicated by a red triangular LED at the **top** end of the scale. To relieve this condition, select a smaller lens opening, if possible. When the **bottom** triangular LED lights up the shutter speed is 1 sec or longer. If the symbol ▼ in the viewfinder lights up, the exposure falls below the metering range (see p. 18).




**A automatic shutter-speed control
with LEITZ selective measurement
Preselect the desired lens aperture**

This is the right program when you have to take spot readings, for instance portrait in contre jour light, or spot-lit stage scenery. The lens opening is set by means of the aperture diaphragm ring (23). The shutter speed is automatically determined as a function of the existing brightness.

The shutter-speed ring be set at any value between 1/1000 and 1 sec, but not at "X", "100" and "B".

Measured-value storage

The exposure meter covers only the field in the central large circle of the viewfinder. This allows for the measurement of smaller portions of the picture. The measured value is stored by depressing the release button beyond the initial pressure point to the second pressure point, the value storage remains intact. As visible sign of value storage you will notice that the symbol **A** will become extinguished. During value storage the camera may be panned until the desired picture area has been determined. The camera is now released. The LED display of the exposure times remains functional and indicates any changes in the lighting conditions. The exposure time may be stored up to approx. 30 sec. Storage values are extinguished as soon as the finger is removed from the release button.




Viewfinder displays:

The program setting is displayed in the bottom left-hand corner of the viewfinder window, the preset aperture to the right of it.

The time scale is visible on the right in the viewfinder frame. The automatically produced shutter speed is indicated by an LED next to the figures. The shutter speeds are produced continuously, two LEDs light up with intermediate values.

Speeds of 1/60 sec and higher are indicated by circular, of 1/30 sec and slower by square LEDs. The LEDs indicate the danger of camera shake.

With extreme brightness the shutter speed range may no longer be adequate for the preselected aperture. This is indicated by a red triangular LED at the **top** end of the scale. To relieve this condition, select a smaller lens opening, if possible. When the **bottom** triangular LED lights up the shutter speed is 1 sec or longer. If the symbol ∇ lights up, the exposure falls below the metering range (see p. 18).



m **manual setting** with LEITZ selective measurement.

Set shutter speed and lens aperture manually.


In certain exposure situations the switching-off of the automatic exposure control is desirable. Shutter speed and aperture are set manually in steps.

The exposure value, i.e. the shutter speed/aperture combination must be determined before the exposure. There is a choice of 2 possibilities:

- 1) Preselect aperture, switch on the camera by pressing the locking button on the program selector or touching the release button and line up the subject. Set the shutter speed indicated by the red LED on the shutter-speed ring. Intermediate values cannot be set. If two LEDs light up during the determination of the shutter speed, the aperture should be opened or closed by half a value.
- 2) Preselect the shutter speed by rotating the shutter-speed ring engaging it at full values. Line up the subject and adjust the lens aperture with the camera switched on until the shutter speed indicated by red LEDs on the right in the viewfinder frame agrees with the preselected shutter speed.

Viewfinder displays:

The program setting is visible in the bottom left-hand corner in the viewfinder with the pre-selected aperture bottom centre and the **pre-selected** shutter-speed bottom right. The shutter-speed scale is visible on the right in the viewfinder frame. The LEDs indicate the **measured** shutter speed. When the upper, triangle-LED (over-exposure) lights up or the lower triangle-LED (under exposure), select different time/diaphragm combinations. If necessary use faster lenses or lower or faster films. If the symbol ∇ lights up, the exposure is below the metering range (see p. 18).



The viewfinder as a composition and control centre

The viewfinder of the LEICA R 4 s MOD. P is the centre for the composition and control of all important items of information:

Sharpness, picture area and perspective can be easily assessed, the field for the selective exposure measurement can be clearly distinguished. The viewfinder covers 92 % of the film format, the viewfinder magnification is 0.85 with the 50 mm lens in the camera at the infinity position.

All the necessary values are displayed in the viewfinder corresponding to the program setting. The LED displays light up when the locking button on the program selector or the release button is being pressed.

To prevent confusion in the viewfinder, only those items of information are indicated with the various programs that are necessary (see pp. 22 to 27).


The illustration opposite shows all the displays simultaneously.

The display in the bottom left-hand corner in the viewfinder frame indicates override and the limit of the measuring range, to the right of it is the display of the program setting. In the bottom centre the pre-selected lens aperture is faded in, and, on the right, the pre-selected shutter-speed is visible.

On the right of the viewfinder frame the shutter speed scale is visible; to the left of it the line of LEDs with warning display for overexposure at the top and a warning display "1 sec or longer" i.e. underexposure will show up at the bottom. The square LEDs indicate the danger of camera shake.

A circle in the centre of the viewfinder indicates the field for the LEITZ selective measurement. The illustration shows the universal focusing screen.






Focusing with the universal focusing screen

Normally the LEICA R 4 s MOD. P is supplied with the universal focusing screen, which is bright, contrasty, and can be used universally for the most frequent photographic situations.

The image is focused by rotation of the distance setting ring (21) on the lens. When the image is out of focus, the edges and lines of the object are mutually displaced in the horizontal split wedge of the viewfinder.

A ring with a rectangular-prism screen surrounds the central split wedge. It serves for the focusing of objects with weak contours. The out-of-focus position is clearly indicated by flickering. The outer boundary of this ring indicates the outline of the field for LEITZ selective measurement.

The surrounding field consists of matt triangular prisms, which produce a groundglass screen effect. Here the image is focused above all with long-focal-length lenses and in the near-focusing range.




Interchangeable focusing screens


In addition to the universal screen four other focusing screens are available for the LEICA R 4 s MOD. P. They are supplied singly in a container with tweezers for interchange and a dust brush.

Important


Exchange all focusing screens only with their appropriate tweezers (see instructions "Interchangeable focusing screens"). Do not touch them with your fingers.




2



3




4



5

Special tasks call for tailor-made systems for rapid and accurate work. This is why four additional focusing screens are available for the LEICA R 4 s MOD. P: the uniform groundglass screen (No. 2) for the extreme close-up range and very long-focal-length lenses. The microprism screen (No. 3) for undisturbed assessment of the pictorial composition. The uniform groundglass screen with grid division (No. 4) for architectural photography and reproductions. The clear glass plate (No. 5) for scientific photography such as photomicrography and astronomical photography.



Corrections lenses

For the full utilization of the potentialities and of the outstanding performance of the LEICA R lenses the viewfinder image must be seen at optimum sharpness.

Whether the camera is used with or without spectacles, it must be possible to see objects at 1 m distance in sharp focus.

Failing this the measuring edge of the split image rangefinder cannot appear in sharp focus and good contrast in the viewfinder. This precludes precision focusing.

Here we recommend the use of a correction lens. The LEITZ correction lenses are available in the following + and - dioptric values (spherical):

0.5 - 1.0 - 1.5 - 2.0 - 3.0

Eyecup

The flexible eyecup (Code No. 14257) shields the eye from stray light. Also, the viewfinder image appears considerably more brilliant and can be viewed more clearly.



Eyepiece blanking

The silicon photo diode of the exposure meter of the LEICA R 4 s MOD. P is in the bottom space of the camera where it is protected against light. This is why light entering through the viewfinder eyepiece can affect the measuring result only in extreme cases, for instance when the user does not look through the viewfinder when taking photographs from a tripod and direct sunlight or powerful spotlights enter the eyepiece from the rear.

A switch (27) is arranged on the left of the eyepiece window; turning it anticlockwise closes the eyepiece. When the stop is swung in, a white dot will appear in the eyepiece.



Multiple exposures

Make the first exposure. Press the rewind button (31). Operate the rapid transport lever. The already exposed film can now be exposed once again.

At the end of its travel the rapid transport lever automatically switches off the rewind button. If further exposures on the same frame are desired, the rewind button must be pressed again before each operation of the transport lever.

For multiple exposures with the MOTOR-WINDER or MOTOR-DRIVE see instructions for these accessories.



Flash synchronisation

The LEICA R 4 MOD. P accepts all commercially available electronic flash units with standardized flash contacts (coaxial plugs) or with hot shoe.

1. Flash synchronisation functions for all camera program modes.
2. The lens diaphragm must be set manually to the required value for flash exposure, regardless of the program selected.
3. For pictures using electronic flash units the shutter ring is usually set to "X" (1/100 sec); this setting effectively switches off all programs.

3.1 Flash units with hot shoe are connected to the "X" flash contact in the accessory shoe.

3.2 As an alternative, all flash units may be connected via the contact (24) for cable connection on the left hand front of the camera by means of a synchronised cable.

3.3 Using a multiple plug (available through your dealer) several flash units – or flash units together with databack may be connected via "X"-contact.

3.4 Contacts for cable connection and hot shoe may be used simultaneously if thyristor flash units are being used.

4. For manual operation the flash synchronisation will function at exposure times of 1/60 sec and at position "B". When used in automatic mode, this applies only when modern thyristor-charged flash units are employed.


5. When the camera batteries have lost their charge, flash photography may be continued by setting the shutter ring to "100".

6. Flash bulbs are likewise connected via the contact (24) or the hot shoe. The table on the next page provides information on the exposure times for the synchronisation of flash bulbs.

Electronic flash		X, 100 (1/100) 1 → 1/60, B
Flash bulbs	AG 3 B Flashcube PF 1 B XM 1 B M 3 PFC 4	1 → 1/30, B
	FP 26 PF 6 XM 6 PF 45 PF 100	1 → 1/15, B
	M 2	1 → 1/60, B

Automatic switch-over to "X"

The accessory shoe of the LEICA R 4 s MOD. P has an additional control contact for system-compatible flash units. These are offered by various manufacturers and automatically control the switch-over to "X" as soon as the unit has been recycled. This is effective for all program modes and operates independently of the setting of the shutter ring except for "X", "B" or "100".



Flash readiness is indicated by the blinking triangular LED in the top right-hand corner of the viewfinder of the LEICA R 4 s MOD. P. In the absence of flash readiness or when the unit has been switched off, the camera automatically returns to the selected program.



Depth-of-field lever

The LEICA R 4 s MOD. P measures the exposure at full lens aperture. When the depth-of-field lever (19) is operated the lens aperture closes and permits assessment of the sharpness/unsharpness range. This is particularly useful with close-up subjects.

Important

During exposure measurement the lever must not be pressed; this would produce wrong exposure values.



Depth-of-field scale of the lenses

The depth-of-field scale indicates the range of the depth of field for the object distance set on the lens.

If, for instance, the 50 mm SUMMICRON-R f/2 lens has been focused on 5 m, the depth of field will extend from 3 to about 20 m when the lens has been stopped down only to f/4, sharpness will extend from 4 to about 8 m.

Our depth-of-field table (No. 110-57) contains detailed information about the depth of field at all focal lengths.



Self-timer

Set the delay time of about 8 sec by turning the knob (17) clockwise (direction of the arrow) through 30°. The self-timer starts when the camera is switched on by a slight touch of the release button or by pressure of the locking button of the program selector. The blinking LED (10) visually indicates the function. About 2 seconds before the camera is released blinking gives way to constant light. To disengage the self-timer, simply turn the knob (17) back.




Lens hoods

A functionally-designed lens hood is part of all LEICA R lenses. It should always be used, because it offers effective protection against stray light and glare as well as against raindrops and finger marks.

Most LEICA R lenses have a built-on extensible lens hood.

From some lenses the lens hood can be detached. It is attached – white dot facing white dot – and locked by a clockwise turn. To unlock it, slightly raise the lens hood and release it by an anticlockwise turn. This lens hood also serves as an adapter for series filters.




Automatic spring-back diaphragm

LEICA R lenses have spring-back diaphragms. This means that the viewfinder image is always – i.e. before and after the exposure – seen at full aperture and therefore at maximum viewfinder brightness. Shortly before the exposure or when the depth of field lever is depressed the lens diaphragm closes to the preselected value.

See "Measurement with working aperture", page 18 for the following lenses: 35 mm PA-CURTAGON®-R f/4, 400 mm TELYT®-R f/6.8, 500 mm MR-TELYT-R f/8, 560 mm TELYT-R f/6.8 and 800 mm TELYT-S f/6.3.


Design of the LEICA R lenses

All LEICA R lenses share the external design, i.e. the arrangement of the rotatable aperture preselection ring (23), the fixed ring with depth-of-field indication (22), and the distance setting ring (21) is the same. The left hand therefore soon becomes accustomed to quick and reliable operation with all focal length.



Holding the camera correctly

To ensure steady 3-point support the right hand grips the camera. The index finger rests on the release button, the thumb on the rapid transport lever. The left hand supports the lens from below.



Simply turn the camera for upright pictures. The hands remain in the same position as for horizontal pictures, ready to transport the film and for focusing.



Filters

Both screw-in filters and series filters can be used with LEICA R lenses with built-on extensible lens hood.

To attach series filters, available accessories adapters are necessary.

Screw-in filters are preferable. This applies particularly to circularly polarising filters because of simple handling. With lenses with detachable lens hood the use of series filters is recommended. Here the lens hood also functions as a filter adapter:

The filters are first inserted in the lens hood and in this combination attached to the lens (does not apply to the 19 mm ELMARIT®-R f/2.8). Rotating devices are fitted to the 24 mm and the 28 mm ELMARIT-R f/2.8 and the 35 mm PA-CURTAGON-R f/4 lenses.

Filters and adapter rings can be easily released when, to avoid distortion, gripped only on one side.

The use of filters

When the exposure is measured through the lens, the reduction of the light intensity is generally automatically allowed for. But the various films have different sensitivities in the various regions of the spectrum. Deviations from the measured value can therefore occur with dense and extreme filters.

Thus, orange filters for instance as a rule call for an extension by one aperture value, red filters on average by about 2 values. A generally valid figure cannot be quoted, because the red sensitivity of black-and-white films varies widely.

Through the circularly polarizing filters we supply for our lenses measurement and setting can be carried out as for normal filters both with integrating and with selective exposure measurement. We do not recommend linearly polarizing filters. Measurement through such filters produces strong deviations, because the highly effective multiple coating of the semitransparent main mirror acts like a strong polarizer. This applies to both the extinction and the transmission position of the polarizing filter.



Hints for the use of existing LEICA R lenses and LEICA R accessories

All lenses and the accessories of the LEICA R 3/R 3-MOT range can be used on the LEICA R 4 s MOD. P without modification.

Lenses and accessories for LEICAFLEX® models (without control cam) should not be inserted in the LEICA R 4 s MOD. P; it could damage the camera body.

For use on the LEICA R 4 s MOD. P, they must be fitted with such a cam (see illustration) for use of the LEICA R exposure measuring methods. The functions of modified lenses and accessories on all LEICAFLEX models remain unrestricted.



LEICA M lenses on the LEICA R 4 s MOD. P

All the lenses of the LEICA M range suitable for use on the VISOFLEX® attachment can also be used on the LEICA R 4 s MOD. P. The operating conditions, for instance camera distance and achievable object area sizes, will then be the same as when these M lenses are used on the VISOFLEX. A special adapter (Code No. 14 167) forms the bridge between the two LEITZ systems of 35 mm photography. These lenses have no auto-diaphragm. The exposure is measured at the working aperture (see page 18).

Hints for the care of the LEICA R 4 s MOD. P and its lenses

It is best to remove dust and fluff on the mirror carefully with a soft, dry sable brush, from which grease is repeatedly removed with ether before and during cleaning. For the cleaning operation itself, the brush must be absolutely dry.

Take care not to damage the focusing screen mechanically, for instance with the mount of the brush.

Do not blow into the mirror chamber, because this may introduce dust into the interior of the camera.

A camera lens acts as a burning glass when it is pointed into direct sunlight. The camera should therefore be protected by means of the lens cap, or should be kept in the everready case and placed in the shade. In addition to its type designation each lens has its individual Serial No. Please make a note of this as well as that of your camera, which you find on the baseplate of your LEICA R 4 s MOD. P. This may be very important in case of loss.

Dust on the external surfaces of the lenses is removed with a soft sable brush, or a clean, dry, soft piece of cotton used carefully. Special spectacle cleaning tissue is not recommended. This is impregnated with chemicals which may attack the glasses of the camera lens. (The glass used for spectacles is of a composition different to that of optical glasses for high-quality camera lenses).

In unfavourable conditions, for instance by the seaside, in subtropical regions, etc., a colourless UVa filter protects the front lens against external influences such as seawater spray and sand. An additional colourless and optically flat glass plate, i.e. a filter, can, however, cause undesirable reflections at certain angles of incidence of the light, especially in contre jour light and high contrast. The lens hood protects the lens also against accidental finger-marks and raindrops.

butkus ovg/chman

Camera cases

Two everready cases, one with a standard and one with a large front, are available for the LEICA R 4 s MOD. P. The front is detachable after the press stud on the back of the case has been pushed up for unlocking. The two versions of everready case can be used with the following lenses:

	Standard everready case Code No. 14 569	Everready case with large front Code No. 14 568
16 mm f/2.8	-	yes
19 mm f/2.8	-	without lens hood
21 mm f/4	without lens hood	without lens hood
24 mm f/2.8	without lens hood	without lens hood
28 mm f/2.8	without lens hood	yes
35 mm f/2	yes 1)	yes
35 mm f/2.8	yes 2)	yes
35 mm PA	without lens hood	yes
50 mm f/1.4	yes	yes
50 mm f/2	yes	yes
60 mm f/2.8	-	yes
80 mm f/1.4	-	yes
90 mm f/2	-	yes
90 mm f/2.8	-	yes

1) Form No. 2791417

2) Form No. 2928901

In addition, combination cases are available for extensive camera outfits which include several lenses and various accessories.



MOTOR-WINDER R 4, MOTOR-DRIVE R 4

The MOTOR-WINDER R 4 and MOTOR-DRIVE R 4 on the LEICA R 4 s MOD. P make motorized film transport and shutter wind possible. With the winder frame frequencies of up to 2fps and with the drive of up to 4fps are possible. The drive can be switched to 2fps and to single-frame exposures. All shutter speeds from 1 to 1/1000 sec can be used. The WINDER is powered by 6, the DRIVE by 10 commercially available alkali manganese batteries or NiCd rechargeable batteries.



MOTOR-WINDER R 4, Code No. 14 282

MOTOR-DRIVE R 4, Code No. 14 309

The LEICA R 4 s MOD. P with WINDER or DRIVE can be held more securely and comfortable with the handgrip with adjustable leather loop.

44 Handgrip, Code No. 14 283



RC LEICA R electronic control unit

This handy control unit is a remote release with illuminated digital display of the completed exposure through feedback from the camera, and at the same time a timer for automatic single-frame releases at variable time intervals of about 2 frames per second to 1 frame about every 10 minutes.

The RC LEICA R can be attached to the MOTOR-WINDER R 4 and to the MOTOR-DRIVE R 4.

RC LEICA R,
Code No. 14 277



DB LEICA R 4 Databack

The Databack permits the inclusion of data in the picture directly during the exposure. Negatives or slides can have the date of the exposure or a letter/number code included in the bottom right-hand corner. It is thus possible, for instance, to number a series of related exposures consecutively. The databack can be inserted in the LEICA R 4 s MOD. P instead of the camera back. It is connected with the flash contact of the camera by means of a cable.

DB LEICA R 4 Databack,
Code No. 14 297



Interchangeable lenses

The LEICA R system offers the basis for optimum adaptation to any photographic task or situation. The comprehensive

range of lenses extends from the fisheye to the zoom lens, from the distortion-free 15 mm ultra-wide angle to the 800 mm telephoto lens.

Enlarger

A top-quality camera such as the LEICA R calls for top-quality reproduction equipment.

For enlarging we supply a well-trying top quality unit with automatic focusing, the FOCOMAT® V35, a pure 35 mm enlarger.

Projectors

A comprehensive range of projectors satisfies every requirement and meets every purpose of projection. They offer maximum operating convenience and versatile possibilities of extension.

The outstanding common feature of all Leitz projectors is optimum optical performance combined with traditional Leitz precision.

Binoculars

The major plus-points of LEITZ TRINOVID's are their superior optics. Manufactured from the same high-grade optical glass as the world renowned Leica lenses, they exhibit highest optical performance, tremendous resolution and top image brilliance. The image retains plasticity even under poor lighting conditions.

Camera spare parts

Camera body cover	14 103
Carrying strap	14 258
Flash contact cover	14 314
Universal focusing screen	14 303

Focusing screens

Uniform groundglass screen	14 304
Microprism screen	14 305
Uniform groundglass screen with grid division	14 306
Clear-glass plate with crosslines	14 307

Suitability for use in the tropics

Before prolonged journeys in sub-tropical regions our Technical Service offers treatment of the camera and lenses with fungicides, which largely protect the equipment against fungal attack.