


This drawing is provisional and subject to our reconfirmation and/or revision without notice.


xxx T1PW 1L40 (01) xxx (2100 1121) 00-06-26

DH1~DH2=16171 (±20)


Coordinates			
Mark	X	Y	R
GM	0	0	—
f28	6990	7049	1500
DH1	-7900	-3000	—
DH2	8234	-1900	—
a1	-7569	-3228	300
a2	-7252	-4215	200
a3	-6914	-5092	200
a4	-5433	-5228	300
a5	-3437	-6383	400
a6	2156	-6922	400
a7	4625	-5757	300
a8	5106	-5621	200
a9	6444	-4745	200
a10	6761	-4358	300




Section a1~4



Section a7~10





Section f28



Quantity	Unit	Scale	Cal. No. : 1L40
1	1/1000 mm	10:1	Parts:
1	Date	Drawn	Name: T. Hiruta
1	Checked	Approved	Frame for Case
1	Material	Material	Drawing No. : 1L40C000
1	Heat Treatment	Heat Treatment	
1	Hardness	Hardness	
1	Plating	Plating	
General Tolerances		Dimensions	
Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.




*** TIPW 1L40-10A (01) *** (2100 1121) 00-06-12

7		Quantity		Cal. No. :	1L40-10A
6		Unit	1/1000 mm	Parts:	
5		Scale	7:1	Name:	Indications for Dial
4		Date		Drawing No. :	
3		Drawn			
2		Checked	T. Hiruta		
1		Approved			
Material					
Heat Treatment		General Tolerances			
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

065-477 (01) *** (2100 1121 A-01 A-01) 00-06-22



7			Quantity		Ca l. No. :
6			Unit	1/1000 mm	
5			Scale	20:1	Parts:
4			Date		065-477
3			Drawn		
2			Checked	T. Hiruta	Name:
1			Approved		SETTING STEM
Material					Drawing No. : 4770S000
Heat Treatment			General Tolerances		
Hardness			Dimensions		
Plating			Angles		