




DH3~DH4=22287 (±20)


Coordinates			
Mark	X	Y	R
GM	0	0	—
DH3	-8759	6900	—
DH4	8251	-7500	—
CS1	9173	5700	—
CS2	-8390	-6800	—



Material	Quantity	Cal. No. :
Heat Treatment	Unit	2117
Hardness	Scale	Parts:
Plating	Date	
	Drawn	
	Checked	Name:
	Approved	Frame for Case
		Drawing No. : 2117C000
General Tolerances		
Dimensions		
Angles		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.


\*\*\* T I P W 2117-00A (01) \*\*\* (2100 1121) 01-03-14



7			Quantity		Cal. No. : <b>2117-00A</b>
6			Unit	1/1000 mm	
5			Scale	6 : 1	Parts:
4			Date		
3			Drawn		
2			Checked	T. Hiruta	Name:
1			Approved		<b>Indications for Dial</b>
<b>Material</b>			Drawing No. : 2117D000		
Heat Treatment			General Tolerances		
Hardness			Dimensions		
Plating			Angles		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

\*\*\* T I P W (01) \*\*\* (2100 1121) 00-06-23



7			Quantity		Cal. No. :
6			Unit	1/1000 mm	
5			Scale	20:1	Parts:
4			Date		065-299
3			Drawn		Name:
2			Checked	T. Hiruta	SETTING STEM
1			Approved		Drawing No. : 2990S000
Material			General Tolerances		
Heat Treatment			Dimensions		
Hardness			Angles		
Plating					