




DH1~DH2=13499 (±20)

Coordinates

Mark	X	Y	R
GM	0	0	—
DH 1	-6850	-1200	—
DH 2	6620	-2080	—
a 1	-6062	-3648	300
a 2	-5872	-4111	200
a 3	-4850	-4915	200
a 4	-4356	-4991	300
a 5	3166	-5581	300
a 6	3665	-5583	200
a 7	4800	-4948	200
a 8	5060	-4521	300
f 1	4684	5943	1300
f 2	-6086	4956	1300



△	Quantity	1/1000 mm	Cal. No. : 5Y36
△	Unit	11:1	Parts :
△	Scale		
△	Date		
△	Drawn		
△	Checked	T. Hiruta	
△	Approved		
△	Material		Name : Frame for Case
△	Heat Treatment		Drawing No. : 5Y36C000
△	Hardness		
△	Plating		
General Tolerances		Dimensions	
		Angles	

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W (01) *** (2100 1121) 00-06-22

7		Quantity	Cal. No. :	
6		Unit	1/1000 mm	
6		Scale	20:1	
4		Date	065-403	
3		Drawn		
2		Checked	Name :	
1		Approved	SETTING STEM	
Material		Drawing No. : 4030S000		
Heat Treatment		General Tolerances		
Hardness		Dimensions		
Plating		Angles		

