





This drawing is provisional and subject to our reconfirmation and/or revision without notice.

xxx T1PW 6P21 (01) xxx (2100 1121) 01-02-07

DH5~DH6=22287 (±20)


Coordinates			
Mark	X	Y	R
GM	0	0	—
DH5	-9759	6900	—
DH6	8251	-7500	—
a1	2351	11100	200
a2	7235	9131	200
a3	10800	3490	500
a4	10800	-3490	500
a5	3490	-10800	500
a6	-2700	-11100	200
a7	-5389	-10216	300
a8	-10800	-3490	500
a9	-10800	3490	500
a10	-3490	10800	500
b1	9581	6360	150
b2	7928	8331	150
b3	-5773	9946	150
b4	-7839	8415	150
b5	-9572	-6374	150
b6	-7916	-8342	150
b7	9196	-6905	150
b8	10501	-4690	150



Material	Quantity	Cal. No. :
Heat Treatment	Unit	6P21
Hardness	Scale	Parts:
Plating	Date	
	Drawn	
	Checked	T. Hiruta
	Approved	
General Tolerances		Name:
Dimensions		Frame for Case
Angles		Drawing No. : 6P21C0000

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

065-379 (01) *** (2100 1121) 00-06-23



7		Quantity		Cal. No. :
6		Unit	1/1000 mm	Parts:
5		Scale	20:1	
4		Date		
3		Drawn		Name:
2		Checked	T. Hiruta	
1		Approved		SETTING STEM
Material				Drawing No. : 3790S000
Heat Treatment		General Tolerances		
Hardness		Dimensions		
Plating		Angles		