



Coordinates

記号	X	Y
GM	0	0
DH1	-7550	10274
DH2	9440	-8570

DH1~DH2=25372.7±20




Quantity	Unit	Cal. NO.:
1	1/1000 mm	GP11
Scale	7:1	Parts No.:
Date		
Drawn		
Checked		
Approved		
Material		
Heat Treatment		
Hardness		
Plating		
Alterations		
Date		
Description		
Appro.		
Checked		
Drawn		
Approved		
Material		
Heat Treatment		
Hardness		
Plating		
General Tolerances		
Dimensions		
Angles		

Name: M. Fukuda  
 Frame for Case  
 Drawing No.: GP11C000  
**MIYOTA**  
 CITIZEN WATCH CO., LTD. TOKYO, JAPAN

2009/05/07 (11:18:39)


This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal.NO.:
△			Unit	1 / 1000 mm	GP11-00A
△			Scale	5 : 1	Parts No.:
△			Date		
△			Drawn		
Mark	Date	Description	Appr.	Checked	Name:
		Alterations	Approved	M. Fukuda	Indications for Dial
Material					Drawing No.: GP11D000
Heat Treatment			General Tolerances		<b>MIYOTA</b>
Hardness			Dimensions		
Plating			Angles		
					CITIZEN WATCH CO., LTD. TOKYO, JAPAN

2005/02/01 (17:07:32)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity			Cal.NO.:
△			Unit	1 / 1000 mm		
△			Scale	20 / 1		Parts No.:
△				Date	Name	065-992
△			Drawn			
Mark	Date	Description	Appr.	Checked	M. Fukuda	Name:
Alterations			Approved	SETTING STEM		
Material						Drawing No.: 9920S000
Heat Treatment	General Tolerances					
Hardness	Dimensions					
Plating	Angles					CITIZEN WATCH CO., LTD. TOKYO, JAPAN