
SOFTWARE

8055-SW02 REVISION **1.64**

- Operation extended up to year 2020

8055-Firmware REVISION 1.25

- Interpolation no longer limited to positive figures.
- Problem of overlapping 30TH and 31ST of July fixed.
- 1s delay added between CGMS: and the body message
to workaround C55 modem troubles

8055-Firmware REVISION 1.21

8055-SW02 REVISION 1.60

- Implemented the log file parameter change.
- Switchable Alarm on calls delayed longer than the set time
- Added Alarm on interrupted download
- Added Alarm on carrier down
- No prompt message boxes when in automatic mode
(the event is logged)

8055-Firmware REVISION 1.20

- Set severe abort command for downloading so that
potential echo from MODEM does not break the download.

8055-SW02 REVISION 1.58

- StartTimeText Box updated during download in order to keep the exact time of last successful download.
- AutoText File done even if communication is broken during download.

8055-Firmware REVISION 1.19

- Multiple modem call for alarm bug fixed.

8055-SW02 REVISION 1.57

- Missed hang up with certain modems fixed.

8055-Firmware REVISION 1.18

- Improved remote Firmware updating.

8055-SW02 REVISION 1.56

- "Illegal function CALL" bug fixed.

8055-Firmware REVISION 1.17

- Improved Warning and Alarm notification via SMS.
- Modem autoswitch off in case of firmware update via RS232.

8055-SW02 REVISION 1.55

- Improved 6 minutes averaging report.

8055-SW02 REVISION 1.54

- Added automatic ASCII file export for
downloaded data

The release 1.54 introduces Auto export ASCII files capability.

This function allows users to automatically have an ASCII file which contains all the information related to the downloaded data.

The format of this file is exactly the same as it would be created by "Save as Table" menu.

To enable this function, for each station there is a flag labeled "AUTO ASCII File"; this means that every station can be configured separately to have this function active.

Description on how it works.

When a call, either outgoing or incoming, is notified by the remote station (I.E. giving its name) and data is retrieved, either manually or automatically, all the files that normally are put in the directory STATION\YEAR\MONTH\DAY\ are also copied in a special directory called STATION\AUTOTXT. After all data are downloaded the files are merged together in order to make just a whole file representing the data from and to an exact time. This is necessary because a download could start before midnight (as it usually happens) and therefore the files are split in different days. Then, the ASCII file is created.

Where to find files.

All automatic activities are done in STATION\AUTOTXT thus the resulting files are there.

The automatic ASCII file is called AUTOTEXT.TXT. Therefore, after each download the file STATION\AUTOTXT\AUTOTEXT.TXT reflects the data which starts from DATE-HOUR start and finishes at DATE-HOUR stop shown in the download frame. Note that every time a download is done, for that station all previous data are overwritten (lost) with the newer ones.

Additional Information.

As for making an ASCII file all the information are needed, all the other formats are also present. Consequently, in STATION\AUTOTXT directory all the graphical information can be got for example by browsing from the OPEN menu and selecting "AUTOTEXT".

Then it can be seen, zoomed or saved in a different directory.

8055-SW02 REVISION 1.53

- When software is updated to a new version, the user can hold or delete data for all stored stations
- Added x100 vertical zoom
- Improved zoom management
- Solved problem with date (January 2003)
- Download inhibit when the chosen time interval is greater than the internal memory capacity