

Windows

Before installing Nikon View 5, make sure that your computer system satisfies the following requirements:

| | |
|--|---|
| CPU | Pentium 300 MHz or higher |
| Operating system | Windows XP Home Edition/Professional ^{*1} , Windows 2000 Professional ^{*1} , Windows Millennium Edition (Me) ^{*1} , Windows 98 Second Edition (SE) ^{*1} |
| Hard disk space | 25 MB or more free disk space required to install Nikon View 5 10 MB plus twice the capacity of the memory card in use are required to run Nikon View 5 (Startup Disk) |
| Memory (RAM) | When working with RAW data ^{*2} images: 128 MB or more When not working with RAW data ^{*2} images: 64 MB or more |
| Video resolution | 800 × 600 pixels or higher with 16-bit color (High Color) or more. |
| IEEE 1394 interface (DI/DIx/DI_H) | Only boards compliant with Open Host Controller Interface (OHCI) are supported ^{*3,4} (An interface board is needed to connect the camera to the computer.) |
| USB interface (COOLPIX series/DI00) | Only built-in USB ports supported ^{*3} |
| Miscellaneous | CD-ROM drive required for installation Internet connection and appropriate software required to upload images to the Web Internet connection and appropriate software required to send images by e-mail |

^{*1} Only pre-installed versions are supported.

^{*2} Consult the documentation provided with your camera as to whether it supports RAW data.

^{*3} The camera may not function as expected when connected to IEEE 1394 or USB hubs.

^{*4} Use only compatible interface boards. For further information, see the web page address below.



Support and updates

For the latest information and updates, visit <http://www.nikon-image.com/eng/>



Macintosh

Before installing Nikon View 5, make sure that your computer system satisfies the following requirements:

| | |
|--|---|
| Model | iMac * ¹ , iMac DV * ¹ , Power Macintosh G3 (Blue & White)* ¹ , Power Macintosh G4 or later * ¹ , iBook * ¹ , PowerBook G3 or later * ¹ |
| Operating system | Mac OS 9.0, Mac OS 9.1, Mac OS 9.2, Mac OS X (Version 10.1.2 or later)* ² |
| Hard disk space | 25 MB or more free disk space required to install Nikon View 5 10 MB plus twice the capacity of the memory card in use are required to run Nikon View 5 (Startup Disk) |
| Memory (RAM) | When working with RAW data* ³ images: 128 MB or more When not working with RAW data* ³ images: 64 MB or more |
| Video resolution | 800 × 600 pixels or higher with 16-bit color (thousands of colors) or more. |
| Firewire interface (DI/DIX/DIH) | Only built-in Firewire ports supported* ⁴ (A firewire port is needed to connect the camera to the computer.) |
| USB interface (COOLPIX series/D100) | Only built-in USB ports supported* ⁴ |
| Miscellaneous | CD-ROM drive required for installation Internet connection and appropriate software required to upload images to the Web Internet connection and appropriate software required to send images by e-mail |

*¹ Built-in FireWire (IEEE 1394) or USB interface may be required depending on the camera.

*² When using Mac OS 10.1.2, you can not use the  button on the camera. To transfer images to the computer, use the  button in Nikon View. To transfer images with the  button, use Mac OS Version 10.1.3 or later.

*³ Consult the documentation provided with your camera as to whether it supports RAW data.

*⁴ The camera may not function as expected when connected to FireWire (IEEE 1394) or USB hubs.



Support and updates

For the latest information and updates, visit: <http://www.nikon-image.com/eng/>



Nikon View 5 Installation Guide

Installing Nikon View 5 and Supporting Software

Windows / Macintosh

If you have already completed installation of Nikon View 5, click top and proceed to “Connecting to a Computer”.

The procedure for installing Nikon View 5 varies with your operating system and make of camera. Click the links below for complete installation instructions.

| Camera | Operating system |
|---|--|
| COOLPIX Series (USB Interface) | Windows XP Home Edition / Professional Windows 2000 Professional Windows Millennium Edition (Me) Windows 98 Second Edition (SE) |
| | Mac OS 9.0, 9.1, 9.2 Mac OS X (ver. 10.1.2 or later) |
| D100 (USB Interface) D1/D1x/D1h (IEEE 1394 / Firewire Interface) | Windows XP Home Edition / Professional Windows 2000 Professional Windows Millennium Edition (Me) Windows 98 Second Edition (SE) |
| | Mac OS 9.0, 9.1, 9.2 Mac OS X (ver. 10.1.2 or later) |

