## SERVICE MANUAL

[Issue 1 NMP Part No.0275683] [Issue 2 NMP Part No.0275703]

# NAM-2 SERIES CELLULAR PHONES Nokia 2100

Company confidential!

NOKIA

#### **Amendment Record Sheet**

Amendment No	Date	Inserted By	Comments
Issue 1	12/2002	O Juntunen	Original issue 1
Issue 2	02/2003	O Juntunen	Front page & ARS
	02/2003		Section 6 : exploded diagram, antenna code updated for E&A

#### **NAM-2 Overall Manual Contents**

#### Contents:

Section 1: Foreword

**Section 2: General Information** 

Section 3: System Module

Section 4: UI Module

**Section 5: Parts List** 

**Section 6: Product Variants** 

**Section 7: Service Software Instructions & Service Concepts** 

**Section 8: Service Tools** 

Section 9: Assembly & Disassembly Instructions

Section 10: Troubleshooting Instructions

Section 11: Accessories

Section 12: Schematic Diagrams

#### **IMPORTANT**

This document is intended for use by qualified service personnel only.

#### **Company Policy**

Our policy is of continuous development; details of all technical modifications will be included with service bulletins.

While every endeavour has been made to ensure the accuracy of this document, some errors may exist. If any errors are found by the reader, NOKIA MOBILE PHONES Ltd. should be notified in writing.

#### Please state:

Title of the Document + Issue Number/Date of publication

Latest Amendment Number (if applicable)

Page(s) and/or Figure(s) in error

Please send to: NOKIA CORPORATION

Nokia Mobile Phones Ltd.
CCS Technical Documentation

PO Box 86

FIN-24101 SALO

**Finland** 

#### Warnings and Cautions

Please refer to the phone's user guide for instructions relating to operation, care and maintenance including important safety information. Note also the following:

#### Warnings:

- CARE MUST BE TAKEN ON INSTALLATION IN VEHICLES FITTED WITH ELEC-TRONIC ENGINE MANAGEMENT SYSTEMS AND ANTI-SKID BRAKING SYS-TEMS. UNDER CERTAIN FAULT CONDITIONS, EMITTED RF ENERGY CAN AFFECT THEIR OPERATION. IF NECESSARY, CONSULT THE VEHICLE DEALER/ MANUFACTURER TO DETERMINE THE IMMUNITY OF VEHICLE ELECTRONIC SYSTEMS TO BE ENERGY
- 2. THE PC CARD MUST NOT BE OPERATED IN AREAS LIKELY TO CONTAIN POTENTIALLY EXPLOSIVE ATMOSPHERES EG PETROL STATIONS (SERVICE STATIONS), BLASTING AREAS ETC.
- 3. OPERATION OF ANY RADIO TRANSMITTING EQUIPMENT, INCLUDING CELLU-LAR TELEPHONES, MAY INTERFERE WITH THE FUNCTIONALITY OF INADE-QUATELY PROTECTED MEDICAL DEVICES. CONSULT A PHYSICIAN OR THE MANUFACTURER OF THE MEDICAL DEVICE IF YOU HAVE ANY QUESTIONS. OTHER ELECTRONIC EQUIPMENT MAY ALSO BE SUBJECT TO INTERFERENCE.

#### **Cautions:**

- 1. Servicing and alignment must be undertaken by qualified personnel only.
- 2. Ensure all work is carried out at an anti-static works tat ion and that an anti-static wrist strap is worn.
- 3. Ensure solder, wire, or foreign matter does not enter the telephone as damage may result.
- 4. Use only approved components as specified in the parts list.
- 5. Ensure all components, modules screws and insulators are correctly re-fit-ted after servicing and alignment. Ensure all cables and wires are repositioned correctly.

#### **ESD Protection**



Nokia requires that PC card repair places have sufficient ESD protection (against static electricity) when servicing cellular phones.

A cellular phone, which is ready for use, can be handled normally without ESD protection. The SIM card can be replaced in normal conditions of use.

To replace the covers ESD protection must be applied.

All electronic parts of the product are susceptible to ESD. Resistors, too, can be damaged by static electricity discharge.

All ESD sensitive parts must be packed in metallized protective bags during shipping and handling outside any ESD Protected Area (EPA).

Every repair action involving opening the product or handling the product components must be done under ESD protection.

ESD protected spare part packages MUST NOT be opened/closed out of an EPA.

For more detailed information about ESD protection and EPA, contact your local Nokia After Market Services representative.