

PAMS Technical Documentation

NSW-6 Series Transceivers

Non-Serviceable Accessories

AMENDMENT RECORD SHEET


Amendment Number	Date	Inserted By	Comments
	12/99	OJuntune	

CONTENTS

	Page No
Battery BMP-1A	4
Product Code	4
Battery BLP-1D	5
Product Code	5
AC Travel Charger ACP-7	6
Product Codes	6
Specification	6
Performance Travel Charger ACP-8	7
Product Codes	7
Specification	7
Cigarette Lighter Charger LCH-9	8
Product Code	8
Specification	8
Desktop Stand CGE-1	9
Product Code	9
Specification	9
Plug and Play Handsfree PPH-3	10
Product Code	10
Headset HDC-5	11
Product Code	11

Battery BMP-1A

The BMP-1A is a NiMH battery with 600 mAh capacity in glossy chrome or black plastic package.



Product Code


Battery pack BMP-1A:

glossy chrome

0670302

Battery BLP-1D

The BLP-1D is a Li-Ion battery with 560 mAh capacity in black plastic package.



Product Code


Battery pack BLP-1D:

black plastic

0670304

AC Travel Charger ACP-7

The standard charger is available for different voltage levels and comes with different wall plugs. The standard charger can also be used as a power supply for the basic stand and desktop stand.



S0001160

Product Codes

AC Travel Charger (Euro plug) 207-253 Vac	ACP-7E	0675144
AC Travel Charger (US plug) 108-132 Vac	ACP-7U	0675143
AC Travel Charger (US plug) 207-253 Vac	ACP-7P	0675147
AC Travel Charger (US plug) 198-242 Vac	ACP-7C	0675158
AC Travel Charger (UK plug) 207-253 Vac	ACP-7X	0675145
AC Travel Charger (UK plug) 180-220 Vac	ACP-7H	0675146
AC Travel Charger (Australia) 216-264 Vac	ACP-7A	0675148


Specification

Output connectors:	3.5 mm DC plug, 2-pole
Protection:	PTC protection
Output Voltage /Current (typ)	7.6 V / 370 mA

Performance Travel Charger ACP-8

Operating within the voltage range 90 V...264 V AC (50 Hz...60 Hz), the Performance Travel Charger is practically current independent in normal office and household use. Like the standard charger, it is compatible with all battery options and is available for different wall sockets.

The Performance Travel Charger can also be used with desktop stand CGE-1.



Product Codes

Performance Travel Charger Euro plug 90-264 Vac	ACP-8E	0675195
Performance Travel Charger Korea plug 90-264 Vac	ACP-8K	0675199
Performance Travel Charger UK plug 90-264 Vac	ACP-8X	0675197
Performance Travel Charger US plug 90-264 Vac	ACP-8U	0675196
Performance Travel Charger China plug 90-264 Vac	ACP-8C	0675211
Performance Travel Charger Australia plug 90-264 Vac	ACP-8A	0675214

Specification


Output connectors: 3.5 mm DC plug, 2-pole (+, -, control)

Protection: Output fault voltage 16 V max.

Output voltage/current (typ): 6.0 V (± 0.3 V)/620 mA

Desktop Stand CGE-1

The desktop stand provides mounting place for both the phone and a spare battery. It is powered by external charger.



Product Code


Desktop stand CGE-1: 0675180

Specification

Connections:	<i>3.5 mm DC jack</i>
Charge control:	MCU control for spare battery charging
Operation input voltage:	<i>9...16 V</i>

Plug and Play Handsfree PPH-3

PPH-3 is a plug and play handsfree unit for handportable phones. It provides rapid charging for the phone and possibility to use HF-operation.




The PPH plug and play handsfree unit is connected directly to the cigarette lighter in a car. The PPH is connected to Mobile phone with an cable. The PPH uses mobile phone's own microphone and has possibility to use external microphone for better audio quality.

Product Code

Plug and play HF unit PPH-3: 0675208

Headset HDC-5

The HDC-5 headset comprises a hook switch for the phone/microphone.



Product Code

Headset HDC-5:

0694059

This page intentionally left blank.