

Go to cover page

EDID log file

Vendor/Product Identification
 ID Manufacturer Name : PHL
 ID Product Code : E005 (HEX.)
 ID Serial Number : 4D2 (HEX.)
 Week of Manufacture : 22
 Year of Manufacture : 2000

EDID Version, Revision
 Version : 1
 Revision : 1

Basic Display Parameters/Features
 Video Input Definition : Analog Video Input
 0.700V/0.000V (0.70Vpp)
 without Blank-to-Black Setup
 Separate Sync
 without Composite Sync
 without Sync on Green
 no Serration required

Maximum H Image Size : 31
 Maximum V Image Size : 23
 Display Transfer Characteristic : 2.87
 (gamma)

Feature Support (DPMS) : Standby
 Suspend
 Active Off

Display Type : RGB color display

Color Characteristics
 Red X coordinate : 0.62
 Red Y coordinate : 0.345
 Green X coordinate : 0.29
 Green Y coordinate : 0.61
 Blue X coordinate : 0.155
 Blue Y coordinate : 0.065
 White X coordinate : 0.283
 White Y coordinate : 0.297

Established Timings
 Established Timings I
 : 720 x 400 @70Hz (IBM,VGA)
 640 x 480 @60Hz (IBM,VGA)
 640 x 480 @72Hz (VESA)
 640 x 480 @75Hz (VESA)
 800 x 600 @60Hz (VESA)

Established Timings II : 800 x 600 @72Hz (VESA)
 800 x 600 @75Hz (VESA)
 832 x 624 @75Hz (Apple,Mac II)
 1024 x 768 @70Hz (VESA)
 1024 x 768 @75Hz (VESA)

Manufacturer's timings :
 Standard Timing Identification #1
 Horizontal active pixels : 640
 Aspect Ratio : 4:3
 Refresh Rate : 85

Standard Timing Identification #2
 Horizontal active pixels : 800
 Aspect Ratio : 4:3
 Refresh Rate : 85

Standard Timing Identification #3
 Horizontal active pixels : 1024
 Aspect Ratio : 4:3
 Refresh Rate : 85

Standard Timing Identification #4
 Horizontal active pixels : 1280
 Aspect Ratio : 5:4
 Refresh Rate : 60

Standard Timing Identification #5
 Horizontal active pixels : 640
 Aspect Ratio : 4:3
 Refresh Rate : 100

Standard Timing Identification #6
 Horizontal active pixels : 800
 Aspect Ratio : 4:3
 Refresh Rate : 99

Standard Timing Identification #7
 Horizontal active pixels : 1280
 Aspect Ratio : 4:3
 Refresh Rate : 60

Standard Timing Identification #8
 Horizontal active pixels : 1152
 Aspect Ratio : 4:3
 Refresh Rate : 75

Detailed Timing #1
 Pixel Clock (MHz) : 25.18
 H Active (pixels) : 640
 H Blanking (pixels) : 160
 V Active (lines) : 350
 V Blanking (lines) : 99
 H Sync Offset (F Porch) (pixels): 16
 H Sync Pulse Width (pixels): 96
 V Sync Offset (F Porch) (lines) : 37
 V Sync Pulse Width (lines) : 2
 H Image Size (mm) : 306
 V Image Size (mm) : 230
 H Border (pixels) : 0
 V Border (lines) : 0
 Flags : Non-interlaced
 : Normal Display, No stereo
 : Digital Separate sync.
 : Negative Vertical Sync.
 : Positive Horizontal Sync.

Monitor Descriptor #2
 Serial Number : TY 123456

Monitor Descriptor #3
 Monitor Name : PHILIPS 107S

Monitor Descriptor #4
 Monitor Range Limits
 Min. Vt rate Hz : 50
 Max. Vt rate Hz : 160
 Min. Horiz. rate kHz : 30
 Max. Horiz. rate kHz : 71
 Max. Supported Pixel : 110

Extension Flag : 0
 Check sum : 5A (HEX.)

EDID data (for philips CRT)

0: 00 1: ff 2: ff 3: ff 4: ff 5: ff 6: ff 7: 00
 8: 41 9: 0c 10: 05 11: e0 12: d2 13: 04 14: 00 15: 00
 16: 16 17: 0a 18: 01 19: 01 20: 68 21: 1f 22: 17 23: bb
 24: e8 25: d5 26: f8 27: 9e 28: 58 29: 4a 30: 9c 31: 27
 32: 0f 33: 48 34: 4c 35: ad 36: ee 37: 00 38: 31 39: 59
 40: 45 41: 59 42: 61 43: 59 44: 81 45: 80 46: 31 47: 68
 48: 45 49: 67 50: 81 51: 40 52: 71 53: 4f 54: d6 55: 09
 56: 80 57: a0 58: 20 59: 5e 60: 63 61: 10 62: 10 63: 60
 64: 52 65: 08 66: 32 67: e6 68: 10 69: 00 70: 00 71: 1a
 72: 00 73: 00 74: 00 75: ff 76: 00 77: 20 78: 54 79: 59
 80: 20 81: 20 82: 31 83: 32 84: 33 85: 34 86: 35 87: 36
 88: 0a 89: 20 90: 00 91: 00 92: 00 93: fc 94: 00 95: 50
 96: 48 97: 49 98: 4c 99: 49 100: 50 101: 53 102: 20 103: 31
 104: 30 105: 37 106: 53 107: 0a 108: 00 109: 00 110: 00 111: fd
 112: 00 113: 32 114: a0 115: 1e 116: 47 117: 0b 118: 00 119: 0a
 120: 00 121: 20 122: 20 123: 20 124: 20 125: 20 126: 00 127: 5a