


SCHEMATIC DIAGRAM



- 1 RESISTORS**
 Indicated in capacity (L/F) voltage (V) unless otherwise noted p pf
 Indication without voltage is 50V except electrolytic capacitor
- 2 CAPACITORS**
 Indicated in capacity (L/F) voltage (V) unless otherwise noted p pf
 Indication without voltage is 50V except electrolytic capacitor
- 3 VOLTAGE**
 DC voltage (V) if no input signal
 mV Signal voltage at FM 400kHz 75kHz DEV
- 4 OTHERS**
 Adjusting point
 The mark found on some component parts indicates the importance of the safety factor of the part. Therefore, when replacing, be sure to use parts of identical designation
- This is the basic schematic diagram, but the actual circuit may vary due to improvements in design

- SWITCHES**
- | | |
|------------------|----------|
| S1 - POWER | ON - OFF |
| S2 - AM SELECTOR | MW - LW |
| S3 - FUNCTION | FM - AM |
| S4 - FM MUTING | ON - OFF |
- The underlined indicates the switch position

AC POWER CORD
 AC 220V
 50/60 Hz

PIONEER ELECTRONIC CORPORATION 4-1, Meguro 1-Chome, Meguro-ku, Tokyo 153, Japan
U.S. PIONEER ELECTRONICS CORPORATION 85 Oxford Drive, Moonachie, New Jersey 07074, U.S.A.
PIONEER ELECTRONIC (EUROPE) N.V. Luithagen-Haven 9, 2030 Antwerp, Belgium
PIONEER ELECTRONICS AUSTRALIA PTY. LTD. 178-184 Boundary Road, Braeside, Victoria 3195, Australia