




TITLE : SIZE 7 COAXIAL SOCKET CONTACT FOR
RG316 RG174 RG188 KX22 CABLES


PEN :




MATERIAL AND FINISH

OUTER CONTACT BODY: BERYLLIUM COPPER _ GOLD OVER NICKEL UNDERPLATE
CRIMP BARREL, CENTRE CONTACT AND FERRULE: COPPER ALLOY _ GOLD OVER NICKEL UNDERPLATE
DIELECTRIC PARTS: TEFLON


WIRING INSTRUCTIONS




STRIP BRAID AT DIMENSION SHOWN



SLIDE FERRULE OVER BRAID TO BUT AGAINST CABLE JACKET
FOLD BRAID OVER FERRULE
CUT BRAID AT DIMENSION SHOWN
STRIP INNER CONDUCTOR AT DIMENSION SHOWN



SLIDE DIELECTRIC SLEEVE AND CENTRE CONTACT OVER
INNER CONDUCTOR
CRIMP CENTRE CONTACT USING:
CRIMPING TOOL : M22520/2-01 (RADIALL 282281) SEL. 7
POSITINER : DANIELS K345



SLIDE CENTRE CONTACT INTO OUTER CONTACT AND CRIMP
OUTER CONTACT USING :
CRIMPING TOOL : M22520/5-01 (RADIALL 282293)
DIE : M22520/5-05 (RADIALL 282246) HEX.B 4, 5/FLATS

A REDRAWN BY CAD

11.08.91

LF

IND

MODIFICATIONS

DATE

VISA

Creation Date: NOV.08.91

This information is given as an indication, in the continual goal to better our products, we reserve the right to bring any modifications judged necessary.



101, rue Philibert Hoffmann, Z.I. Quest
93116 ROSNY/BOIS Cedex (France)
Tél.: (1) 49 35 35 35
Fax.: (1) 48 54 63 63
Télex: RADIA 235220

Up-date Date:

THIS DOCUMENT WAS CREATED BY CAD. IT CANNOT BE MODIFIED EXCEPT BY CAD.