## Bluetooth<sup>™</sup> Installation Procedure

Launch the 3Com Bluetooth Connection Manager to search for Bluetooth devices (Printers).

😥 Bluetooth Connection	Manager - Rem	ote Devices				-	. 🗆 🗵
<u>S</u> end <u>V</u> iew <u>T</u> ools <u>H</u> elp							
🐗 🝪 🚷   🖏 🧐	• 🗝 🖆 📍						_@⊳0 3COM
Friendly Name	Device Addres	s Device	Class	Status		Discovery Time	е
A248 00:04:76:C5:FE:18	00:04:76:C5:F8	E:18 Printer		In Range		04/05/02 12:2	1:54
<u>ا</u>							
Type of Connection	Device Name	Serial Port	Device	Class		Time of Connec	tion
No Connections							
For Helf Status: Ready	Securi	ty Mode: Low		Last Refre	sh: 4/5/	2002 12:21:55 F	°M //

Searched device assign to the COM3 port as 3Com Bluetooth Serial Client. • Select "COM port.." from the Tool menu.

Bluetooth COM Ports	×
Bluetooth COM ports are serial ports that a Click " <u>H</u> elp" for more information.	an application can use to send data over a radio link.
Host Port	
Port: 3Com Bluetooth Serial Host (COM	(4)
Profile: Serial Port	
Client Ports	
Port Profile	Remote Device <u>E</u> dit
3Com Bluetooth Serial Client (COM3) Serial P	
3Com Bluetooth DUN Client (COM6) Dial-up 3Com Bluetooth Fax Client (COM7) Fax	Networking Prompt Prompt
3Com Bluetooth LAN Client (COM8) LAN Ac	
	<u>C</u> lose <u>H</u> elp

Install the printer driver, and assign it to the COM3 port which has been assigned 3Com Bluetooth Serial Client.

COH Aficio CL3000 PCL	5c Properties				?
Accessories	ľ	Statistics		Waterm	
General Details	Color Managemer	nt Sharing	Setup	Paper	Print Quality
BICOH Aficio CL300	00 PCL 5c				
Print to the following port:					
COM3: (3Com Bluetooth Se	rial Client) 🔽	Add Por <u>t</u>			
Drink and a the following shine	. [	<u>D</u> elete Port			
Print using the following drive RICOH Aficio CL3000 PCL !		Ne <u>w</u> Driver			
THICOTT AND DESCOUT DE .	·				
Capture Printer Port	End	Capture			
Timeout settings					
Not selected: 15	seconds				
Transmission retry: 45	seconds				
Spo	ool Settings	Port Settings			
		[]	1		1
		OK	Cancel	Apply	Help

When printing is started from any application, this screen appears. Select the printer added to the Bluetooth device list as follows;

S	elect Remote Device		×
		onnection is being made by a ient (COM3). Select the remo ' for more information.	
	Friendly Name	Device Address	Connect
	A248 00:04:76:C5:FE:18	00:04:76:C5:FE:18	Cancel
			<u>R</u> efresh
			Help
	•		
	Always use for this connection	n	

The Bluetooth connection can be checked in 3Com Bluetooth Connection Manager.

	• 🗝 🖆 💡				3COM
Friendly Name	Device Address	Device Class	Status	Discovery Time	
A248 00:04:76:C5:FE:18	00:04:76:C5:FE:18	Printer	Connected	04/05/02 12:21:54	
				Bluetooth Connectio	n Properties
				General	
	Device Name	Serial Port	le i	e Class Remote Bluetoot	h Device-
Serial Port		3Com Bluetooth Seria		e Ciass	
				Device Addre	ss: 00:04:76:C5:FE:18
Dross E1	Status: Re	ady	Security Mode: Low	Device Class:	Printer
				Status:	Connected
				Connection S	
					tart Time: 04/05/0212-33-07
				Connection o	tart Time: 04/05/02 12:33:07
				- Bluetooth Service	
					e