



Products: R&S® SFU

## Creating MediaFLO™ Test Scenarios in Accordance with the Minimum Performance Specification (MPS) V.1.2 Using the R&S® SFU

### Application Note

The FLO in MediaFLO stands for "forward link only". MediaFLO technology covers transmission of files and multimedia content to handheld devices.

The FLO device minimum performance specification (MPS) was created to ensure that FLO receivers can receive a FLO service that fulfils the compatibility guidelines of the FLO air interface specification. This Application Note shows how the Broadcast Test System R&S® SFU from Rohde & Schwarz can be used to generate all test scenarios required by the minimum performance specification.



## Contents

1	Overview .....	3
2	General Information About MediaFLO .....	3
3	The Broadcast Test System R&S® SFU .....	4
4	Test Cases in Accordance with MPS Version 1.2 and R&S® SFU Requirements .....	5
	1st Test Setup: Data/OIS Channel Testing with Fading (7.5.1-1) .....	6
	Necessary R&S® SFU Configuration for Test Setup 1 .....	6
	References to Test Setup 1 within the MPS .....	6
	2nd Test Setup: Co-channel Interference Tests (7.5.1-2) .....	7
	Necessary R&S® SFU Configuration for Test Setup 2 .....	7
	References to Test Setup 2 within the MPS .....	7
	3rd Test Setup: Tests without Fading (7.5.1-3) .....	8
	Necessary R&S® SFU Configuration for Test Setup 3 .....	8
	References to Test Setup 3 within the MPS .....	9
	4th Test Setup: Tests for Adjacent Channel Selectivity (7.5.1-4) ....	10
	Necessary R&S® SFU Configuration for Test Setup 4 .....	10
	References to Test Setup 4 within the MPS .....	10
	5th Test Setup: Tests for Receiver Sensitivity (7.5.1-5) .....	11
	Necessary R&S® SFU Configuration for Test Setup 5 .....	11
	References to Test Setup 5 within the MPS .....	11
5	The Rohde & Schwarz MediaFLO Device Certification System (FDCS) 12	
6	References .....	13
7	Additional Information .....	13
8	Ordering Information .....	14

## **1 Overview**

The FLO in MediaFLO stands for "forward link only". MediaFLO technology covers transmission of files and multimedia content to handheld devices.

As with DVB-H, MediaFLO uses OFDM transmission with approximately 4000 (4K) carriers with either QPSK or 16QAM modulation of the carriers. MediaFLO also uses time division multiplexing, which is similar to what DVB-H refers to as time-slicing, to transmit specific content at specific time intervals. This allows the receiver to be shut down in between these intervals to save power. MediaFLO is mainly used in the USA.

The FLO device minimum performance specification (MPS) [1] was created to ensure that FLO receivers can receive a FLO service that fulfils the guidelines of the FLO air interface specification [2].

The FLO device minimum performance specification contains definitions, test methods and minimum requirements for FLO receivers.

This Application Note shows how the Broadcast Test System R&S® SFU from Rohde & Schwarz can be used to generate all test scenarios stipulated in the minimum performance specification.

In addition, the Rohde & Schwarz MediaFLO device certification system will be briefly presented.


## **2 General Information About MediaFLO**

Numerous brochures and white papers about MediaFLO can be found on the websites of Qualcomm and the FLO Forum. They give readers a better understanding of the technology and the market, and also include comparisons showing the extent to which MediaFLO differs from other mobile TV standards.

For further information, refer to [3] and [4].

## Creating MediaFLO™ Test Scenarios in Accordance with the Minimum Performance Specification (MPS)

### 3 The Broadcast Test System R&S® SFU



The Broadcast Test System R&S® SFU was designed as a platform for different applications and for future options.

It provides a number of instruments and applications in a cabinet of only four height units and offers unrivaled RF and baseband characteristics.

Due to its modular design, the R&S® SFU can be optimally adapted to the requirements of different applications. It is an ideal research and development tool for making improvements to introduced standards and for generating new standard signals. Applications that previously required many different instruments are now fully covered by the R&S® SFU.

The system's main features:

- **Test transmitter for all digital and analog standards**
- **Bit error ratio meter**
- **Channel simulator**
- **Transport stream signal source**
- **I/Q signal generator**
- **Power measurement**
- **High output power**
- **I/Q interface**

## **4 Test Cases in Accordance with MPS Version 1.2 and R&S® SFU Requirements**

The Broadcast Test System R&S® SFU allows you to generate a MediaFLO signal that can be used to operate MediaFLO terminals. The test system must have the following minimum configuration:

<b>Rohde &amp; Schwarz designation</b>	<b>Product designation</b>
R&S® SFU	Broadcast Test System (base unit)
R&S® SFU-K22	TRP Player
R&S® SFU-B10	Coder Extension 10
R&S® SFU-K10	MediaFLO Coder

In this document, the test system configuration shown in the above table is referred to as the base configuration.

**Important:**


Please note that the required test streams for MediaFLO™ are provided through Qualcomm.

The minimum performance specification describes the five basic test setups listed below, which will be presented in detail in the following:

1. Data/OIS channel testing with fading (7.5.1-1)
2. Co-channel interference tests (7.5.1-2)
3. Tests without fading (7.5.1-3)
4. Tests for adjacent channel selectivity (7.5.1-4)
5. Tests for receiver sensitivity (7.5.1-5)

Besides a test schematic and the R&S SFU options that are required in addition to the base configuration in order to perform the tests, the references to the described test setup within the MPS will be indicated.

**1st Test Setup: Data/OIS Channel Testing with Fading (7.5.1-1)**



**Fig. 1: Test schematic for data/OIS channel testing with fading**


**Necessary R&S® SFU Configuration for Test Setup 1**

Rohde & Schwarz designation	Product designation
R&S SFU in the base configuration (see page 5)	
R&S® SFU-K40	AWGN Noise
R&S® SFU-B30	Fading Simulator (20 paths)
R&S® SFU-K30	Enhanced Fading

**References to Test Setup 1 within the MPS**

- Section 3.1.2.1.2 “Wide-Area Data Channel Demodulation in Multipath Fading Channel”
- Section 3.1.2.2.2 “Wide-Area OIS Channel Demodulation in Multipath Fading Channel”
- Section 4.1.1.1 “Performance of Wide-Area Data Channel with Reed-Solomon Coding in Multipath Fading Channel”

**2nd Test Setup: Co-channel Interference Tests (7.5.1-2)**



**Fig. 2: Test schematic for co-channel interference tests**

**Necessary R&S® SFU Configuration for Test Setup 2**

**Important:**

Please note that two R&S SFU are used for the described test setup.

*FLO signal source 1: R&S SFU no. 1*

Rohde & Schwarz designation	Product designation
R&S SFU in the base configuration (see page 5)	
R&S® SFU-B30	Fading Simulator (20 paths)
R&S® SFU-K30	Enhanced Fading

*FLO signal source 2: R&S SFU no. 2*

Rohde & Schwarz designation	Product designation
R&S SFU in the base configuration (see page 5)	
R&S® SFU-B30	Fading Simulator (20 paths)
R&S® SFU-K30	Enhanced Fading

**References to Test Setup 2 within the MPS**

- Section 3.1.2.1.3 “Wide-Area Data Channel Demodulation under Fading and Co-channel Interference”
- Section 3.1.2.1.4 “Wide-Area Data Channel Demodulation under Local-Area Changes”
- Section 3.1.2.1.5 “Wide-Area Data Channel Demodulation following Wide-Area Change”
- Section 3.1.2.1.6 “Local-Area Data Channel Demodulation following Local-Area Changes”
- Section 3.1.2.2.3 “Local-Area OIS Channel Demodulation Under Fading and Co-Channel Interference”
- Section 3.1.2.3.1 “WIC and LIC Demodulation in Multipath Fading and Co-Channel Interference”

**3rd Test Setup: Tests without Fading (7.5.1-3)**




Fig. 3: Test schematic for tests without fading

**Necessary R&S® SFU Configuration for Test Setup 3**

For I) the following R&S SFU configuration must be used:

Rohde & Schwarz designation	Product designation
R&S SFU in the base configuration (see page 5)	
R&S® SFU-K40	AWGN Noise
R&S® SFU-B30	Fading Simulator (20 paths)
R&S® SFU-K30	Enhanced Fading

For II) the following R&S SFU configuration must be used:

**Important:**

Please note that the described test setup includes one to two CW generators in addition to the R&S SFU.

*FLO signal source 1: R&S SFU*

Rohde & Schwarz designation	Product designation
R&S SFU in the base configuration (see page 5)	
R&S® SFU-B30	Fading Simulator (20 paths)
R&S® SFU-K30	Enhanced Fading

*CW generators:*

The CW generators used must meet the specifications under 7.4.4 “CW Generator” of the MPS. CW signals must be capable of being generated at frequencies of up to 6 GHz depending on the test case. For more details, refer to the following MPS references.

- The two CW signals in section 3.1.3.2 can be generated using the ARB generator of an additional R&S SFU with the following possible configuration:



## ***Creating MediaFLO™ Test Scenarios in Accordance with the Minimum Performance Specification (MPS)***

---


<b>Rohde &amp; Schwarz designation</b>	<b>Product designation</b>
R&S® SFU-K81	Realtime coder disable
R&S® SFU-B3	Memory extension 1
R&S® SFU-K35	ARB generator

- The CW signal described in section 3.1.3.4 can be generated using the R&S SMA100.

### **References to Test Setup 3 within the MPS**

- Section 3.1.2.1.1 “Wide-Area Data Channel Demodulation in AWGN”
- Section 3.1.2.2.1 “Wide-Area OIS Channel Demodulation in AWGN”
- Section 3.1.3.2 “Intermodulation Spurious Response Attenuation”  
(2 x CW ; up to 1 GHz)
- Section 3.1.3.4 “Receiver Blocking Characteristics”  
(1 x CW; up to 6 GHz)

**4th Test Setup: Tests for Adjacent Channel Selectivity (7.5.1-4)**



**Fig. 4: Test schematic for adjacent channel selectivity**

**Necessary R&S® SFU Configuration for Test Setup 4**

**Important:**

Please note that two R&S SFUs are used for the described test setup.

*FLO signal source: R&S SFU no. 1*

Rohde & Schwarz designation	Product designation
R&S SFU in the base configuration (see page 5)	

*Interferer source: R&S SFU no. 2*

Rohde & Schwarz designation	Product designation
R&S SFU in the base configuration (see page 5)	
R&S® SFU-B3	Memory Extension 1
R&S® SFU-K199	Multi ATV Predefined

**References to Test Setup 4 within the MPS**

- Section 3.1.3.3 “Adjacent Channel Selectivity”

### 5th Test Setup: Tests for Receiver Sensitivity (7.5.1-5)



**Fig. 5: Test schematic for receiver sensitivity**

### Necessary R&S® SFU Configuration for Test Setup 5

*R&S SFU no. 1: FLO signal source 1*

<b>Product designation</b>
R&S SFU in the base configuration (see page 5)

### References to Test Setup 5 within the MPS


- Section 3.1.3.1 "Receiver Sensitivity and Dynamic Range"

## 5 The Rohde & Schwarz MediaFLO Device Certification System (FDCS)

The MediaFLO device certification system from Rohde & Schwarz provides manufacturers of MediaFLO terminals with a comprehensive solution for research and development.

The automated FDCS test system ensures that the test scenarios for terminals provided by the FLO Forum are performed correctly in accordance with the minimum performance specification.

The R&S TU8980 is a FLO device certification system of this kind:



For further information about the Device Certification Systems please contact [Info@rsa.rohde-schwarz.com](mailto:Info@rsa.rohde-schwarz.com).

## **6 References**

- [1] FLO Forum (Ed.) (June 19, 2006). FLO Device Minimum Performance Specification Rev. 1.2. Fremont, USA: FLO Forum.
- [2] FLO Forum (Ed.) (December 22, 2005). FLO Air Interface Specification Rev 1.1. Fremont, USA: FLO Forum.
- [3] <http://www.qualcomm.com/mediaflo/news/resources.shtml>
- [4] <http://www.floforum.org/>

## **7 Additional Information**

Our Application Notes are regularly revised and updated. Check for any changes at <http://www.rohde-schwarz.com>.

Please send any comments or suggestions about this Application Note to [Broadcasting-TM-Applications@rsd.rohde-schwarz.com](mailto:Broadcasting-TM-Applications@rsd.rohde-schwarz.com)

## 8 Ordering Information

BROADCAST TEST SYSTEM	R&S® SFU	2110.2500.02
DOCUMENTATION	R&S® SFU-DCV	2082.0490.30
EXTENSION BOARD 1	R&S® SFU-B1	2110.7424.02
MEMORY-ERWEITERUNG 1	R&S® SFU-B3	2110.7447.02
MEMORY-ERWEITERUNG 2	R&S® SFU-B4	2110.7453.02
USER I/O	R&S® SFU-B5	2110.7460.02
2nd HARDDISK	R&S® SFU-B6	2110.7501.02
EXTENSION BOARD 10	R&S® SFU-B10	2110.7747.02
ETI INPUT	R&S® SFU-B11	2110.7553.02
FADING SIMULATOR, 20 PATHS	R&S® SFU-B30	2110.7530.02
FADING SIMULATOR EXTENSION	R&S® SFU-B31	2110.7547.02
HIGHER OUTPUT POWER	R&S® SFU-B90	2110.8008.02
CODER DVB-T/H, 2K/4K/8K-COFDM	R&S® SFU-K1	2110.7301.02
CODER DVB-C	R&S® SFU-K2	2110.7324.02
CODER DVB-S/DVB-DSNG,	R&S® SFU-K3	2110.7330.02
CODER ATSC/8VSB	R&S® SFU-K4	2110.7353.02
CODER J.83B	R&S® SFU-K5	2110.7360.02
CODER TDS-OFDM (DMB-T CHINA)	R&S® SFU-K7	2110.7382.02
CODER DVB-S2 BROADCAST SERVICE	R&S® SFU-K8	2110.7399.02
CODER DIRECTV	R&S® SFU-K9	2110.7401.02
CODER MEDIAFLO	R&S® SFU-K10	2110.7524.02
CODER T-DMB/DAB	R&S® SFU-K11	2110.7518.02
TS-GENERATOR, SDTV TEST-	R&S® SFU-K20	2110.7476.02
TRP-RECORDER AND PLAYER	R&S® SFU-K21	2110.7482.02
TRP-PLAYER	R&S® SFU-K22	2110.7499.02
DYNAMICAL FADING UND ERHOEHTE	R&S® SFU-K30	2110.7560.02
ARB GENERATOR	R&S® SFU-K35	2110.7601.02
INTERFERER MANAGEMENT	R&S® SFU-K37	2110.7647.02
NOISE GENERATOR AWGN, DIGITAL	R&S® SFU-K40	2110.7653.02
PHASE NOISE	R&S® SFU-K41	2110.7660.02
IMPULSIVE NOISE	R&S® SFU-K42	2110.7676.02
MULTINOISE	R&S® SFU-K43	2110.7682.02
SW FOR POWER MEASUREMENT	R&S® SFU-K55	2110.7753.02
BER-MEASUREMENT	R&S® SFU-K60	2110.7782.02
EXTENDED ANALOG-I/Q IN	R&S® SFU-K80	2110.7953.02
REALTIME DISABLED	R&S® SFU-K81	2110.7960.02
REALTIME ENABLED	R&S® SFU-K82	2110.7976.02
CODER AMC	R&S® SFU-K108	2110.7418.02
MULTI ATV PREDEFINED	R&S® SFU-K199	2110.8089.02
T-DMB STREAMS	R&S® SFU-K221	2110.4348.02
T-DMB WAVEFORM	R&S® SFU-K351	2110.4277.02
DVB-H	R&S® SFU-K352	2110.4425.02
DRM	R&S® SFU-K353	2110.4690.02
DTV INTERFERER	R&S® SFU-K354	2082.0490.30



ROHDE & SCHWARZ GmbH & Co. KG · Mühlhofstraße 15 · D-81671 München · Postfach 80 14 69 · D-81614 München  
Tel (+49 89) 4129 -0 · Fax (+49 89) 4129 - 13777 · Internet: <http://www.rohde-schwarz.com>

*This Application Note and the supplied programs may only be used subject to the conditions of use set forth in the download area of the Rohde & Schwarz website.*