FIREDENS: queer • Prescott • Az • usa 0 **VERSION III**



2011FIREARMS 2011GATALOG

TABLE OF CONTENTS

LC9™ Centerfire Pistol	3-4	New Model Blackhawk® Single-Action Revolvers	28
LCP® Centerfire Pistol	5-6	New Model Single-Six® Single-Action Revolvers	29
SR40™ Centerfire Pistol	7-8	New Bearcat® Single-Action Revolvers	30
SR9c™ Centerfire Pistol	9-10	Ruger® Gunsite Scout Rifle	31-32
SR9® Centerfire Pistol	11-12	SR-556® Autoloading Rifle	33-34
P-Series Centerfire Pistols	13-14	SR-22® Autoloading Rifle	35-36
Mark III™ Rimfire Centerfire Pistols	15-16	Mini-14® and Mini Thirty® Autoloading Rifles	37-38
22/45™ Rimfire Centerfire Pistols	17-18	10/22® Autoloading Rifles and 22 Charger™ Autoloading Pistol	39-40
_CR® Double-Action Revolvers	19-20	M77® Hawkeye® Bolt-Action Rifles	41-46
SP101® Double-Action Revolvers	21	M77® Mark II Target Rifles	47
GP100® Double-Action Revolvers	22	Rotary Magazine Bolt-Action Rifles	48
Super Redhawk® Double-Action Revolvers	23	No.1 Single-Shot Rifles	49-50
Redhawk [®] Double-Action Revolvers	24	Red Label Shotguns	51-52
√aquero® Single-Action Revolvers	25-26	Ruger® Legal Information and Contact	53
New Model Super Blackhawk® Single-Action Revolvers	27		

THE RUGER LCS





The new Ruger LC9 is compact, powerful and perfect for personal protection.

THE RUGER® LC9™ CENTERFIRE PISTOL

FEATURES:

- Compact, the LC9 is just slightly larger (less than 1" in both height and length) than the popular LCP.[®]
- Rugged construction with blued, throughhardened alloy steel slide and black, one-piece, high-performance, glassfilled nylon grip frame.
- Checkered grip frame provides a secure and comfortable grip.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.
- Dovetailed, high-visibility 3-dot sight system with windage-adjustable rear sight and fixed front sight.
- Blued, alloy steel barrel.
- Safety features include internal lock, manual safety, magazine safety and loaded chamber indicator which provides visual and tactile indication that chamber is loaded.
- Also Includes: soft case.



Checkered Grip Frame



Dovetailed, High-Visibility 3-Dot Sight System



Finger Grip Extension Floorplate can be Added to the Magazine for Comfort and Grip, Included FREE

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Slide/ Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail	
LC9	3200	9mm Luger	7+1	3.12"	Alloy Steel/ Blued	Black, High- Performance, Glass-Filled Nylon	Fixed Front, Windage- Adjustable Rear	6.00''	4.50''	.90''	17.10 oz.	\$443.00	NE

THE RUGER LCP





The Ruger® LCP® is a compact .380

Auto from the industry leader in rugged, reliable firearms. From backup firearms for law enforcement to licensed carry for personal protection, the LCP is the perfect choice.

THE RUGER® LCP® CENTERFIRE PISTOL

FEATURES:

- Compact at just 5.16" long and 3.60" tall, the LCP is designed to fit a variety of holsters and provide conceal-carry options.
- Chambered in reliable and effective .380 Auto, provides stopping power when and where you need it.
- Rugged construction with blued, through-hardened alloy steel slide and black, high-performance, glass-filled nylon grip frame.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.
- Fixed front and rear sights are integral to the slide, while the hammer is recessed within the slide.
- · Blued, alloy steel barrel.

- Crimson Trace[®] model features the LG-431
 Laserguard[®] with instinctive front-activation button, which allows shooters to project the laser wherever the gun is aimed. This "instinctive activation" provides immediate feedback and gives shooters confidence their shots will hit their target.
- Also Includes: soft case or pocket holster (depending on model).

Always on target. Always prepared.

The Ruger LCP with Crimson Trace® Laserquard® and pocket holster.





Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Slide/ Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail
LCP (soft case)	3701	.380 Auto	6+1	2.75''	Alloy Steel/ Blued	Black, High- Performance, Glass-Filled Nylon	Fixed	5.16''	3.60''	.82''	9.40 oz.	\$373.00
LCP-CT (pocket holster)	3713	.380 Auto	6+1	2.75''	Alloy Steel/ Blued	Black, High- Performance, Glass-Filled Nylon	Fixed/ Crimson Trace® Laserguard®	5.16''	3.60''	.82''	10.00 oz.	\$548.00

THE RUGER SR40





Possibly the easiest recoiling, smoothest shooting .40 on the market, the Ruger® SR40™ provides a large caliber option in one of the slimmest and most ergonomic full-sized pistol lines available today.

THE RUGER® SR40™ CENTERFIRE PISTOL

FEATURES:

- Weighs 27.25 ounces (when empty) and ships with two, 15-round, flush-fit magazines.*
- Custom slide design reduces recoil and slide velocity, making it more comfortable to shoot.
- Ruger's unique backstrap is reversible, for a flat or arched fit, without the use of separate inserts or special tools.
- Integral accessory mounting rail provides space for mounting lights, lasers and other tactical accessories.
- High-visibility 3-dot sight system rear sight is windage and elevation adjustable and front sight is windage adjustable.
- Ambidextrous thumb safety and D-shaped ambidextrous magazine release are easy to reach and use.
- Patented loaded chamber indicator provides visual and tactile indication that chamber is loaded.
- Also Includes: two magazines, magazine loader and hard plastic case.



Unique Reversible Backstrap



Ambidextrous Thumb Safety and D-Shaped Ambidextrous Magazine Release



Integral Accessory Mounting Rail

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Slide/ Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail	
KSR40	3470	.40 S&W	15+1*	4.14''	Stainless Steel/ Brushed Stainless	Black, High- Performance Glass- Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55''	5.52''	1.27''	27.25 oz.	\$525.00	NE
BSR40	3471	.40 S&W	15+1*	4.14"	Alloy Steel/ Nitridox Pro Black	Black, High- Performance Glass- Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55"	5.52''	1.27''	27.25 oz.	\$525.00	NE
KSR40-10L	3472	.40 S&W	10+1	4.14"	Stainless Steel/ Brushed Stainless	Black, High- Performance Glass- Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55''	5.52''	1.27''	27.25 oz.	\$525.00	NE
BSR40-10L	3473	.40 S&W	10+1	4.14''	Alloy Steel/ Nitridox Pro Black	Black, High- Performance Glass- Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55''	5.52''	1.27''	27.25 oz.	\$525.00	NE


^{*} Some higher capacity magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines.

THE RUGER SR9C



WWW.RUGER.COM/SR9c





THE RUGER® SR9c™ CENTERFIRE PISTOL

FEATURES:

- 17-round magazine with grip extension adapter (5.58" overall height) and 10-round magazine with interchangeable flush floorplate (4.61" overall height) and finger grip extension (5.23" overall height).*
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.
- Additional retraction grooves on the front of the slim and ergonomic slide provide a sure grip.
- Ruger's unique backstrap is reversible, for a flat or arched fit, without the use of separate inserts or special tools.
- Built-in accessory mounting rail provides space for mounting lights, lasers and other tactical accessories.
- Adjustable, high-visibility 3-dot sight system features a raked-forward front sight for easy removal from the holster. Rear sight is windage and elevation adjustable and front sight is windage adjustable.
- Ambidextrous thumb safety and D-shaped ambidextrous magazine release are easy to reach and use.
- Patented loaded chamber indicator provides visual and tactile indication that chamber is loaded.
- Accepts most full-sized SR9 accessories and all full-sized SR9 standard magazines.
- Also Includes: one 17-round magazine with grip extension, one 10-round magazine, finger grip extension floorplate, magazine loader and hard plastic case.



Adjustable, High-Visibility 3-Dot Sight System



Ruger's Unique Reversible Backstrap is Adjustable for a Flat or Arched Fit



Built-in Accessory Mounting Rail Provides Space for Mounting Lights, Lasers and Other Tactical Accessories

Catalog	Model	Caliber	Capacity **	Barrel	Slide/ Finish	Grip	Sights	Length	Height	Width	Weight	Suggested
Number	Number			Length		Frame						Retail
KSR9C	3313	9mm Luger	17+1*	3.50"	Stainless Steel/ Brushed Stainless	Black, High- Performance Glass- Filled Nylon	Adjustable High- Visibility 3-Dot, Raked-Forward Front	6.85"	4.61''	1.27"	23.40 oz.	\$525.00
BSR9C	3314	9mm Luger	17+1*	3.50''	Alloy Steel/ Nitridox Pro Black	Black, High- Performance Glass- Filled Nylon	Adjustable High- Visibility 3-Dot, Raked-Forward Front	6.85"	4.61''	1.27''	23.40 oz.	\$525.00
KSR9C-10-L	3316	9mm Luger	10+1	3.50''	Stainless Steel/ Brushed Stainless	Black, High- Performance Glass- Filled Nylon	Adjustable High- Visibility 3-Dot, Raked-Forward Front	6.85"	4.61"	1.27"	23.40 oz.	\$525.00
BSR9C-10-L	3317	9mm Luger	10+1	3.50''	Alloy Steel/ Nitridox Pro Black	Black, High- Performance Glass- Filled Nylon	Adjustable High- Visibility 3-Dot, Raked-Forward Front	6.85"	4.61''	1.27''	23.40 oz.	\$525.00

- * Some higher capacity magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines.
- ** Ships with two magazines, either one 17-round and one 10-round, or two 10-round magazines.

THE RUGER SRS





The Ruger® SR9® is perfectly sized to be comfortable and controllable with a slim, ergonomic grip and narrow slide. Featuring a short reach from the backstrap to the trigger, the SR9 creates a comfort level that will challenge any standard-sized, striker-fired pistol available today.

THE RUGER® SR9® CENTERFIRE PISTOL

FEATURES:

- Ruger's unique backstrap is reversible, for a flat or arched fit, without the use of separate inserts or special tools.
- Built-in accessory mounting rail provides space for mounting lights, lasers and other tactical accessories.
- Adjustable, high-visibility 3-dot sight system for quick and easy target acquisition. The rear sight is click adjustable for elevation, and both front and rear sights are drift adjustable for windage to keep you on target with a variety of loads.
- Ambidextrous thumb safety and D-shaped ambidextrous magazine release are easy to reach and use.
- Patented loaded chamber indicator provides visual and tactile indication that chamber is loaded.
- Also Includes: two magazines, magazine loader and hard plastic case.



Adjustable, High-Visibility 3-Dot Sight System



Unique Reversible Backstrap (Flat or Arched)



Ambidextrous Manual Safety and Magazine Release



Built-In Accessory Mounting Rail


													=
Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Slide/ Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail	
SR9	3301	9mm Luger	17+1*	4.14''	Stainless Steel/ Brushed Stainless	Black, High- Performance, Glass-Filled Nylon	Adjustable, High- Visibility 3-Dot	7.55''	5.52''	1.27''	26.50 oz.	\$525.00	
SR9B	3321	9mm Luger	17+1*	4.14''	Alloy Steel/ Nitridox Pro Black	Black, High- Performance, Glass-Filled Nylon	Adjustable, High- Visibility 3-Dot	7.55''	5.52"	1.27"	26.50 oz.	\$525.00	
KSR9-10-L	3309	9mm Luger	10+1	4.14''	Stainless Steel/ Brushed Stainless	Black, High- Performance, Glass-Filled Nylon	Adjustable, High- Visibility 3-Dot	7.55''	5.52''	1.27''	26.25 oz.	\$525.00	
SR9B-10-L	3312	9mm Luger	10+1	4.14"	Alloy Steel/ Nitridox Pro Black	Black, High- Performance, Glass-Filled Nylon	Adjustable, High- Visibility 3-Dot	7.55''	5.52"	1.27"	26.25 oz.	\$525.00	

^{*} Some higher capacity magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines.

THE RUGER P-SERIES







RUGER® P-SERIES CENTERFIRE PISTOLS

FEATURES:

- Designed to be easily maintained, P-Series pistols can be field-stripped into five major subassemblies for cleaning, without special tools.
- High-visibility 3-dot sight system for quick and easy target acquisition.
- Stainless steel barrel.

- Ambidextrous manual safety appeals to both left- and right-handed shooters and is within easy reach of either thumb.
- Rugged steel slide in Ruger's proprietary Terhune Anticorro stainless steel or chromemolybdenum blued steel.
- P345 models also include loaded chamber indicator, magazine disconnect and internal lock.
- Also Includes: two magazines, magazine loader and hard plastic case.



Designed to be Easily Maintained



High-Visibility 3-Dot Sight System



Ambidextrous Manual Safety



Rugged Steel Slide

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Slide/ Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail
P345PR	6647	.45 Auto	8+1	4.20"	Alloy Steel/ Blued	Black Polymer	Adjustable 3-Dot	7.50''	5.75''	1.23"	29 oz.	\$595.00
KP345PR	6645	.45 Auto	8+1	4.20''	Stainless Steel/ Stainless	Black Polymer	Adjustable 3-Dot	7.50''	5.75''	1.23''	29 oz.	\$636.00
P95PR	13009	9mm Luger	10+1	3.90"	Alloy Steel/ Blued	Black Polymer	Fixed 3-Dot	7.25''	5.75''	1.20''	27 oz.	\$393.00
KP95PR	13016	9mm Luger	10+1	3.90"	Stainless Steel/ Stainless	Black Polymer	Fixed 3-Dot	7.25''	5.75''	1.20''	27 oz.	\$424.00
P95PR15	13015	9mm Luger	15+1*	3.90"	Alloy Steel/ Blued	Black Polymer	Fixed 3-Dot	7.25''	5.75''	1.20''	27 oz.	\$393.00
KP95PR15	13014	9mm Luger	15+1*	3.90"	Stainless Steel/ Stainless	Black Polymer	Fixed 3-Dot	7.25''	5.75''	1.20''	27 oz.	\$424.00

^{*} Some higher capacity magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines.

THE RUGER MARK III



- Patented loaded chamber indicator provides visual and tactile indication that chamber is loaded.
- Accurate sighting system features fixed or precision-adjustable sights and drilled and tapped receiver for Weaver®-style scope base adapters for easy mounting of optics (adapters included, not on fixed sight models).
- Smoothly contoured, comfortable grip features natural pointing grip angle with checkered grip panels providing a non-slip hold. The manual safety and magazine release are conveniently located on the left side of the frame.
- Manual safety positively locks the sear when applied. Also features an unobtrusive internal lock that locks the safety in the "SAFE" position and allows you to safely secure the firearm when not in use.
- Magazine disconnect prevents discharge when the magazine has been removed.
- Internal cylindrical bolt construction ensures permanent alignment and higher accuracy potential than conventional moving-slide designs.
- Also Includes: two 10-round magazines and hard plastic case.





RUGER® MARK III™ RIMFIRE PIS TOLS

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grips		arrel ength	Over 1 Leng		eight	Width	Weight	Suggested Retail
MKIII4	10104	.22 LR	10	Alloy Steel/ Blued	Tapered	Checkered Black Plastic	Fixed 4.	75''	9.00	'' 5.	35''	1.20''	35 oz.	\$362.00
MKIII6	10105	.22 LR	10	Alloy Steel/ Blued	Tapered	Checkered Black Plastic	Fixed 6.	00''	10.2	5'' 5.	35''	1.20''	37 oz.	\$362.00
MARK III	™ TARGET													
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grips	Sights		Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
MKIII512	10101	.22 LR	10	Alloy Steel/ Blued	Bull	Checkered Black Plastic	Fixed Front, Adjustable Re	ar	5.50''	9.75''	5.50''	1.20''	42 oz.	\$430.00
KMKIII512	10103	.22 LR	10	Stainless Steel/ Satin Stainless	Bull	Checkered Black Plastic	Fixed Front, Adjustable Re	ar	5.50''	9.75''	5.50''	1.20''	42 oz.	\$543.00
MARK III	M HUNTER	ł												
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grips	Sights		Barrel Length	Overall Length	Heigh	nt Width	Weight	Suggested Retail
KMKIII678H	10118	.22 LR	10	Stainless Steel/ Satin Stainless	Fluted, Bull	Cocobolo	Fiber Optic Front, Adjustable Re	ar	6.88''	11.12"	5.50''	1.20''	41 oz.	\$638.00
KMKIII45H	10132	.22 LR	10	Stainless Steel/ Satin Stainless	Fluted, Bull	Cocobolo	Fiber Optic Front, Adjustable Re	ar	4.50''	8.75''	5.50''	1.20''	38 oz.	\$638.00
MARK III	COMPE	TITION												
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grips	Sights		arrel ength	Overall Length	Height	Width	Weight	Suggested Retail
KMKIII678GC	10112	.22 LR	10	Stainless Steel/ Satin Stainless	Slab- Sided Bull	Checkered Cocobolo with Thumbrest	Fixed Front, Adjustable Rear	6	.88''	11.12''	5.50''	1.82''	45 oz.	\$625.00

THE RUGER 22/45



FEATURES:

- Comfortable, precision-molded Zytel®
 polymer grip frame with a serrated front strap
 and checkered grip panel areas and back
 strap for a great appearance and
 comfortable, non-slip hold.
- Accurate sighting system features fixed or precision-adjustable sights and drilled and tapped receiver for Weaver[®]-style scope base adapters for easy mounting of optics (adapters included).
- Internal cylindrical bolt construction ensures permanent alignment and higher accuracy potential than conventional moving-slide designs.
- Manual safety positively locks the sear when applied.
- Features an unobtrusive internal lock that locks the safety in the "SAFE" position and allows you to safely secure the firearm when not in use.
- Patented loaded chamber indicator provides visual and tactile indication that chamber is loaded.
- Magazine disconnect prevents discharge when the magazine has been removed.
- RP models are enhanced with replaceable, checkered, Cocobolo, 1911-style grip panels.
- Also Includes: contoured ejection port, easy-to-grasp tapered bolt ears, a conveniently located push button magazine release on the left side of the frame, two magazines and hard plastic case.



No other .22 LR pistol provides the feel of the classic 1911 pistol with the proven reliability and value of the Ruger® Mark III™ pistols. The perfect trainer, it allows for low-cost practice and provides shooters with the familiar and preferred grip shape, angle and feel of the famous 1911 .45 caliber pistol.

RUGER® 22/45[™] RIMFIRE PISTOLS

Catalog Number	Model Number	Calibe	r Capacity	Material/ Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail	
P45GMK3PRRP*	10149	.22 LR	10	Alloy Steel/ Blued	Threade	ed Zytel® Polymer	None, Picatinny Rail	4.50''	8.50''	5.35"	1"	32 oz.	\$425.00	NE
P45GMK3RP*	10150	.22 LR	10	Alloy Steel/ Blued	Threade	ed Zytel® Polymer	Fixed	4.50''	8.50''	5.35''	1''	32 oz.	\$425.00	NE
22/45™ BUI	LL BARF	REL												_
	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail	
P512MKIII	10107	.22 LR	10	Alloy Steel/ Blued	Bull		Fixed Front, Adjustable Rear	5.50''	9.50''	5.35"	1"	32 oz.	\$335.00	
KP512MKIII	10110	.22 LR	10	Stainless Steel/ Satin Stainless	Bull		Fixed Front, Adjustable Rear	5.50''	9.50''	5.35''	1"	32 oz.	\$448.00	
P512MKIIIRP*	10140	.22 LR	10	Alloy Steel/ Blued	Bull		Fixed Front, Adjustable Rear	5.50''	9.50''	5.35"	1"	33 oz.	\$380.00	
22/45™ HUI	NTER													
Catalog Number	Model Number	Calibe	r Capacity	Material/ Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail	
KP512HMK3RP*	10146	.22 LR	10	Stainless Steel/ Satin Stainless	/ Fluted	Zytel® Polymer	Fiber Optic Front, Adjustable Rear	5.50"	9.50''	5.35"	1''	32 oz.	\$593.00	NE
KP678HMK3RP*	10147	.22 LR	10	Stainless Steel/ Satin Stainless		Zytel® Polymer	Fiber Optic Front, Adjustable Rear	6.88''	10.88''	5.35''	1''	34 oz.	\$593.00	NE
22/45™ SL	AB-SID	ED BAR	REL											
Catalog Number	Model Numbe	Calibei r	Capacity	Material/ Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail	
KP512GCMK3R	P* 10145	.22 LR	10	Stainless Steel/ Satin Stainless	Slab Sided-	Zytel® Bull Polyme	Fixed Front, er Adjustable Rea	5.50'' ar	9.50''	5.35''	1"	32 oz.	\$493.00	NE
	10119	.22 LR	10	Allov Steel/	Slab-	Zvtel®	Fixed	4.50"	8.50''	5.35"	1"	30 oz.	\$333.00	

- * Replaceable panels model.
- ** Pistols with threaded barrels are not available in all states and locales due to laws limiting feature-based restrictions. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such firearms.

THE RUGER LCR







Packed with the latest technological advances and features required by today's most demanding shooters, the LCR® is the evolution of the revolver. Winner of the 2009 Academy of Excellence, 2010 American Rifleman and 2010 Shooting Illustrated Handgun of the Year, the LCR is a lightweight, small-frame revolver with a uniquely smooth trigger and highly manageable recoil.

THE RUGER® LCR® DOUBLE-ACTION REVOLVER

FEATURES:

- Monolithic frame is made from aerospace grade, 7000 series aluminum in .38 SPL+P models and from 400 series stainless steel in the powerful .357 Mag. model.
- LCR-357 model features a barrel and cylinder made from Carpenter Custom 465 stainless steel, the same material used in .454 Casull Super Redhawk® Revolvers.
- Patent pending friction reducing cam is a next generation design in fire control systems with an optimized cam that results in a smooth, non-stacking trigger pull.
- Patent pending polymer fire control housing holds all the fire control components in their proper dimensional relationships, reduces weight significantly, and helps reduce recoil.
- Grip peg allows a variety of grip styles to be installed. Standard, XS® Sights, and LCR-357 models have Hogue® Tamer™ grips, which are highly effective at reducing felt recoil. The LCR is also available in a Crimson Trace® Lasergrips® model.
- High-strength stainless steel cylinder is extensively fluted (reducing weight) and is treated to an advanced form of Ruger's Target Grey[®] finish for excellent durability.
- Also Includes: soft case.



A lightweight (only 17.1 ounces), 5-shot, .357 Magnum, steel-frame revolver that boasts the features of the award-winning, original LCR.



The XS® Standard Dot Tritium Sight provides rapid sight acquisition in low light.



The LCR with Crimson Trace® Lasergrips® allows for fast and positive target acquisition, and offers the advantages of a laser sighting system in a compact grip.

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Grip	Sights	Length	Height	Weight	Width	Suggested Retail
LCR	5401	.38 SPL+P	5	1.875"	Hogue [®] Tamer [™]	Replaceable, Pinned Ramp Front and U-Notch Integral Rear	6.50''	4.50''	13.50 oz.	1.28''	\$525.00
KLCR-357	5450	.357 Mag.	5	1.875''	Hogue® Tamer™	Replaceable, Pinned Ramp Front and U-Notch Integral Rear	6.50''	4.50''	17.10 oz.	1.28''	\$575.00
LCR-XS	5405	.38 SPL+P	5	1.875''	Hogue® Tamer™	XS® Standard Dot Tritium Front and U-Notch Integral Rear	6.50''	4.50''	13.50 oz.	1.28''	\$575.00
LCR-LG	5402	.38 SPL+P	5	1.875''	Crimson Trace® Lasergrips®	Replaceable, Pinned Ramp Front and U-Notch Integral Rear	6.50''	4.50''	13.00 oz.	1.31"	\$792.00

RUGER SP101 REVOLVERS





FEATURES:

- Patented grip frame design that easily accommodates the use of a variety of custom grips.
- Triple-locking cylinder is locked into the frame at the front, rear, and bottom for more positive alignment and dependable operation shot after shot.
- Cushioned rubber grip with synthetic insert has no exposed metal in the backstrap, making it extremely comfortable.
- Easy takedown of integrated subassemblies requires no special tools and allows for no hassle maintenance and assembly.
- Crimson Trace® Lasergrips® model allows for fast and positive target acquisition, and offers the advantages of a laser sighting system in a compact grip.
- Patented Ruger transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- · Also Includes: hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Suggested Retail
KSP-32731X	5759	.327 Fed. Mag.	6	Satin Stainless	Black Rubber	Black Ramp	Windage Adjustable	3.06''	8''	28 oz.	\$629.00
KSP-821X	5737	.38 SPL+P	5	Satin Stainless	Black Rubber	Black Ramp	Fixed	2.25''	7''	26 oz.	\$629.00
KSP-321X	5718	.357 Mag.	5	Satin Stainless	Black Rubber	Black Ramp	Fixed	2.25''	7''	26 oz.	\$629.00
KSP-331X	5719	.357 Mag.	5	Satin Stainless	Black Rubber	Black Ramp	Fixed	3.06''	8''	27 oz.	\$629.00
KSP-321XL*	5720	.357 Mag.	5	Satin Stainless	Black Rubber	Black Ramp	Fixed	2.25''	7''	25 oz.	\$629.00
KSP-321X-CT	5766	.357 Mag.	5	Satin Stainless	Crimson Trace® Lasergrips®	Black Ramp	Fixed	2.25''	7''	25 oz.	\$799.00 [/

* Spurless hammer model.



RUGER GP100 REVOLVERS





FEATURES:

- Recoil-reducing, cushioned, black rubber Hogue[®] Monogrip[®] provides non-slip, comfortable grip.
- Triple-locking cylinder is locked into the frame at the front, rear, and bottom for more positive alignment and dependable operation shot after shot.
- Patented grip frame design easily accommodates a wide variety of custom grips.
- Easy takedown of integrated subassemblies requires no special tools and allows for no hassle maintenance and assembly.
- Patented Ruger transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- · Heavy, full-shrouded precision-rifled barrel.
- · Also Includes: hard plastic case.

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Overall Length	Weight	Material/ Finish	Front Sight	Rear Sight	Suggested Retail
KGP-4327-7*	1748	.327 Fed. Mag.	7	4.20''	9.50''	40 oz.	Stainless Steel/Satin Stainless	Ramp	Adjustable	\$729.00
GP-141*	1702	.357 Mag.	6	4.20''	9.50''	40 oz.	Alloy Steel/Blued	Ramp	Adjustable	\$659.00
GP-161	1704	.357 Mag.	6	6.00''	11.50''	45 oz.	Alloy Steel/Blued	Ramp	Adjustable	\$659.00
KGP-141*	1705	.357 Mag.	6	4.20''	9.50''	40 oz.	Stainless Steel/Satin Stainless	Ramp	Adjustable	\$729.00
KGP-161	1707	.357 Mag.	6	6.00''	11.50''	45 oz.	Stainless Steel/Satin Stainless	Ramp	Adjustable	\$729.00
KGPF-331	1715	.357 Mag.	6	3.00''	8.50''	36 oz.	Stainless Steel/Satin Stainless	Ramp	Fixed	\$699.00

^{*} Barrel lengths exceed 105mm to meet the Canadian requirement.



RUGER° SUPER REDHAWK° REVOLVERS



FEATURES:

- Triple-locking cylinder is locked into the frame at the front, rear, and bottom for more positive alignment and dependable operation shot after shot.
- Patented integral mounts machined directly on the solid-steel barrel rib provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included, not available on Alaskan models).
- Corrosion-resistant stainless steel boasts the durability and reliability that is the hallmark of a Ruger.
- Strong extended frame with extra metal in top strap, sidewalls and barrel mounting areas to handle powerful big game loads.
- Recoil cushioning Hogue® Tamer™ Monogrip® with an internal recoil cushion positioned under the web of the hand helps reduce the impact of powerful loads, while peg-style grip frame easily accommodates custom grips.
- Dual chambering for .44 Magnum models, which also accept all factory .44 Special cartridges and .454 Casull models, which also accept all factory .45 Colt cartridges.
- Patented Ruger transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Also Includes: adjustable rear sight and fixed, replaceable insert ramp front sight; and hard plastic case.

Catalog Number	Model Number	Caliber	Capacity	Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KSRH-7	5501	.44 Mag.	6	Satin Stainless	Black Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50''	13.00''	53 oz.	\$999.00
KSRH-9	5502	.44 Mag.	6	Satin Stainless	Black Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	9.50''	15.00''	58 oz.	\$999.00
KSRH-2 (Alaskan)	5303	.44 Mag.	6	Satin Stainless	Black Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	2.50''	7.62''	45 oz.	\$1,049.00
KSRH-2454 (Alaskan)	5301	.454 Casull	6	Satin Stainless	Black Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	2.50''	7.62''	44 oz.	\$1,049.00
KSRH-7454	5505	.454 Casull	6	Satin Stainless	Black Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50''	13.00"	53 oz.	\$1,049.00



RUGER REDHAWK REVOLVERS



FEATURES:

- Unique, patented single-spring mechanism for both hammer and trigger allows for a smooth, light trigger pull.
- Triple-locking cylinder is locked into the frame at the front, rear, and bottom for more positive alignment and dependable operation shot after shot.
- Easy sighting with readily replaceable, colored insert front blade sight and precision-adjustable rear sight with white outline.
- Rugged stainless steel construction with no side plate, is designed specifically to handle powerful magnum loads through extra metal in top strap, sidewalls and barrel mounting areas.
- Hunter model features integral scope mounts and scope rings.
- Patented Ruger transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Dual chambering for .44 Magnum models, which also accept all factory .44 Special cartridges.
- Also Includes: hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KRH-445	5004	.44 Mag.	6	Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50''	11.00''	49 oz.	\$949.00
KRH-44	5001	.44 Mag.	6	Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	7.50''	13.00''	54 oz.	\$949.00
KRH-44R (Hunter)	5003	.44 Mag.	6	Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	7.50''	13.00''	54 oz.	\$999.00 Scope Rings Included
KRH-444*	5026	.44 Mag.	6	Satin Stainless	Black Hogue® Monogrip®	Ramp Front, Adjustable Rear	4.20''	9.50''	47 oz.	\$949.00
KRH-45-4*	5027	.45 Colt	6	Satin Stainless	Black Hogue [®] Monogrip [®]	Ramp Front, Adjustable Rear	4.20''	9.50''	46 oz.	\$949.00

* Barrel lengths exceed 105mm to meet the Canadian requirement.



THE RUGER VAQUERO



FEATURES:

- "Old-west" feel and handling with either Bisley-style grip, or the original-size, pre-1962 "XR-3" style, steel grip frame and checkered grips.
- Patented Ruger reverse indexing pawl allows for easier loading and unloading, while the traditional beveled cylinder simplifies holstering.
- Patented Ruger transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Handsome, larger crescent-shaped ejector rod head boasts traditional form, perfect for every cowboy or cowgirl.
- Internal lock unobtrusively located beneath the right grip panel provides an added measure of security.
- Models chambered for the .357 Magnum cartridge also accept all factory .38 Special cartridges.
- Also Includes: hard plastic case.



Since its introduction in 1993,
the Ruger® Vaquero® has dominated
the cowboy action shooting world
and earned its reputation for
rugged reliability due to its strength
and mechanical superiority.

RUGER° VAQUERO° SINGLE-ACTION REVOLVERS

VAQUERO® -	BLUED									
Catalog Number	Model Number	Caliber	Capacit	ty Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retai
NV-44	5102	.45 Colt	6	Alloy Steel/ Blued	Black Checkered	Fixed	4.62''	10.25''	40 oz.	\$699.00
NV-455	5101	.45 Colt	6	Alloy Steel/ Blued	Black Checkered	Fixed	5.50''	11.12''	40 oz.	\$699.00
NV-34	5107	.357 Mag	. 6	Alloy Steel/ Blued	Black Checkered	Fixed	4.62''	10.25''	43 oz.	\$699.00
NV-35	5106	.357 Mag	. 6	Alloy Steel/ Blued	Black Checkered	Fixed	5.50''	11.12"	44 oz.	\$699.00
VAQUERO® -	STAINLESS									
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Reta
KNV-44	5105	.45 Colt		Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	4.62''	10.25''	40 oz.	\$699.00
KNV-455	5104	.45 Colt		Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	5.50''	11.12''	40 oz.	\$699.00
KNV-34	5109	.357 Mag	. 6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	4.62''	10.25''	43 oz.	\$699.00
KNV-35	5108	.357 Mag		Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	5.50''	11.12"	44 oz.	\$699.00
BISLEY VAQ	UERO®									
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Reta
KNVRB-455	5129	.45 Colt	6	Stainless Steel/ High-Gloss Stainless	Simulated Ivory	Fixed	5.50''	11.12''	41 oz.	\$779.00
KNVRB-35	5130	.357 Mag		Stainless Steel/ High-Gloss Stainless	Simulated Ivory	Fixed	5.50''	11.12"	45 oz.	\$779.00
THE SASS®	VAQUERO®									
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Reta
KNV-34-SASS	5133	.357 Mag	. 6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	4.62''	10.25''	43 oz.	\$1,558.00 (Two-Gun Set)
KNV-455-SASS	5134	.45 Colt		Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	5.50''	11.12"	40 oz.	\$1,558.00 (Two-Gun Set)

RUGER NEW MODEL SUPER BLACKHAWK REVOLVERS



FEATURES:

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural pointing of any grip style.
- Patented Ruger transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Durable and reliable with coil springs throughout for durability, and ramp front and adjustable rear sights to keep you on target.
- Patented integral mounts, machined directly on the solid-steel barrel rib of Hunter Models provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Chambered in the powerful .44 Magnum, these models accept all factory .44 Special cartridges, which deliver superb accuracy with milder recoil.
- · Also Includes: hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Cylinder	Trigger Guard	Suggested Retail
S-458N	0813	.44 Mag.	6	Alloy Steel/ Blued	Hardwood	Ramp Front, Adjustable Rear	4.62''	10.50''	45 oz.	Unfluted	Round	\$695.00
S-45N	0810	.44 Mag.	6	Alloy Steel/ Blued	Hardwood	Ramp Front, Adjustable Rear	5.50''	11.38''	45 oz.	Fluted	Round	\$695.00
S-47N	0802	.44 Mag.	6	Alloy Steel/ Blued	Hardwood	Ramp Front, Adjustable Rear	7.50''	13.38''	48 oz.	Unfluted	Square Back	\$695.00
S-411N	0807	.44 Mag.	6	Alloy Steel/ Blued	Hardwood	Ramp Front, Adjustable Rear	10.50'' (Bull)	16.38''	55 oz.	Unfluted	Square Back	\$699.00
KS-458N	0814	.44 Mag.	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	4.62''	10.50''	45 oz.	Unfluted	Round	\$709.00
KS-45N	0811	.44 Mag.	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50''	11.38''	45 oz.	Fluted	Round	\$709.00
KS-47N	0804	.44 Mag.	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	7.50''	13.38''	48 oz.	Unfluted	Square Back	\$709.00
KS-411N	0806	.44 Mag.	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	10.50'' (Bull)	16.38''	55 oz.	Unfluted	Square Back	\$739.00

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KS-47NHNN	0860	.44 Mag.	6	Stainless Steel/ Satin Stainless	Black Laminate	Ramp Front, Adjustable Rear	7.50''	13.38''	52 oz.	\$829.00

NEW MODEL SUPER BLACKHAWK® - BISLEY HUNTER

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KS-47NHB	0862	.44 Mag.	6	Stainless Steel/ Satin Stainless	Black Laminate	Ramp Front, Adjustable Rear	7.50''	13.12"	52 oz.	\$829.00

RUGER NEW MODEL BLACKHAWK REVOLVERS

FEATURES:



- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural pointing of any grip style.
- Target-grade accuracy with ramp front and precision- adjustable rear sights.
- Patented Ruger transfer bar mechanism
 Variety in caliber, barrel length, grips, and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Convertible Models include two cylinders that can be interchanged without the use of tools.
- finish and weight guarantees a model to meet the needs of today's single-action shooters.
- · Also Includes: hard plastic case.

NEW MODEL	BLACKHAWK®	- BLUED										
Catalog Number	Model Number	Caliber Ca	apacity	Materia	ıl/Finish	Grips		Sights	Barrel Length	Overall Length	Weight	Suggested Retai
BN-31L*	10595	.30 Carbine	6	Alloy St	eel/ Blued	Black	Checkered	Ramp Front, Adjustable Rear	7.50''	13.38''	46 oz.	\$575.00
BN-34L*	10306	.357 Mag.	6	Alloy St	eel/ Blued	Black	Checkered	Ramp Front, Adjustable Rear	4.62''	10.50''	42 oz.	\$575.00
BN-36L*	10316	.357 Mag.	6	Alloy St	eel/ Blued	Black	Checkered	Ramp Front, Adjustable Rear	6.50''	12.38''	45 oz.	\$575.00
BN-41L*	10405	.41 Mag.	6	Alloy St	eel/ Blued	Black	Checkered	Ramp Front, Adjustable Rear	4.62''	10.50''	38 oz.	\$575.00
BN-42L*	10406	.41 Mag.	6	Alloy St	eel/ Blued	Black	Checkered	Ramp Front, Adjustable Rear	6.50''	12.38''	41 oz.	\$575.00
NVB-444-SPCL*	5232	.44 SPL	6	Alloy St	eel/ Blued	Black	Checkered	Ramp Front, Adjustable Rear	4.62''	10.50''	42 oz.	\$575.00
NVB-445-SPCL*	5233	.44 SPL	6	Alloy St	eel/ Blued	Black	Checkered	Ramp Front, Adjustable Rear	5.50''	11.38''	43 oz.	\$575.00
BN-44L*	10445	.45 Colt	6	Alloy St	eel/ Blued	Black	Checkered	Ramp Front, Adjustable Rear	4.62''	10.50''	39 oz.	\$575.00
BN-45L*	10455	.45 Colt	6	Alloy St	eel/ Blued	Black	Checkered	Ramp Front, Adjustable Rear	7.50''	13.38''	42 oz.	\$575.00
BN-455L*	10465	.45 Colt	6	Alloy St	eel/ Blued	Black	Checkered	Ramp Front, Adjustable Rear	5.50''	11.38''	40 oz.	\$575.00
NEW MODEL	BLACKHAWK®	- STAINLES	S									
Catalog Number	Model Number	Caliber	Capa	acity	Material/Fi	nish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retai
KBN-34	0309	.357 Mag.	6	6	Stainless S Satin Stainl		Hardwood	Ramp Front, Adjustable Rear	4.62''	10.50''	46 oz.	\$699.00
KBN-36	0319	.357 Mag.	6	6	Stainless S Satin Stainl		Hardwood	Ramp Front, Adjustable Rear	6.50''	12.38''	48 oz.	\$699.00
KBN-3275	0353	.327 Fed. Ma	ag. 8	В	Stainless S Satin Stainl		Hardwood	Ramp Front, Adjustable Rear	5.50"	11.38"	48 oz.	\$699.00
NEW MODEL	BLACKHAWK®	- CONVERT	IBLE									
Catalog Number	Model Number	Caliber	Capa	acity	Material/Fi	nish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retai
BN-34XL*	10308	.357 Mag./ 9mm Luger	6	6	Alloy Steel	′	Black Checkered	Ramp Front, Adjustable Rear	4.62''	10.50''	42 oz.	\$655.00
BN-36XL*	10318	.357 Mag./ 9mm Luger	6	ô	Alloy Steel/ Blued	1	Black Checkered	Ramp Front, Adjustable Rear	6.50''	12.38''	45 oz.	\$655.00
BN-44XL*	10446	.45 Colt/ .45 Auto	6	6	Alloy Steel/ Blued	1	Black Checkered	Ramp Front, Adjustable Rear	4.62''	10.50''	39 oz.	\$655.00
BN-455XL*	10463	.45 Colt/ .45 Auto	6	ô	Alloy Steel/ Blued	′	Black Checkered	Ramp Front, Adjustable Rear	5.50''	11.38''	40 oz.	\$655.00
BISLEY												
Catalog Number	Model Number	Caliber	Capa	acity	Material/Fi	nish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retai
RB-44W	0831	.44 Mag.	6	6	Alloy Steel/ Blued	,	Hardwood	Ramp Front, Adjustable Rear	7.50''	13.25''	50 oz.	\$724.00
RB-45W	0447	.45 Colt	6	6	Alloy Steel/ Blued	′	Hardwood	Ramp Front, Adjustable Rear	7.50''	13.25''	48 oz.	\$724.00

^{*} Models with an "L" designation feature an internal lock.

RUGER NEW MODEL SINGLE-SIX REVOLVERS



FEATURES:

- Precision-adjustable rear sight for windage and elevation puts you on target with all kinds of ammunition (available on most models).
- Perfectly sized for smaller .17 HMR,
 .22 Mag. and low-cost .22 LR ammunition.
- Patented Ruger transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Hunter model features patented integral scope mounts which provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Convertible models with extra cylinder allow shooters to quickly change from shooting .22 LR to .22 Mag. ammunition.
- · Also Includes: hard plastic case.

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
NR-6L-17*	10661	.17 HMR	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	6.50''	12.00''	35 oz.	\$550.00
NEW MOI	DEL SINGLI	E-SIX®-CO	NVERTIBL	.E						
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
NR-4L*	10623	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	4.62''	10.25''	32 oz.	\$550.00
NR-5L*	10621	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	5.50''	11.00''	33 oz.	\$550.00
NR-5FL*	10629	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Blade Front, Fixed Rear	5.50''	11.00''	33 oz.	\$538.00
NR-6L*	10622	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	6.50''	12.00''	35 oz.	\$550.00
NR-6FL*	10646	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Blade Front, Fixed Rear	6.50''	12.00''	35 oz.	\$538.00
NR-9L*	10624	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	9.50''	15.00''	39 oz.	\$550.00
KNR-5	0625	.22 LR/ .22 Mag.	6	Stainless Steel Satin Stainless		Ramp Front, Adjustable Rear	5.50''	11.00''	39 oz.	\$619.00
KNR-6	0626	.22 LR/ .22 Mag.	6	Stainless Steel Satin Stainless		Ramp Front, Adjustable Rear	6.50''	12.00''	40 oz.	\$619.00
NEW MOI	DEL SINGLI	E-SIX®-HU	INTER							
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KNR-7H	0662	.22 LR/ .22 Mag.	6	Stainless Stee Satin Stainles		Bead Front, Adjustable Rear	7.50''	13.00''	45 oz.	\$777.00

^{*} Models with an "L" designation feature an internal lock.



RUGER NEW BEARCAT REVOLVERS



FEATURES:

- Decorative unfluted cylinder displays a rollmark with a bear and cougar design.
- Classic styling and one-piece frame are reminiscent of the old Remington® Civil War-era revolvers.
- Patented Ruger transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Lightweight and accurate with blade front and notch rear sights.
- · Also Includes: hard plastic case.

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
SBC-4*	0912	.22 LR	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Notch Rear	4.20''	9''	24 oz.	\$542.00
KSBC-4*	0913	.22 LR	6	Stainless Steel/ Satin Stainless	Hardwood	Blade Front, Integral Notch Rear	4.20''	9''	24 oz.	\$584.00

^{*} Barrel lengths exceed 105mm to meet the Canadian requirement.



THE RUGER GUNSITE SCOUT RIFLE







10-Round, Detachable Box Magazine (5-Round Magazines Also Available)



Forward Mounted Picatinny Rail



Gunsite Logo-Engraved Grip Cap





Beware the man with one gun, for he probably knows how to use it.

Never has this been more true than with the Ruger® Gunsite Scout Rifle, the one rifle to have if you could only have one. It is the perfect lightweight, hard-hitting, do-it-all bolt-action rifle.

G U N S Ī 7 E S C 0 U 7 R F E L



FEATURES:

- Flash suppressor reduces muzzle flash and can be removed from the 5/8-24 muzzle threaded barrel for the fitting of most standard .30 caliber muzzle accessories.*
- The forward mounted Picatinny rail allows for the mounting of modern optics, like an intermediate eye relief scope (not included), for "both eyes open" sighting and super-fast target acquisition.
- Also offers a built-in, accurate sighting system with ghost ring adjustable rear aperture sight and a protected, non-glare post front sight.
- 10-round, detachable box magazine with push-forward, Mini-14-style, magazine release just forward of the trigger guard (additional 10-round and 5-round magazines available for purchase at ShopRuger.com).

- Patented integral scope mounts, machined directly on the solid-steel receiver provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Soft rubber recoil pad with buttpad spacers allow the rifle to be properly sized for different shooters, or varying levels of outerwear or defensive gear (three 1/2" spacers included).
- Precision-rifled, 16.5," medium contour cold hammer-forged, alloy steel barrel.
- Rugged and reliable with a glass-reinforced nylon trigger guard and magazine well, and a black laminate stock, with checkered grip and forearm.
- Non-rotating, Mauser-type controlled round feed extractor is the most positive case extraction system ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Developed with Gunsite, this rifle is "Gunsite Approved" and features logo engraved on the grip cap and name rollmarked on the receiver.
- Also Includes: rugged, one-piece, stainless steel bolt; three-position safety; studs for mounting sling swivels.

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Barrel Length	Overall Length	Weight (w/o mag)	Length of Pull	Suggested Retail
M77-GS*	6803	.308 Win.	10	Alloy Steel/ Matte Black	Black Laminate	16.50''	38.00''- 39.50''	7.00 lbs.	12.75''- 14.25''	\$995.00 NE

^{*} Some rifles may not be available in all states and locales due to laws limiting feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

THE RUGER SR-556





90359

SR-556U6.8*

6.8 SPC

16.12"

\$1,449.00 **NEW**

at www.ShopRuger.com! 1-888-220-1173

Buy **NOW**



The SR-556° offers Ruger's legendary rugged reliability, and comes factory standard with a host of accessories that today's shooters demand. Employing a patent-pending, chrome-plated, two-stage piston driven operating system provides the user with a cleaner, cooler running, reliable firearm that is truly state-of-the-art.

AUTOLOADING RIFLE



FEATURES:

- Two-stage piston with adjustable regulator provides a cleaner, cooler running, reliable firearm with superior operating endurance. The two-stage piston provides a smooth power delivery stroke to the bolt carrier.
- The four-position gas regulator can be adjusted for optimum reliability and superior operating endurance. The gas system may be closed completely for manual operation during training or when using a supressor.
- Quad rail handguard provides four Mil-Std 1913
 Picatinny rails, and is in alignment with the flattop
 receiver, providing ample space for mounting sights,
 lights, lasers or other accessories.
- Folding back-up iron sights provide a windage adjustable rear sight and an elevation adjustable front sight that co-witness with Mil-Spec optics and can be easily removed to make room for advanced optics. The sights can be folded down or flipped up with your thumbs.
- 6-position telescoping M-4 style buttstock is mounted on a mil-spec diameter tube (SR-556SC features a fixed-length stock).
- Cold hammer-forged, chrome-lined Mil-Spec 41V45 barrel ensures accuracy and longevity.
- Hogue® Monogrip® pistol grip adds comfort when carrying or shooting.
- Also Includes: soft-sided case and three magazines.

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
SR-556FB*	5902	5.56mm NATO/ .223 Rem.	30	16.12"	32.75''- 36.00"	7.75" (with Sights Folded)	2.50''	7.94 lbs.	\$1,995.00
SR-556SC	5904	5.56mm NATO/ .223 Rem.	10	16.12"	34.50''	7.75" (with Sights Folded)	2.50''	7.94 lbs.	\$1,995.00
SR-556C*	5905	5.56mm NATO/ .223 Rem.	30	16.12"**	31.00''- 34.25''	7.75" (with Sights Folded)	2.50''	7.40 lbs.	\$1,995.00
SR-556/6.8*	5909	6.8 SPC	25	16.12''	32.75''- 36.00''	7.75" (with Sights Folded)	2.50''	7.75 lbs.	\$1,995.00

^{*} Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

^{**} Measured to the end of the integral flash supressor.

THE RUGER SR-22 RIFLE







Picatinny Rail Optic Mount



Round, Mid-Length Handguard



Accessorize at Shopruger.com



The Ruger® SR-22® is an autoloading rimfire rifle that combines the legendary reliability of the Ruger 10/22® with the ergonomics and configurability of the Ruger SR-556®.

AUTOLOADING RIFLE



FEATURES:

- Legendary Ruger rotary magazine makes this rifle one of the most reliable, trusted autoloaders available.
- Fires the inexpensive .22 LR allowing shooters to shoot, train or just have fun.
- AR-style ergonomics with industry leading Hogue® Monogrip® and six-position telescoping buttstock on a mil-spec diameter tube (SR-22RSC features a fixed-length stock).
- Picatinny rail optic mount allows a variety of sight or scope options.
- Round, mid-length handguard is mounted on a standard-thread AR-style barrel nut.
- Barrel support block, installed in the handguard, ensures accuracy and allows the standard 10/22 V-block barrel attachment system to be used.
- Precision-rifled, cold hammer-forged barrel at 16-1/8" and forged of alloy steel, is capped with an SR-556®/ Mini-14® flash suppressor mounted with a 1/2"- 28 thread (SR-22RSC features a target crown and no flash suppressor).
- Accessorize at ShopRuger.com with Picatinny rails specifically designed for the SR-22 handguard, AR-compatible replacement buttstocks, grips and many other accessories.

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Overall Length	Height	Width	Weight	Length of Pull	Suggested Retail
SR-22R*	1226	.22 LR	10	16.12"	32.75''- 36.00''	7''	2''	6.50 lbs.	10.00''- 13.00''	\$625.00
SR-22RSC	1236	.22 LR	10	16.12''	34.38''	7''	2''	6.50 lbs.	13.00''	\$625.00

^{*} Some rifles may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

RUGER MINI-14 AND MINI THIRTY RIFLES



RUGER® MINI-14® AND MINI THIRTY®



FEATURES:

- Heavy, hammer-forged barrel for extra rigidity and accuracy.
- Simple, rugged Garand-style action with breechbolt locking system, a fixed-piston gas system and self-cleaning moving gas cylinder giving unparalleled reliability under harsh operating conditions.
- Patented integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- All 16.12" length barrels include threadedon flash suppressors.*
- Accurate sighting system with ghost ring adjustable rear aperture sight and a protected, non-glare post front sight.
- Also Includes: integral sling swivels.

MINI THIRTY	RIFLE										
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
M-30/20GBCPC* (with Flash Supressor)	5854	7.62 x 39mm	20	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.75''	6.75 lbs.	13.00"	\$921.00
KMini Thirty-P	5806	7.62 x 39mm	5	Stainless Steel/ Matte	Black Synthetic	Blade Front, Adjustable Rear	18.50''	37.50''	6.75 lbs.	13.00"	\$949.00
KMini Thirty-P/20*	5853	7.62 x 39mm	20	Stainless Steel/ Matte	Black Synthetic	Blade Front, Adjustable Rear	18.50''	37.50''	6.75 lbs.	13.00"	\$966.00





For decades, Ruger® Mini-14® rifles have been the choice for applications ranging from the farm and ranch, to the deep woods, to personal defense. Their short barrels and overall short length make them favorites in any application where reliability, maneuverability and ease of handling are priorities.

AUTOLOADING RIFLES

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
Mini-14/5	5801	5.56mm NATO/ .223 Rem.	5	Alloy Steel/ Blued	Hardwood	Blade Front, Adjustable Rear	18.50''	38.00''	7.00 lbs.	13.50''	\$881.00
Vini-14/20*	5816	5.56mm NATO/ .223 Rem.	20	Alloy Steel/ Blued	Hardwood	Blade Front, Adjustable Rear	18.50''	38.00"	7.00 lbs.	13.50''	\$898.00
(Mini-14/5P	5805	5.56mm NATO/ .223 Rem.	5	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50''	37.50''	6.75 lbs.	13.00''	\$949.00
(Mini-14/20P*	5817	5.56mm NATO/ .223 Rem.	20	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50''	37.50''	6.75 lbs.	13.00''	\$966.00
KMini-6.8/5P	5814	6.8 SPC	5	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50''	37.50''	6.75 lbs.	13.00''	\$949.00
Catalog	ARGET R Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
		`			<i>'</i>						
Catalog Number	Model	`		Material/	<i>'</i>	Sights None			Weight 9.50 lbs.		Suggested Retail \$1,098.00
Catalog Number KMini-14/5T	Model Number	Caliber	Capacity	Material/ Finish Stainless Steel/	Stock Black Laminate	· ·	Length	Length 41.75"-	Ū	of Pull 14.12"-	Retail
Catalog Number KMini-14/5T KMini-14/5TH WINI-14® TA	Model Number 5808 5828	Caliber .223 Rem.	Capacity 5 5	Material/ Finish Stainless Steel/ Matte Stainless Stainless Steel/ Matte Stainless	Stock Black Laminate with Thumb Hole Black Hoque®	None	Length 22"	Length 41.75''- 43.25''	9.50 lbs.	of Pull 14.12"- 15.62"	\$1,098.00 \$1,098.00
Catalog Number (Mini-14/5T (Mini-14/5TH WINI-14® TA Catalog Number	Model Number 5808 5828 ACTICAL Model	Caliber .223 Rem223 Rem.	Capacity 5 5	Material/ Finish Stainless Steel/ Matte Stainless Stainless Steel/ Matte Stainless SUPPRESSOR) Material/	Stock Black Laminate with Thumb Hole Black Hogue® OverMolded®	None None	Length 22" 22" Barrel	Length 41.75"- 43.25" 41.50"	9.50 lbs. 8.50 lbs.	of Pull 14.12"- 15.62" 13.50"	Retail \$1,098.00 \$1,098.00 Suggested
MINI-14® TA Catalog Number KMini-14/5T KMini-14/5TH MINI-14® TA Catalog Number M-14/20CF* M-14/5GBCPC	Model Number 5808 5828 ACTICAL Model Number	Caliber .223 Rem223 Rem. RIFLE (WITH Caliber 5.56mm NATO/	5 5 Capacity	Material/ Finish Stainless Steel/ Matte Stainless Stainless Steel/ Matte Stainless SUPPRESSOR) Material/ Finish Alloy Steel/	Stock Black Laminate with Thumb Hole Black Hogue® OverMolded® Stock Black Synthetic,	None None Sights Blade Front,	Length 22" 22" Barrel Length	Length 41.75"- 43.25" 41.50" Overall Length 34.00"-	9.50 lbs. 8.50 lbs.	of Pull 14.12"- 15.62" 13.50" Length of Pull 11.88"-	\$1,098.00 \$1,098.00 Suggested Retail

^{*} Some rifles may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

RUGER 10/22 RIFLES AND 22 CHARGER PISTOL



R U G E R [®] 1 0 / 2 2 [®] A U T O L O A D I N G



- Patented, detachable 10-shot rotary magazine features a unique rotor to separate cartridges and provide reliable feeding.
- Easy-to-use extended magazine release provides smooth, no-fuss removal of the unique, flush mounted magazine - with no exposed magazine to dent and no uncomfortable protrusions at the rifle's balance point.
- Positive, push-button, cross-bolt manual safety.
- Combination scope base adapter for both Weaver®-style and .22 "tip-off" scope mounts is provided with every rifle and pistol.
- Cold hammer-forged barrel that is locked into the receiver by a unique two-screw V-block system.
- Heat-stabilized, glass-filled polymer trigger housing assembly is precision-made of high-tech material for improved manufacturing tolerances, impact and abrasion-resistance, and unmatched ability to withstand the elements.
- Precision-adjustable bipod and soft case included with 22 Charger pistol models.

22 CHARG	ER™ PISTO	L								
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel Length	Overall Length	Weight	Height	Width	Suggested Retail
CHR22-10	4901	.22 LR	10	Alloy Steel/ Matte Black	10''	19.25''	3.50 lbs. (Without Bipod)	5.38''	2''	\$380.00
CHR22-FC	4904	.22 LR	10	Alloy Steel/ Matte Black	10''	19.25''	3.50 lbs. (Without Bipod)	5.38''	2''	\$380.00




The Ruger® 10/22® rifle is America's favorite .22 LR rifle, with proven performance in a wide range of styles for every rimfire application. Ideally suited for informal target shooting, "plinking," small game hunting and actionshooting events, Ruger has sold millions of 10/22 rifles since their introduction in 1964.

R I F L E S A N D P I S T O L S

	PACT													
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish		Stock	Sights		Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
10/22-CRR	1168	.22 LR	10	Alloy Steel Matte Blac		Hardwood	Fiber Opti Adjustabl		16.12''	34.00''	4.50 lbs.	12.75''	\$316.00	
10/22® SPO	RTER													
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish		Stock	Sights		Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	I
10/22-DSP	1102	.22 LR	10	Alloy Steel Matte Blac		American Walnut	Gold Bead Adjustabl		18.88''	37.00''	5.75 lbs.	13.88''	\$366.00	
10/22® CAR	BINE													
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish		Stock	Sights		Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	l
10/22-RB	1103	.22 LR	10	Alloy Steel Matte Blac		Hardwood	Gold Bead Adjustabl		18.50''	37.00''	5.00 lbs.	13.50''	\$277.00	
10/22-RPF	1151	.22 LR	10	Alloy Steel Matte Blac	/ ck	Black Synthetic	Gold Bead Adjustabl	d Front e Rear	18.50''	37.00''	5.00 lbs.	13.50''	\$277.00	
K10/22-RBPBTC	1256	.22 LR	10	Stainless S Clear Matt		Black Synthetic	Gold Bead Adjustabl		18.50''	37.00''	5.00 lbs.	13.50"	\$299.00	
10/22® TAR	GET (WIT	H TARGET	TRIGGER A	AND HEAVY	CONTOU	R BARREL)								
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish		Stock	Sights		Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	l
10/22-T	1121	.22 LR	10	Alloy Steel Matte Blac		Brown Laminate	None		20''	38.50''	7.50 lbs.	13.75"	\$499.00	
K10/22-TBBZCP	1262	.22 LR	10	Stainless S Clear Matt		Black Laminate	None		20''	38.50''	7.50 lbs.	13.75"	\$549.00	
10/22® TAC	ΓICAL													
IU/ZZ IAU		Model Number	Caliber	Capacity	Material/	Finish Stoo	k	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
Catalog Number				40	Alla Cta.	ul/ Blac	k Hogue®	None	16.12''	34.50''	6.88 lbs.	13.75''	\$555.00	
Catalog		1230	.22 LR	10	Alloy Stee Matte Bla		Molded®	140110					ψοσσ.σσ	

^{*} Some rifles may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

RUGER M77 HAWKEYE RIFLES





WWW.RUGER.COM/HAWKEYE





BOLT-ACTION RIFLES



- The LC6™ trigger features smooth, crisp performance right out-of-the-box for increased accuracy on the range or in the field.
- Non-rotating, Mauser-type controlled round feed extractor is the most positive case extraction system ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Features cold hammer-forged barrels for the ultimate in accuracy, longevity, and easy barrel cleaning.
- Patented integral scope mounts, machined directly on the solid-steel receiver provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Ergonomically pleasing stock has rounded contours along the barrel, on the bottom of the stock, and on the top of the pistol grip.
- New for 2011: Alloy steel models return to a handsome satin blued finish.
- Also Includes: rugged one-piece, stainless steel bolt; studs for mounting sling swivels.

RUGER° M77° HAWKEYE° RIFLES



Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
HM77R	37116	.204 Ruger	5	Alloy Steel/ Satin Blued	American Walnut	None	24''	44.00"	7.25 lbs.	13.50''	\$843.00	NEV
HM77R	37118	.22-250 Rem.	4	Alloy Steel/ Satin Blued	American Walnut	None	22''	42.00''	7.25 lbs.	13.50"	\$843.00	NEV
HM77R	37117	.223 Rem.	5	Alloy Steel/ Satin Blued	American Walnut	None	22''	42.00''	7.25 lbs.	13.50"	\$843.00	NEV
HM77R	37119	.243 Win.	4	Alloy Steel/ Satin Blued	American Walnut	None	22''	42.00"	7.00 lbs.	13.50"	\$843.00	NEV
HM77R	37120	.25-06 Rem.	4	Alloy Steel/ Satin Blued	American Walnut	None	24''	44.75"	8.25 lbs.	13.50"	\$843.00	NEV
HM77R	37151	6.5 Creedmoor	4	Alloy Steel/ Satin Blued	American Walnut	None	24''	44.00''	7.25 lbs.	13.50"	\$843.00	NEV
HM77R	37115	.257 Roberts	4	Alloy Steel/ Satin Blued	American Walnut	None	22''	42.75"	8.00 lbs.	13.50"	\$843.00	NEV
HM77R	37121	.270 Win.	4	Alloy Steel/ Satin Blued	American Walnut	None	22''	42.75"	8.00 lbs.	13.50"	\$843.00	NEV
HM77R	37122	7mm Rem. Mag	. 3	Alloy Steel/ Satin Blued	American Walnut	None	24''	44.75"	8.25 lbs.	13.50"	\$843.00	NEV
HM77R	37123	7mm-08 Rem.	4	Alloy Steel/ Satin Blued	American Walnut	None	22''	42.00''	7.00 lbs.	13.50"	\$843.00	NEV
HM77R	37125	.30-06 Sprg.	4	Alloy Steel/ Satin Blued	American Walnut	None	22''	42.75"	7.50 lbs.	13.50"	\$843.00	NEV
HM77R	37126	.300 Win. Mag.	3	Alloy Steel/ Satin Blued	American Walnut	None	24''	44.75"	8.00 lbs.	13.50''	\$843.00	NEW
HM77R	37110	.300 RCM	3	Alloy Steel/ Satin Blued	American Walnut	None	22''	42.00"	7.00 lbs.	13.50''	\$843.00	NEV
HM77R	37124	.308 Win.	4	Alloy Steel/ Satin Blued	American Walnut	None	22''	42.00"	7.00 lbs.	13.50''	\$843.00	NEV
HM77R	37127	.338 Win. Mag.	3	Alloy Steel/ Satin Blued	American Walnut	None	24''	44.75''	7.88 lbs.	13.50''	\$843.00	NEV
HM77R	37109	.338 RCM	3	Alloy Steel/ Satin Blued	American Walnut	None	22''	42.00"	7.00 lbs.	13.50"	\$843.00	NEV



Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
HKM77RFP	7114	.204 Ruger	5	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	24''	44.00"	7.25 lbs.	13.50"	\$843.00	
HKM77RFP	7116	.22-250 Rem.	4	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	22''	42.00"	7.25 lbs.	13.50''	\$843.00	_
HKM77RFP	7115	.223 Rem.	5	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	22''	42.00"	7.25 lbs.	13.50''	\$843.00	
HKM77RFP	7117	.243 Win.	4	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	22''	42.00"	7.00 lbs.	13.50''	\$843.00	
HKM77RFP	7118	.25-06 Rem.	4	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	24''	44.75"	8.00 lbs.	13.50''	\$843.00	
HKM77RFP	37105	6.5 Creedmoor	4	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	24''	44.00"	7.00 lbs.	13.50''	\$843.00	N
HKM77RFP	7119	.270 Win.	4	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	22''	42.75"	7.75 lbs.	13.50''	\$843.00	
HKM77RFP	7121	7mm Rem. Mag	. 3	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	24''	44.75"	8.00 lbs.	13.50''	\$843.00	
HKM77RFP	7122	7mm-08 Rem.	4	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	22''	42.00"	7.00 lbs.	13.50''	\$843.00	
HKM77RFP	37111	.300 RCM	3	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	22''	42.00"	7.75 lbs.	13.50''	\$843.00	N
HKM77RFP	7124	.30-06 Sprg.	4	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	22''	42.75"	7.25 lbs.	13.50''	\$843.00	
HKM77RFP	7125	.300 Win. Mag.	3	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	24''	44.75"	7.75 lbs.	13.50''	\$843.00	_
HKM77RFP	7123	.308 Win.	4	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	22''	42.00"	7.00 lbs.	13.50''	\$843.00	_
HKM77RFP	37112	.338 RCM	3	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	22''	42.00"	7.75 lbs.	13.50''	\$843.00	M
HKM77RFP	7126	.338 Win. Mag.	3	Stainless Steel/Hawkeye Matte	Stainless Black Synthet	ic None	24''	44.75"	7.75 lbs.	13.50''	\$843.00	
Catalog Number	Model Number	Caliber	Capa	,	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
HM77LR	37144	.204 Rugei		Alloy Steel/Satin Blued	American Walnut	None	24''	44.00''	7.25 lbs.	13.50"	\$843.00	W
HM77LR	37146	.22-250 Re		.,	American Walnut	None	22''	42.00''	7.50 lbs.	13.50''	\$843.00	
HM77LR	37143	.223 Rem.	5	Alloy Steel/Satin Blued	American Walnut	None	22''	42.00''	7.25 lbs.	13.50''	\$843.00	M
HM77LR	37145	.243 Win.	4	Alloy Steel/Satin Blued	American Walnut	None	22''	42.00''	7.00 lbs.	13.50"	\$843.00	W
HM77LR	37129	.25-06 Rer		Alloy Steel/Satin Blued	American Walnut	None	24''	44.75''	8.25 lbs.	13.50''	\$843.00	_W
HM77LR	37134	.270 Win.	4	,	American Walnut	None	22''	42.75''	8.00 lbs.	13.50''	\$843.00	
HM77LR	37131	7mm Rem.	•	Alloy Steel/Satin Blued	American Walnut	None	24''	44.75''	8.25 lbs.	13.50"	\$843.00	
HM77LR	37147	7mm-08 R		.,	American Walnut	None	22''	42.00''	7.00 lbs.	13.50''	\$843.00	M.
HM77LR	37130	.30-06 Spr	•	Alloy Steel/Satin Blued	American Walnut	None	22''	42.75"	7.50 lbs.	13.50"	\$843.00	N.
HM77LR HM77LR	37132 37148	.300 Win. N	Mag. 3	Alloy Steel/Satin Blued Alloy Steel/Satin Blued	American Walnut American Walnut	None None	24''	44.75'' 42.00''	8.00 lbs. 7.00 lbs.	13.50"	\$843.00 \$843.00	N/
		COMPACT		, may etcom camin Blaca	, and ideal trainer			12.00	7 100 1001	10.00	φο ισισσ	_
Catalog	Model Number	Caliber	Capacity	Material/Finish	Stock		Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	I
	37137	.223 Rem.	5	Alloy Steel/Satin Blued	American Walnut		16.50"	35.50"	6.25 lbs.	12.50"	\$843.00	N
Number			4	Alloy Steel/Satin Blued	American Walnut		16.50"	35.50"	6.00 lbs.	12.50"	\$843.00	- 177
Number HM77CR		243 Win	4		minorioun muniut	110110	10.00	00.00	0.00 100.	12.00	ΨU-TU.UU	4.17
Number HM77CR HM77CR	37138	.243 Win.		•	American Walnut	None	16 50''	35.50"	6 00 lbs	12 50"	\$843.00	
HM77CR HM77CR HM77CR	37138 37142	6.8 SPC	4	Alloy Steel/Satin Blued	American Walnut		16.50'' 16.50''	35.50" 35.50"	6.00 lbs.	12.50"	\$843.00 \$843.00	M
HM77CR HM77CR HM77CR HM77CR HM77CR	37138			•	American Walnut American Walnut American Walnut	None	16.50" 16.50" 16.50"	35.50'' 35.50'' 35.50''	6.00 lbs. 6.00 lbs. 5.75 lbs.	12.50" 12.50" 12.50"	\$843.00 \$843.00 \$843.00	III

RUGER° M77° HAWKEYE° RIFLES



Catalog Number	Mode Numb		r Cap	acity Material	/Finish		Stock	Sights		rrel ngth	Overall Length	Weight	Length of Pull	Suggested Retail	
HKM77CRBBZ	17107	7 .223 R	em.	5 Stainless	Steel/Hawkeye Matt	e Stainless	Black Laminate	None	16.	.50''	35.50''	6.50 lbs.	12.50''	\$904.00	
HKM77CRBBZ	17108	.243 W	/in.	4 Stainless	Steel/Hawkeye Matt	e Stainless	Black Laminate	None	16.	.50''	35.50''	6.25 lbs.	12.50''	\$904.00	_
HKM77CRBBZ	17111	7mm-0	08 Rem.	4 Stainless	Steel/Hawkeye Matt	e Stainless	Black Laminate	None	16.	.50''	35.50''	6.25 lbs.	12.50''	\$904.00	
HKM77CRBBZ	17110	.308 W	/in.	4 Stainless	Steel/Hawkeye Matt	e Stainless	Black Laminate	None	16.	.50''	35.50''	6.00 lbs.	12.50"	\$904.00	
M77® RU(GER COM	PACT MAG	NUM												
Catalog Number	Model Number	Caliber	Capacity	Option	Material/ Finish		Stock	Sights		Barre Leng			Length of Pull	Suggested Retail	
HKM77PRCM	7191	.300 RCM	3	Right-Handed	Stainless Steel/ Hawkeye Matte St		Black Synthetic	Brass Bead "U" Notch F		20''	40.00''	6.75 lbs.	13.50''	\$914.00	
HM77RCM	37135	.300 RCM	3	Right-Handed	Alloy Steel/ Satin Blued		American Walnut	Brass Bead "U" Notch F		20''	40.00''	6.75 lbs.	13.00''	\$914.00	
HM77LRCM	37149	.300 RCM	3	Left-Handed	Alloy Steel/ Satin Blued		American Walnut	Brass Bead "U" Notch F	Front, ear	20''	40.00''	6.75 lbs.	13.00''	\$914.00	_
HM77RS	37101	.308 Win.	4	Right-Handed	Alloy Steel/ Satin Blued		American Walnut	Brass Bead "U" Notch F		20''	40.00''	6.75 lbs.	13.00"	\$914.00	_
HM77RCM	37136	.338 RCM	3	Right-Handed	Alloy Steel/ Satin Blued		American Walnut	Brass Bead "U" Notch F	Front, ear	20''	40.00''	6.75 lbs.	13.00"	\$914.00	
HM77LRCM	37150	.338 RCM	3	Left-Handed	Alloy Steel/ Satin Blued		American Walnut	Brass Bead "U" Notch F		20''	40.00''	6.75 lbs.	13.00"	\$914.00	
HKM77PRCM	7193	.338 RCM	3	Right-Handed	Stainless Steel/ Hawkeye Matte St		Black Synthetic	Brass Bead "U" Notch F	Front, ear	20''	40.00''	6.75 lbs.	13.50''	\$914.00	
M77® HA\	NKEYE® A	AFRICAN													
Catalog Number	Model Number	Caliber	Capacity	Option	Material/ Finish	Stock	Sights	5	Barre Leng		Overall Length	Weight	Length of Pull	Suggested Retail	
HM77RS	17199	.223 Rem.	5	Right-Handed	Alloy Steel/ Satin Blued	American Walnut		Front, able Rear	23''		43.00''	7.75 lbs.	13.50''	\$1,095.00	
HM77RS	37113	9.3 x 62	4	Right-Handed	Alloy Steel/ Satin Blued	American Walnut		Front, able Rear	23''		43.75''	7.75 lbs.	13.50''	\$1,095.00	
HM77RS	37153	.300 Wln. Mag.	. 3	Right-Handed	Alloy Steel/ Satin Blued	American Walnut		Front, able Rear	23''		43.75''	7.75 lbs.	13.50''	\$1,095.00	
HM77RS	37152	.338 Win. Mag.	. 3	Right-Handed	Alloy Steel/ Satin Blued	American Walnut		Front, able Rear	23''		43.75''	7.75 lbs.	13.50''	\$1,095.00	
HM77RS	37128	.375 Ruger	3	Right-Handed	Alloy Steel/ Satin Blued	American Walnut		Front, able Rear	23''		43.75''	7.75 lbs.	13.50''	\$1,095.00	
HM77LRS	37133	.375 Ruger	3	Left-Handed	Alloy Steel/ Satin Blued	American Walnut		Front, able Rear	23''		43.75''	7.75 lbs.	13.50''	\$1,095.00	



Catalog Number	Model Number	Caliber	Capacity	Mater Finish		Stock	Sights		Barrel Length	Overa Lengti		ight	Length of Pull	Suggested Retail	
HKM77 RSPHHM	7179	.375 Ruger	3		ess Steel/ eye Matte ess	Black Hogue® OverMolded®	Bead Fr Adjustal Rear		20''	40.75'	8.0	0 lbs.	13.50''	\$1,095.00	
HKM77 RSBBZ	17101	.375 Ruger	3		ess Steel/ eye Matte	Black Hogue® OverMolded®	Bead Fr Adjustal Rear		20''	40.75'	' 8.0	0 lbs.	13.50''	\$1,095.00	_
HKM77 RSPHHM	17120	.416 Ruger	3		ess Steel/ eye Matte ess	Black Hogue [®] OverMolded [®]	Bead Fr Adjustal Rear		20''	40.75'	7.7	5 lbs.	13.50"	\$1,095.00	_
M77® HA\	NKEYE® \$	SPORTER													
Catalog Number	Model Number	Caliber	Capaci	ity N	Naterial/Finish		S	tock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
HKM77RBBZ	17188	.243 Win.	4	S	tainless Steel/Ha	wkeye Matte Stair		ack aminate	None	22''	42.00"	7.50 lbs.	13.50"	\$904.00	
HKM77RBBZ	17189	.270 Win.	4	S	tainless Steel/Ha	wkeye Matte Stair		ack aminate	None	22''	42.75"	7.50 lbs.	13.50''	\$904.00	-
HKM77RBBZ	17190	7mm Rem.	Mag. 3	S	tainless Steel/Ha	wkeye Matte Stair		ack aminate	None	24''	44.75''	8.00 lbs.	13.50''	\$904.00	-
HKM77RBBZ	17192	.30-06 Spr	g. 4	S	tainless Steel/Ha	wkeye Matte Stair		ack aminate	None	22''	42.75''	7.50 lbs.	13.50''	\$904.00	_
HKM77RBBZ	17193	.300 Win. N	Mag. 3	S	tainless Steel/Ha	wkeye Matte Stair		ack aminate	None	24''	44.75''	8.50 lbs.	13.50''	\$904.00	
HKM77RBBZ	17191	.308 Win.	4	S	tainless Steel/Ha	wkeye Matte Stair		ack aminate	None	22''	42.00''	7.50 lbs.	13.50''	\$904.00	
HKM77RBBZ	17194	.338 Win. N	Mag. 3	S	tainless Steel/Ha	wkeye Matte Stair		ack aminate	None	24''	44.75''	8.25 lbs.	13.50''	\$904.00	
			(WITH F			R AND HARRI									
Catalog Number	Model Number	Caliber	Capa	city M	aterial/Finish		Stock	(Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
HM77VLEHFS	37114	.223 Ren	n. 5	Al	loy Steel/Hawkey	e Matte Blued	Black Hogu OverMolde		None	20''	41.50"	8.75 lbs.	13.50''	\$1,172.00	
HM77VLEHFS	37108	.308 Win	. 4	Al	loy Steel/Hawkey	e Matte Blued	Black Hogu OverMolde		Vone	20''	41.50''	8.75 lbs.	13.50"	\$1,172.00	
M77® HA\	NKEYE® I	PREDATOR	l												
Catalog Number	Model Numbe	Calibe r	r C	apacity	Material			Stock	Sights	Barrel Length	Overall Length		Length of Pull	Suggested Retail	
HKM77R-Z	17123	.204 R	uger	5	Stainless Ste	el/Hawkeye Matte	Stainless	Green Mountai	None n	24''	44.00''	8.00 lbs.	13.50"	\$979.00	
HKM77R-Z	17121	.22-25	io Rem.	4	Stainless Ste	el/Hawkeye Matte	Stainless	Green Mountai	None n	24''	44.00''	8.00 lbs.	13.50''	\$979.00	_
HKM77R-Z	17122	.223 R	om	5	Stainlage Sta	el/Hawkeye Matte	Stainlage	Green	None	22''	42.00''	7.75 lbs.	13.50"	\$979.00	

RUGER° M77° MARK II TARGET RIFLE



FEATURES:

- Unique two-stage target trigger featuring a short "take-up" stage, followed by a crisp, light target pull with no creep or overtravel.
- Non-rotating, Mauser-type controlled round feed extractor is the most positive case extraction system ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge and a patented latch that is flush with trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Patented integral scope mounts, machined directly on the solid-steel receiver provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Also Includes: rugged one-piece, stainless steel bolt; studs for mounting sling swivels.

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
KM77VTBBZ	17974	.204 Ruger	5	Stainless Steel/Matte Stainless	Black Laminate	None	26''	46.00''	9.75 lbs.	13.50"	\$979.00
KM77VTBBZ	17976	.22-250 Rem.	4	Stainless Steel/Matte Stainless	Black Laminate	None	26''	46.00"	9.75 lbs.	13.50"	\$979.00
KM77VTBBZ	17975	.223 Rem.	5	Stainless Steel/Matte Stainless	Black Laminate	None	26''	46.00"	9.75 lbs.	13.50"	\$979.00
KM77VTBBZ	17977	.243 Win.	4	Stainless Steel/Matte Stainless	Black Laminate	None	26''	46.00"	9.75 lbs.	13.50"	\$979.00
KM77VTBBZ	17978	.25-06 Rem.	4	Stainless Steel/Matte Stainless	Black Laminate	None	26''	46.75''	9.50 lbs.	13.50''	\$979.00
KM77VTBBZ	17980	6.5 Creedmoor	r 4	Stainless Steel/Matte Stainless	Black Laminate	None	28''	48.00''	9.50 lbs.	13.50''	\$979.00
KM77VTBBZ	17979	.308 Win.	4	Stainless Steel/Matte Stainless	Black Laminate	None	26''	46.00''	9.25 lbs.	13.50''	\$979.00



RUGER ROTARY MAGAZINE RIFLES



FEATURES:

- Patented integral scope mounts, machined directly on the solid-steel receiver provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Three-position safety is easily accessible and allows the shooter to lock the bolt to load and unload the rifle with the safety engaged.
- Solid, heat-treated alloy and stainless steel actions that feature a rugged, righthand turning bolt with 90-degree bolt lift and ultra-fast lock time for added accuracy.
- Patented detachable rotary magazine features a unique rotor to separate cartridges and provide reliable feeding; mounts flush with the stock to eliminate protrusions at the rifle's balance point.
- Also Includes: sling swivel stud mounts.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
77/17-RM	7024	.17 HMR	9	Alloy Steel/ Blued	American Walnut	None	22.00''	41.25''	6.50 lbs.	13.50''	\$793.00
K77/17-VMBBZ	7027	.17 HMR	9	Stainless Steel/ Target Grey®	Black Laminate	None	24.00''	43.25''	7.50 lbs.	13.50''	\$877.00
77/22-R	7002	.22 LR	10	Alloy Steel/ Blued	American Walnut	None	20.00''	39.25''	6.50 lbs.	13.50''	\$793.00
K77/22-RP	7009	.22 LR	10	Stainless Steel/ Brushed Stainless	Black Synthetic	None	20.00''	39.25''	6.00 lbs.	13.50''	\$793.00
K77/22-VBZ	7021	.22 LR	10	Stainless Steel/ Target Grey®	Brown Laminate	None	24.00''	43.25''	7.50 lbs.	13.50''	\$877.00
77/22-RM	7015	.22 Mag.	9	Alloy Steel/ Blued	American Walnut	None	20.00''	39.25''	6.50 lbs.	13.50''	\$793.00
K77/22-RMP	7016	.22 Mag.	9	Stainless Steel/ Brushed Stainless	Black Synthetic	None	20.00''	39.25''	6.00 lbs.	13.50''	\$793.00
K77/22-VMBZ	7019	.22 Mag.	9	Stainless Steel/ Target Grey®	Brown Laminate	None	24.00''	43.25''	7.50 lbs.	13.50''	\$877.00
77/22-RH	7201	.22 Hornet	6	Alloy Steel/ Blued	American Walnut	None	20.00''	39.25''	6.50 lbs.	13.50''	\$793.00
K77/22-VHZ	7203	.22 Hornet	6	Stainless Steel/ Target Grey®	Brown Laminate	None	24.00''	43.25''	7.50 lbs.	13.50''	\$877.00
K77/44-RSP	7402	.44 Mag.	4	Stainless Steel/ Brushed Stainless	Black Synthetic	Bead Front Adjustable Rear	18.50''	38.50''	5.25 lbs.	13.50''	\$793.00
K77/44-RSPC	7408	.44 Mag.	4	Stainless Steel/ Brushed Stainless	Next G1 Vista Camo	Bead Front Adjustable Rear	18.50''	38.50''	5.25 lbs.	13.50''	\$819.00

ROTARY

RUGER® No.1 RIFLES



FEATURES:

- Sliding tang safety provides instant security, visibility and accessibility.
- Strong, simple, compact falling block breech mechanism with artillery-style breechblock and under-lever is ideally suited for powerful cartridges.
- Robust and sturdy, sculptured receiver forms a rigid support for barrel, stock and sliding breech block.
- Ejector mechanism provides maximum leverage at the point where the ejector engages the cartridge case and can be adjusted to provide extraction only.
- Patented integral scope mounts, machined directly on the solid steel quarter rib, provide a stable mounting surface for scope rings (included, Varminter models feature scope mounting blocks).
- Also Includes: sporting style buttpad, grip cap and sling swivel studs.

Catalog Number	Model Number	Caliber	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
1-A	1301	.243 Win.	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	22''	38.50''	7.25 lbs.	13.50"	\$1,242.00	
1-A	1302	.270 Win.	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	22''	38.50''	7.00 lbs.	13.50''	\$1,242.00	
1-A	1304	.30-06 Sprg.	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	22''	38.50''	7.00 lbs.	13.50''	\$1,242.00	A
1-A	11336	.300 RCM	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	22''	38.50''	7.25 lbs.	13.50''	\$1,242.00	
1-A	11348	.303 British	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	22''	38.50''	7.25 lbs.	13.50"	\$1,242.00	I
1-A	11359	.308 Win.	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	22''	38.50''	7.25 lbs.	13.50''	\$1,242.00	Λ
1-A	11356	6.5 Creedmoor	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	22''	38.50''	7.25 lbs.	13.50''	\$1,242.00	A
NO.1 VARMI	NTER										
Catalog Number	Model Number	Caliber	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
1-V	1330	.22-250 Rem.	Alloy Steel/Blued	American Walnut	None	24''	40.50''	8.75 lbs.	13.50''	\$1,242.00	
1-V	1337	.223 Rem.	Alloy Steel/Blued	American Walnut	None	24''	40.50''	8.75 lbs.	13.50"	\$1,242.00	-
1-V	1331	.25-06 Rem.	Alloy Steel/Blued	American Walnut	None	24''	40.50''	8.50 lbs.	13.50"	\$1,242.00	-
1-V	11362	6.5 Creedmoor	Alloy Steel/Blued	American Walnut	None	24''	40.50''	8.50 lbs.	13.50''	\$1,242.00	Λ
NO.1 TROPIC	AL										
Catalog Number	Model Number	Caliber	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
1-H	1320	.375 H&H	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	24''	40.50''	9.25 lbs.	13.50''	\$1,242.00	
1-H	11338	.416 Ruger	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	24''	40.50''	9.00 lbs.	13.50''	\$1,242.00	-
1-H	11324	450/400 Nitro Express	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	24''	40.50''	7.75 lbs.	13.50''	\$1,242.00	
1-H	11308	.458 Lott	Alloy Steel/Blued	American	Bead Front	24''	40.50''	9.00 lbs.	13.50''	\$1.242.00	1




Catalog Number	Model Number	Caliber	Material/ Finish	Stoc	k Sights		Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
1-S	11345	.300 H&H	Alloy Steel Blued	Ame Waln	rican Bead Fron out Adjustable		26''	42.50''	7.75 lbs.	13.50"	\$1,242.00
1-S	11341	.338 RCM	Alloy Steel/ Blued	Ame Waln	rican Bead Fron out Adjustable		22''	38.50''	7.50 lbs.	13.50"	\$1,242.00
1-S	11319	9.3 x 74R	Alloy Steel Blued	Ame Waln		Bead Front Adjustable Rear		38.50''	7.50 lbs.	13.50"	\$1,242.00
1-S	11363	.300 Win.	Mag. Alloy Steel/ Blued	Ame Waln		Bead Front Adjustable Rear		38.50''	7.75 lbs.	13.50"	\$1,242.00
1-S	11330	.375 Ruge	r Alloy Steel/ Blued	Ame Waln	rican Bead Fron aut Adjustable		22''	38.50''	7.50 lbs.	13.50''	\$1,242.00
1-S	1327	.45-70 Go	.45-70 Gov't. Alloy Steel/ Blued		rican Bead Fron out Adjustable		22''	38.50''	7.25 lbs.	13.50"	\$1,242.00
1-S	11340	.460 S&W	Mag. Alloy Steel/ Blued	Ame Waln	rican Bead Fron out Adjustable		22''	38.50''	7.25 lbs.	13.50"	\$1,242.00
1-S	11337	.475 Lineb .480 Ruge		Ame Waln	rican Bead Fron ut Adjustable		22''	38.50''	7.00 lbs.	13.50''	\$1,242.00
NO.1 IN	ITERNAT	IONAL									
Catalog Number	Model Number	Caliber	Material/ Finish	Stock	Sights	Barrel Length		Overall Length	Weight	Length of Pull	Suggested Retail
1-RSI	1363	.270 Win.	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	20''		36.50''	7.00 lbs.	13.50''	\$1,283.00
1-RSI	1364	7 x 57	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	20''		36.50''	7.00 lbs.	13.50''	\$1,283.00
1-RSI	1362	.30-06 Sprg.	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	20''		36.50''	7.00 lbs.	13.50"	\$1,283.00
1-RSI	11361	.300 RCM	Alloy Steel/Blued	American Walnut	Bead Front Adjustable Rear	20''		36.50''	7.00 lbs.	13.50"	\$1,283.00



RUGER RED LABEL SHOTGUNS





Finely Polished, Stainless Steel Receiver

Tang Safety/Barrel Selector



DoveTailed, Free-Floating Rib with Brass Bead Front Sight



Five Steel Shot Compatible, Screw-In Briley® Chokes and Wrench Included

FEATURES:

- Tang safety / barrel selector provides instant security, selection, visibility and accessibility.
- Finely polished, stainless steel receiver is corrosion-resistant and has no exposed pins or screws.
- Sleek, compact locking system that is considered among the strongest ever built for over-and-under shotguns.
- Dovetailed, free-floating rib with brass bead front sight is stress-relieved, contour-ground, precisely fitted and silver-brazed (not soft-soldered) to the finished monoblock.
- Back-bored, alloy steel, blued, hammerforged barrels, made of high-strength chrome-molybdenum steel, reduce felt recoil and produce more uniform patterns.
- Beautifully crafted, cut-checkered American Walnut stock and slim forend.
- Five steel-shot compatible, screw-in Briley® chokes and wrench included, featuring two skeet chokes and one full, one modified and one improved cylinder choke and a premium-quality Briley choke tube wrench.
- Also Includes: a reliable, single mechanical trigger; sturdy, virtually unbreakable firing pins; rebounding hammers for easy opening.



N

S

U

Ruger® Red Label Shotguns are a top choice of
American hunters and clays shooters for their
world-renowned rugged construction and handsome
American styling. They are a great choice for hunting
upland game, waterfowling, sporting clays, skeet or
even just informal clay target shooting with family.



G

T

0

KRL-1236-BR • 12 Ga.

MODELS:

S

Catalog Number	Model Number	Gauge	Chamber	Barrel Length	Overall Length	Weight	Option	Engraving	Suggested Retail
KRL-1226-BR	4164	12	3''	26''	43.50''	7.50 lbs.	Pistol Grip Stock	None	\$2,015.00
KRL-1227-BR	4165	12	3''	28''	45.50''	7.75 lbs.	Pistol Grip Stock	None	\$2,015.00
KRL-1236-BR	4166	12	3''	30''	47.50''	7.75 lbs.	Sporting Clays Model	None	\$2,015.00
KRL-1227-BRE	4174	12	3''	28''	45.50''	7.75 lbs.	Pistol Grip Stock	Pheasant Pattern	\$2,245.00
KRL-2029-BR	4066	20	3''	26''	43.50''	7.25 lbs.	Pistol Grip Stock	None	\$2,015.00
KRL-2030-BR	4067	20	3''	28''	45.50''	7.50 lbs.	Pistol Grip Stock	None	\$2,015.00
KRLS-2029-BR	4064	20	3''	26''	43.50''	7.25 lbs.	English Straight Stock	None	\$2,015.00
KRL-2029-BRE	4070	20	3''	26''	43.50''	7.25 lbs.	Pistol Grip Stock	Grouse Pattern	\$2,245.00
KRL-2030-BRE	4071	20	3''	28''	45.50''	7.50 lbs.	Pistol Grip Stock	Grouse Pattern	\$2,245.00
KRL-2826-BR	4263	28	2.75''	26''	43.50''	6.00 lbs.	Pistol Grip Stock	None	\$2,015.00
KRL-2827-BR	4264	28	2.75''	28''	45.50''	6.25 lbs.	Pistol Grip Stock	None	\$2,015.00
KRLS-2826-BR	4265	28	2.75''	26''	43.50''	6.00 lbs.	English Straight Stock	None	\$2,015.00
KRL-2826-BRE	4268	28	2.75''	26''	43.50''	6.00 lbs.	Pistol Grip Stock	Woodcock Pattern	\$2,245.00
KRL-2827-BRE	4269	28	2.75''	28''	45.50''	6.25 lbs.	Pistol Grip Stock	Woodcock Pattern	\$2,245.00

RUGER LEGAL INFORMATION AND CONTACT


LCP® **RECALL NOTICE:** During 2008, Ruger received a small number of reports from the field indicating that LCP pistols discharged when dropped onto a hard surface with a round in the chamber. We are firmly committed to safety and would like to retrofit all affected LCP Pistols. The retrofit involves installation of an upgraded hammer mechanism at no charge to the customer.

We want to remind gun users that, for maximum safety when carrying any pistol with a loaded magazine in place, the chamber should be empty, and the slide should be closed. Any gun may fire if dropped or struck.



SR9® **RECALL NOTICE:** We have determined that some Ruger SR9 pistols manufactured between October 2007 and April 2008 can, under certain conditions, fire if dropped with their manual safeties in the "off" or "fire" position. The pistols will not fire if the manual safety is in the "on" or "safe" position.

We have designed a new trigger group which prevents firing when dropped and are retrofitting all Ruger SR9 pistols starting with serial number prefix "330" (330-xxxxx) with these new parts at NO CHARGE to our customers. When we return your pistol, we also will send you a FREE extra magazine as a "thank you" for your patience and cooperation.



For additional product, safety or service information, please visit **WWW.RUGER.COM**

AN IMPORTANT FREE SAFETY OFFER FROM RUGER:

Do you own an "old model" (pre-1973) Ruger Single-Six, Blackhawk, Super Blackhawk, or Bearcat single-action revolver like these?



Three frame screws identify the "old model" Single-Six, Blackhawk, and Super Blackhawk made from 1953 to 1972.



Serial numbers below 93-00000 identify old Bearcat and Super Bearcat models made from 1958-1972.

Three frame screws identify the "old model" Single-Six, Blackhawk, and Super Blackhawk made from 1953 to 1972. Serial numbers below 93-00000 identify old Bearcat and Super Bearcat models made from 1958-1972.

The patented Ruger Conversion Kit is an entirely new operating system for these revolvers. It can help prevent accidental discharges caused by a drop or blow to the hammer if the user has failed to take the basic safety precaution of keeping the hammer down on an empty chamber. That's very important!

This mechanism can be factory-installed without any further alteration. The frame and other major parts will not be affected by this conversion. The value of the gun will not be impaired, and we will return your original parts for collector's purposes.

To receive a free factory safety conversion, write to us at Sturm, Ruger and Company, Inc.; 411 Sunapee Street Newport, NH 03773. We will provide you with a shipping container and instructions. You only pay initial shipping to our factory. We will cover all other charges including return shipping costs. Please write to us without delay if you have one of these guns, and tell your friends about the availability of this kit. Remember that the safest way to carry any older single-action revolver, regardless of manufacturer, is with the harmer down on an *empty* chamber.

PLEASE WRITE TO US AT:

Ruger / Conversion Department / 411 Sunapee Street / Newport, NH 03773


For full details and a FREE shipping box. If your single-action revolver has the words "New Model," "Bisley," or "Vaquero" on the frame, this offer is not applicable.

NOTICE: Weights of all Ruger firearms, and rifles in particular, may vary from published weight because of variations in wood density, bore size, barrel length and style. All weights specified in this catalog are approximate. All ammunition that appears in this catalog is shown actual size only when noted. Sturm, Ruger & Co.,Inc. does not manufacture scopes, optics or lasers, and scopes, optics and lasers are not included with any firearm purchase unless specifically noted.

All prices in this catalog are suggested only. At Sturm, Ruger & Co., Inc., we list suggested retail prices because we feel this information is an aid to our customers in examining our products. Sturm, Ruger & Co., Inc. does not sell firearms directly to consumers. Ruger products are stocked and sold by thousands of federally licensed independent retailers in the United States and in many foreign countries. We believe there are many benefits to purchasing firearms from a specialty firearms store where you can receive the advice and knowledge of an experienced retailer. All specifications and prices are subject to change without notice. Sturm, Ruger & Co., Inc. reserves the right to change the prices, specifications, or availability of its products at any time without notice. Typographic, photographic, and/or descriptive errors are subject to correction. We apologize for any inconvenience.

Sturm, Ruger & Co.,Inc., RUGER®, Eagle logo, SR Design, R Design, R Design, R Makers for Responsible Citizens®, Bearcat®, Blackhawk®, LCP®, LCR®, Single-Six®, Security Six®, Speed-Six®, Ruger Vaquero®, Redhawk®, Old Army®, Super Redhawk® Alaskan, Ruger SP101®, GP100®, P345®, SR9®, AC-556®, M77®, Hawkeye®, 10/22®, Mini Thirty®, Mini-14®, Ruger 77/17®, Ruger 77/22®, Ruger 77/44®, SR-22® Rifle, SR-556®, All-Weather® and Target Grey® are registered U.S. trademarks. HARD-R™, SR9c™, SR40™, LC9™, P85™, P90™, P91™, P93™, P95™, P97™, 22/45™, Mark III™, Mark III™, Model 96™ and 22 Charger™ are Ruger trademarks.









RUGGED, RELIABLE FIREARMS

RUGER CUSTOMER SERVICE:

Newport, NH Service inquires for Shotguns, Revolvers, 22 Charger™ Pistols and all Rifles except PC4/PC9 Carbines.

Sturm, Ruger & Co., Inc.

Customer Service Department 411 Sunapee Street Newport, NH 03773

Telephone: **603-865-2442** / Fax: **603-863-6165** (Monday through Friday, 8:00am - 5:00pm EST)

Prescott, AZ Service inquires for PC4/PC9 Carbines and all Pistols excluding the 22 Charger™ Pistol.

Sturm, Ruger & Co., Inc.

Customer Service Department 200 Ruger Road Prescott, AZ 86301

Telephone: **928-541-8892** / Fax: **928-778-6633** (Monday through Friday, 8:00am - 5:00pm MST)