



SERVICE BULLETIN

Product : 17" CDT MONITOR

Bulletin No. : 01-C/M-E0028

Model : 17" CDT MONITOR

Bulletin Date : April.11,2000

ECN Date : April.11,2000

SUBJECT : DY connector change for 17" model

Background : CDT DY connector type have changed (2x3 pin type => 4 pin type)
Please use new CDTs refer to attached information.

Cause : CDT maker changed DY connector type to prevent DY connector loosening

Solution :

Application Date : April.11,2000

(Interchangeability Code : * I.C)

Location No.	OLD (before) Parts		NEW (changed) Parts		* I.C	
	SEC Code	Description	SEC Code	Description		
Type	A type	B type	C type	D type	E type	F type
Interchange Type Code (* I.C)	OLD → Early (Parts) (Prod.) NEW → Late	OLD → Early (Parts) (Prod.) NEW → Late	OLD → Early (Parts) (Prod.) NEW → Late	OLD → Early (Parts) (Prod.) NEW → Late	Parts Addition (None New)	Parts deletion (Old Del.)
Application	Reference () Only Defected sets (○) Whole sets ()					
Attachment	Schematic Diagram () Component Lay-out () Exploded View () Mechanical Diagram () None () Others (0)					
Product Month : - all	Serial No. (~ from)					
Published by : C.J.Oh	Checked by : C. K.Park	Approved by : Y.K.Yoo				

SDI CDT

(Dot pitch : 0.28 mm)

	PIN	CDT TYPE	COATING	PART NUMBER
Before	2*3 pin	M41QAR361X111(A/S2)	multi	BH03-10342B
		M41QAR36X111(A)	multi	BH03-10341U
After	4 pin	M41QAR361X114(A/S2)	multi	BH03-00016A

Before	2*3 pin	M41QAR361X111(T4/S2)	TCO	BH03-10342C
		M41QAR36X111(T4)	TCO	BH03-10341V
After	4 pin	M41QAR361X114(T4/S2)	TCO	BH03-00015A

(Dot pitch : 0.26 mm)

Before	2*3 pin	M41QAQ261XO11(T4/S2/G)	TCO	BH03-10340L
After	4 pin	M41QAQ261X114(T4/S2)	TCO	BH03-00010A

TSB CDT

(Dot pitch : 0.26 mm)

Before	2*3 pin	M41LLH507XX433(XF5)	TCO	BH03-10339H
After	4 pin	M41LLH507XX438(XF5)	TCO	BH03-00040A

PHS CDT

(Dot pitch : 0.28 mm)


Before	2*3 pin	M41EHN325X160/G343BA	multi	BH03-00051D
After	4 pin	M41EHN325X160/G356BA	multi	BH03-00051G

Before	2*3 pin	M41EHN325X160/P343BA	TCO	BH03-00050A
After	4 pin	M41EHN325X160/P356BA	TCO	BH03-00051K



(Dot pitch : 0.26 mm)


Before	2*3 pin	M41EJB523X170/P357BA	TCO	BH03-00051A
After	4 pin	M41EJB523X170/P359BA	TCO	BH03-00057B

BEFORE : CDT DY CONNECTOR (2x3 pin type)



AFTER : CDT DY CONNECTOR (4 pin type)





Different parts list when changing CDT from 2*3 pin to 4 pin type

Location	Part number	Specification	2x3P CONN.	4P CONN.
JP54	BH39-40305U	CBF-HARNESS, 52MM, AWG22(0.6PI)	O	X
JP56	BH39-40305U	CBF-HARNESS, 52MM, AWG22(0.6PI)	X	O
JP57	BH39-40305U	CBF-HARNESS, 52MM, AWG22(0.6PI)	X	O
CN301	3711-001483	CONNECTOR-HEADER, NOWALL, 3P, 1R	O	X