

## 8. Electric Parts List

### 8-1 SP403JHAX Parts List

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
		<b>ASSY-PCB,MAIN(OPT)</b>					
		BUYER : SEG		C608	2301-000530	C-FILM,PEF:100nF,5%,100V,TP,11.5x12.5x6.5	
*	AA94-10148X	ASSY-PCB,MAIN(OPT);SP403JHAX/XEG,PLT51A,GERANY,- BUYER : AMFO		C609	2401-000603	C-AL:1uF,20%,50V,GP,TP,5x11,5	
*	AA94-10148Y	ASSY-PCB,MAIN(OPT);SP403JHAX/AMF,PLT51A,NETHERAN BUYER : ANA		C610	2401-000318	C-AL:100uF,20%,25V,LZ,TP,8x11.5,5	
*	AA94-10149H	ASSY-PCB,MAIN(OPT);SP403JHAX/ANA,PLT51A,RUMA BUYER : ATR		C611	2401-000603	C-AL:1uF,20%,50V,GP,TP,5x11,5	
*	AA94-10149F	ASSY-PCB,MAIN(OPT);SP403JHAX/ATR,PLT51A,SWISS,- BUYER : BOB		C621	2301-000383	C-FILM,PEF:10nF,5%,50V,TP,6x7x3.2mm,5mm	
*	AA94-10149J	ASSY-PCB,MAIN(OPT);SP403JHAX/BOB,PLT51A,BULGARIA, BUYER : NSI		C622	2301-000383	C-FILM,PEF:10nF,5%,50V,TP,6x7x3.2mm,5mm	
*	AA94-10148W	ASSY-PCB,MAIN(OPT);SP403JHAX/NSI,PLT51A,DEN BUYER : ELS		C623	2301-000530	C-FILM,PEF:100nF,5%,100V,TP,11.5x12.5x6.5	
*	AA94-10149A	ASSY-PCB,MAIN(OPT);SP403JHAX/ELS,PLT51A,AUSTRIA,- BUYER : EUP		C624	2401-000603	C-AL:1uF,20%,50V,GP,TP,5x11,5	
*	AA94-10149E	ASSY-PCB,MAIN(OPT);SP403JHAX/EUP,PLT51A,CROATIA,- BUYER : INT		C629	2401-000962	C-AL:22uF,20%,50V,GP,TP,5x11,5	
*	AA94-10149G	ASSY-PCB,MAIN(OPT);SP403JHAX/INT,PLT51A,SLOVENIA, BUYER : XEC		C633	2401-000480	C-AL:10uF,20%,50V,GP,TP,5x11,5	
*	AA94-10148U	ASSY-PCB,MAIN(OPT);SP403JHAX/XEC,PLT51A,SPAIN,- BUYER : XEF		C634	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
*	AA94-10143R	ASSY-PCB,MAIN(OPT);SP-403JHAX/XEF,PLT51A,FRANCE,- BUYER : XEH		C635	2401-000480	C-AL:10uF,20%,50V,GP,TP,5x11,5	
*	AA94-10149D	ASSY-PCB,MAIN(OPT);SP403JHAX/XEH,PLT51A,HUNGARY,- BUYER : XEO		C636	2401-000302	C-AL:100uF,20%,25V,GP,TP,6.3x11,5	
*	AA94-10149C	ASSY-PCB,MAIN(OPT);SP403JHAX/XEO,PLT51A,POLAND,- BUYER : XEU		C637	2401-000302	C-AL:100uF,20%,25V,GP,TP,6.3x11,5	
*	AA94-10148S	ASSY-PCB,MAIN(OPT);SP403JHAX/XEU,PLT51A,U.K,- BUYER : SEI		C638	2401-000302	C-AL:100uF,20%,25V,GP,TP,6.3x11,5	
*	AA94-10148T	ASSY-PCB,MAIN(OPT);SP403JHAX/XET,PLT51A,ITALY,-		C639	2401-000302	C-AL:100uF,20%,25V,GP,TP,6.3x11,5	
AB1	3711-002642	CONNECTOR-HEADER:BOX,3P,1R,2.5mm,STRAIGHT,SN		C831	2401-002286	C-AL:470uF,20%,16V,WT,TP,10x12.5,5	
AF1	3711-002642	CONNECTOR-HEADER:BOX,3P,1R,2.5mm,STRAIGHT,SN		C832	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
AF3	3711-002642	CONNECTOR-HEADER:BOX,3P,1R,2.5mm,STRAIGHT,SN		C833	2401-003034	C-AL:220uF,20%,16V,WT,TP,8x11.5,5	
AT1	3711-002642	CONNECTOR-HEADER:BOX,3P,1R,2.5mm,STRAIGHT,SN		C835	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
C101	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,		C836	2401-002286	C-AL:470uF,20%,16V,WT,TP,10x12.5,5	
C103	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,		C837	2401-002286	C-AL:470uF,20%,16V,WT,TP,10x12.5,5	
C104	2401-000660	C-AL:2.2uF,20%,50V,GP,TP,5x11,5		C838	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
C105	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,		C839	2401-003034	C-AL:220uF,20%,16V,WT,TP,8x11.5,5	
C107	2305-000289	C-FILM,MPEF:220nF,5%,63V,TP,-5mm		C840	2401-003034	C-AL:220uF,20%,16V,WT,TP,8x11.5,5	
C108	2401-000667	C-AL:2.2uF,20%,50V,WT,TP,5x11,5		C841	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
C109	2401-002300	C-AL:47uF,20%,50V,GP,TP,6.3x11,5		C842	2401-000302	C-AL:100uF,20%,25V,GP,TP,6.3x11,5	
C111	2201-000292	C-CERAMIC,DISC:1nF,10%,50V,Y5P,TP,5x3,5		C843	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
C112	2401-000947	C-AL:22uF,20%,35V,GP,TP,5x11,5		C851	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
C113	2201-000180	C-CERAMIC,DISC:10nF,10%,50V,Y5V,TP,6.5*3,5		C852	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
C114	2201-000292	C-CERAMIC,DISC:1nF,10%,50V,Y5P,TP,5x3,5		C863	2401-001397	C-AL:470uF,20%,25V,GP,TP,10x16,5	
C115	2201-000180	C-CERAMIC,DISC:10nF,10%,50V,Y5V,TP,6.5*3,5		C864	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
C116	2401-001176	C-AL:33uF,20%,25V,GP,TP,5x11,5		C866	2401-002273	C-AL:220uF,20%,25V,HR,TP,10x20mm,5m	
C117	2201-000982	C-CERAMIC,DISC:10nF,+80-20%,50V,Y5V,TP,6.5x3,		C870	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
C119	2401-000302	C-AL:100uF,20%,25V,GP,TP,6.3x11,5		C901	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP,7.5x4.0x5.0mm,	
C120	2401-000302	C-AL:100uF,20%,25V,GP,TP,6.3x11,5		C902	2401-000914	C-AL:22uF,20%,16V,GP,TP,5x11,5	
C121	2401-002300	C-AL:47uF,20%,50V,GP,TP,6.3x11,5		C903	2301-000383	C-FILM,PEF:10nF,5%,50V,TP,6x7x3.2mm,5mm	
C267	2201-000146	C-CERAMIC,DISC:100pF,5%,50V,SL,TP,5x3,5		C904	2401-002235	C-AL:10uF,20%,16V,GP,TP,5x11mm,5mm	
C270	2201-000375	C-CERAMIC,DISC:220pF,5%,50V,RH,TP,9.5x3,0,5		C905	2301-000452	C-FILM,PEF:47nF,5%,50V,TP,8x11x4.5mm,5mm	
C290	2201-000376	C-CERAMIC,DISC:220pF,5%,50V,SL,TP,4x4,5		CN704A	3710-001208	CONNECTOR-SOCKET:32P,2R,2.54mm,STRAIGHT,AUF	
C296	2201-000558	C-CERAMIC,DISC:470pF,10%,50V,Y5P,TP,5x3,5		CN705A	3710-001208	CONNECTOR-SOCKET:32P,2R,2.54mm,STRAIGHT,AUF	
C603	2401-000192	C-AL:1000uF,20%,50V,GP,TP,16x25,7,5		CNM01	3711-002645	CONNECTOR-HEADER:BOX,6P,1R,2.5mm,STRAIGHT,SN	
C604	2301-000530	C-FILM,PEF:100nF,5%,100V,TP,11.5x12.5x6.5		CNM02	3711-003641	CONNECTOR-HEADER:BOX,12P,1R,2.5mm,STRAIGHT,SN	
C605	2401-000192	C-AL:1000uF,20%,50V,GP,TP,16x25,7,5		CNM08	3711-001054	CONNECTOR-HEADER:BOX,6P,1R,2.5mm,STRAIGHT,SN	
C606	2301-000530	C-FILM,PEF:100nF,5%,100V,TP,11.5x12.5x6.5		CNM09	3711-003641	CONNECTOR-HEADER:BOX,12P,1R,2.5mm,STRAIGHT,SN	
C607	2401-000192	C-AL:1000uF,20%,50V,GP,TP,16x25,7,5		CNM09A	AA39-20032C	LEAD-CONNECTOR,ASSY:-,67096-012,S,12P,400,1007#26	
				CNM10	3711-002645	CONNECTOR-HEADER:BOX,6P,1R,2.5mm,STRAIGHT,SN	
				CNM10A	AA39-20038D	LEAD-CONNECTOR,ASSY:-,67096-006,S,6P,300,1185#26	
				CNM11	3711-002641	CONNECTOR-HEADER:BOX,10P,1R,2.54mm,STRAIGHT,Sn	
				CNM11A	AA39-20025E	LEAD-CONNECTOR,ASSY:-,67096-010,S,10P,400,1007#26	
				CNM12	3711-000900	CONNECTOR-HEADER:BOX,3P,1R,2.5mm,STRAIGHT,SN	
				CNM13	3711-002643	CONNECTOR-HEADER:BOX,4P,1R,2.5mm,STRAIGHT,SN	
				CNM14	3711-003359	CONNECTOR-HEADER:BOX,10P,1R,2.5mm,STRAIGHT,SN	
				CNM15	3711-000392	CONNECTOR-HEADER:3WALL,10P,1R,2.5mm,STRAIGHT,-	
				D101	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
				D103	0401-001024	DIODE-SWITCHING:BAW75,25V,300mA,DO-35,TP	
				D104	0401-001024	DIODE-SWITCHING:BAW75,25V,300mA,DO-35,TP	
				D601	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
				D602	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
				D603	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
				D901	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
				D902	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
				DZ102	1203-000451	IC-VOLTAGE REGULATOR:33,TO-92,3P,-,PLASTIC,31/35V,2	
				DZ201	0403-000297	DIODE-ZENER:MTZ6.2B,6.2V,5.96-6.27V,500mW,	
				DZ202	0403-000297	DIODE-ZENER:MTZ6.2B,6.2V,5.96-6.27V,500mW,	





Electric Parts List

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
C640	2203-000938	C-CERAMIC,CHIP:470pF,5%,50V,NPO,TP,2012,-		D602	0401-000133	DIODE-SWITCHING:RLS4148,100V,200mA,SOD-80C,TP	
C641	2203-000142	C-CERAMIC,CHIP:1.5nF,10%,50V,X7R,TP,2012,-		D603	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
C642	2401-002235	C-AL:10uF,20%,16V,GP,TP,5x11mm,5mm		D604	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
C643	2401-000914	C-AL:22uF,20%,16V,GP,TP,5x11,5		D605	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
C644	2401-000914	C-AL:22uF,20%,16V,GP,TP,5x11,5		D606	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
C645	2401-000914	C-AL:22uF,20%,16V,GP,TP,5x11,5		IC601	1204-001163	IC-SOUND PROCESSOR:MSP3410D,PLCC,68P,2.4MIL,PLAS	
C646	2401-000914	C-AL:22uF,20%,16V,GP,TP,5x11,5		IC602	1001-000164	IC-ANALOG MULTIPLEX:74HC4052,CMOS,SOP,16P,150MIL,S	
C647	2401-000027	C-AL:4.7uF,20%,50V,GP,TP,5x11,5		IC603	1201-000407	IC-POWER AMP:7050,DIP8P,-,SINGLE,-,PLASTIC	
C648	2401-000027	C-AL:4.7uF,20%,50V,GP,TP,5x11,5		IC604	1201-000541	IC-OP AMP:062,SOP,8P,153MIL,DUAL,6V/mV,P	
C649	2401-001496	C-AL:47uF,20%,16V,GP,TP,5x7,5		ICD601	1204-001198	IC-DECODER:DPL3519A,PLCC,68P,2.4MIL,PLAS	
C650	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-		ICD602	1201-000541	IC-OP AMP:062,SOP,8P,153MIL,DUAL,6V/mV,P	
C651	2401-002144	C-AL:47uF,20%,16V,GP,TP,5x11,5		L601	2701-000170	INDUCTOR-AXIAL:3.9uH,10%,2.8x7mm	
C653	2203-000784	C-CERAMIC,CHIP:330pF,5%,50V,NPO,TP,2012,2mm		L602	2701-000170	INDUCTOR-AXIAL:3.9uH,10%,2.8x7mm	
C654	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		L603	2701-000112	INDUCTOR-AXIAL:100uH,10%,2.8x7mm	
C655	2203-000784	C-CERAMIC,CHIP:330pF,5%,50V,NPO,TP,2012,2mm		LD601	2701-000170	INDUCTOR-AXIAL:3.9uH,10%,2.8x7mm	
C656	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		LD602	2701-000112	INDUCTOR-AXIAL:100uH,10%,2.8x7mm	
C657	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		LD603	2701-000170	INDUCTOR-AXIAL:3.9uH,10%,2.8x7mm	
C658	2203-000784	C-CERAMIC,CHIP:330pF,5%,50V,NPO,TP,2012,2mm		O604	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
C659	2401-000660	C-AL:2.2uF,20%,50V,GP,TP,5x11,5		O605	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
C660	2401-000660	C-AL:2.2uF,20%,50V,GP,TP,5x11,5		O606	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
C661	2203-000784	C-CERAMIC,CHIP:330pF,5%,50V,NPO,TP,2012,2mm		O607	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
C662	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		R603	2007-000029	R-CHIP:0ohm,5%,1/10W,DA,TP,2012	
C663	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		R604	2007-000029	R-CHIP:0ohm,5%,1/10W,DA,TP,2012	
C664	2203-000784	C-CERAMIC,CHIP:330pF,5%,50V,NPO,TP,2012,2mm		R605	2007-000881	R-CHIP:4.7ohm,5%,1/10W,DA,TP,2012	
C665	2401-000660	C-AL:2.2uF,20%,50V,GP,TP,5x11,5		R606	2007-000881	R-CHIP:4.7ohm,5%,1/10W,DA,TP,2012	
C666	2401-000660	C-AL:2.2uF,20%,50V,GP,TP,5x11,5		R607	2001-001105	R-CARBON(S):20ohm,5%,1/2W,AA,TP,2.4x6.4mm	
C667	2203-000784	C-CERAMIC,CHIP:330pF,5%,50V,NPO,TP,2012,2mm		R608	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012	
C668	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		R609	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012	
C669	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		R610	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
C670	2203-000784	C-CERAMIC,CHIP:330pF,5%,50V,NPO,TP,2012,2mm		R611	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
C671	2401-000660	C-AL:2.2uF,20%,50V,GP,TP,5x11,5		R612	2007-000686	R-CHIP:3.3Kohm,5%,1/10W,DA,TP,2012	
C672	2401-000660	C-AL:2.2uF,20%,50V,GP,TP,5x11,5		R613	2007-000686	R-CHIP:3.3Kohm,5%,1/10W,DA,TP,2012	
C679	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-		R614	2007-000468	R-CHIP:1Kohm,5%,1/10W,DA,TP,2012	
C680	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-		R617	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
C681	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,-		R618	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
C682	2203-002392	C-CERAMIC,CHIP:220nF,+80-20%,50V,Y5V,TP,2012,-		R619	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
C683	2203-002392	C-CERAMIC,CHIP:220nF,+80-20%,50V,Y5V,TP,2012,-		R620	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
C684	2401-000480	C-AL:10uF,20%,50V,GP,TP,5x11,5		R621	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
C685	2401-002144	C-AL:47uF,20%,16V,GP,TP,5x11,5		R622	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
C688	2401-002144	C-AL:47uF,20%,16V,GP,TP,5x11,5		R623	2007-000477	R-CHIP:1Mohm,5%,1/10W,DA,TP,2012	
C691	2401-002144	C-AL:47uF,20%,16V,GP,TP,5x11,5		R624	2007-000477	R-CHIP:1Mohm,5%,1/10W,DA,TP,2012	
C692	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		R625	2007-000477	R-CHIP:1Mohm,5%,1/10W,DA,TP,2012	
C694	2401-002212	C-AL:10uF,20%,25V,WT,TP,5x11,5		R626	2007-000477	R-CHIP:1Mohm,5%,1/10W,DA,TP,2012	
C695	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		R632	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
C696	2203-000716	C-CERAMIC,CHIP:3.3nF,10%,50V,X7R,TP,2012,-		R633	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
C697	2203-000716	C-CERAMIC,CHIP:3.3nF,10%,50V,X7R,TP,2012,-		R634	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
CD601	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		R635	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
CD602	2203-000142	C-CERAMIC,CHIP:1.5nF,10%,50V,X7R,TP,2012,-		R636	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
CD603	2401-002235	C-AL:10uF,20%,16V,GP,TP,5x11mm,5mm		R637	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
CD604	2203-000595	C-CERAMIC,CHIP:220pF,5%,50V,NPO,TP,2012,-		R638	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
CD605	2203-000938	C-CERAMIC,CHIP:470pF,5%,50V,NPO,TP,2012,-		R639	2007-000001	R-CHIP:68Kohm,5%,1/10W,DA,TP,2012	
CD606	2401-002235	C-AL:10uF,20%,16V,GP,TP,5x11mm,5mm		R641	2007-000001	R-CHIP:68Kohm,5%,1/10W,DA,TP,2012	
CD607	2203-000938	C-CERAMIC,CHIP:470pF,5%,50V,NPO,TP,2012,-		R642	2007-000001	R-CHIP:68Kohm,5%,1/10W,DA,TP,2012	
CD608	2203-000142	C-CERAMIC,CHIP:1.5nF,10%,50V,X7R,TP,2012,-		R644	2007-000001	R-CHIP:68Kohm,5%,1/10W,DA,TP,2012	
CD609	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,-		R645	2007-000001	R-CHIP:68Kohm,5%,1/10W,DA,TP,2012	
CD610	2401-002235	C-AL:10uF,20%,16V,GP,TP,5x11mm,5mm		R646	2007-000001	R-CHIP:68Kohm,5%,1/10W,DA,TP,2012	
CD611	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,-		R647	2007-001177	R-CHIP:8.2Kohm,5%,1/10W,DA,TP,2012	
CD612	2401-001026	C-AL:3.3uF,20%,50V,GP,TP,5x11,5		R648	2007-001177	R-CHIP:8.2Kohm,5%,1/10W,DA,TP,2012	
CD613	2401-000914	C-AL:22uF,20%,16V,GP,TP,5x11,5		R651	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CD615	2401-000914	C-AL:22uF,20%,16V,GP,TP,5x11,5		R652	2007-000221	R-CHIP:1.2Kohm,5%,1/10W,DA,TP,2012	
CD616	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		R653	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CD618	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		R655	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CD619	2401-002235	C-AL:10uF,20%,16V,GP,TP,5x11mm,5mm		R656	2007-000221	R-CHIP:1.2Kohm,5%,1/10W,DA,TP,2012	
CD620	2401-002235	C-AL:10uF,20%,16V,GP,TP,5x11mm,5mm		R657	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CD621	2203-000938	C-CERAMIC,CHIP:470pF,5%,50V,NPO,TP,2012,-		R660	2007-000872	R-CHIP:4.7Kohm,5%,1/10W,DA,TP,2012	
CD622	2203-000142	C-CERAMIC,CHIP:1.5nF,10%,50V,X7R,TP,2012,-		R661	2007-000872	R-CHIP:4.7Kohm,5%,1/10W,DA,TP,2012	
CD623	2401-002235	C-AL:10uF,20%,16V,GP,TP,5x11mm,5mm		R662	2007-000282	R-CHIP:100Kohm,5%,1/10W,DA,TP,2012	
CD624	2203-000495	C-CERAMIC,CHIP:2.2nF,10%,50V,X7R,TP,2012,-		R663	2007-000282	R-CHIP:100Kohm,5%,1/10W,DA,TP,2012	
CD625	2401-002144	C-AL:47uF,20%,16V,GP,TP,5x11,5		R664	2007-000518	R-CHIP:2.7Kohm,5%,1/10W,DA,TP,2012	
CD626	2203-000495	C-CERAMIC,CHIP:2.2nF,10%,50V,X7R,TP,2012,-		R665	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012	
CD627	2401-002144	C-AL:47uF,20%,16V,GP,TP,5x11,5		R666	2007-000872	R-CHIP:4.7Kohm,5%,1/10W,DA,TP,2012	
CD628	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		R667	2007-000282	R-CHIP:100Kohm,5%,1/10W,DA,TP,2012	
CD629	2401-002009	C-AL:100uF,20%,16V,GP,TP,6.3x7.5		R668	2007-000282	R-CHIP:100Kohm,5%,1/10W,DA,TP,2012	
CD630	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		R669	2007-000518	R-CHIP:2.7Kohm,5%,1/10W,DA,TP,2012	
CN601A	3711-003626	CONNECTOR-HEADER:NOWALL,20P,1R,2.5mm,ANGLE,SN		R670	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012	
CN602A	3711-003626	CONNECTOR-HEADER:NOWALL,20P,1R,2.5mm,ANGLE,SN		R671	2007-000872	R-CHIP:4.7Kohm,5%,1/10W,DA,TP,2012	
D601	0401-000133	DIODE-SWITCHING:RLS4148,100V,200mA,SOD-80C,TP		R672	2007-000586	R-CHIP:22Kohm,5%,1/10W,DA,TP,2012	

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
R673	2007-000586	R-CHIP:22Kohm,5%,1/10W,DA,TP,2012		C751	2401-002299	C-AL:4.7uF,20%,50V,GP,TP5x7.5	
R674	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012		C752	2401-002299	C-AL:4.7uF,20%,50V,GP,TP5x7.5	
R675	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012		C755	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,	
RD601	2007-000468	R-CHIP:1Kohm,5%,1/10W,DA,TP,2012		C758	2401-002009	C-AL:100uF,20%,16V,GP,TP6.3x7.5	
RD602	2007-000872	R-CHIP:4.7Kohm,5%,1/10W,DA,TP,2012		C759	2401-002009	C-AL:100uF,20%,16V,GP,TP6.3x7.5	
RD603	2007-000282	R-CHIP:100Kohm,5%,1/10W,DA,TP,2012		C760	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,	
RD604	2007-000518	R-CHIP:2.7Kohm,5%,1/10W,DA,TP,2012		C761	2203-000683	C-CERAMIC,CHIP:27pF,5%,50V,NPO,TP,2012,-	
RD605	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012		C762	2203-000683	C-CERAMIC,CHIP:27pF,5%,50V,NPO,TP,2012,-	
RD606	2007-000282	R-CHIP:100Kohm,5%,1/10W,DA,TP,2012		C763	2203-000683	C-CERAMIC,CHIP:27pF,5%,50V,NPO,TP,2012,-	
RD608	2007-000282	R-CHIP:100Kohm,5%,1/10W,DA,TP,2012		C764	2203-000578	C-CERAMIC,CHIP:220nF,20%,50V,Y5V,TP,3216,3.2m	
RD609	2007-000282	R-CHIP:100Kohm,5%,1/10W,DA,TP,2012		C765	2203-000578	C-CERAMIC,CHIP:220nF,20%,50V,Y5V,TP,3216,3.2m	
RD610	2007-000518	R-CHIP:2.7Kohm,5%,1/10W,DA,TP,2012		C766	2203-000578	C-CERAMIC,CHIP:220nF,20%,50V,Y5V,TP,3216,3.2m	
RD611	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012		C767	2203-000578	C-CERAMIC,CHIP:220nF,20%,50V,Y5V,TP,3216,3.2m	
RD627	2007-000872	R-CHIP:4.7Kohm,5%,1/10W,DA,TP,2012		C768	2203-000578	C-CERAMIC,CHIP:220nF,20%,50V,Y5V,TP,3216,3.2m	
X601	2801-000186	CRYSTAL-UNIT:18.432MHz,25ppm,28-AAM,8pf,20o		C769	2203-000578	C-CERAMIC,CHIP:220nF,20%,50V,Y5V,TP,3216,3.2m	
Z601	0403-000546	DIODE-ZENER:MTZ3.6B,3.6V,3.6-3.845V,500mW,		C770	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-	
				C771	2401-002009	C-AL:100uF,20%,16V,GP,TP6.3x7.5	
				C772	2203-000818	C-CERAMIC,CHIP:33pF,5%,50V,NPO,TP,2012,-	
				C773	2203-000818	C-CERAMIC,CHIP:33pF,5%,50V,NPO,TP,2012,-	
				CN701	3722-000498	JACK-SCART:21P,-,SN,BLK,NO	
				CN702	3722-000498	JACK-SCART:21P,-,SN,BLK,NO	
				CN703	3722-000498	JACK-SCART:21P,-,SN,BLK,NO	
				CN704	3711-003630	CONNECTOR-HEADER:BOX,32P,2R,2.54mm,ANGLE,AU	
				CN705	3711-003630	CONNECTOR-HEADER:BOX,32P,2R,2.54mm,ANGLE,AU	
				CN706	3711-003323	CONNECTOR-HEADER:NOWALL,4P,1R,2.54mm,STRAIGHT,S	
				CN707	3722-001157	JACK-RCA:5P(6P),3.4mm,SN,BLK,#16-22	
				D701	0401-000133	DIODE-SWITCHING:RLS4148,100V,200mA,SOD-80C,TP	
				D702	0403-000296	DIODE-ZENER:MTZ5.6B,5.6V,5.45-5.73V,500mW,	
				D703	0401-000133	DIODE-SWITCHING:RLS4148,100V,200mA,SOD-80C,TP	
				D704	0401-000133	DIODE-SWITCHING:RLS4148,100V,200mA,SOD-80C,TP	
				D707	0401-000133	DIODE-SWITCHING:RLS4148,100V,200mA,SOD-80C,TP	
				IC701	1001-001030	IC-VIDEO SWITCH:TDA6920X,-,SOP,28P,300MIL,-,13	
				IC702	1001-001030	IC-VIDEO SWITCH:TDA6920X,-,SOP,28P,300MIL,-,13	
				IC703	1201-000541	IC-OP AMP:062,SOP,8P,153MIL,DUAL,6V/mV,P	
				IC704	1201-000541	IC-OP AMP:062,SOP,8P,153MIL,DUAL,6V/mV,P	
				IC706	1001-000223	IC-VIDEO SWITCH:TEA5114A,-,DIP,16P,334MIL,SING	
				J701	2007-000029	R-CHIP:0ohm,5%,1/10W,DA,TP,2012	
				J702	2007-000029	R-CHIP:0ohm,5%,1/10W,DA,TP,2012	
				J703	2007-000029	R-CHIP:0ohm,5%,1/10W,DA,TP,2012	
				L701	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
				L705	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L706	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L707	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L708	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L709	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L710	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L711	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L712	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L713	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L714	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L715	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L716	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L717	2701-000116	INDUCTOR-AXIAL:10uH,10%,4.2x9.8mm	
				L718	2701-000116	INDUCTOR-AXIAL:10uH,10%,4.2x9.8mm	
				L719	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L720	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				L721	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm	
				O701	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				O702	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				O703	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				O704	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				O705	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				O706	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				O707	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				O708	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				O709	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				Q710	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				Q711	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				Q712	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				Q713	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				Q714	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				Q715	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				Q716	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				Q717	0501-000727	TR-SMALL SIGNAL:BC848C,NPN,310mW,SOT-23,TP,420	
				R701	2007-001166	R-CHIP:75ohm,5%,1/10W,DA,TP,2012	
				R702	2007-001166	R-CHIP:75ohm,5%,1/10W,DA,TP,2012	
				R703	2007-000766	R-CHIP:330ohm,5%,1/10W,DA,TP,2012	

### ASSY-S/W,DETECTOR

\* AA95-90021F ASSY-S/W,DETECTOR,-,SVP-403J,ALT51A,NTSC,110-220

AF1A AA39-20015M LEAD CONNECTOR-ASSY,-,67096-003,-,(2)P,900mm,1007  
 SL+BS 6001-001003 SCREW-MACHINE:BH,+M2.6,L6,ZPC(BLK),SWRCH10A  
 SW 3409-000178 SWITCH-LEVER:12V,100mA,SPDT,-,27deg  
 AA61-10185ABRACKET-SENSOR:-,L3300,SECC,T1.0,-,-,-

### ASSY-AV,TERMINAL

\* AA95-90031J ASSY-AV,TERMINAL,-,SP403JHA,PLT51A,-,-,EU

C701	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C702	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C703	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C704	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C705	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C706	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,	
C707	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C710	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C711	2401-002009	C-AL:100uF,20%,16V,GP,TP6.3x7.5	
C712	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,	
C713	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C714	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C717	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,	
C718	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,	
C719	2203-000239	C-CERAMIC,CHIP:100pF,5%,50V,NPO,TP,2012,-	
C720	2203-000938	C-CERAMIC,CHIP:470pF,5%,50V,NPO,TP,2012,-	
C721	2203-000595	C-CERAMIC,CHIP:220pF,5%,50V,NPO,TP,2012,-	
C723	2203-002392	C-CERAMIC,CHIP:220nF,+80-20%,50V,Y5V,TP,2012,	
C724	2203-000683	C-CERAMIC,CHIP:27pF,5%,50V,NPO,TP,2012,-	
C725	2203-000683	C-CERAMIC,CHIP:27pF,5%,50V,NPO,TP,2012,-	
C726	2203-000683	C-CERAMIC,CHIP:27pF,5%,50V,NPO,TP,2012,-	
C727	2203-000239	C-CERAMIC,CHIP:100pF,5%,50V,NPO,TP,2012,-	
C728	2203-000239	C-CERAMIC,CHIP:100pF,5%,50V,NPO,TP,2012,-	
C729	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-	
C730	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-	
C731	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-	
C732	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-	
C733	2203-000239	C-CERAMIC,CHIP:100pF,5%,50V,NPO,TP,2012,-	
C734	2203-000239	C-CERAMIC,CHIP:100pF,5%,50V,NPO,TP,2012,-	
C735	2203-000239	C-CERAMIC,CHIP:100pF,5%,50V,NPO,TP,2012,-	
C736	2203-000239	C-CERAMIC,CHIP:100pF,5%,50V,NPO,TP,2012,-	
C737	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-	
C738	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-	
C739	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C740	2401-002299	C-AL:4.7uF,20%,50V,GP,TP5x7.5	
C741	2401-002299	C-AL:4.7uF,20%,50V,GP,TP5x7.5	
C742	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,	
C743	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C744	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-	
C745	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,	
C746	2401-002009	C-AL:100uF,20%,16V,GP,TP6.3x7.5	
C747	2401-002009	C-AL:100uF,20%,16V,GP,TP6.3x7.5	
C748	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,	
C749	2401-002299	C-AL:4.7uF,20%,50V,GP,TP5x7.5	
C750	2401-002299	C-AL:4.7uF,20%,50V,GP,TP5x7.5	





Electric Parts List

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
CL235	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		DL502	0401-000005	DIODE-SWITCHING:1N4148,75V,300mA,DO-35,TP	
CL236	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		DL503	0403-000294	DIODE-ZENER:MTZ4.7B,4.7V,4.55-4.80V,500mW,	
CL237	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		FL302	2901-000227	FILTER-EMI SMD:50V,300mA,-,100pF,12.5x4.5x1.2	
CL238	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		FL303	2901-000227	FILTER-EMI SMD:50V,300mA,-,100pF,12.5x4.5x1.2	
CL239	2401-001840	C-AL:100uF,20%,16V,GP,TP,6.3x11.5		ICL101	1203-000006	IC-POSI.FIXED REG.:7808,TO-220,3P,-,PLASTIC,7.7/8	
CL240	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		ICL102	1203-000162	IC-POSI.ADJUST REG.:317,TO-220,3P,-,PLASTIC,12V,-,	
CL242	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		ICL103	1203-000274	IC-POSI.FIXED REG.:7805,TO-220,3P,-,PLASTIC,4.8/5	
CL243	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		ICL109	0801-000901	IC-CMOS LOGIC:74HC04,INVERTER,SOP,14P,150MIL	
CL244	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		ICL201	1002-000134	IC-D/A CONVERTER:TDA8444,6BIT,DIP,16P,-,-,ST,BI	
CL245	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		ICL202	1002-000134	IC-D/A CONVERTER:TDA8444,6BIT,DIP,16P,-,-,ST,BI	
CL246	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		ICL203	1002-000134	IC-D/A CONVERTER:TDA8444,6BIT,DIP,16P,-,-,ST,BI	
CL247	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		ICL204	1003-001094	IC-LCD DRIVER:CXA1853Q,OFF,80P,14.0MIL,-,-,T	
CL248	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		ICL205	1003-001093	IC-LCD DRIVER:CXA2504N,SOP,40P,248MIL,PLASTI	
CL249	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		ICL301	1003-001095	IC-LCD CONTROLLER:CXD2443Q,OFF,100P,-,-,-,TR,PLA	
CL250	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		ICL401	0801-000662	IC-CMOS LOGIC:74HC123,MULTIVIBATOR,SOP,16P,1	
CL251	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		ICL402	0801-000662	IC-CMOS LOGIC:74HC123,MULTIVIBATOR,SOP,16P,1	
CL252	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		ICL403	0801-000662	IC-CMOS LOGIC:74HC123,MULTIVIBATOR,SOP,16P,1	
CL255	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		ICL404	1204-000464	IC-VIDEO PROCESS:TDA4780,DIP,28P,-,PLASTIC,8.8V	
CL256	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		LL101	2701-000112	INDUCTOR-AXIAL:100uH,10%,2.8x7mm	
CL257	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		LL104	2701-000002	INDUCTOR-AXIAL:100uH,10%,4.2x9.8mm	
CL258	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		LL201	2701-000112	INDUCTOR-AXIAL:100uH,10%,2.8x7mm	
CL260	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		LL202	2701-000112	INDUCTOR-AXIAL:100uH,10%,2.8x7mm	
CL261	2401-000318	C-AL:100uF,20%,25V,LZ,TP,8x11.5,5		LL203	2701-000112	INDUCTOR-AXIAL:100uH,10%,2.8x7mm	
CL262	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		LL301	2701-000112	INDUCTOR-AXIAL:100uH,10%,2.8x7mm	
CL263	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		LL303	2701-000112	INDUCTOR-AXIAL:100uH,10%,2.8x7mm	
CL264	2401-001840	C-AL:100uF,20%,16V,GP,TP,6.3x11.5		LL304	2701-000112	INDUCTOR-AXIAL:100uH,10%,2.8x7mm	
CL265	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		LL305	2701-000326	INDUCTOR-AXIAL:560nH,10%,2.3x3.4mm	
CL266	2404-000151	C-TA,CHIP:1uF,20%,16V,-,TP,3216,-		LL306	2701-000326	INDUCTOR-AXIAL:560nH,10%,2.3x3.4mm	
CL267	2404-000151	C-TA,CHIP:1uF,20%,16V,-,TP,3216,-		LL307	2701-000326	INDUCTOR-AXIAL:560nH,10%,2.3x3.4mm	
CL268	2404-000151	C-TA,CHIP:1uF,20%,16V,-,TP,3216,-		LL401	2701-000149	INDUCTOR-AXIAL:2.7uH,10%,2.5x3.4mm	
CL269	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		LL402	2701-000208	INDUCTOR-AXIAL:6.8uH,10%,2.5x3.4mm	
CL270	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		LL403	2701-000208	INDUCTOR-AXIAL:6.8uH,10%,2.5x3.4mm	
CL271	2404-000151	C-TA,CHIP:1uF,20%,16V,-,TP,3216,-		QL105	0501-000002	TR-SMALL SIGNAL:KSA812,PNP,150mW,SOT-23,TP,135	
CL272	2404-000151	C-TA,CHIP:1uF,20%,16V,-,TP,3216,-		QL106	0501-000002	TR-SMALL SIGNAL:KSA812,PNP,150mW,SOT-23,TP,135	
CL273	2404-000151	C-TA,CHIP:1uF,20%,16V,-,TP,3216,-		QL107	0501-000002	TR-SMALL SIGNAL:KSA812,PNP,150mW,SOT-23,TP,135	
CL274	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		QL201	0501-000342	TR-SMALL SIGNAL:KSC1623-Y,NPN,200mW,SOT-23,TP,	
CL301	2401-001840	C-AL:100uF,20%,16V,GP,TP,6.3x11.5		QL202	0501-000002	TR-SMALL SIGNAL:KSA812,PNP,150mW,SOT-23,TP,135	
CL302	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		QL203	0501-000342	TR-SMALL SIGNAL:KSC1623-Y,NPN,200mW,SOT-23,TP,	
CL303	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		QL204	0501-000002	TR-SMALL SIGNAL:KSA812,PNP,150mW,SOT-23,TP,135	
CL305	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		QL301	0501-000002	TR-SMALL SIGNAL:KSA812,PNP,150mW,SOT-23,TP,135	
CL307	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		QL302	0501-000002	TR-SMALL SIGNAL:KSA812,PNP,150mW,SOT-23,TP,135	
CL309	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		QL303	0501-000002	TR-SMALL SIGNAL:KSA812,PNP,150mW,SOT-23,TP,135	
CL311	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		QL401	0501-000342	TR-SMALL SIGNAL:KSC1623-Y,NPN,200mW,SOT-23,TP,	
CL313	2203-000239	C-CERAMIC,CHIP:100pF,5%,50V,NPO,TP,2012,-		QL402	0501-000342	TR-SMALL SIGNAL:KSC1623-Y,NPN,200mW,SOT-23,TP,	
CL314	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		QL403	0501-000342	TR-SMALL SIGNAL:KSC1623-Y,NPN,200mW,SOT-23,TP,	
CL315	2203-001158	C-CERAMIC,CHIP:68pF,5%,50V,NPO,TP,2012,-		QL404	0501-000342	TR-SMALL SIGNAL:KSC1623-Y,NPN,200mW,SOT-23,TP,	
CL316	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		QL405	0501-000342	TR-SMALL SIGNAL:KSC1623-Y,NPN,200mW,SOT-23,TP,	
CL317	2401-001026	C-AL:3.3uF,20%,50V,GP,TP,5x11.5		QL406	0501-000342	TR-SMALL SIGNAL:KSC1623-Y,NPN,200mW,SOT-23,TP,	
CL318	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		RL101	2001-001146	R-CARBON(S):4.7ohm,5%,1/2W,AA,TP,2.4x6.4mm	
CL321	2203-000260	C-CERAMIC,CHIP:10nF,10%,50V,X7R,TP,2012,-		RL102	2004-001376	R-METAL(S):11Kohm,1%,1/2W,AA,TP,2.4x6.4mm	
CL322	2401-001537	C-AL:47uF,20%,25V,GP,TP,6.3x7mm,5mm		RL103	2001-001146	R-CARBON(S):4.7ohm,5%,1/2W,AA,TP,2.4x6.4mm	
CL323	2401-001537	C-AL:47uF,20%,25V,GP,TP,6.3x7mm,5mm		RL105	2001-001045	R-CARBON(S):1.2Kohm,5%,1/2W,AA,TP,2.4x6.4mm	
CL324	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		RL112	2007-000030	R-CHIP:560ohm,5%,1/10W,DA,TP,2012	
CL325	2401-000318	C-AL:100uF,20%,25V,LZ,TP,8x11.5,5		RL113	2007-000030	R-CHIP:560ohm,5%,1/10W,DA,TP,2012	
CL326	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		RL114	2007-000030	R-CHIP:560ohm,5%,1/10W,DA,TP,2012	
CL327	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		RL115	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CL329	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		RL116	2007-001001	R-CHIP:510ohm,5%,1/10W,DA,TP,2012	
CL403	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		RL118	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CL404	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		RL119	2007-001001	R-CHIP:510ohm,5%,1/10W,DA,TP,2012	
CL405	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		RL121	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CL406	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		RL122	2007-001001	R-CHIP:510ohm,5%,1/10W,DA,TP,2012	
CL407	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		RL127	2007-000401	R-CHIP:150ohm,5%,1/10W,DA,TP,2012	
CL408	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		RL128	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
CL501	2201-000265	C-CERAMIC,DISC:180pF,5%,50V,RH,TP,8x3,5		RL129	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CL502	2201-000146	C-CERAMIC,DISC:100pF,5%,50V,SL,TP,5x3,5		RL130	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CL503	2201-000653	C-CERAMIC,DISC:68pF,5%,50V,SL,TP,4.0X3.5mm,2		RL131	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
CL601	2401-000598	C-AL:1uF,20%,50V,GP,TP,4x7,5		RL132	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CL602	2401-000480	C-AL:10uF,20%,50V,GP,TP,5x11,5		RL133	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CNL04	3708-001162	CONNECTOR-FPC/FC/PIC:24P,1mm,SMD-A,SN		RL134	2007-000290	R-CHIP:100ohm,5%,1/10W,DA,TP,2012	
CNL06	3711-002642	CONNECTOR-HEADER:BOX,3P,1R,2.5mm,STRAIGHT,SN		RL135	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012	
CNL07	3711-002644	CONNECTOR-HEADER:BOX,5P,1R,2.5mm,STRAIGHT,SN		RL136	2007-001071	R-CHIP:6.8Kohm,5%,1/10W,DA,TP,2012	
CNL08	3711-002642	CONNECTOR-HEADER:BOX,3P,1R,2.5mm,STRAIGHT,SN		RL137	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012	
DL301	0405-000117	DIODE-VARACTOR:1SV215,30V,10nA,USC,TP		RL138	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
DL401	0401-000133	DIODE-SWITCHING:RLS4148,100V,200mA,SOD-80C,TP		RL139	2007-000468	R-CHIP:1Kohm,5%,1/10W,DA,TP,2012	
DL402	0401-000133	DIODE-SWITCHING:RLS4148,100V,200mA,SOD-80C,TP		RL140	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	
DL403	0401-000133	DIODE-SWITCHING:RLS4148,100V,200mA,SOD-80C,TP		RL141	2007-000468	R-CHIP:1Kohm,5%,1/10W,DA,TP,2012	
DL501	0403-000294	DIODE-ZENER:MTZ4.7B,4.7V,4.55-4.80V,500mW,		RL142	2007-000931	R-CHIP:470ohm,5%,1/10W,DA,TP,2012	



Electric Parts List

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
C207	2203-000578	C-CERAMIC,CHIP:220nF,20%,50V,Y5V,TP,3216,3.2m		C428	2401-000914	C-AL:22uf,20%,16V,GP,TP,5x11.5	
C208	2203-000578	C-CERAMIC,CHIP:220nF,20%,50V,Y5V,TP,3216,3.2m		CF01	2203-000555	C-CERAMIC,CHIP:20pF,5%,50V,NPO,TP,2012,-	
C209	2203-000578	C-CERAMIC,CHIP:220nF,20%,50V,Y5V,TP,3216,3.2m		CF02	2203-000555	C-CERAMIC,CHIP:20pF,5%,50V,NPO,TP,2012,-	
C211	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		CF03	2203-000555	C-CERAMIC,CHIP:20pF,5%,50V,NPO,TP,2012,-	
C212	2401-001271	C-AL:4.7uf,20%,50V,GP,TP,4x7mm,5mm		CF09	2203-000938	C-CERAMIC,CHIP:470pF,5%,50V,NPO,TP,2012,-	
C213	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		CN203	3711-001283	CONNECTOR-HEADER:NOWALL,14P,1R,2.5mm,ANGLE,-	
C214	2401-001271	C-AL:4.7uf,20%,50V,GP,TP,4x7mm,5mm		CN204	3711-001283	CONNECTOR-HEADER:NOWALL,14P,1R,2.5mm,ANGLE,-	
C215	2203-001172	C-CERAMIC,CHIP:6pF,0.25pF,50V,NPO,TP,2012,-		CN205	3711-003543	CONNECTOR-HEADER:NOWALL,16P,1R,2.54mm,ANGLE,SN	
C216	2203-001172	C-CERAMIC,CHIP:6pF,0.25pF,50V,NPO,TP,2012,-		CN206	3711-001283	CONNECTOR-HEADER:NOWALL,14P,1R,2.5mm,ANGLE,-	
C217	2203-000444	C-CERAMIC,CHIP:1nF,10%,50V,X7R,TP,2012,-		D205	0403-000666	DIODE-ZENER:MT25.1A,5.1V,4.81-5.07V,500mW,	
C218	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		IC201	1205-001172	IC-INTERFACE:CIP3250A,PLCC.68P,24.2MIL,PLAS	
C219	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		IC202	1204-001362	IC-VIDEO PROCESS:VPC3215C,PLCC.43P,-,PLASTIC,6.	
C21H	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		IC203	1203-000346	IC-VOL. SUPERVISORY:7705,SOP8P,150MIL,PLASTIC,20V	
C220	2401-001496	C-AL:47uf,20%,16V,GP,TP,5x7.5		IC204	1002-001045	IC-D/A CONVERTER:9280,8BIT,PLCC.68P,-,TR,CMOS	
C221	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		IC206	1204-001188	IC-VERTICAL PROCESS:SDA9272,QFP,208P,28.0MIL,PLAST	
C222	2401-000302	C-AL:100uf,20%,25V,GP,TP,6.3x11.5		IC207	1105-001071	IC-DRAM:9253,212x64BIT,QFP,64P,17.2MIL	
C223	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		IC208	1105-001071	IC-DRAM:9253,212x64BIT,QFP,64P,17.2MIL	
C224	2401-000302	C-AL:100uf,20%,25V,GP,TP,6.3x11.5		IC212	0803-000123	IC-TTL:74F125,BUFFER,SOP,14P,150MIL,Q	
C225	2401-000302	C-AL:100uf,20%,25V,GP,TP,6.3x11.5		L202	2701-000142	INDUCTOR-AXIAL:1uH,10%,2.5x3.4mm	
C226	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L203	2701-000142	INDUCTOR-AXIAL:1uH,10%,2.5x3.4mm	
C227	2401-000302	C-AL:100uf,20%,25V,GP,TP,6.3x11.5		L204	2701-000142	INDUCTOR-AXIAL:1uH,10%,2.5x3.4mm	
C228	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L205	2701-000142	INDUCTOR-AXIAL:1uH,10%,2.5x3.4mm	
C229	2401-000302	C-AL:100uf,20%,25V,GP,TP,6.3x11.5		L206	2901-000297	FILTER-EMI ON BOARD:-,3A,-,-,3.5x5,TP-	
C230	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L207	2901-000297	FILTER-EMI ON BOARD:-,3A,-,-,3.5x5,TP-	
C233	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L208	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C234	2401-002235	C-AL:10uf,20%,16V,GP,TP,5x11mm,5mm		L210	2701-000146	INDUCTOR-AXIAL:2.2uH,10%,2.5x3.4mm	
C236	2401-002235	C-AL:10uf,20%,16V,GP,TP,5x11mm,5mm		L211	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C237	2203-000979	C-CERAMIC,CHIP:47nF,10%,50V,X7R,TP,2012,-		L212	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C239	2203-000753	C-CERAMIC,CHIP:330nF,+80-20%,50V,Y5V,TP,3216,		L213	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C243	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L214	2701-000116	INDUCTOR-AXIAL:10uH,10%,4.2x9.8mm	
C244	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L215	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C245	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L216	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C246	2401-002594	C-AL:220uf,20%,16V,GP,TP,8x11.5,5		L217	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C247	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L218	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C248	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L220	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C249	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L230	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C250	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L232	2701-000146	INDUCTOR-AXIAL:2.2uH,10%,2.5x3.4mm	
C251	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L233	2701-000146	INDUCTOR-AXIAL:2.2uH,10%,2.5x3.4mm	
C252	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L236	2701-000146	INDUCTOR-AXIAL:2.2uH,10%,2.5x3.4mm	
C253	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		L237	2701-000115	INDUCTOR-AXIAL:10uH,10%,2.8x7mm	
C254	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		LF01	2001-000210	R-CARBON:0ohm,5%,1/8W,AA,TP,1.8x3.2mm	
C255	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		LF02	2001-000210	R-CARBON:0ohm,5%,1/8W,AA,TP,1.8x3.2mm	
C256	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		Q203	0501-000389	TR-SMALL SIGNAL:K5C815,NPN,400mW,T0-92,TP,120-	
C257	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R1	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C258	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R11	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C259	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R13	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C260	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R15	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C262	2401-002594	C-AL:220uf,20%,16V,GP,TP,8x11.5,5		R16	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C263	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R18	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C264	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R20	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C265	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R212	2007-000941	R-CHIP:47Kohm,5%,1/10W,DA,TP,2012	
C266	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R213	2007-000941	R-CHIP:47Kohm,5%,1/10W,DA,TP,2012	
C267	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R215	2007-000380	R-CHIP:13Kohm,5%,1/10W,DA,TP,2012	
C268	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R216	2007-000300	R-CHIP:10Kohm,5%,1/10W,DA,TP,2012	
C269	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R217	2007-000401	R-CHIP:150ohm,5%,1/10W,DA,TP,2012	
C270	2401-002594	C-AL:220uf,20%,16V,GP,TP,8x11.5,5		R218	2007-000401	R-CHIP:150ohm,5%,1/10W,DA,TP,2012	
C271	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R219	2007-000401	R-CHIP:150ohm,5%,1/10W,DA,TP,2012	
C272	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R22	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C273	2401-000302	C-AL:100uf,20%,25V,GP,TP,6.3x11.5		R220	2007-000401	R-CHIP:150ohm,5%,1/10W,DA,TP,2012	
C274	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R221	2007-001055	R-CHIP:6.2Kohm,5%,1/10W,DA,TP,2012	
C275	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R222	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C276	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R223	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C277	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R224	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C278	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R225	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C279	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R226	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C280	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R227	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C281	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R228	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C282	2203-000239	C-CERAMIC,CHIP:100pF,5%,50V,NPO,TP,2012,-		R229	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C283	2203-000142	C-CERAMIC,CHIP:1.5nF,10%,50V,X7R,TP,2012,-		R230	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C402	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R231	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C404	2203-000192	C-CERAMIC,CHIP:100nF,+80-20%,50V,Y5V,TP,2012,		R232	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C405	2203-001002	C-CERAMIC,CHIP:47pF,5%,50V,NPO,TP,2012,-		R234	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C409	2203-000938	C-CERAMIC,CHIP:470pF,5%,50V,NPO,TP,2012,-		R235	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C414	2203-000239	C-CERAMIC,CHIP:100pF,5%,50V,NPO,TP,2012,-		R236	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C415	2203-001002	C-CERAMIC,CHIP:47pF,5%,50V,NPO,TP,2012,-		R237	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C416	2203-001002	C-CERAMIC,CHIP:47pF,5%,50V,NPO,TP,2012,-		R238	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	
C421	2203-001002	C-CERAMIC,CHIP:47pF,5%,50V,NPO,TP,2012,-		R24	2007-000947	R-CHIP:47ohm,5%,1/10W,DA,TP,2012	



Electric Parts List

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
AS1A	AA39-20505A	LEAD CONNECTOR-ASSY;- ,YSH025-04,REC,4P,900.700,100					
<b>ASSY-ACCESSORY</b>							
	AA39-40001B	CABLE-RCA;- ,RCA,1500mm,0.12/10,RED/WHT/Y					
		BUYER : SEG/ANA/BOB/ELS/EUP/INT/XEH/XEO/XEU					
I/B	AA68-11328A	MANUAL-USERS;PLT51A,ENG/GER,TM49,B5,W/P 100					
		BUYER : AMFO					
I/B	AA68-11329A	MANUAL-USERS;PLT51A,FRA/DUT,TM49,B5,W/P					
		BUYER : ATR					
I/B	AA68-11329A	MANUAL-USERS;PLT51A,FRA/DUT,TM49,B5,W/P					
I/B	AA68-11361A	MANUAL-USERS;PLT51A,GER/ITA,TM49,B5,W/P					
		BUYER : NSI					
I/B	AA68-11330A	MANUAL-USERS;PLT51A,FINL/NORW,TM54,B5,W/P					
I/B	AA68-11335A	MANUAL-USERS;PLT51A,SWE/DAN,TM49,B5,W/P					
		BUYER : XEC					
I/B	AA68-11331A	MANUAL-USERS;PLT51A,SPA/POR,TM49,B5,W/P					
		BUYER : XEF					
I/B	AA68-11329A	MANUAL-USERS;PLT51A,FRA/DUT,TM49,B5,W/P					
		BUYER : SEI					
I/B	AA68-11329A	MANUAL-USERS;PLT51A,FRA/DUT,TM49,B5,W/P					
S/D	AA68-20055A	MANUAL-S/D;PLT51A,ENG;- ,W/P,100(G),-ITAL					
S/N	AA68-20056A	MANUAL-SERVICE;PLT51A,W/P,100(G),B5,U K/IT A/S					