

FTE HEAD

| | |
|----------|---|
| FTE HEAD | 1 |
| GND | 2 |

AUDIO/CTL HEAD

| | |
|----------|---|
| CN841 | |
| CTL + | 1 |
| CTL - | 2 |
| R/P HEAD | 3 |
| R/P HEAD | 4 |
| FE, AE | 5 |
| GND | 6 |

MC-4
T. TOP/END SENSOR LED

CN831

| | |
|--------------|---|
| T.B. LED (A) | 1 |
| T.B. LED (K) | 2 |

MC-1

| | |
|-------------|---|
| CN802 (BR) | |
| GND | 1 |
| SF (EP) SW | 3 |
| FL. STOP SW | 4 |
| SMD 5V | 6 |
| T. REEL. P | 7 |

MC-2
MECHANISM CONNECTION

| | |
|------------|----|
| CN818 | |
| GND (MH) | 14 |
| H-VS | 13 |
| ALWAYS 13V | 12 |
| D-FG | 11 |
| GND | 10 |
| D-PG | 9 |
| GND (MC) | 8 |
| ALWAYS 13V | 7 |
| SMD 5V | 6 |
| FG-1 | 5 |
| GND | 4 |
| FG-2 | 3 |
| C-VS | 2 |
| F/R | 1 |

MC
CAPSTAN MOTOR

| | |
|------------|---|
| F/R | 1 |
| C-VS | 2 |
| FG-2 | 3 |
| GND | 4 |
| FG-1 | 5 |
| SMD 5V | 6 |
| ALWAYS 13V | 7 |
| GND (MC) | 8 |

CN816 (P)

| | |
|-------------|---|
| GND | 1 |
| SF (EP) SW | 3 |
| FL. STOP SW | 4 |
| SMD 5V | 6 |
| T. REEL. P | 7 |

MH
HEAD MOTOR DRAM

| | |
|------------|---|
| D-PG | 1 |
| GND | 2 |
| D-FG | 3 |
| ALWAYS 13V | 4 |
| H-VS | 5 |
| GND (MH) | 6 |

CN814 (P)

| | |
|------------|---|
| D-PG | 1 |
| GND | 2 |
| D-FG | 3 |
| ALWAYS 13V | 4 |
| H-VS | 5 |
| GND (MH) | 6 |

MC-3

| | |
|-----------|---|
| CN823 | |
| GND | 1 |
| SW DATA 2 | 2 |
| SW DATA 1 | 3 |
| SW DATA 3 | 4 |
| LM + | 5 |
| LM - | 6 |
| DEW. S | 7 |


ME. MO SW

M.L.

CN817

| | |
|--------------|----|
| DEW. S | 14 |
| LM - | 13 |
| LM + | 12 |
| SW DATA 3 | 11 |
| SW DATA 1 | 10 |
| SW DATA 2 | 9 |
| T. REEL. S. | 8 |
| SMD 5V | 7 |
| FL. STOP. SW | 6 |
| SF (EP) SW | 5 |
| GND | 4 |

OVERALL WIRING DIAGRAM



MECHANISM CONNECTION CIRCUIT DIAGRAM

