

Data Sheet

# Savvio 10K.2

## 2.5-inch enterprise hard drive

### 146 and 73 GB • 10K RPM • 3-Gbit/sec Serial Attached SCSI (SAS)

#### Key Advantages

- The Seagate® Savvio® family is fast becoming the drive of choice for enterprise systems. Savvio drives enable cooler, faster and much more reliable systems than 3.5-inch enterprise drives.
- The 2.5-inch enterprise drive is 70 percent smaller than 3.5-inch drives, using less power, requiring less cooling and enabling more airflow to cool processors.
- The Savvio drive's smaller size enables faster seek times and more drives per system, increasing performance per U. It also allows room for more memory cards in the system to match faster processors.
- The Savvio 10K.2 drive sets a new record for the highest reliability rating and also has the best nonrecoverable error rate, improved by a factor of 10, to rigorously safeguard data.
- The Savvio 10K.2 drive enables more drives per system, allowing RAID 5, or mirroring with hot spares, in 1U servers. The Savvio 10K.2 drives brings enterprise-class reliability to blade servers.



#### Best-Fit Applications

- Email/collaboration
- File and print
- Database
- Transaction processing
- Rack and tower servers
- Blade servers
- Storage arrays
- Space-constrained specialty applications

# Savvio 10K.2

## 2.5-inch enterprise hard drive



The Savvio 10K.2 drive delivers higher reliability and greater performance density in a cooler-running system.

### Cooler

- The 2.5-inch enterprise drive is 70 percent smaller than 3.5-inch drives, enabling more airflow to cool processors.
- The smaller size enables the Savvio 10K.2 drive to consume at least 20 percent less power than any 3.5-inch 10K drive, reducing power costs.
- The Savvio 10K.2 creates less heat, lowering system temperatures and reducing cooling costs.

### Faster

- The Savvio 10K.2 drive's 70 percent smaller size enables integration of more drives into smaller, more space-efficient systems to deliver higher performance per U than classic 3.5-inch systems.
- Seek times over 10 percent faster than all other 10K 3.5-inch drives enable exceptional random I/O performance.
- The Savvio 10K.2 drive has over 40 percent faster sequential performance than the last-generation Savvio drive.

### More Reliable

- The Savvio 10K.2 drive sets a new record for the highest reliability rating in the world and is offered by a trusted partner.
- The Savvio 10K.2 drive uses perpendicular recording to comfortably deliver 146-GB capacity and has the best nonrecoverable error rate, improved by a factor of 10, to rigorously safeguard data.
- The Savvio 10K.2 drive enables more drives per system, allowing RAID 5 in 1U servers, or allowing mirroring with hot spares in 1U servers. The Savvio 10K.2 drive brings enterprise-class performance and reliability to blade servers.

### Seagate Service Centers—Worldwide Support

- Presales and technical support at 1-800-SEAGATE
- Free technical support for the life of the product
- Expert email support and complete historical web content available online
- Certified, experienced support staff
- Rated "Above Average to Excellent" by 95 percent of our customers
- Seagate Design Service Centers (DSC) help companies transform innovative ideas into viable products.

Specifications	146 GB <sup>1</sup>	73 GB <sup>1</sup>
Model Number	ST9146802SS	ST973402SS
<b>Capacity</b>		
Formatted 512 Kbytes/Sector (GB)	146.8	73.4
Interface	3-Gb/s SAS	3-Gb/s SAS
External Transfer Rate (MB/s)	300	300
<b>Performance</b>		
Spindle Speed (RPM)	10K	10K
Average Latency (msec)	3.0	3.0
Seek Time		
Average Read/Write (msec)	3.8/4.4	3.8/4.4
Track-to-Track Read/Write (msec)	0.2/0.4	0.2/0.4
Sustained Transfer Rate, Outer to Inner Diameter (MB/s)	89 to 55	89 to 55
Cache, Multisegmented (MB)	16	16
<b>Configuration/Reliability</b>		
Disks	2	1
Heads	4	2
Nonrecoverable Read Errors per Bits Read	1 sector per 10E16	1 sector per 10E16
Annualized Failure Rate (AFR)	0.55%	0.55%
<b>Power Management</b>		
Typical Op (amps) +12V/+5V	0.39/0.79	0.34/0.81
Power Idle (watts)	5.2	5.1
<b>Environmental</b>		
Temperature, Operating (°C)	5 to 55	5 to 55
Temperature, Nonoperating (°C)	-40 to 70	-40 to 70
Shock, Operating: 2 msec (Gs)	60	60
Shock, Nonoperating: 2 msec (Gs)	300	300
Acoustics Idle (bels—sound power)	3.1	3.1
Vibration, Operating: <400 Hz (Gs)	0.5	0.5
Vibration, Nonoperating: <500 Hz (Gs)	1.2	1.2
<b>Physical</b>		
Height (in/mm)	0.583/14.8	0.583/14.8
Width (in/mm)	2.76/70.1	2.76/70.1
Depth (in/mm)	3.945/100.2	3.945/100.2
Weight (lb/kg)	0.5/0.21	0.5/0.21
<b>Warranty</b>		
Limited Warranty (years)	5	5

<sup>1</sup>One gigabyte, or GB, equals one billion bytes when referring to hard drive capacity.

[www.seagate.com](http://www.seagate.com)

1-800-SEAGATE (1-800-732-4283)

AMERICAS Seagate Technology LLC 920 Disc Drive, Scotts Valley, California 95066, United States, 831-438-6550  
ASIA/PACIFIC Seagate Technology International Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888  
EUROPE, MIDDLE EAST AND AFRICA Seagate Technology SAS 130-136, rue de Silly, 92773, Boulogne-Billancourt Cedex, France 33 1-4186 10 00

Copyright © 2007 Seagate Technology LLC. All rights reserved. Printed in USA. Seagate, Seagate Technology and the Wave logo are registered trademarks of Seagate Technology LLC. Savvio is a registered trademark or trademark of Seagate Technology LLC. Other product names are registered trademarks or trademarks of their owners. One gigabyte, or GB, equals one billion bytes when referring to hard drive capacity. Accessible capacity may vary depending on operating environment. Seagate reserves the right to change, without notice, product offerings or specifications. Publication Number: DS1599.1-0701US, January 2007