				•	
	LC-37HV4U	LC-30HV4U			
	37" HDTV-Compatible AQUOS Liquid Crystal Television High Resolution (720p HDTV Compatibility) High Brightness	30" HDTV-Compatible AQUOS Liquid Crystal Te High Resolution (720p HDTV Compatibility) High Brightness	elevisionDIMENSIONS	•	•
	High Contrast Ratio Wide Viewing Angles Advanced Super View LCD Panel	High Contrast Ratio Wide Viewing Angles Advanced Super View LCD Panel	Without Speakers Without Table Stand	With Speakers With Table Sta	
	Advanced Super Verw Economics  Black TFT Low-Reflection Coating  AVC System  CV-IC System II Video Enhancement Circuit  "Quick Shoot" Technology for Fast Response Time  Detachable Speakers and Table Stand Included	Black TFT Low-Reflection Coating AVC System CV-IC System II Video Enhancement Circuit DVI Input Detachable Speakers and Table Stand Included	Dimensions Weight W: 37.3" 39.7 lbs. D: 3.2" H: 23.1"	Dimensions W: 46.6" D: 12" H: 27.4"	56.2 lbs.
Type Panel Resolution Lamp life of back light	Active matrix (a-si TFT) Advanced Super View (ASV) 1366 x 768 x RGB 60,000 hours	Active matrix (a-si TFT) Advanced Super View (ASV) 1280 x 768 x RGB 60,000 hours	Without Speakers Without Table Stand Dimensions Weight W: 30.1" 27.8 lbs. D: 3.2"	With Speakers With Table Sta Dimensions W: 39.4" D: 12"	and
TV tuner compatibility Brightness Contrast ratio Viewing angles Content protection Digital comb filter	American TV Standard NTSC System 430 cd/m² 800:1 H:170°/ V:170° HDCP 3D Y/C	American TV Standard NTSC System 430 cd/m <sup>2</sup> 500:1 H:170°/V:170° HDCP 3D Y/C	H: 19.6"  Dimensions Weight W: 16.9" 10.8 lbs. D: 9.7" H: 3.7"	H: 23.9"	
Surround MTS/SAP Output	SRS, FOCUS Yes 10 W x 2	SRS, FOCUS Yes 10 W x 2			•
Inputs (Video)  Inputs (Audio) Inputs (PC) Outputs (Video) Outputs (Audio) Headphone jack RS-232C	HD-Component (Y/Pr/Pb) RCA x 2 DVI-D x 1 S-Video x 4 Composite RCA x 4 L/R RCA x 4 15-pin mini D-Sub x 1 Composite RCA x 1, S-Video x 1 L/R RCA x 1 (Variable/Fixed) 3.5mm mini-jack output 9-pin mini D-Sub x 1	HD-Component (Y/Pr/Pb) RCA x 2 DVI-D x 1 S-Video x 4 Composite RCA x 4 L/R RCA x 4 15-pin mini D-Sub x 1 Composite RCA x 1, S-Video x 1 L/R RCA x 1 (Variable/Fixed) 3.5mm mini-jack output 9-pin mini D-Sub x 1			
OSD Languages Film Mode (3:2 pull-down) View Modes for 4:3 Programs AV Modes Twin Picture EZ Setup/Auto Search Tuning	English/French/Spanish Yes Side Bar, Smart Stretch, Zoom, Stretch Standard, Dynamic, Movie, Game, User Yes (with Freeze function) Yes	English/French/Spanish Yes Side Bar, Smart Stretch, Zoom, Stretch Standard, Dynamic, Movie, Game, User Yes (with Freeze function) Yes			
Source Consumption	AC 110V-240V, 50Hz/60Hz Panel: AC 157W (0.4W standby) AVC: AC 42W (0.33W standby)	AC 110V-240V, 50Hz/60Hz Panel: AC 116W (0.9W standby) AVC: AC 42W (0.33W standby)			

The performance that moves your soul...

Sharp Electronics Corporation • Consumer Electronics Group Sharp Plaza, Mahwah, NJ 07430-2135 conlcd@sharpsec.com Call us toll free at 1-800-BE-SHARP www.sharpusa.com @2003 Sharp Electronics Corporation Printed in USA SV-06-410 7/03

The LC-30HV4U and LC-37HV4U are backed by a 1-year parts and labor limited warranty. TV images are simulated.






our life. Your style.

## The wide-eyed wonder of widescreen AQUOS.

Since their introduction, AQUOS<sup>™</sup> Liquid Crystal Televisions have captured attention with incredible image quality, uniquely sculpted style and groundbreaking, contemporary design.

These distinguishing features of Sharp's legendary AQUOS line are evident in the LC-37HV4U and the LC-30HV4U. Not only do these award-winning Liquid Crystal Televisions offer exciting alternatives to the AQUOS line—a stunning 37-inch model and a versatile 30-inch model—they make even more dramatic

statements about your lifestyle: Sleek lines. Sweeping curves. Magnificent details.



Vividly versatile at 30 inches. The identical design to the new AQUOS flagship, the LC-30HV4U offers many of the same features and comparable performance specifications as the larger AQUOS. Impressive resolution at 1280 x 768 and a 500:1 contrast ratio mean incredible image quality. The included AVC System neatly houses all terminals and connections without cluttering up the home. For convenience, use the included stand or mount it to a wall (with an optional mounting bracket) and sit back and enjoy the exceptional images and the elegant design virtually anywhere.

The advantages continue. Exceptional brightness means vivid pictures—even when the AQUOS is placed in brightly lit rooms or near windows.

Similarly, a high contrast ratio allows superb detail and color purity even during very dark or very bright scenes. And an outstanding 60,000 hour lamp life and low power consumption translate into exceptional efficiency.



In addition to an already wide 170° x 170° viewing angle, the AQUOS panel swivels side-to-side on its stand to allow optimum viewing from just about anywhere.

An extremely wide viewing angle—170° x 170°—lets you enjoy your AQUOS from anywhere in the room.

Our proprietary ASV (Advanced Super View)
high-performance LCD panel continues to be
the most impressive in the industry, thanks in
part to our exclusive Black TFT low-reflection
coating which significantly reduces glare even
under harsh lighting conditions.



uch more than meets the eye. Both the dramatic 37-inch and 30-inch widescreen sizes employ two built-in tuners, which allow simultaneous viewing of two different channels side by side. PC compatibility means you can connect your home computer and enjoy your PC images (digital photos, video, etc.) on the amazing screen. And the DVI (Digital Visual Interface) input is capable of High Definition Content Protection (HDCP) protocol, which ensures compatibility with next generation high definition set-top boxes, making the new AQUOS the perfect solution for today as well as tomorrow. On both models, detachable stereo speakers deliver rich, clear, powerful audio.

Whichever model you choose, AQUOS Liquid
Crystal Televisions redefine what's possible in home
entertainment today. Never before has technology fit
so beautifully into your life.