

# Hi-Fi Products Service Bulletin

CSA-13

Sony Service Company - Technical Services  
A Division of Sony Electronics Inc.  
Sony Drive, Park Ridge, New Jersey 07656

---

**Model:** HCD-H450M, MHC-450

**No.** 442

**Subject:** Laser Diode ON in Standby Mode

**Date:** June 15, 1995

**Symptom:**


(\*\*)

The Laser Diode of the Optical Block may emit when the set is in Standby Mode

**Solution:**

On the solder side of the Main PC board, add a 47K resistor (P/N 1-249-437-11) from pin 13 of IC351 to GND. See diagram below.







Filename: HFP0442.SB  
Directory: J:\SBDOC\JUN95  
Template: C:\WINWORD\TEMPLATE\S\_BULL.DOT  
Title:  
Subject:  
Author: Hoyt Wing Lee  
Keywords:  
Comments:  
Creation Date: 06/15/95 9:29 AM  
Revision Number: 2  
Last Saved On: 06/15/95 9:29 AM  
Last Saved By: Hoyt Wing Lee  
Total Editing Time: 0 Minutes  
Last Printed On: 04/01/96 9:09 AM  
As of Last Complete Printing  
Number of Pages: 3  
Number of Words: 112 (approx.)  
Number of Characters: 642 (approx.)