

**Time Interval and Frequency Counters** 

SR620 01

SR625

Time interval/frequency counter (w/ rack mount)

SR620 w/ rubidium timebase (w/ rack mount)

2 ppb high stability OCXO timebase

**Stanford Research Systems** 1290-D Reamwood Ave., Sunnyvale CA 94089 Phone: 408-744-9040 FAX: 408-744-9049

email: info@thinkSRS.com Web: www.thinkSRS.com

## **International Price List – December 2004**

FFT Spectrum Analyzers			Frequency Standards / Oscillators			
SR760	Single-channel FFT spectrum analyzer	\$5445	FS725	Benchtop rubidium frequency standard	\$2745	
SR770	Single-channel FFT spectrum analyzer (w/ source)	\$7150	01	Distribution amplifier - 6 additional outputs	\$330	
O760H	Carrying handle for SR760 and SR770	\$110	02	Distribution amplifier - 12 additional outputs	\$660	
O760RM	Rack mount kit for SR760 and SR770	\$94	03	Distribution amplifier - 18 additional outputs	\$990	
SR780	Dual-channel dynamic signal analyzer	\$10945	O725RMD	Double rack mount kit for FS725	\$94	
SR785	Dual-channel dynamic signal analyzer	\$13145	O725RMS	Single rack mount kit for FS725	\$94	
O780M1	8 MSample memory for SR780 and SR785	\$880	PRS10	10 MHz rubidium oscillator	\$1645	
O780M1	Rack mount kit for SR780 and SR785	\$94	PRBB	Breakout connector board	\$1645	
CT100	SRS instrument cart	\$935	PRPS	24 VDC switching power supply	\$165	
			PRHS	Benchtop heat sink	\$55	
Synthesized F	unction Generators		PRMC	D-type mating connector	\$22	
DS335	3 MHz function generator	\$1205	SC10	10 MHz ovenized oscillator (base price, qty.100)	\$275	
01	GPIB and RS-232 interfaces	\$545	FS700	LORAN-C freq. std. (with GPIB & rack mount)	\$3245	
02	2 ppm TCXO timebase	\$385	01	Low phase noise oscillator	\$495	
DS340	15 MHz function/arb generator	\$1425	02	RS-232 computer interface	\$385	
01	GPIB & RS-232 interfaces, arb. software	\$545	O700ANT	Replacement antenna	\$275	
02	2 ppm TCXO timebase	\$385	O700LNG	Lightning protection module	\$110	
DS345	30 MHz function/arb generator	\$1755	FS710	10 MHz AGC distribution amplifier (7 channel)	\$1100	
01	GPIB & RS-232 interfaces, arb. software	\$545		1 ,		
02	10 ppb high stability OCXO timebase	\$715	Thermocoup	le Monitor		
O345RMD	Double rack mount kit for DS3XX	\$94	SR630	16-channel thermocouple monitor	\$1645	
O345RMS	Single rack mount kit for DS3XX	\$94	O630KF1	K-type thermocouples, 5 ft., fiberglass, qty. 5	\$55	
DS360	Ultra-low distortion function generator	\$3075	O630KF2	K-type thermocouples, 10 ft., fiberglass, qty. 5	\$83	
O360RM	Rack mount kit	\$94	O630KT1	K-type thermocouples, 5 ft., teflon, qty. 5	\$55	
			O630KT2	K-type thermocouples, 10 ft., teflon, qty. 5	\$83	
Synthesized C	lock Generator		O630RMD	Double rack mount kit	\$94	
CG635	Synthesized clock generator	\$2740	O630RMS	Single rack mount kit	\$94	
01	PRBS w/ comp. LVDS on SMA	\$605				
02	OCXO timebase	\$715	Dual Channe	el Programmable Filters		
03	Rubidium timebase	\$1815	SR640	Two-channel low pass filter (w/ rack mount)	\$3625	
CG640	CMOS (+5 Vcc) to 50 MHz receiver	\$138	SR645	Two-channel high pass filter (w/ rack mount)	\$3625	
CG641	CMOS (+3.3 Vcc) to 250 MHz receiver	\$138	SR650	One high, one low pass filter (w/ rack mount)	\$3625	
CG642	CMOS (+2.5 Vcc) to 250 MHz receiver	\$138	01	High current output for SR6XX filters	\$165	
CG643		\$138	01	riigh current output for SKOAA filters	\$103	
	PECL (+5 Vcc) to 1500 MHz receiver		D: 1/ 1 D 1	/D 1 C		
CG644	PECL (+3.3 Vcc) to 1500 MHz receiver	\$138		/ Pulse Generator		
CG645	PECL (+2.5 Vcc) to 1500 MHz receiver	\$138	DG535	Digital delay / pulse generator (with GPIB)	\$4395	
CG646	RF (+7 dBm) to 1500 MHz receiver	\$138	02	+/-32 volt rear panel outputs	\$715	
CG647	CML/NIM to 1500 MHz receiver	\$138	03	1 ppm TCXO timebase	\$385	
CG648	ECL to 1500 MHz receiver	\$138	06	Trigger inhibit input	\$275	
CG649	LVDS to 2050 MHz receiver	\$138	O4A	100 ps rise time module	\$275	
CG650	All ten receivers (CG640-CG649)	\$1045	O4B	100 ps fall time module	\$275	
O635RMD	Double rack mount kit	\$94	O4C	Bias Tee (used with opt. 02 & O4A or O4B)	\$110	
O635RMS	Single rack mount kit	\$94	O5	Dual rack mount tray	\$165	
LCR Meters			Lock-In Amplifiers			
SR715	10 kHz LCR meter (with RS-232)	\$1425			\$274 <i>5</i>	
SR720	100 kHz LCR meter (with RS-232)	\$2195	SR510	Single phase lock-in (w/ RS-232 & rack mount)	\$2745	
01	GPIB and parts handler interfaces for SR7XX	\$545	SR530	Dual phase lock-in (w/ RS-232 & rack mount)	\$3295	
SR726	Kelvin clips	\$330	01	GPIB computer interface	\$545	
SR727	Surface mount tweezers	\$330 \$330	SR810	DSP single phase lock-in (with rack mount)	\$4015	
			SR830	DSP dual phase lock-in (with rack mount)	\$4345	
O727RT	2 pairs of replacement tips for SR727	\$50 \$220	SR844	200 MHz lock-in (with rack mount)	\$8745	
SR728	Four-wire BNC adapter	\$220	SR850	DSP dual phase lock-in (with rack mount)	\$8250	
O715RAA	Replacement axial adapters (2 pair)	\$39	O850H	Carrying handle kit	\$110	
O715RRF	Replacement radial fixture	\$83				
m						

\$5445

\$1045

\$16335

<b>Preamplifiers</b>			Quartz Cryst	tal Microbalance		
SR560	Low-noise voltage preamplifier	\$2415	QCM100	Includes controller, oscillator, holder and 3 crystals	\$1095	
SR570	Low-noise current preamplifier	\$2415	QCM200	Includes controller, oscillator, holder and 3 crystals	\$2745	
O560RMD	Double rack mount kit for SR5XX	\$94	O100CCB	Crystal cleaning basket	\$215	
O560RMS	Single rack mount kit for SR5XX	\$94	O100FC	Flow cell	\$325 \$425	
O560SB SR445A	Spare battery set (3 batteries) for SR5XX 350 MHz preamplifier (4 ch.)	\$165 \$1210	O100RXO O100RH	Replacement crystal oscillator electronics module Replacement crystal holder	\$435 \$435	
SR550	1 1	\$655	O100R11 O100RX1	Chrome/gold crystals (qty. 10)	\$433 \$325	
SR552	Lock-in voltage preamp. (100 M $\Omega$ , 3.6 nV/ $\sqrt{\text{Hz}}$ )	\$655	O100RX1	Indium tin oxide crystals (qty. 10)	\$655	
SR554	Lock-in voltage preamp. $(100 \text{ k}\Omega, 1.4 \text{ nV/}/\text{Hz})$		O100RX3	Titanium/gold crystals (qty. 10)	\$325	
5K334	Lock-in transformer preamp. (0.091 nV/√Hz)	\$1095	O100RX4	Titanium/platinum crystals (qty. 10)	\$435	
Optical Chopp	er					
SR540	Optical chopper (with 5/6 and 25/30 slot blades)	\$1205	Melting Poin			
O5402530	25/30 dual-slot replacement blade	\$39	MPA100	Melting point apparatus (with USB & software)	\$2745	
O54030	30-slot replacement blade	\$39	O100P	Printer with cable and paper	\$435	
O5405	5-slot replacement blade	\$39	O100MPC	Capillaries (300 pcs.)	\$165	
O54056	5/6 dual-slot replacement blade	\$39	O100MPS	Melting point standards	\$325	
O540RCH	Replacement chopper head	\$242	Nitrogen Las	now.		
High Voltage Power Supplies			NL100 Nitrogen laser Call			
		£1.40 <i>5</i>	O100RC	Replacement laser cartridge	Call	
PS310 PS325	1.25 kV DC power supply, 25 W	\$1485 \$1485	O100SP	Optional sync-out pulse	Call	
PS325 PS350	2.5 kV DC power supply, 25 W 5.0 kV DC power supply, 25 W	\$1485 \$1485	010051	Optional Sylle out pulse	Cuii	
01	GPIB computer interface for PS3XX	\$1465 \$545	Residual Gas	s Analyzers		
O2D	Double rack mount kit for PS3XX	\$94	RGA100	100 amu RGA (with RS-232 cable & software)	\$4125	
O2S	Single rack mount kit for PS3XX	\$94	RGA200	200 amu RGA (with RS-232 cable & software)	\$4950	
O3A	SHV to SHV coaxial cable, 10 ft.	\$110	RGA300	300 amu RGA (with RS-232 cable & software)	\$6600	
ОЗВ	SHV to MHV coaxial cable, 10 ft.	\$110	01	Electron multiplier (EM)	\$1650	
	•		02	Built-in power module for AC line operation	\$275	
Gated Integrat	tors / Boxcar Averagers (NIM Modules)		03	Ion counting output (must have opt. 01)	\$275	
SR200	Gate scanner for SR250 and SR255	\$1100	04	NIST traceable 5 % calibration (N <sub>2</sub> )	\$325	
SR235	Analog math processor	\$1650	O100HJR	200 °C heater jacket for RGAs	\$435	
SR240A	350 MHz preamplifier (4 channel)	\$1100	O100MAX	Maximum insertion nipple with 4.5" flange	\$440	
SR245	Computer interface (GPIB and RS-232)	\$1650	O100EM	Replacement electron multiplier	\$1100	
SR250	Gated integrator	\$3290	O100RF O100RI	Replacement ThO <sub>2</sub> /Ir filament for RGA Replacement ionizer kit (with filament) for RGA	\$220 \$495	
SR255	Fast sampler	\$3290	PPM100	Optional stand-alone monitor for RGA	\$2525	
SR272	Data acquisition Windows software	\$550	11111100	Optional stand-alone monitor for KGA	\$2323	
SR275 SR280	Display module (without power supply) NIM mainframe & display (with power supply)	\$880 \$2200	Closed Ion Se	ource Gas Analyzers		
51(200	(with power suppry)	\$2200	CIS100/1	100 amu CIS (w/EM, RS-232 cable & software)	\$7975	
Small Instrumentation Modules (SIM)			CIS200/1	200 amu CIS (w/EM, RS-232 cable & software)	\$8800	
SIM900	Mainframe with RS-232 computer interface	\$1095	CIS300/1	300 amu CIS (w/EM, RS-232 cable & software)	\$10450	
01	GPIB computer interface FREE INTRO OFFER	\$1075	02	Built-in power module for AC line operation	\$275	
O900RM	Rack mount kit for SIM900	\$94	O100HJC	200 °C heater jacket for CIS analyzers	\$435	
SIM910	JFET preamplifier (100 MΩ, 4 nV/ $\sqrt{\text{Hz}}$ )	\$1073	O100EM	Replacement electron multiplier	\$1100	
SIM911	BJT preamplifier (100 k $\Omega$ , 1.8 nV/ $\sqrt{\text{Hz}}$ )	\$1073	O100RFT	Replacement ThO <sub>2</sub> /Ir filament (qty. 2)	\$138	
SIM914	350 MHz preamplifier, $(50\Omega, 6.4 \text{ nV/VHz})$	\$743	O100RFW	Replacement tungsten filament (qty. 5)	\$110	
SIM918	Precision current preamplifier	\$1375	O100RIC	Replacement ionizer kit (with filament) for CIS	\$990	
SIM921	AC resistance bridge (1 m $\Omega$ to 100 M $\Omega$ )	\$2745	O100TDP	Turbomolecular pump and diaphragm pump	\$11000	
SIM922	Diode temperature monitor	\$545	High Drossur	e Sampling Systems		
SIM922A	Diode temperature monitor with analog output	\$545	PPR100/1	100 amu process monitoring system	\$20900	
SIM923	Platinum RTD monitor	\$545	PPR200/1	200 amu process monitoring system	\$20900	
SIM923A	Platinum RTD monitor with analog output	\$545	PPR300/1	300 amu process monitoring system	\$23375	
SIM925	Octal 4-wire multiplexer	\$1089	QMS100	100 amu atmospheric sampling system	\$25300	
SIM928	Rechargeable isolated voltage source	\$1095	QMS200	200 amu atmospheric sampling system	\$26125	
SIM940	Rubidium frequency standard	\$2145	QMS300	300 amu atmospheric sampling system	\$27775	
SIM960	100 kHz analog PID controller	\$1705	01	High-vacuum rear port for QMS analyzers	\$550	
SIM964 SIM965	1 MHz analog limiter Bessel and Butterworth filter	\$745 \$1095	O100BV	Bypass-valve assembly with orifice	\$3850	
SIM903 SIM970	Four-channel digital voltmeter	\$1093	O100SSC	Stainless steel capillary (10, 100 or 760 Torr)	\$165	
SIM980	Analog summing amplifier	\$1330 \$745	O100PKC	Replacement PEEK capillary (760 Torr)	\$165	
SIM983	Scaling amplifier	\$7 <b>4</b> 5				
500 Souring amplition 9/43			Gas Analyzei			
<b>Photon Count</b>	ers		O100BV	Bypass-valve assembly with orifice	\$3850	
SR400	Dual-channel gated photon counter (w/ rack mount)	\$5885	O100RO	Replacement orifice for O100BV	\$55	
SR430	Multichannel scaler / averager (with rack mount)	\$8745	O100TDP	Turbomolecular pump and diaphragm pump	\$11000	
О430Н	Carrying handle kit	\$110	O100DPR	Diaphragm pump factory rebuild Rebuild kit for diaphragm pump	\$880 \$605	
	-		O100DPRK O100TPE	Turbomolecular pump exchange	\$605 \$2750	
			JIVVIII		Ψ2,50	

Ion Gauge Co	ntroller	
IGC100	Ion gauge controller (with RS-232)	\$1645
01	GPIB computer interface	\$325
02	Web interface with ethernet connection	\$435
03	Eight-channel process control	\$325
O100IG	Second ion gauge channel	\$215
O100IGRM	Rack mount tray for one or two IGC100s	\$165
O100C1	10 ft. cable for glass, single filament gauges	\$220
O100C1/1	25 ft. cable for glass, single filament gauges	\$275
O100C2	10 ft. cable for glass, dual filament gauges	\$220
O100C2/1	25 ft. cable for glass, dual filament gauges	\$275
O100C3	10 ft. cable for nude gauges	\$220
O100C3/1	25 ft. cable for nude gauges	\$275
O100CA1	Adapter for Micro-Ion® gauge	\$28
Bavard-Alper	t Ionization Gauges	
GR-075K	Kovar, 0.75", single filament, ThO <sub>2</sub> /Ir	\$149
GR-075P	Pyrex, 0.75", single filament, ThO <sub>2</sub> /Ir	\$143
GR-100F	2.75" CF, 1" side tube, single fil., ThO <sub>2</sub> /Ir	\$248
GW-100F	2.75" CF, 1" side tube, dual fil., Tungsten	\$259
NR-F	Nude, bi-filar helix grid, single fil., ThO <sub>2</sub> /Ir	\$475
NR-F-UHV	Nude, closed cage grid, dual fil., ThO <sub>2</sub> /Ir	\$495
NW-F-UHV	Nude, closed cage grid, dual fil., Tungsten	\$475
01	NIST traceable 6 % calibration	\$325
02	NIST traceable 3 % calibration	\$935
O100RFADW	Dual tungsten replacement fil. for NW-F-UHV	\$143
O100RFASR	Single ThO <sub>2</sub> /Ir replacement fil. for NR-F	\$143
O100RFADR	Dual ThO <sub>2</sub> /Ir replacement fil. for NR-F-UHV	\$171
Convection Er	nhanced Pirani Gauges	
PG105U	Pirani gauge (bakeable to 250 °C, 1/8" NPT)	\$275
01	1.33" CF flange	\$55
02	2.75" CF flange	\$55
03	NW16KF flange	\$33
04	NW25KF flange	\$33
05	VCR 1/4" fitting	\$33
O105C4	10 ft. cable for PG105U, dual gauge	\$55

25 ft. cable for PG105U, dual gauge

Adapter for CONVECTRON® gauge

Adapter for HPS® series 317 gauge

O105C4/1

O105CA1

O105CA2

**Terms:** For direct orders, prepayment or irrevocable letter of credit. Minimum order is \$220.

**Shipping:** FOB Sunnyvale, CA 94089. Standard Shipment method is air freight collect unless otherwise specified.

**Options:** There is a \$250 retrofit charge to add any internal option to an existing instrument.

## Repair and Calibration

Price for evaluation, repair and/or calibration (for original owners) is normally  $10\,\%$  of the current instrument price (including installed options), with a minimum charge of \$200. If the instrument is older than 10 years, there will be an additional  $10\,\%$  charge (minimum \$400). If damage is severe or test data is required, there may be additional charges. Instruments being returned for repair or calibration must be accompanied by a Return Material Authorization (RMA) number issued by SRS.

All instruments (except gas analyzers) are calibrated to NIST traceable standards. A certificate of calibration is available at no charge if requested at the time an order is placed. There is a \$50 charge per unit for calibration certificates requested after the unit has shipped.

## Warranty

\$72

\$55

\$28

All instruments, unless otherwise stated, are warranted to be free from defects in material and workmanship for one year from the date of shipment. Chopper motors, diaphragm pumps, and rebuilt turbomolecular pumps are warranted for 90 days from the date of shipment.

Supersedes all prior price lists. Prices subject to change without notice.