

Accessories for Arbitrary Wavefom Generators

TEGAM, Inc. • Ten Tegam Way • Geneva, Ohio 44041 PH (440) 466-6100 • FX (440) 466-6110 • sales@tegam.com www.tegam.com



2340/2350 – Single or Dual Channel High-Voltage Amplifier

Single or Dual-Channel, High-Voltage Amplifier ± 200V. Compatible with all TEGAM and other standard signal and waveform generators. Features buffered monitor outputs, X50 gain (10-100 by special order), fault protection, DC-1MHz bandwidth, and low distortion.



CBL-3102 - BNC Cable

BNC to BNC, RG 58/U, coaxial cable. BNC connections are used for signal, sync, clock and other AWG inputs and outputs. Cable length is 1 meter (3.28 ft) long.



GPIB (IEEE-488) Buss Cables

1583-3 – 1-meter (3.3ft) GPIB cable 1583-6 – 2-meter (6.6ft) GPIB cable 1583-9 – 3-meter (9.8ft) GPIB cable



2400 - Carrying Case

This heavy duty, hard-shelled carrying case protects your investment while being transported to and from calibration labs or other off site locations. Steel reinforced corners and protective foam filling ensure that your instrument is not damaged during shipping. Foam insert is precut to fit 1404A. 24XX and 27XX series AWGs.



740532 - Rack Mount Kit for Models 2411A/B, 2414A/B, 2711A, & 2714A

Single unit rack mount kit for the entire 24XX & 27XX family of Arbitrary Waveform Generators. Excludes Model 2416A. Center mount only. Kit includes assembly instructions. No additional hardware is required for installation.

Rack Mount Kits for 2416A

080591 - Center single rack mount kit 080590L - Left single rack mount kit 080590R - Right single rack mount kit 080600 - Dual unit rack mount kit



200020A - WaveWorks Pro+

Waveform Creation software for Windows Create arbitrary waveforms with this versatile tool developed especially for custom applications. waveform Software features 33 Standard Waveforms, 20 Math Transfer Functions, 13 math Operations, Sequence Programming, File Import or Export and much more. Compatible with RS232 or GPIB interfaces.

GPIB Upgrade

Upgrade your existing Arbitrary Waveform Generator with a factory installed GPIB interface. TEGAM's open architecture allows you to upgrade your communications interface at any time. Contact TEGAM for more details.

Programmable Sequence Generator Upgrade

Upgrade your Arbitrary Waveform Generator with a factory-installed Programmable Sequence Generator. Programmable sequencing leverages waveform memory up to 30,000 times, thus allowing you to program complex waveforms with up to 4,096 steps and up to 1,000,000 loops! Contact TEGAM for more details

740560 - RS-232C Cable

8-ft DB9 male to DB9 male, shielded cable. For use with WaveWorks Software or other PC interface.

For a FREE Catalog Call 800-666-1010