

Arbitrary Waveform Generators Accessories

ARBITRARY WAVEFORM GENERATORS



Single or Dual Channel Amplifiers

Single or Dual Channel High Voltage Amplifier

Single or Dual Channel High Voltage Amplifier ± 200 V. Compatible with all TEGAM and other standard signal and waveform generators. Features buffered monitor outputs, X50 gain (10-100 by special order), fault protection, DC-1 MHz bandwidth, and low distortion.

P/N 2340

P/N 2350



Carrying Case

BNC to BNC, RG 58/U, Coaxial Cable (not shown)

BNC connections are used for signal, sync, clock and other AWG inputs and outputs. Cable length is 1 meter (3.28 ft).

P/N CBL-3102

Carrying Case

Heavy duty, hard-shelled carrying case that protects your investment while being transported to and from calibration labs or other off-site locations. Steel reinforced corners and protective foam filling ensure that your instrument is not damaged during shipping. Foam insert is precut to fit 1404A, 24XX and 27XX series AWGs.

P/N 2400

Rack Mount Kit for 2416A (not shown)

Center single rack mount kit for 2416A

P/N 080591

Left single rack mount kit for 2416A

P/N 080590L

Right single rack mount kit for 2416A

P/N 080590R

Dual unit rack mount kit for 2416A

P/N 080600

RS-232C Cable (not shown)

8 ft. DB9 male to DB9 male, shielded cable. For use with WaveWorks software or other PC interface.

P/N 740560



Rack Mount Kit for 24XX and 27XX

Single Unit Rack Mount Kit

Single unit rack mount kit for Models 2411A/B, 2414A/B, 2711A, and 2714A Arbitrary Waveform Generators. Center mount only. Kit includes assembly instructions. No additional hardware is required for installation.

P/N 740532

WaveWorks™ Pro+ Waveform Creation Software

WaveWorks Pro+ waveform creation software for Windows™. Create arbitrary waveforms with this versatile tool developed especially for custom waveform applications. Software features 33 standard waveforms, 20 math transfer functions, 13 math operations, sequence programming, file import or export, and much more. Compatible with RS-232 or GPIB interfaces.

P/N 200020A



WaveWorks™ Pro+ Waveform

GPIB (IEEE-488) Buss Cables

3 ft. (1 m) heavy duty, shielded GPIB Buss Cable

P/N 1583-3

6 ft. (2 m) heavy duty, shielded GPIB Buss Cable

P/N 1583-6

9 ft. (3 m) heavy duty, shielded GPIB Buss Cable

P/N 1583-9

GPIB Upgrade (not shown)

Upgrade your existing Arbitrary Waveform Generator with a factory installed GPIB interface. TEGAM's open architecture allows you to upgrade your communications interface at any time. Contact TEGAM for more details.

P/N 080300



GPIB (IEEE-488) Buss Cables

Programmable Sequence Generator Upgrade (not shown)

Upgrade your Arbitrary Waveform Generator with a factory-installed Programmable Sequence Generator. Programmable sequencing leverages waveform memory up to 30,000 times, thus allowing you to program complex waveforms with up to 4,096 steps and up to 1,000,000 loops! Contact TEGAM for more details.

P/N 080310, 080311 or 080380.

RS-232C Cable (not shown)

8 ft. DB9 male to DB9 male, shielded cable. For use with WaveWorks software or other PC interface.

P/N 740560



YOUR GLOBAL SOURCE FOR TEST
AND MEASUREMENT SOLUTIONS