

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE

REPAIR PARTS AND SPECIAL TOOLS LIST

FOR

DUAL TRACE OSCILLOSCOPE, TEKTRONIX MODEL SC504

(NSN 6695-01-074-7954)

Current as of 10 December 1979

Headquarters, Department of the Army, Washington, DC
8 January 1980

REPORTING OF ERRORS

You can help improve this publication by calling attention to errors and by recommending improvements and stating your reasons for the recommendations. Your letter or DA Form 2028, Recommended Changes to Publications, should be mailed directly to Commander, US Army Missile Command, ATTN: DRSMI-MFM, Redstone Arsenal, AL 35809. A reply will be furnished directly to you.

SECTION		Paragraph	Page
I.	INTRODUCTION		
	Scope -----	1	1
	General -----	2	1
	Explanation of columns -----	3	1
	Special information -----	4	5
	How to locate repair parts -----	5	5
	Abbreviations -----	6	6
II.	REPAIR PARTS LIST-----		9
	Functional group Group title Model No. Part No.		
	6693 Dual Trace Oscilloscope SC504 MIS30526/2		
III.	NATIONAL STOCK NUMBER AND PART NUMBER INDEX -----		15

Section I. INTRODUCTION

1. Scope. This manual lists spares and repair parts that are required for maintenance of the Dual Trace Oscilloscope, Tektronix Model SC504. It authorizes the requisitioning and issue of spares and repair parts as indicated by the source and maintenance codes.

2. General. This repair parts and special tools list (RPSTL) is divided into the following sections:

a. Section I. Introduction.

b. Section II. Repair Parts List. A list of spares and repair parts authorized for use in the performance of maintenance. The list also includes parts which must be removed for replacement of the authorized parts. Parts lists are composed of functional groups in numeric sequence, with the parts in each group listed in figure and item number sequence. Bulk materials are listed in National Stock Number (NSN) sequence.

c. Section III. NSN and Part Number Index. A list, in National Item Identification Number (NIIN) sequence, of all NSN's appearing in the listings, followed By a list in alphanumeric sequence of all part numbers appearing in the listings. NSN's and part numbers are cross-referenced to each illustration figure and item number appearance.

3. Explanation of Columns

a. Illustration. This column is divided as follows:

- (1) Figure Number. Indicates the figure number of the illustration on which the item is shown.
- (2) Item Number. The number used to identify item called out in the illustration.

b Source Maintenance, and Recoverability (SMR) Codes.

(1) Source Code. Source codes indicate the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are entered in the first and second positions of the Uniform SMR Code format as follows:

Code	Definition
PA -	Item procured and stocked for anticipated or known usage.
PB -	Item procured and stocked for insurance purpose because essentiality dictates that a minimum quantity be available in the supply system.
PC -	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD -	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE -	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF -	Support equipment which will not be stocked but which will be centrally procured on demand.

- PG - Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an Item peculiar to the equipment which, because of probable discontinuance or shutdown of production facilities, would prove uneconomical to reproduce at a later time.
- KD - An item of a depot overhaul/repair kit and not purchase separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
- KF - An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or intermediate levels of maintenance.
- KB - Item included in both a depot overhaul/repair kit and a maintenance kit.
- MO - Item to be manufactured or fabricated at organizational level.
- MF - Item to be manufactured or fabricated at the direct support maintenance level.
- MH - Item to be manufactured or fabricated at the general support maintenance level.
- MD - Item to be manufactured or fabricated at the depot maintenance level.
- AO - Item to be assembled at organizational level.
- AF - Item to be assembled at direct support maintenance level.
- AH - Item to be assembled at general support maintenance level.
- AD - Item to be assembled at depot maintenance level.
- XA - Item is not procured or stocked because the requirements for the item will result in the re-placement of the next higher assembly.
- XB - Item is not procured or stocked. If not available through salvage, requisition.
- XC - Installation drawing, diagram, instruction sheet, field service drawing, that is identified by manufacturer's part number.
- XD - A support item that is not stocked. When required, item will be procured through normal supply channels.

NOTE

Cannibalization or salvage may be used as a source of supply for any items coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) Maintenance Code. Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code format as follows:

(a) The maintenance code entered in the third position will indicate the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position will indicate one of the following levels of maintenance.

Code Application/Explanation

- C - Crew or operator maintenance performed within organizational maintenance.
- O - Support item is removed, replaced, used at the organizational level.
- F - Support item is removed, replaced, used at the direct support level.
- H - Support item is removed, replaced, used at the general support level.
- D - Support items that are removed replaced, used at depot, mobile depot, or specialized repair activity only.

(b) The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). This position will contain one of the following maintenance codes:

Code Application/Explanation

- O - The lowest maintenance level capable of complete repair of the support item is the or-organizational level.
- F - The lowest maintenance level capable of complete repair of the support item is the direct
- H - The lowest maintenance level capable of complete repair of the support item is the general support level.
- D - The lowest maintenance level capable of complete repair of the support item is the depot level.
- L - Repair restricted to (enter applicable designated specialized repair activity), Specialized Repair Activity.
- Z - Nonreparable. No repair is authorized.
- B - No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) Recoverability Code. Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the Uniform SMR Code format as follows:

Recoverability
Codes

Definition

- Z - Nonreparable item. When unserviceable, condemn and dispose at the level indicated in position 3.
- O - Repairable item. When un economically repairable, condemn and dispose at organizational level.
- F - Repairable item. When economically repairable, condemn and dispose at the direct support level

- H - Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
- D - Repairable item. When beyond lower level repair capability, lower level repair capability, return and depot. Condemnation and disposal not authorized below depot level.
- L - Repairable item. Repair, condemnation, and disposal not authorized below depot/ specialized repair activity level.
- A - Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material Refer to appropriate manuals/directives for specific instructions.

c. National Stock Number (NSN). Indicates the NSN assigned to the item and which will be used for requisitioning.

d. Part Number. Indicates the primary number used by the manufacturer (individual, company, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications, standards, and inspection requirements to identify an item or range of items.

NOTE

When a stock numbered item is requisitioned, the item received may have a different part number than the part being replaced.

e. Federal Supply Code for Manufacturer (FSCM). The FSCM is a 5-digit numeric code listed in SB 708-42 which is used to identify the manufacturer, distributor, or Government agency, etc.,

f. Description. Indicates the Federal item name and, if required, a minimum description to identify the item. The physical security classification of the item is indicated by the parenthetical entry (insert applicable physical security classification abbreviation, e.g., Phy Sec CI (C)-Confidential, Phy Sec CI (S)-Secret, Phy Sec CI (T)-Top Secret). Items that are included in kits and sets are listed below the name of or condemnation procedure item in the kit or set indicated in the quantity incorporated in unit column. When the part to be used differs between serial numbers of the same model, the effective serial numbers are shown as the last line of the description. In the Special Tools List, the initial basis of issue (BOI) appears as the last line in the entry for each special tool, special Test, Measurement, and Diagnostic Equipment (TMDE), and other special support equipment. When density of equipments supported exceeds density spread indicated in the BOI, the total authorization is increased accordingly.

g. Unit of Measure (U/M). Indicates the standard of the basic quantity of the listed item as used in performing the actual maintenance function. This Measure is expressed by a two character alphabetical abbreviation (e.g., ea, in, pr, etc). When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

h. Quantity Incorporated in Unit. Indicates the quantity of the item used in the breakout shown on the illustration figure, which is prepared for a functional group, subfunctional group, or an assembly. A "V" appearing in this column in lieu of quantity indicates that no specific quantity is applicable (e.g., shims, spacers, etc).

4. Special Information.

a. Repair parts for components of standards sets which can be identified as existing in the supply system will be requisitioned through normal supply channels from the appropriate supply commodity manager.

b. Repair parts for components of standards sets which cannot be identified as to proper supply source will be requisitioned from USAMICOM, using routing identifier B64 and furnishing as a minimum, the following as exception data.

(1) Component stock number of the individual end item to be repaired.

(2) Component manufacturer's equipment model number and serial number.

(3) The equipment manufacturer's stock number as listed in the appropriate manual for the desired repair part.

(4) The repair designation, circuit reference, circuit symbol schematic designation, or reference number as listed in the manufacturer's manual.

(5) The technical specification of the repair part as contained in the appropriate manufacturer's manual.

(6) The title and date of the manufacturer's manual from which the information in paragraphs a, b(3), (4), and (5) above was taken.

NOTE

Repair parts should not be requisitioned for plug-in boards identified in the plug-in board exchange program, except by the depot designated to perform the repair. Repair of calibration set components, with plug-in board assemblies or subassemblies designated as program exchange replacements with a recoverability code of L, will be accomplished by replacing the plug-in board.

c. The plug-in board exchange program functions are as follows:

(1) Requisitioning instructions for initial issue plug-in boards will be provided since new instrument boards are included in the program.

(2) As a plug-in board covered by the program fails, a replacement will be requisitioned. Requisitions will be submitted to Commander, US Army Missile Command, B64, Redstone Arsenal, AL 35809

(3) Simultaneously with c(2) above, the defective board being replaced will be shipped by certified mail, return receipt requested, to the following address:

Transportation Officer
 Anniston Army Depot
 M/F Field Service Stock
 Anniston, AL 36201

When requisitioning a replacement board, the turn-in document number of the replaced board shall be cited on the requisition.

5. How to Locate Repair Parts

a. When NSN or reference number is unknown:

(1) First. Using the table of contents, determine the assembly (functional group) within which the repair part belongs.

(2) Second. Using the repair parts listing, find the functional group to which the repair part belongs and locate the item by description.

b. When NSN or reference number is known:

(1) First. Using the index of NSN's and reference numbers, find the pertinent NSN or reference number. This index is in ascending NSN cross-referenced to the illustration figure number and item number.

(2) Second. Using the repair parts listing, find the figure and item number and locate the figure and item number in the repair parts list.

6. Abbreviations. The abbreviations listed below may appear in this RPSTL:

AC.....	alternating current
ACC.....	accordance
ACCUR.....	accuracy
Al.....	aluminum
AMP.....	ampere
ASSY.....	assembly
ASTM.....	American Standard for Testing Materiel
ATTEN.....	attenuation
AWG.....	American Wire Gage
BAN.....	banana
BLK.....	black
BR.....	brass
C.....	centigrade, calibration, cycles per second
CAL.....	calibrate
CAP.....	capacitance
CD.....	code
CER.....	ceramic
COAX.....	coaxial
COMP.....	composition
COND.....	conductor
CONN.....	connector
CONS.....	consisting
CONT.....	continual
COP.....	copper

COR.....	corrosion
CPS.....	cycles per second
CU.....	cubic
CUR.....	current
CYL.....	cylinder
DB.....	decibel
DB.....	double
DC.....	direct current
DEG.....	degree
DET.....	detector
DIA.....	diameter
DIM.....	dimension
DIV.....	division
DPDT.....	double pole double throw
DPL.....	deployment
ELEC.....	electrical
EQUIPM.....	equipment
F.....	Fahrenheit
FED.....	Federal
FIN.....	finish
FLG.....	flange
FREQ.....	frequency
FSCM.....	Federal supply code for manufacturers
FT.....	foot
GC.....	gigacycles
GEN.....	generator
GHZ.....	gigahert
GPM.....	gallons per minute
GRAD.....	graduation
H.....	high
HD.....	head
HYDR.....	hydraulic
HZ.....	hertz
ID.....	inside diameter
IN.....	inch
INCL.....	inclusive
K.....	thousand (prefix)
KC.....	kilocycles
KG.....	kilograms
KHZ.....	kilohertz
KMHZ.....	thousand megahertz
KV.....	kilovolts
LAB.....	laboratory
LB.....	pounds
LG.....	length
LT.....	light

M.....	thousand	RPM	revolutions per minute
MA	milliampere	S	single
MAX.....	maximum	SEC	seconds
MC	megacycles	SECT.....	section
MFD.....	millifarads	SERR	serrated
MFR.....	manufacturer	SHK	shank
MG	milligrams	SNG.....	single
MHZ.....	megahertz	SPEC.....	specification
MIN	minimum, minutes	SPL.....	special
ML.....	milliliters	SQ	square
MM.....	millimeters	STD	standard
MOD	modified	STGT.....	straight
MSEC	milliseconds	SW	switch
MTL	material	SWR	standing wave ratio
MV	millivolts	SYS	system
MW	milliwatts	TEL.....	telescopic
NBS	National Bureau Standards	TERM	terminal
NEG.....	negative	THD	thread
NO	number	THERM	thermometer
NOM	nominal	THK	thick
NPT	National Pipe Thread	TSTR.....	tester
NSN	National stock number	U.....	unit
OA	overall	UF.....	microfarads
OD	outside diameter	UHF	ultra high frequency
OPER	operating	V	volts
OZ.....	ounce	VAC	volts alternating current, vacuum
PCS.....	pieces	VDC.....	volts direct current
PCT	percent	VHF	very high frequency
PF	picofarads	VSWR	voltage standing wave ratio
PK.....	peck	W.....	watts, with, width
PLTD	plated	WT	weight
PN.....	part number		
POS.....	positive		
PP.....	peak-to-peak		
PSI.....	pounds per square inch		
PWR	power		
REF	reference		
REP	repetition		
REQ.....	required		
REQMTS	requirements		
RES	resistance		
RF	radio frequency		
RG	range		
RH	right hand		
RL.....	reel		
RM.....	rack mounted		
RMS.....	root mean square		
ROT	rotating		

SECTION II REPAIR PARTS LIST

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6)	(7)	(8)
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM	DESCRIPTION <i>USABLE ON CODE</i>	U/M	QTY INC IN UNIT
						GROUP 6693		
						SCOPE,,DUAL TRACE OSCILLOSCOPE SC504 80009		
						MIS3052612 18876		
1	10	PAFZZ	5910-00-436-4340	80009	340 281-0601-00	CAPACITOR	EA	1
1	20	PAFZZ	5910-00-827-6274	81349	CC30UJ680G	CAPACITOR	E A	1
1	30	PAFZZ	5910-00-436-5961	80009	290-0283-00	CAPACITOR	EA	3
1	50	PAFZZ	5910-00-721-2030	91418	8100005-8	CAPACITOR, FIXED, CER.....	EA	1
1	60	PAFZZ	5910-00-485-4854	80009	283-0103-00	CAPACITOR, FIXED, CER.....	EA	1
1	70	PAFZZ	5910-01-067-0860	80009	281-0786-00	CAPACITOR FIXED CER.....	EA	3
1	80	PAFZZ	5910-01-071-3146	80009	281-0759-00	CAPACITOR FIXED CER.....	EA	3
1	90	PAFZZ	5910-00-022-4065	56289	40C287A2	CAPACITOR FIXED CER.....	EA	1
1	110	PAFZZ	5910-00-801-1005	08876	9995456	CAPACITOR, FIXED, CER.....	EA	1
1	120	PAFZZ	5910-30-938-1186	72982	374-001COHO-479D	CAPACITOR, FIXED, CER.....	EA	1
1	130	PAFZZ	5910-01-062-1968	72982	8005H9AABZ5U104P	CAPACITOR FIXED CER.....	EA	2
1	140	PAFZZ	5910-01-062-0509	72982	390049X5P0680K	CAPACITOR FIXED CER.....	EA	1
1	150	PAFZZ	5910-01-015-1686	16546	CW20C823K	CAPACITOR FIXED CER.....	EA	1
1	160	PAFZZ	5910-01-071-3146	80009	281-0759-00	CAPACITOR FIXED CER.....	EA	3
1	170	PAFZZ	5910-00-792-5082	18876	9995679-2	CAPACITOR, FIXED, CER.....	EA	2
1	180	PAFZZ	5910-30-113-2375	18796	0831000Z5D0471J	CAPACITOR FIXED CER.....	EA	2
1	190	PAFZZ	5910-01-061-1263	81349	139006/09-8734	CAPACITOR FIXED CER.....	E.A	3
1	210	PAFZZ	5910-00-919-4374	80009	283-0084-00	CAPACITOR ELECTRICAL.....	EA	1
1	220	PAFZZ	5910-00-882-7003	72982	878-023Y5S0-102M	CAPACITOR, FIXED, CER.....	EA	2
1	240	PAFZZ	5910-00-113-5499	81349	M39014/02-1350	CAPACITOR, FIXFD, CER.....	EA	3
1	250	PAFZZ	5910-01-075-7107	72982	390-049XSP02709	CAPACITOR FIXED CER.....	EA	1
1	270	PAFZZ	5910-01-062-1969	72982	390049X5D0820K	CAPACITOR FIXED CER.....	EA	4
1	290	PAFZZ	5910-01-047-8858	80009	283-0331-00	CAPACITOR FIXED CER.....	EA	2
1	300	PAFZZ	5910-00-688-8702	91418	81000018209	CAPACITOR, FIXED, CER.....	EA	1
1	310	PAFZZ	5910-00-754-9826	72982	301-000COKO-1898	CAPACITOR, FIXED, CER.....	EA	1
1	320	PAFZZ	5910-00-914-2871	80009	281-0659-00	CAPACITOR FIXED CER.....	EA	1
1	330	PAFZZ	5910-00-139-0362	80009	290-0522-00	CAPACITOR, FIXEDELE.....	EA	3
1	340	PAFZZ	5910-00-361-8667	56299	196C226X9015KA1	CAPACITOR, FIXED, ELE.....	EA	19
1	360	PAFZZ	5910-00-896-7636	56289	300105FI50A4	CAPACITOR, FIXED ELE.....	EA	1
1	380	PAFZZ	5910-01-062-0510	80009	283-0154-00	CAPACITOR ELECTRICAL.....	EA	1
1	400	PAFZZ	5910-00-361-8665	56289	1960225X9025HA1	CAPACITOR FIXED ELE.....	EA	1
1	410	PAFZZ	5910-00-496-1484	56289	196D475X9050KA1	CAPACITOR FIXED ELE.....	EA	2
1	430	PAFZZ	5910-30-376-0354	80009	281-0158-00	CAPACITOR VARIABLE.....	EA	3
						9		

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6)	(7)	(8)
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	FSCM	PART NUMBER	DESCRIPTION <i>USABLE ON CODE</i>	U/M	QTY INC IN UNIT
1	440	PAFZZ	NOT ASSIGNED	80031	2222-801-96133	CAPACITOR VARIABLE.....	EA	3
1	460	PDFDO	6695-01-085-3840	80009	670-5109-00	CIRCUIT CARD ASSY.....	EA	1
1	470	POFFF	6695-01-085-3841	80009	67-5110-00	CIRCUIT CARD ASSY.....	EA	1
1	480	POFFF	6695-01-085-3837	80009	670-5111-00	CIRCUIT CARD ASSY.....	EA	1
1	490	PAFZZ	6695-01-085-3842	80009	670-511200	CIRCUIT CARO ASSY.....	EA	1
1	500	PAFZZ	6695-01-081-7740	80009	670-5113-00	CIRCUIT CARD ASSY.....	EA	1
1	510	PAFZZ	6695-01-085-3838	80009	670-5114-00	CIRCUIT CARD ASSY.....	EA	1
1	520	PAFZZ	6695-01-085-3843	80009	670-5115-00	CIRCUIT CARD ASSY.....	EA	1
1	530	PAFZZ	6695-01-085-3844	80009	670-5116-00	CIRCUIT CARD ASSY.....	EA	1
1	540	PAFZZ	5950-00-401-2963	80009	108-0331-00	COIL,RADIO FREQUENCY.....	EA	3
1	550	PAFZZ	5950-00-417-3838	80009	108-0245-00	COIL,RADIOI FREQUENCY.....	EA	21
1	560	PAFZZ	5950-00-835-6417	80009	108-0240-00	COIL,RADIO FREQUENCY.....	EA	1
1	570	PAFZZ	5950-00-790-3703	80009	108-0422-00	COIL,FIXED.....	EA	1
1	580	PARZZ	5935-00-001-7558	80009	131-0955-00	CONNECTOR, RECEPTACLE.....	EA	3
1	600	PAFZZ	5920-00-280-8342	81349	FOZA25OVIIA	FUSE,CARTRIDGE.....	EA	1
1	620	PAFZZ	6240-30-326-2966	08806	2ACAT	LAMP,GLOW.....	EA	2
1	640	PAFZZ	5962-01-010-7442	80009	156-0067-00	MICROCIRCUIT LINEAR.....	EA	6
1	680	PAFZZ	5950-1-047-2328	80009	108-0828-00	REACTOR.....	EA	1
1	690	PAFZZ	5935-00-359-8912	80009	131-1003-00	RETAINER,ELECTRICAL.....	EA	8
1	700	PAFRZ	5905-00-135-3974	81349	RC007G431JS	RESISTOR,FIXED,COMP.....	EA	4
1	710	PAFZZ	5905-00-121-9932	81349	RCR07G391JS	RESISTOR,FIXEDCOMP.....	EA	4
1	720	PAFZZ	5905-00-131-3973	81349	RCR07G221JS	RESISTOR,FIXED,COMP.....	EA	1
1	730	PAFZZ	5905-30-116-2394	81349	RCR07G511JS	RESISTOR,RIXED,COMP.....	EA	3
1	740	PAFZZ	5905-00-141-0743	81349	RCR07G392JS	RESISTOR,FIXED,COMP.....	EA	5
1	750	PAFZZ	5905-00-445-3760	80009	315-0203-00	RESISTOR.....	EA	2
1	760	PAFZZ	5905-00-116-8556	51349	RCR07G223JS	RESISTR,FIXED,COMP.....	EA	1
1	770	PAFZZ	59C-00-228-5506	81349	OC9070622J5	RESISTOR,FIXED,COMP.....	EA	11
1	790	PAFZZ	5905-00-110-7620	81349	PCR07GIO2JS	RESISTOR,FIXED,COMP.....	EA	25
1	800	PAFZZ	5905-30-136-8430	81349	RCR07G363JS	RESISTOR,FIXED,COMP.....	EA	1
1	810	PARZZ	5905-00-104-8365	81349	RCR07TGI33JS	RESISTOR,FTIXED,COMP.....	EA	1
1	820	PAFZZ	59C5-00-114-0710	81349	RC907G331JS	RESISTOR,FIXED,COMP.....	EA	2
1	830	PAFZZ	5905-00-436-8872	80039	321-0051-00	RRSISTOR.....	EA	1
1	840	PAFZZ	5905-30-434-5066	80009	321-0254-00	RESISTOR.....	EA	4
1	850	PAFRZ	5905-00-405-7800	80009	321-0179-00	RESISTOR.....	EA	2
1	860	PAFZZ	5905-00-49-5249	81349	RCROSG20JS	RESISTORFIXED,COMP.....	EA	1
1	870	PAFZZ	1903-00-879-7767	01121	BB9105	RESISTOR FIXED COMP.....	EA	1
1	880	PAFZZ	5905-30-136-3891	81349	RCR07G621JS	RESISTOR,FIXED,COMP.....	EA	8
1	890	PAFZZ	5905-00-11-8768	81349	RCR097G821JS	RESISTOR,FIXED,COMP.....	EA	3
1	900	PAFZZ	5905-00-104-8369	81349	RCR07G362JS	RESISTOR,FIXED,COMP.....	EA	4
1	910	PAFZZ	5905-30-118-4559	81349	RC?07G333JS	RESISTOR,FIXED,COMP.....	EA	2

(1) ILLUSTRATION		(2) SMR CODE	(3) NATIONAL STOCK NUMBER	(4) PART NUMBER	(5) FCSM	(6) DESCRIPTION <i>USABLE ON CODE</i>	(7) U/M	(8) QTY INC IN UNIT
(a) FIG NO.	(b) ITEM NO.							
1	920	PAFZZ	5905-00-121-9920	RC907G303JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	930	PAFZZ	5905-00-104-8362	RCR07G132JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	940	PAFZZ	5905-00-114-5343	RCR07G82JS	81349	RESISTOR, FIXED, COMP.....	EA	2
1	950	PAFZZ	5905-00-402-4242	C82265	01121	RESISTOR, FIXED, COMP.....	E.A	1
1	960	PAFZZ	5905-00-141-0744	RCR07G562JS	81349	RESISTOR, FIXED, COMP.....	EA	3
1	970	PAFZZ	5905-00-126-6698	RCROT07G36JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	980	PAFZZ	5905-0-466-1216	RCROSG330JS	81349	RESISTOR, FIXED, COMP.....	EA	4
1	990	PAFZZ	5905-00-402-4253	C81645	01121	RESISTOR, FIXED, COMP.....	EA	1
1	1000	PAFZZ	5905-00-126-6683	RCR07G332JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1010	PAFZZ	5905-00-136-3890	RCR07G513JS	81349	RESISTOR, FIXED, COMP.....	E.A	3
1	1020	PAFZZ	5905-00-141-1183	RCRO7GIOIJS	81349	RESISTOR, FIXED, COMP.....	EA	19
1	1030	PAFZZ	5905-00-107-0656	RCR07GIOOJS	81349	RESISTOR, FIXED, COMP.....	EA	6
1	1040	PAFZZ	5905-00-135-3972	RCR07G200JS	81349	RESISTOR, FIXED, COMP.....	EA	5
1	1050	PAFZZ	5905-00-106-9357	RCR07G750JS	81349	RESISTOR, FIXED, COMP.....	EA	3
1	1060	PAFZZ	5905-00-119-8811	RCR07G151JS	81349	RESISTOR, FIXED, COMP.....	EA	2
1	1070	PAFZZ	59C5-00-115-3562	RRC07G394JS	81349	RESISTOR, FIXED, COMP.....	EA	3
1	1080	PAFZZ	5905-00-119-3504	RRC07G273JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1090	PAFZZ	5905-00-131-1255	RRC07C122JS	81349	RESISTOR, FIXED, COMP.....	EA	3
1	1100	PAFZZ	5905-00-104-8370	RRC07G361JS	81349	RESISTOR, FIXED, COMP.....	EA	4
1	1110	PAFZZ	5905-00-104-8357	RRC07G684JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1120	PAFZZ	5905-00-106-1278	RRC07G123JS	81349	RESISTOR, FIXED, COMP.....	EA	2
1	1130	PAFZZ	59C5-00-104-8358	RRC07G822JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1140	PAFZZ	5905-00-485-4648	RRC07G244JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1150	PAFZZ	5905-00-104-8360	RRC07G623JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1160	PAFZZ	5905-00-136-8406	RCR07G242JS	81349	RESISTOR, FIXED, COMP.....	EA	2
1	1170	PAFZZ	5905-00-106-3666	RRC07G103JS	81349	RESISTOR, FIXED, COMP.....	EA	24
1	1180	PAFZZ	5905-00-106-1248	RRC07G162JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1190	PAFZZ	5905-00-116-8554	RRC07G105JS	81349	RESISTOR, FIXED, COMP.....	EA	4
1	1200	PAFZZ	5905-00-929-9589	BB2405	01121	RESISTOR, FIXED, COMP.....	EA	1
1	1210	PAFZZ	5905-00-402-7049	RC905G470JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1220	PAFZZ	5905-00-412-0758	RCROSG510JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1230	PAFZZ	59C5-30-255-3701	PCPOSG560JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1240	PAFZZ	5905-00-141-0744	RCR07G562JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1250	PAFZZ	59C5-00-113-4860	RRC07G270JS	81349	RESISTOR, FIXED, COMP.....	EA	3
1	1260	PAFZZ	5905-00-442-9356	RRC07G240JS	81349	RESISTOR, FIXED, COMP.....	EA	1
1	1270	PAFZZ	5905-01-024-2727	L02138	14933	RESISTOR, FIXED, COMP.....	EA	1
1	1280	PAFZZ	5905-00-136-8431	RRC07G432JS	81349	RESISTOR, FIXED, COMP.....	EA	2
1	1290	PAFZZ	5905-00-106-1356	RRC07G152JS	81349	RESISTOR, FIXED, COMP.....	EA	4
1	1300	PAFZZ	5905-00-119-3503	RCOT7G271JS	81349	RESISTOR, FIXED, COMP.....	EA	3
1	1310	PAFZZ	5905-00-141-0717	RRC07G473JS	81349	RESISTOR, FIXED, COMP.....	EA	1

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6)	(7)	(8)
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	FSCM	PART NUMBER	DESCRIPTION <i>USABLE ON CODE</i>	U/M	QTY INC IN UNIT
1	1320	PAFZZ	5905-00-120-9154	81349	RCRO7G471JS	RESISTOR, FIXED, COMP	EA	2
1	1330	PAFZZ	5905-00-905-6276	01121	C87545	RESISTOR FIXED, COMP	EA	1
1	1340	PAFZZ	5905-00-485-4545	81349	RCR07G334JS	RESISTOR, FIXED, COMP	EA	1
1	1350	PAFZZ	5905-00-135-6046	81349	RCROTG681JS	RESISTOR, FIXED, COMP	EA	3
1	1360	PAFZZ	5905-00-122-0004	81349	RCR07G433JS	RESISTOR, FIXED, COMP	EA	2
1	1370	PAFZZ	5905-30-141-0742	81349	RCR07G181JS	RESISTOR, FIXED, COMP	EA	3
1	1380	PAFZZ	59C5-00-435-1718	81349	RCR07G24IJS	RESISTOR, FIXED, COMP	EA	9
1	1390	PAFZZ	5905-00-131-9729	81349	RCRO7G302JS	RESISTOR, FIXED, COMP	EA	3
1	1400	PAFZZ	5905-00-116-8555	81349	RCRO7G153JS	RESISTOR, FIXED, COMP	EA	1
1	1410	PAFZZ	5905-00-126-6696	81349	RCRO7GT51JS	RESISTOR, FIXED, COMP	EA	8
1	1420	PAFZZ	590a500-435-1718	81349	RCR07G24IJS	RESISTOR, FIXED, COMP	EA	9
1	1430	PAFZZ	5905-00-435-1718	81349	RCR07G24IJS	RESISTOR, FIXED, COMP	EA	3
1	1440	PAFZZ	5905-00-114-0711	81349	RCR07G472JS	RESISTOR FIXED, COMP	EA	1
1	1450	PAFZZ	5905-00-813-5965	81349	RN65F1132F	RESISTOR, FIXED, FILM	EA	1
1	1460	PAFZZ	5905-00-106-1282	81349	RCRZOG223JS	RESISTOR, FIXED, COMP	EA	2
1	1470	PAFZZ	5905-00-405-7969	80009	321-0186-00	RESISTOR FIXED, FILM	EA	2
1	1480	PAFZZ	5905-00-405-7794	80009	321-0171-00	RESISTOR, FIXED, FILM	EA	2
1	1490	PAFZZ	5905-00-4345073	80009	321-0313-00	RESISTOR FIXED, FILM	EA	1
1	1500	PAFZZ	5905-00-434-5068	80009	321-0289-00	RESISTOR, FIXED, FILM	EA	2
1	1510	PAFZZ	5905-00-021-6494	75042	CEATO-2491	RESISTOR, FIXED, FILM	EA	1
1	1520	PAFZZ	5905-00-42-7726	80009	321-0230-00	RESISTOR, FIXED, FILM	EA	1
1	1530	PAFZZ	5905-00-551-9251	80009	307-0181-00	RESISTOR, HERMAL	EA	1
1	1540	PAFZZ	5905-01-026-5979	50157	ZD1596	RESISTOR THEMAL	EA	1
1	1550	PAFZZ	5905-00-110-7622	81349	RCR07G682JS	RESISTOR, FIXED, COMP	EA	1
1	1560	PAFZZ	5905-00-051-5557	81349	RL69VR47	RESISTOR, FIXED, WIREWOUND	EA	1
1	1570	PAFZZ	5905-00-060-3731	81349	Rw69V1RO	RESISTOR, FIXED, WIREWOUND	EA	2
1	1590	PAFZZ	5905-00-141-0742	81349	RCRO07GI81JS	RESISTOR, FIXED, COMP	EA	6
1	1600	PAFZZ	5905-01-065-0367	891637	NFF18X016C125RO	RESISTOR FIXED FILM	EA	1
1	1610	PAFZZ	5905-00-434-5059	80009	321-0193-00	RESISTOR, FIXED, FILM	EA	2
1	1620	PAFZZ	5905-00-114-0711	81349	RCR07G472JS	RESISTOR, FIXED, COMP	EA	9
1	1630	PAFZZ	5905-00-110-0388	81349	RCR07G104JS	RESISTOR, FIXED, COMP	EA	5
1	1640	PAFZZ	5905-01-024-9086	81349	RNC56K2003FS	RESISTOR FIXED FILM	EA	1
1	1650	PAFZZ	5905-01-039-3008	91637	MPF181602001C	RESISTOR FIXED FILM	E.A	2
1	1660	PAFZZ	5905-00-562-0544	80009	321-0510-00	RESISTOR FIXED FILM	EA	1
1	1670	PAFZZ	5905-00-445-3708	80009	315-0183-00	RESISTOR, FIXED, FILM	EA	2
1	1680	PAFZZ	5905-01-017-8107	75042	CEATO-3012F	RESISTOR FIXED, FILM	EA	1
1	1690	PAFZZ	5905-00-114-0708	81349	RCR07G202JS	RESISTOR, FIXED, COMP	EA	10
1	1700	PAFZZ	5905-00-105-7764	81349	CR07G22ZJS	RESISTOR, FIXED, COMP	EA	4
1	1710	PAFZZ	5905-00-405-7790	80009	3210161-00	RESISTOR FIXED FILM	EA	1
1	1720	PAFZZ	5905-00-478-7485	19701	NFSCD86R60F	RESISTOR FIXED FILM	EA	2

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6)	(7)	(8)
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	FSCM	PART NUMBER	DESCRIPTION USABLE ON CODE	U/M	QTY INC IN UNIT
1	1730	PAFZZ	5905-00-400-8999	01121	CB4305	RESISTOR FIXED.COMP 315-0430-00 FSCM 80009	EA	2
1	1740	PAFZZ	5905-00-116-8555	81349	RCROTG153JS	RESISTOR.FIXED.COMP	EA	1
1	1750	PAFZZ	5905-01-046-6845	80009	321-0286-00	RESISTOR.FIXED.FILM	E.A	1
1	1760	PAFZZ	5905-00-426-7786	80009	321-0257-00	RESISTOR FIXED FILM	EA	1
1	1770	PAFZZ	5905-00-405-7750	80009	321-0143-00	RESISTOR.FIXED.FILM	EA	1
1	1780	PAFZZ	5905-01-044-3553	80009	321-0082-00	RESISTOR FIXED FILM	EA	2
1	1800	PAFZZ	5905-00-893-1290	80009	321-0097-00	RESISTOR.FIXED.FILM	EA	1
1	1810	PAFZZ	5905-00-140-7069	81349	PNC60K2151FS	RESISTOR.FIXED.FILM	EA	1
1	1820	PAFZZ	5905-00-426-7148	81349	RNC60K51 R1FS	RESISTOR FIXED FILM	EA	1
1	1830	PAFZZ	5905-00-902-5928	75042	CEATO-111F	RESISTOR FIXED FILM	EA	19
1	1840	PAFZZ	5905-00-426-7758	80009	321-0318-00	RESISTOR.FIXED.FILM	EA	1
1	1850	PAFZZ	5905-00-055-7051	01121	C85145	RESISTOR.FIXED.COMP	EA	2
1	1860	PAFZZ	5905-00-434-5053	80009	321-0201-00	RESISTOR FIXED FILM	EA	6
1	1870	PAFZZ	5905-00-105-7767	81349	RCR07G474JS	RESISTOR.FIXED.COMP	EA	1
1	1880	PAFZZ	5905-00-426-7740	80009	321-0239-00	RESISTOR.FIXEO.FILM	EA	3
1	1890	PAFZZ	5905-00-922-9925	80009	321-0260-00	RESISTOR.....	EA	2
1	1900	PAFZZ	5905-00-11C-0388	81349	RCR07G104JS	RESISTOR.FIXED.COMP	EA	1
1	1910	PAFZZ	5905-00-426-7759	80009	321-0326-00	RESISTOR.FIXED.FILM	E A	1
1	1920	PAFZZ	5905-00-189-2466	81349	RNC60K280IFS	RESISTOR.FIXED.FILM	EA	1
1	1930	PAFZZ	5905-C0-500-9658	73138	72PM2-0	RESISTOR.VARIABLE.....	EA	1
1	1940	PAFZZ	5905-01-066-3303	80009	311-1423-00	RESISTOR VAPIABLE.....	EA	1
1	1950	PAFZZ	5905-00-055-7942	18876	10193878-002	RESISTOR.VARIABLE.....	EA	1
1	1960	PAFZZ	5905-00-560-3117	80009	311-1245-00	RESISTOR VARIABLE.....	EA	3
1	1970	PAFZZ	5905-01-05e-9348	80009	311-1246-00	RESISTOR VARIABLE.....	EA	1
1	1980	PAFZZ	5905-00-048-6793	80009	311-1263-00	RESISTOR.VARIABLE.....	EA	1
1	1990	PAFZZ	5905-01-020-2432	80009	311-1466-00	RESISTOR VARIABLE.....	E A	1
1	2000	PAFZZ	5905-00-048-6793	32997	3329P-L58-102	RESISTOR VARIAELE.....	EA	1
1	2010	PAFZZ	5905-00-548-0937	80009	311-124-00	RESISTOR VARIABLE.....	EA	1
1	2020	PAFZZ	5905-00-499-2047	80009	311-0546-00	RESISTOR.VARIABLE.....	EA	1
1	2030	PAFZZ	5905-01-047-1554	01121	13M501	RESISTOR VARIABLE.....	EA	1
1	2040	PAFZZ	5905-01-045-7581	80009	311-1239-00	RESISTOR VARIABLE.....	EA	1
1	2050	PAFZZ	5905-01-013-1415	73138	72X23-0-501K	RESISTOR VARIABLE.....	EA	2
1	2060	PAFZZ	5905-00-430-6273	80009	311-1228-00	RESISTOR VARIABLE.....	EA	2
1	2070	PAFZZ	5905-00-378-0338	80009	311-1192-00	RESISTOR VARIAELE.....	EA	1
1	2090	P&FZZ	5905-00-434-5414	80009	311-1258-00	RESISTOR.VARIABLE.....	EA	1
1	2100	PAFZZ	5905-00-487-8294	73138	72PR6-0	RESISTOR.VARIABLE.....	EA	4
1	2110	PAFZZ	5905-00-481-8441	80009	311-0605-00	RESISTOR.VARIABLE.....	EA	1
1	2120	PAFZZ	5905-00-104-8368	81349	RCR07G470JS	RESISTOR.FIXED.COMP	EA	15
1	2130	PAFZZ	5905-00-111-1686	81349	RCR07G161JS	RESISTCR.FIXED.COMP.....	EA	1
1	2140	PAFZZ	5905-01-047-7790	80009	307-0490-00	RESISTOR NETWORK	EA	1

(1) ILLUSTRATION		(2)	(3)	(4)	(5)	(6)	(7)	(8)
(a) FIG NO.	(b) ITEM NO.	SMR CODE	NATIONAL STOCK NUMBER	PART NUMBER	FSCM	DESCRIPTION USABLE ON CODE	U/M	QTY INC IN UNIT
1	2150	PAFZZ	5905-00-477-8034	308-0685-00	80009	RESISTOR, FIXED, WIREWOUND.....	E A	2
1	2160	PAFZZ	5905-00-135-3975	RCR07G68OJS	81349	RESISTOR, FIXED, COMP	EA	1
1	2170	PAFZZ	5905-00-435-6414	RCR07G114JS	81349	RESISTOR, FIXED, COMP	EA	1
1	2200	PAFZZ	5961-00-42-6942	1N4935	80131	SEMICONDUCTOR DEVICE	EA	1
1	2230	PAFZZ	5961-00-923-9763	152-0066-00	800C9	SEMICONDUCTOR DEVICE	EA	4
1	2260	PAFZZ	5961-00-06e-0687	JAN1N3828A	81349	SEMICONDUCTOR DEVICE	EA	2
1	2280	PAFZZ	5961-00-10-.7681	DA1195	03508	SEMICONDUCTOR DEVICE	EA	55
1	2290	PAFZZ	5961-01-016-5417	152-0574-00	80009	SEMICONDUCTOR DEVICE	EA	2
1	2300	PAFZZ	5961-00-858-5686	C012676	15818	SEMICONDUCTOR DEVICE	EA	2
1	2310	PAFZZ	5961-00-905-6871	152-0061-00	80009	SEMICONDUCTOR DEVICE	EA	4
1	2340	PAFZZ	5930-01-061-9768	260-1686-00	80009	SWITCH, PUSH	E.A	1
1	2360	PAFZZ	5961-00-548-1894	151-0446-30	80009	TRANSISTOR	EA	2
1	2370	PAFZZ	5961-00-78SC836	2N4258	80131	TRANSISTCR	EA	1
1	2380	PAFZZ	5961-30-018-119	151-01C3-00	80009	TRANSISTOR	EA	2
1	2400	PAFZZ	5961-00-478-3046	151-0333-00	80009	TRANSISTOR	E A	5
1	2420	PAFZZ	5961-00-987-7461	151-0192-33	80009	TRANSISTOR	E A	1
1	2430	PAFZZ	5961-00-930-5325	2N3565	80131	TRANSISTOR	EA	1
1	2440	PAFZZ	5961-30-943-7572	2N3563	R0131	TRANSISTOR	EA	4
1	2450	PAFZZ	5961-00-936-7589	151-0134-03	80009	TRANSISTOR	EA	1
1	2460	PAFZZ	5961-00-43e-3317	151-1042-00	80009	TRANSISTCR	EA	2
1	2470	PAFZZ	5961-00-879-7461	151-0197-00	80009	TRANSISTOR	EA	1
1	2500	PAFZZ	5950-01-012-9880	109-0740-30	80009	TRANSFORMER, RADIO FREQUENCY	EA	2
1	2510	PAFZZ	5961-00-246-2427	2N4249	80131	TRANSISTOR	EA	23
1	2520	PAFZZ	5961-00-T8C-8368	2N4258	E5131	TRANSISTOR	EA	1
1	2530	PAFZZ	5961-00-365-9935	151-0347-0	R09	TRANSISTOR	EA	6
1	2540	PAFZZ	5961-00-359-9493	SDST700	04713	TRANSISTOR	EA	3
1	2560	PAFZZ	5961-00-926-3237	JAN2369A	81349	TRANSISTCR	EA	1
1	2590	PAFZZ	5S61-00-892-8706	03247	36811	TRANSISTOR	EA	14
1	2600	PAFZZ	5c61-00-931-0372	151-01889-00	80009	TRANSISTOR	EA	4
1	2610	PAFZZ	5S50-01-047-2332	120-1016-03	93000	TRANSFOMER	EA	1
1	6106	PAFZZ	5920-00-28C-9344	F02A253V1-2L	81349	FUSE, CARTRIDGE	EA	1

SECTION III. NATIONAL STOCK NUMBER AND PART NUMBER INDEX

STOCK NUMBER	FIGURE NO..	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5935-00-001-7558	1	580	5905-00-141-1183	1	1020
5961-00-018-1179	1	2380	5905-00-189-2466	1	1920
5905-00-021-6494	1	1510	5905-00-228-5506	1	770
5910-00-022-4065	1	90	5961-00-246-2427	1	2513
5905-00-048-6793	1	1980	5905-00-255-3701	1	1230
5905-30-048-6793	1	2000	5920-00-280-8342	1	600
5905-00-051-5557	1	1560	5920-00-280-8344	10	6106
5905-00-055-7C51	1	1850	6240-00-326-2066	1	620
5905-00-055-7942	1	1950	5935-00-359-8912	1	690
5905-00-060-3731	1	1570	5961-00-359-9493	1	2540
5961-00-062-C687	1	2260	5910-00-361-8665	1	400
5905-00-104-2357	1	1110	5910-00-361-8667	1	340
5905-00-104-8358	1	1130	5961-00-365-9935	1	2530
5905-00-104-e363	1	1150	5905-00-378-0338	1	2070
5905-00-104-2362	1	930	5913-00-378-0354	1	430
5905-00-104-8365	1	810	5905-00-400-8999	1	1730
5905-00-104-6368	1	2120	5950-00-401-2963	1	540
5905-00-104-P369	1	900	5905-00-402-4242	1	950
5905-00-104-2370	1	1100	5905-00-432-4253	1	990
5961-00-105-7681	1	2280	5905-00-402-7:49	1	1210
5905-00-105-7764	1	1700	5905-00-405-7750	1	1770
5905-00-105-7767	1	1870	5905-00-405-7790	1	1710
5905-00-106-1248	1	1180	5905-00-405-7794	1	1480
5905-00-106-1278	1	1120	5905-00-405-7800	1	850
5905-00-106-1282	1	1460	5905-00-435-7969	1	1470
5905-00-106-1356	1	1290	5905-00-412-0758	1	1220
5905-00-106-3666	1	1170	5950-00-417-3838	1	550
5905-00-106-9357	1	1050	5961-00-424-6942	1	2200
5905-00-107-C656	1	1030	5905-00-426-7148	1	1920
5905-00-110-C388	1	1630	5005-00-426-7726	1	1520
5905-00-110-C388	1	1900	5905-00-426-7740	1	1is80
5905-00-110-7620	1	790	5905-00-426-7758	1	1840
5905-00-110-7622	1	1550	5905-00-426-7759	1	1910
5905-00-111-1686	1	2130	5905-00-426-7786	1	1760
5910-00-113-2375	1	180	5905-00-430-6273	1	2060
5905-00-113-4860	1	1250	5905-00-434-5C53	1	1860
5910-00-113-5499	1	240	5905-00-434-5C59	1	1613
5905-00-114-C708	1	1690	5005-00-434-5066	1	840
5905-00-114-G710	1	820	5905-00-434-5068	1	11500
5905-300-114-C711	1	1440	5905-00-434-5073	1	1400
5905-00-114-0711	1	1620	5905-00-434-5414	1	12090
5905-00-114-5343	1	940	5905-00-435-1718	1	1380
5905-00-115-3562	1	1070	5905-00-435-1718	1	1420
5905-00-116-2394	1	730	5905-00-435-1718	1	11430
5905-00-116-6554	1	1190	5905-00-435-6414	1	2170
5905-00-116-8555	1	1400	5961-00-436-3317	1	2460
5905-00-116-8555	1	1740	5913-00-436-4340	1	10
5905-00-116-8556	1	760	5913-00-436-5961	1	30
5905-00-118-4559	1	910	5905-00-436-8872	1	830
5905-00-119-3503	1	1300	5905-00-442-9356	1	1260
5905-00-119-3504	1	1080	5905-00-445-3708	1	1670
5905-00-119-8768	1	890	5905-00-445-1760	1	750
5905-00-119-8611	1	1060	5905-00-466-1216	1	980
5905-00-120-9154	1	1320	5905-00-477-8034	1	2150
5905-00-121-9920	1	920	5961-00-478-3046	1	2403
5905-00-121-9932	1	710	5905-00-478-7485	1	1720
5905-00-122-C004	1	1360	5905-00-481-8441	1	2110
5905-00-126-61603	1	1000	5905-00-485-4545	1	1343
5905-00-126-6696	1	1410	5905-00-485-4648	1	1140
5905-00-126-6698	1	970	5910-00-485-4854	1	60
5905-00-131-1255	1	1000	5905-00-487-8294	1	2100
5905-00-131-9729	1	1390	5905-00-493-5249	1	960
5905-00-135-3972	1	1040	5913-00-496-1484	1	1410
5905-00-135-3973	1	720	5905-00-499-2047	1	2020
5905-00-135-3974	1	700	5905-00-500-9652	1	1930
5905-00-135-3975	1	2160	5905-00-548-0937	1	2310
5905-00-135-6046	1	1350	5961-00-548-1894	1	12360
5905-00-136-3690	1	1010	5905-00-551-9251	1	11533
5905-00-136-3891	1	880	5905-00-560-3117	1	11963
5905-00-136-2406	1	1160	5905-00-562-0544	1	11663
5905-30-136-8430	1	800	5910-00-688-8702	1	300
5905-00-136-8431	1	1280	5913-00-721-2030	1	50
5910-00-13-C362	1	330	5913-00-754-9226	1	310
5905-00-140-7069	1	1810	5961-00-780-8368	1	12370
5905-00-141-C717	1	1310	5961-00-783-8368	1	2523
5905-00-141-0742	1	1370	5950-00-790-3703	1	570
5905-00-141-C742	1	1990	5913-00-792-5082	1	170
5905-00-141-0743	1	743	5910-00-801-1005	1	110
5905-00-141-C744	1	960	5905-00-813-5965	1	1450
5905-00-141-0744	1	1240	5910-00-827-6274	1	20

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5950-00-835-6417	1	560	5905-01-026-5979	1	1540
5961-00-858-5686	1	2300	5905-01-039-3008	1	1650
5961-00-879-7461	1	2420	5905-01-044-3553	1	1780
5961-00-879-7461	1	2470	5905-01-045-7581	1	2040
5905-00-879-7767	1	870	5905-01-046-6845	1	1750
5910-00-882-7003	1	220	5905-01-047-1554	1	2030
5961-00-892-8706	1	2590	5950-01-047-2328	1	680
5905-00-893-1290	1	1800	5950-01-047-2332	1	2610
5910-00-896-7636	1	360	5905-01-047-7790	1	2140
5905-00-902-5928	1	1830	5910-01-047-8858	1	290
5905-00-905-6276	1	1330	5905-01-058-9348	1	1970
5961-00-905-6871	1	2310	5910-01-061-1263	1	190
5910-00-914-2871	1	320	5930-01-061-9768	1	2340
5910-00-919-4374	1	210	5910-01-362-0509	1	140
5905-00-922-9925	1	1890	5910-01-062-0510	1	380
5961-00-923-9763	1	2230	5910-01-062-1968	1	130
5961-00-926-0237	1	2560	5910-01-062-1969	1	270
5905-00-929-5589	1	1200	5910-01-062-4798	1	200
5961-00-930-5325	1	2430	5905-01-065-0367	1	1600
5961-00-931-0372	1	2600	5905-01-066-3303	1	1940
5961-00-936-7589	1	2450	5910-01-067-0860	1	70
5910-00-938-1186	1	120	5910-01-071-3146	1	80
5961-00-943-7572	1	2440	5910-01-071-3146	1	160
5962-01-010-7442	1	640	5913-01-075-7107	1	250
5950-01-012-880eB	1	2500	6695-01-085-3837	1	480
5905-01-01-1415	1	2050	6695-01-085-3838	1	510
5910-01-015-1686	1	150	6695-01-a85-3840	1	460
5961-01-016-5417	1	2290	6695-01-085-3841	1	1470
5905-01-017-8107	1	1680	6695-01-085-3842	1	490
5905-01-020-2432	1	1990	6695-01-085-3843	1	20
5905-01-024-2727	1	127C	6695-01-085-3844	1	530
5905-01-024-5086	1	1640	6695-01-085-7740	1	500

PART NUMBER	FSCM	FIG. NO.	ITEM NO.	PART NUMBER	FSCM	FIG. NO.	ITEM NO.
BB2405	01121	1	1200	RCR07G133JS	81349	1	O10
8B9105	01121	1	870	RCR07G151JS	81349	1	1060
B1000D18209	91418	1	300	RCR07G152JS	81349	1	1290
8100005-8	91418	1	50	RCR07G153JS	81349	1	1400
CB1645	01121	1	990	RCR07G153JS	81349	1	1740
C82265	01121	1	950	RCR07G161JS	81349	1	2130
CB4305	01121	1	1730	RCR07G162JS	81349	1	1180
C85145	01121	1	1850	RCR07G181JS	81349	1	1370
CB7545	01121	1	1330	RCR07G181JS	81349	1	1590
CC30UJ68OG	81349	1	20	RCR07G182JS	81349	1	940
CD12676	15818	1	2300	RCR07G200JS	81349	1	1040
CEATO-111F	75042	1	1830	RCR07G202JS	81349	1	1690
CEATO-2491F	75042	1	1510	RCR07G221JS	81349	1	720
CEATO-3012F	75042	1	1680	RCR07G222JS	81349	1	1700
CW20C823K	16546	1	150	RCPO7G223JS	81349	1	760
OD1195	03508	1	2280	RCR07G240JS	81349	1	1260
F02A250V1-2A	81349	1	06106	RCO07G241JS	81349	1	1380
FO02250V1A	81349	1	600	RCR07G241JS	81349	1	1420
JANIN3828A	81349	1	2260	RCR07G241JS	81349	1	1430
JAN2N2369A	81349	1	2560	FCR07G242JS	8139	1	1160
L02138	14933	1	1270	RCR07G244JS	81349	1	1140
MFFI8XO16C125ROB	91637	1	1600	RCR07G270JS	81349	1	1250
MFFIe816D20001C	91637	1	1650	RCR07G271JS	81349	1	1300
MFSCD86R6CF	19701	1	1720	RCR07G273JS	81349	1	1000
M39006/09-8734	81349	1	190	RCR07G302JS	1349	1	1390
M39014/02-1350	81349	1	24C	RCR07G303JS	81349	1	920
Q0247	06811	1	2590	RCR07G331JS	81349	1	820
RCRO5G200JS	81349	1	860	RCR07G332JS	81349	1	1000
RCRO5G330JS	81349	1	980	RCR07G333JS	01349	1	910
RCPO5C47CJS	81349	1	1210	RCR07G334JS	81349	1	1340
RCRO5GSIOJS	81349	1	1220	RCR07G360JS	81349	1	970
RCRO5G560JS	81349	1	1230	RCR07G361JS	81349	1	1100
RCRO7GIOOJS	81349	1	1030	RCR07G362JS	81349	1	900
RCRO7G1O1JS	81349	1	1020	RCR07G363JS	81349	1	800
RCRO7G1O2JS	81349	1	790	RCR07G391JS	81349	1	710
RCR07G103JS	81349	1	1170	RCR07G392JS	81349	1	740
RCO07GIO4JS	81349	1	1630	RCR07G394JS	P1349	1	1070
RCRO7GIO4JS	81349	1	1900	RCRO7G431JS	81349	1	700
RCR07G1O5JS	81349	1	11S0	RCR07G432JS	81349	1	1280
RCRO7G114JS	81349	1	2170	RCR07G433JS	61349	1	1360
RCRO7G122JS	81349	1	1090	RCR07G470JS	81349	1	2120
RCR07G123JS	81349	1	1120	RCRO7G471JS	P1349	1	1320
RCPO7G132JS	81349	1	930	RCR07G472JS	81349	1	1440

PART NUMBER	FSCM	FIG. NO.	ITEM NO.	PART NUMBER	FSCM	FIG. NO.	ITEM NO.
RCR07G472JS	81349	1	1620	281-0786-00	80009	1	70
RCROTG473JS	81349	1	1310	283-0084-00	80009	1	210
RCR07G474JS	81349	1	1870	283-0103-00	80009	1	60
RCR07G511JS	81349	1	730	283-0154-00	80009	1	380
RCR07G513JS	81349	1	1010	283-0331-00	80009	1	290
RCR07G562JS	81349	1	960	290-0283-00	80009	1	30
RCR07G562JS	81349	1	1240	290-0522-00	80009	1	330
RCR07G621JS	81349	1	880	30D105F150BA4	56289	1	360
RCR07G622JS	81349	1	770	301-00C0KO-1898	72982	1	310
RCR07G623JS	81349	1	1150	307-0181-00	80009	1	1530
RCR07G680JS	81349	1	2160	307-0490-00	80009	1	2140
RCR07G681JS	81349	1	1320	308-0685-00	80009	1	2150
RCR07G682JS	81349	1	1550	311-0546-00	80009	1	2020
RCR07G684JS	81349	1	1110	311-0605-00	80009	1	2110
RCP07G750JS	81349	1	1050	311-1192-00	80009	1	2070
RCR07G751JS	81349	1	1410	311-1228-00	80009	1	2060
RCR07G821JS	81349	1	890	311-1239-00	80009	1	2040
RCR07G822JS	81349	1	1130	311-1244-00	80009	1	2013
RCR2OG223JS	81349	1	1460	311-1245-00	80009	1	1960
RNC56K2003FS	81349	1	1640	311-1246-00	80009	1	1970
RNC60K2151FS	81349	1	1810	311-125e-00	80009	1	2090
RNC60K2801FS	81349	1	1920	311-1263-00	80009	1	1980
RNC60K5IRIFS	81349	1	1820	311-1423-00	80009	1	1940
RN65F1132F	81349	1	1450	311-1466-00	80009	1	1990
RW69VR47	81349	1	1560	315-0183-00	80009	1	1670
RW69V1RO	81349	1	1570	315-0203-00	80009	1	750
SPS6700	04713	1	2540	321-0081-00	80009	1	830
0831000Z5D0471J	18796	1	180	321-0082-00	80009	1	1780
IN4935	80131	1	2200	321-0097-00	80009	1	1800
10193878-002	18876	1	1950	321-0143-00	80009	1	1770
108-0240-00	80009	1	560	321-0161-00	80009	1	1710
108-0245-00	80009	1	550	321-0171-00	80009	1	1480
108-0331-CC	80009	1	540	321-0179-00	80009	1	850
108-0422-00	80009	1	570	321-0186-00	80009	1	1470
108-0740-00	80009	1	2500	321-0193-00	80009	1	1610
108-0828-00	80009	1	680	321-0201-00	80009	1	1860
120-1016-00	80009	1	2610	321-0230-00	80009	1	1520
13M501	01121	1	2030	321-0239-00	80009	1	1880
131-0955-00	80009	1	580	321-0257-00	80009	1	1760
131-1003-00	80009	1	690	321-0260-00	80009	1	1890
151-0103-00	80009	1	2380	321-0284-00	80009	1	840
151-0134-00	80009	1	2450	321-0286-00	80009	1	1750
151-0188-00C	80009	1	2600	321-0289-00	80009	1	1500
151-0192-00	80009	1	2420	321-0313-00	80009	1	1490
151-0192-OC	80009	1	2470	321-0318-00	80009	1	1840
151-0333-00	80009	1	2400	321-0326-C0	80009	1	1910
151-0347-00	80009	1	2530	321-0510-00	80009	1	1663
151-0446-00	80009	1	2360	3329P-L58-102	32997	1	2000
151-1042-00	80009	1	2460	374-001COHO-4790	72982	1	120
152-0061-00	80009	1	2310	390-049X5P0270M	72982	1	250
152-0066-00	80009	1	2230	390049X5PO680K	72982	1	140
152-0574-00	80009	1	2290	390049X5PO820K	72982	1	270
156-0067-00	80009	1	640	40C287A2	56269	1	90
196D225X9025HA1	56289	1	400	670-5109-00	80009	1	460
196D226X9015KA1	56289	1	340	670-5110-00	80009	1	470
196D0475XS050KA1	56289	1	410	670-5111-00	80009	1	480
2ACAT	08806	1	620	670-5112-00	80009	1	490
2D1596	50157	1	1540	670-5113-30	80009	1	500
2N3563	80131	1	2440	670-5114-00	80009	1	510
2N3565	80131	1	2430	670-5115-00	80009	1	520
2N4249	80131	1	2510	670-5116-00	80009	1	530
2N4258	80131	1	237C	72PM2-0	73138	1	1930
2N4258	80131	1	2520	72PM6-0	73138	1	2100
2222-801-96133	80031	1	440	72X23-0-501K	73138	1	2050
260-1686-00	80009	1	2340	8005A2A&CCIG201J	72982	1	200
281-0158-00	80009	1	430	8005H9AABZ5U104M	72982	1	130
281-0601-00	80009	1	10	878-023Y550-102M	72982	1	220
281-0659-00	80009	1	320	9995456	18876	1	110
281-0759-00	80009	1	80	9995679-2	18876	1	170
281-0759-00	80009	1	160				

By Order of the Secretary of the Army:

E. C. MEYER
General, United States Army
Chief of Staff

Official:

J. C. PENNINGTON
Major General, United States Army
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-34A, requirements for Calibration Procedures Publications.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN . . . JOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

SOMETHING WRONG WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

TM 11-5825-270-10

PUBLICATION DATE

23 Jul 81

PUBLICATION TITLE

Radio Frequency R-2176/FRN

BE EXACT . . . PIN-POINT WHERE IT IS

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.
----------	------------	------------	-----------

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2
1 JUL 79

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

