

Tektronix OF151 technical specifications

Tektronix OF151 General Information

Product Description:
Singlemode Fiber Optic TDR

Tektronix OF151 Performance Characteristics

Form Factor	Benchtop
Fiber Type	Singlemode
Minimum Wavelength	1300 nm
Maximum Wavelength	1300 nm
Maximum Distance Range	60 km
Minimum Distance Resolution	1 m
Maximum Distance Resolution	1 m
Maximum Dynamic Range	80 dB
Minimum Pulse Width	77 ms
Maximum Pulse Width	400 ms
Connector type (main signal)	Diamond

Tektronix OF151 Measurements/Features

Single function manual dials
Data Point Resolution: 2 cm
Portable
0.33s (fast) sweep time
dB scale Accuracy: +/-0.5dB

Tektronix OF151 Programmability/Connectivity

User Interface	Proprietary
----------------	-------------

Tektronix OF151 Life Cycle Data

Out of Production	Nov-01-2000
-------------------	-------------

Tektronix OF151 Compliance

CE Compliance	Not on file
UL Compliance	Not compliant

Tektronix OF151 Power Requirements

Input Power	Universal (Auto Sense and Switch)
-------------	-----------------------------------

Tektronix OF151 Physical Dimensions

Width	326.9 mm(12.87 in)
Height	175 mm(6.88 in)

Length	499.1 mm(19.64 in)
Weight	16.3 kg(35.93 lb)

Tektronix OF151 Standard Accessories

. /00 /Qty: 1

0 /00 /Qty: 1

1 /Blank Module /Qty: 1

2 /Operating Manual /Qty: 1

3 /AC Power Cord /Qty: 1

4 /Battery Power Cord /Qty: 1

5 /Optical Fiber Interface Cable /Qty: 1

6 /Spare Fuses /Qty: 1