

Tektronix Change of Support Capability; Effective January 1, 2002

PRODUCT	DESCRIPTION	Post Long-Term Product Support Choices
067-0251-00	EXTENDER CARD; EXTENDER CARD, VX1410	Support capability no longer available
067-0252-00	SERVICE FIXTURE; SERVICE FIXTURE, VX1410	Support capability no longer available
1106	POWER SUPPLY; 465 OR 475 OPT 7 EXT DC OPN	Support capability no longer available
1107	DC INVERTER; 12V/24VDC INPUT TO 115VAC	Support capability no longer available
11402A	DIGITIZINGSCOPE; 1GHZ	Calibration Service
11403A	DIGITIZINGSCOPE; 3GHZ W/COLOR DISPLAY	Calibration Service
11A16	TWO CHANNEL AMP; CURRENT	Calibration Service
11A32	DUAL TRACE AMPL; 50/1 MEG INPUTPLUG-IN UNIT	Calibration Service
11A33	DIFF COMP AMPL; PLUG-IN UNIT	Calibration Service
11A34	FOUR TRACE AMPL; 50/1 MEG INPUT, PLUG-IN UNIT	Calibration Service
11A34V	PLUG IN AMP; HIGH BANDWIDTH VIDEO AMPLIFIER	Calibration Service
11A52	DUAL TRACE AMPL; 50 OHM INPUT, PLUG-IN UNIT	Calibration Service
11A72	DUAL CHNL AMP; 1GHZ,50 OHM,PLUG-IN UNIT	Calibration Service
11A81	AMPLIFIER; 3GHZ -OPERATES ONLY IN COMPATIBLEMAINFRAMES	Calibration Service
11T5H	TRIGGER PLUG-IN; MULTI-STD VIDEO TRIGGER	Calibration Service
1200C02	COMM PACK; GPIB COMMUNICATION PACK FOR REMOTE CONTROL	Support capability no longer available
1200C11	COMM PACK; PARALLEL PRINTER COMMUNICATION PACK (RE	Support capability no longer available
1240	LOGIC ANALYZER; MONOCHROME CRT 4 MODULE MAINFRAME	Support capability no longer available
1240D1	ACQ MODULE; 9 CHANNELS @ 50MHZ SYNC AND 100MHZ TIMING,INCL P	Support capability no longer available
1240D2	ACQ MODULE; 18 CHANNELS @ 50MHZ SYNC AND 50MHZ TIMING,INC	Support capability no longer available
1240NMM	MFG ANALYZER; RACK MOUNTED SYSTEM WITH (1) 1240D1 (NO PROB	Support capability no longer available
1241	LOGIC ANALYZER; COLOR CRT FOUR MODULE MAINFRAME	Support capability no longer available
1241DEM	US DEMO CONFIG W/ 4 P6460S	Support capability no longer available
1241DFS	DEC FIELD SVC; 63 CH SYSTEM, RS-232, MASS STORAGE, LPT, MS&V	Support capability no longer available
1241N08	LOGIC ANALYZER; 8 BIT MICRO SUPPORT,MASS STORAGE,PRINTER	Support capability no longer available
1241N16	LOGIC ANALYZER; 8/16 BIT MICRO SUPPORT,MASS STORAGE,PRINTER	Support capability no longer available
1241NBA	BUS ANALYZER; 72 CHANNEL SYSTEM,50MHZ SYNC,50MHZ TIMING 6	Support capability no longer available
1241NGP	LOGIC ANALYZER; 45 CHANNEL SYSTEM,50MHZ SYNC,100MHZ TIMING	Support capability no longer available
1241NHS	TIMING ANALYZER; 36 CHANNEL HIGH SPEED 100MHZ SYSTEM,64	Support capability no longer available
1241NMP	MICRO ANALYZER; 8/16/32 BIT MICRO SUPPORT, STORAGE,LPT AND H	Support capability no longer available
1241NVB	VAXBI SUPPORT; 63 CHANNEL SYSTEM WITH VB100 VAXBI DEVEL	Support capability no longer available
12R01	APPL SOFTWARE; PERFORMANCE ANALYSIS ROM PACK FOR CODE OPTI	Support capability no longer available
12RC01	APPL SOFTWARE; LINE PRINTER ROM PACK (REQ 1200C01 OR 1200C11	Support capability no longer available
12RC02	APPL SOFTWARE; MASTER/SLAVE ROM PACK FOR 1240/41 MODEM CONN	Support capability no longer available
12RD01	APPL SOFTWARE; DIAGNOSTIC ROM PACK FOR SERVICE OF THE 124	Support capability no longer available
12RM01	8080 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM02	8085 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM03	8086 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM04	8088 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM05	80186 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM06	80188 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM08	80286 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM21	6800 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available

Support capability no longer available from Tektronix.

Calibration Service is Post Long-Term Product Support Calibration only. Repair Service is not available for these products.

August, 2001

Tektronix Change of Support Capability; Effective January 1, 2002

PRODUCT	DESCRIPTION	Post Long-Term Product Support Choices
12RM22	6802 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM23	6808 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM24	6809 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM25	68000 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM26	68008 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM27	68010 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM31	68020 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM33	68030 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM41	Z80 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM42	Z8001/3 SPRT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM43	Z8002/4 SPRT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM62A	F9450 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL (1750A MIL	Support capability no longer available
12RM63	6502/C02 SPRT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM71	NSC800 SUPPORT; DISASSEMBLY S/W ROM PACK & MANUAL	Support capability no longer available
12RM99	CUSTOM MNEMONIC; ROM PACK	Support capability no longer available
12RS01	MASS STORAGE; 8K RAM PACK FOR DATA AND SETUP FILE STORAGE	Support capability no longer available
12RS02	MASS STORAGE; 64K RAM PACK FOR DATA AND SETUP FILE STORAGE	Support capability no longer available
14501	TV DEMODULATOR; SYSTEM M NTSC	Calibration Service
14502	TV DEMODULATOR; SYSTEM B/G PAL	Calibration Service
14503A	TV DEMODULATOR; TV DEMODULATOR FOR USE IN SYSTEM I PAL COUNT	Calibration Service
1450F20	WB AUDIO KIT; WIDE BAND, AUDIO UPGRADE KIT FOR 14501	Support capability no longer available
1450F3A	1450-3A UPGRADE; UPGRADE KIT TO CONVERT A 1450-3 TO A 1450-3	Support capability no longer available
1503B	TESTER; LONG RANGE METALLIC TDR (EMI VERSION)	Calibration Service
214	OSCILLOSCOPE; 500KHZ,DUAL-TRACE,STORAGE MINISCOPE	Support capability no longer available
2201	SCOPE-DSO; 20MHZ/10MS,DIGITAL SCOPE	Support capability no longer available
2205	OSCILLOSCOPE; 20MHZ/2 1X LEADSETS	Support capability no longer available
2212	OSCILLOSCOPE; 60MHZ/20MS DSO	Support capability no longer available
2212F10	RS232-C RETROFI; RS232 FIELD INSTALLABLE OPTION KIT	Support capability no longer available
2216	OSCILLOSCOPE; 4 FULL CHANNEL, 60 MHZ ANALOG BW,20 MS/S/CH D	Support capability no longer available
222A	OSCILLOSCOPE; 10MHZ DUAL CHANNEL HANDHELD DIGITAL OSCILLOSCOPE	Support capability no longer available
222PS	OSCILLOSCOPE; 10MHZ,DUAL CHANNEL HANDHELD	Support capability no longer available
2710	RF SPECTRUM ANALYZER	Support capability no longer available
2710F03	GPIB INTERFACE; RETROFIT KIT TO UPGRADE 2710	Support capability no longer available
2710F04	TRACKING GEN; RETROFIT KIT TO UPGRADE 2710 TO INCLUDE OPT	Support capability no longer available
3002S1	3002 SYSTEM 1; RUL *2	Support capability no longer available
30DD09	80386/386SX PDT; PROTOTYPE DEBUG TOOL SW RUL*2	Support capability no longer available
30DD27	68000/010 PDT; PROTOTYPE DEBUG TOOL SW, RUL*2	Support capability no longer available
30DD31	68020 PDT; PROTOTYPE DEBUG TOOL SW RUL*2	Support capability no longer available
30DD33	68030 PDT; PROTOTYPE DEBUG TOOL SW RUL*2	Support capability no longer available
314	OSCILLOSCOPE; 10MHZ DUAL-TRACE PORT STOR SONY/TEKTRONIX	Support capability no longer available
495P	SPCTRM ANALYZER; 100MHZ TO 1.8GHZ W/GPIB	Support capability no longer available
571	CURVE TRACER DISCRETE SEMICONDUCTOR TEST	Support capability no longer available
73A151B	ENHANCED SLOT 0; ENHANCED SLOT 0 MODULE	Support capability no longer available

Support capability no longer available from Tektronix.

Calibration Service is Post Long-Term Product Support Calibration only. Repair Service is not available for these products.

August, 2001

Tektronix Change of Support Capability; Effective January 1, 2002

PRODUCT	DESCRIPTION	Post Long-Term Product Support Choices
73A152	MATE PROCESSOR; MATE PROCESSOR MODULE	Support capability no longer available
73A156	ICM-IAC CONTROL; ICM-IAC CONTROL MODULE	Support capability no longer available
73A425	QUAD ARINC-429; QUAD ARINC-429 TRANSM MODUL	Support capability no longer available
73A426	QUAD ARINC-429 RECEIVER MOD	Support capability no longer available
73A575	S D AND D S SIN; S D AND D S SINGLE CHANNEL	Support capability no longer available
73A576	R D AND D R SIN; R D AND D R SINGLE CHANNEL	Support capability no longer available
73A660	73A-425 TO 73A-; 73A-425 TO 73A-426 SELF-TES	Support capability no longer available
73A712	DATA CABLE; DATA CABLE - 73A-156 TO IEE	Support capability no longer available
73A853	53A TO 73A ADAP; 53A TO 73A ADAPTER	Support capability no longer available
751	AURAL MONITOR; BTSC MODULATION MONITOR AND DECODER	Support capability no longer available
751F01		Support capability no longer available
751F40	WEIGHTED PK KIT; 751 WEIGHTED PEAK KIT, NEW DATA CONV BD AND	Support capability no longer available
751F45	DEMODULATOR; 4.5MHZ INPUT	Support capability no longer available
7612D	DIGITIZER; PROGRAMMABLE	Calibration Service
7A16P	PLUG-IN UNIT; 150MHZ SINGLE TRACE AMPL PROGRAMMABLE	Calibration Service
92DM03	8086 SUPPORT; DISASSEMBLY S/W AND PROBE ADAPTER, DIP40, SOCKE	Support capability no longer available
92DM05	80186 SUPPORT; DISASSEMBLY S/W AND PROBE ADAPTER, LCC/PGA68,	Support capability no longer available
92DM09A	80386 SUPPORT; DISASSEMBLY S/W AND PROBE ADAPTER, PGA132, SOCKETED, RUL *2	Support capability no longer available
92DM10	80386SX SUPPORT; DISASSEMBLY S/W AND PROBE, 100 PQFP, SOCKETED, RUL *2	Support capability no longer available
92DM13	P5 SUPPORT; SETUP(P1) S/W & PROBE ADAPTER, PGA273, SOCKET	Support capability no longer available
92DM15	80860 SUPPORT; DISASSEMBLY S/W AND PROBE ADAPTER, PGA168, SOCKETED, RUL *2	Support capability no longer available
92DM24	6809/E SUPPORT; DISASSEMBLY S/W AND PROBE ADAPTER, DIP40, SOC	Support capability no longer available
92DM27	68K/10 SUPPORT; DISASSEMBLY S/W AND PROBE ADAPTER, DIP64, SOC	Support capability no longer available
92DM31A	68020 SUPPORT; DISASSEMBLY S/W & PROBE ADAPTER, PGA114, SOC	Support capability no longer available
92DM33A	68030 SUPPORT; DISASSEMBLY S/W & PROBE ADAPTER, PGA128, SOCKETED, RUL *2	Support capability no longer available
92DM41	Z80 SUPPORT; DISASSEMBLY S/W AND PROBE ADAPTER, DIP40, SOCKET	Support capability no longer available
92DM64	1750A SUPPORT; DISASSEMBLY S/W AND PROBE ADAPTER, V1750A INT	Support capability no longer available
92DM909	VME BUS SUPPORT; SETUP S/W & PROBE INTERFACECARD, B SIZE, RUL *	Support capability no longer available
92DMGPU	GPU SUPPORT; DISASSEMBLY S/W & PROBE ADAPTER, GPU CONNECTO	Support capability no longer available
92F01	UPGRADE KIT; INCLUDES 8MB SYS RAM, 40MB HDD, 1.2MB FDD, CVT	Support capability no longer available
92F07	SYS RAM UPGRADE; 8MB SYSTEM RAM CARD FOR DAS9219 OR DAS92	Support capability no longer available
92F10	FLOPPY DRIVE; FIELD INSTALLABLE 1.2MB FDDFOR DAS9200	Support capability no longer available
92F13	HARD DISK; FIELD INSTALLABLE 40MB HDD FOR DAS9200	Support capability no longer available
9503	8MB DATA CACHE; 2 CHANNEL 100MHZ	Support capability no longer available
9504	8MB DATA CACHE; EXPANDABLE TO 64MB	Support capability no longer available
A610	AC/DC CURRENT PROBE; 500A, BANANA PLUG	Support capability no longer available
AA5001	PROGRAMMABLE DISTORTION ANALYZER	Support capability no longer available
AM502	AMPLIFIER; DIFFERENTIAL	Support capability no longer available
C7420	MATE INSTRUMENT; MATE INSTRUMENT W/MIL-STD1	Support capability no longer available

Support capability no longer available from Tektronix.

Calibration Service is Post Long-Term Product Support Calibration only. Repair Service is not available for these products.

August, 2001

Tektronix Change of Support Capability; Effective January 1, 2002

PRODUCT	DESCRIPTION	Post Long-Term Product Support Choices
CG5011	CALIB GENERATOR	Support capability no longer available
CSA404	SIGNAL ANALYZER 1GHZ COMMUNICATIONS	Calibration Service
CT11AF	ANLOG TERM ADPT; ATA-UPGRADE CT100 WITH OPT 1A ANALOG TERMINAL ADAPTER	Support capability no longer available
CTS7U14	UPGRADE KIT; B010XXX-B020XXX UPGRADE JITTER/WANDER	Support capability no longer available
D3173A	PATTERN GEN; 3 GB/S PATTERN GENERATOR ADVANTEST	Support capability no longer available
D3273	ERROR DETECTOR; 3 GB/S ADVANTEST	Support capability no longer available
DAC422	CONVERTER; PRECISION DIGITAL TO ANALOG	Support capability no longer available
DAS9220	BASE MAINFRAME	Support capability no longer available
DC5010	PROGRAMMABLE UNIVERSAL COUNTER	Support capability no longer available
DC503A	UNIVERSAL COUNTER TIMER	Support capability no longer available
DCS1000	DATA COLLECTION-CONTAINS VX1406MF, MX12PCI INTERFACE SLOT O, VX4244 DIG, VX4570 MASS STORAGE, VX4780 SIGNAL CONDITIONER, VX1744, VX1745 CABLES, VX4GBD DISK DRIVE	Support capability no longer available
DSA601A	SIGNAL ANALYZER; DIGITIZING,1GHZ,1GSAMPLES/ SECOND	Calibration Service
DSA602A	SIGNAL ANALYZER; DIGITIZING,1GHZ,2GSAMPLES/ SECOND	Calibration Service
ESAI	RECEIVER, EMI; EMI TESTRECEIVE. 20HZ-1.8 (2) GHZ WITH CISPR-	Support capability no longer available
ESH2	TEST RECIEVER	Support capability no longer available
ESH3	TEST RECEIVER	Support capability no longer available
ESV	TEST RECEIVERS	Support capability no longer available
F3801A2	SCOPE SYSTEM; PORTABLE BATTERY POWERED	Support capability no longer available
FG5010	PROGRAMMABLE FUNCTION GENERATOR	Support capability no longer available
FG501A	FUNCTION GENERATOR	Support capability no longer available
FG502	FUNCTION GENERATOR	Support capability no longer available
FG503	FUNCTION GENERATOR	Support capability no longer available
FG504	FUNCTION GENERATOR	Support capability no longer available
FL1300	OPTICAL MODULE; 1310 SINGLE MODE LONG RANGE	Support capability no longer available
FS52	FILTER,ELEC; 51.84 MBIT FILTER	Calibration Service
J1805	LED HEAD; LUMINOUS INTENSITY	Calibration Service
J1806	RADIANCE HEAD; 8 DEG ACCEPTANCE ANGLE	Calibration Service
J1812	IRRADIANCE HEAD; REMOTE	Calibration Service
OCP5502	O/E CONV/PWRMTR; INGAAS:MONOLITHIC	Support capability no longer available
ORS2488	OPTICAL RCVR; O/E CONVERTER + OC-48/STM-16 CAL	Calibration Service
ORS622	OPTICAL RCVR; FS622 + OCP5502 STD + OC12 CAL	Calibration Service
P6460	ACQ PROBE; 8/9 CHAN,100MHZ ACQ PROBE INC LEADSET & CLIPS	Support capability no longer available
P6461E	ACQ PROBE; 8 CHAN,200MHZ EXP ACQ PROBE INC LEADSET & CLIPS	Support capability no longer available
P6462	ACQ PROBE; 9 CHANNEL 25MHZ TTL ONLY DATA ACQUISITION PROBE	Support capability no longer available
P6751	HEAD SPATIAL; SPATIAL INPUT HEAD SMA OUTPUT CONN	Support capability no longer available
PC751	751 REMOTE SW; 751 REMOTE DISPLAY SOFTWARE FOR IBM/COMPATIBL	Support capability no longer available
PE1000	ENCODER; PAL ENCODER FOR TSG1000 SERIES GENERATORS	Support capability no longer available
PG502	PULSE GENERATOR	Support capability no longer available
PG506A	PULSE GENERATOR	Support capability no longer available
PM201	8086/8 PROBE; CONFIGURED PROBE FOR DIP PACKAGE	Support capability no longer available
PM202	80186/8 PROBE; CONFIGURED PROBE FOR LCC PACKAGE	Support capability no longer available

Support capability no longer available from Tektronix.

Calibration Service is Post Long-Term Product Support Calibration only. Repair Service is not available for these products.

August, 2001

Tektronix Change of Support Capability; Effective January 1, 2002

PRODUCT	DESCRIPTION	Post Long-Term Product Support Choices
PM203	68K/10 PROBE; CONFIGURED PROBE FOR 64 PIN DIP PACKAGE	Support capability no longer available
PM204	80286 PROBE; CONFIGURED PROBE FOR 68 PIN PGA & LCC PACKAGE	Support capability no longer available
PM205	68020 PROBE; CONFIGURED PROBE FOR 114 PIN PGA PACKAGE	Support capability no longer available
PM206	68030 PROBE; CONFIGURED PROBE FOR 128 PIN PGA PACKAGE	Support capability no longer available
PS5004	PROGRAMMABLE POWER SUPPLY	Support capability no longer available
PS5010	POWER SUPPLY	Support capability no longer available
PS503A	POWER SUPPLY	Support capability no longer available
Q8214B	POWER METER; OPTICAL TWO CHANNEL SIMULTANEOUS	Support capability no longer available
R3261A	ANALYZER,SPCTRM; 9 KHZ TO 2.6 GHZ,50 OHM	Support capability no longer available
R3261AN	ANALYZER,SPCTRM; 9 KHZ TO 2.6 GHZ,75 OHM ADVANTEST	Support capability no longer available
R3261B	ANALYZER,SPCTRM; 9 KHZ TO 3.6 GHZ,50 OHM ADVANTEST	Support capability no longer available
R3361A	ANALYZER,SPCTRM; 9 KHZ TO 2.6 GHZ,50 OHM, INTERNAL TRACKING	Support capability no longer available
R3361AN	ANALYZER,SPCTRM; 9KHZ TO 2.6GHZ,50 OHM, INTERNAL TRACKING	Support capability no longer available
R3361B	ANALYZER,SPCTRM; 9KHZ TO 3.6 GHZ,50 OHM, INTERNAL TRACKING	Support capability no longer available
R4136	SPECTRUM ANALYZER, 500HZ - 23HZ	Support capability no longer available
RF160	DOWN CONVERTER 110/160 MHZ IF IN	Support capability no longer available
SA46	O/E CONVERTER; 20GHZ 1100-1650nM	Support capability no longer available
SCD1000	DIGITIZER; HIGH SPD TRABSEINT DIGITIZER	Calibration Service
SD46	O-E CONV HEAD; DC-20GHZ 1000-17000nM	Support capability no longer available
SG5010	PROGRAMMABLE SIGNAL GENERATOR	Support capability no longer available
SG503	OSCILLATOR	Support capability no longer available
SG5030	PROGRAMMABLE SINE GENERATOR	Support capability no longer available
SI5010	RF SCANNER	Support capability no longer available
SMX	SIGNAL GENERATR; SYNTHESIZER SIGNAL GENERATR100 KHZ TO 1000	Support capability no longer available
TD1301	DIGITIZER SYS; RTD710A 620 MONITOR	Support capability no longer available
TDC	DOWN CONVERTER; TELEVISION DOWN CONVERTER PLUG IN FOR USE WI	Calibration Service
TDC10	TUNABLE DN CONV; TUNABLE TELEVISION DOWN CONVERTER FOR USE	Calibration Service
TDS340	OSCILLOSCOPE; 100MHZ, 500 MS/SEC, 2 CHANNELDIGITAL REAL-TIME W/ FFT	Calibration Service
TDS340A	OSCILLOSCOPE, 100 MHZ, 500 MS/SEC, 2 CH DIG, REAL-TIME W/FFT	Calibration Service
TDS360	OSCILLOSCOPE; 200 MHZ, 1 GS/S, 2-CH DIG. REAL-TIME W/ FFT/DI	Calibration Service
TDS380	OSCILLOSCOPE; 400 MHZ, 2 GS/SEC, 2-CH DIGREAL-TIME W/ FFT/DI	Calibration Service
TDS410	OSCILLOSCOPE; 2 CHANNEL, 150MHZ,100MS/S	Calibration Service
TDS420	OSCILLOSCOPE; 150 MHZ,100 MS/SEC 4 CHANNEL, DIGITAL STORAGE	Calibration Service
TDS460	OSCILLOSCOPE; 350 MHZ,100 MS/SEC, 4 CHANNEL, DIGITAL STORAGE	Calibration Service
TDS544A	OSCILLOSCOPE; 1GS/S,500MHZ,4 CHANNEL COLOR DIGITIZING OSCILLOSCOPE	Calibration Service
TDS744	OSCILLOSCOPE;	Calibration Service
TFS2020	TESTER; OPTICAL FAULT FINDER (FIBER SCOUT)	Support capability no longer available
TG501A	TIMEMARK GENERATOR	Support capability no longer available
TLA7F3	MF UPGRADE KIT; TLA704/711 SOFTWARE FIELD UPGRADE KIT	Support capability no longer available
TM5003	PROGRAMMABLE MAINFRAME	Support capability no longer available
TM5006A	PROGRAMMABLE MAINFRAME	Support capability no longer available
TM502A	POWER MODULE; FOR 2 TM500 MODULES	Support capability no longer available
TM503B	POWER MODULE; 3 WIDE FOR TM500 PLUG-INS	Support capability no longer available

Support capability no longer available from Tektronix.

Calibration Service is Post Long-Term Product Support Calibration only. Repair Service is not available for these products.

August, 2001

Tektronix Change of Support Capability; Effective January 1, 2002

PRODUCT	DESCRIPTION	Post Long-Term Product Support Choices
TM506A	POWER MODULE	Support capability no longer available
TR4171	10 HZ TO 120MHZ SPECTRUM ANALYZER	Support capability no longer available
TS3710	IGBT TEST SYS; SONY/TEKTRONIX -FOR SERVICE PURPOSES ONLY. NOT	Support capability no longer available
TSG370	COMPONENT GEN; NTSC/BETACAM	Support capability no longer available
TSS44	SCANNER; COAX SCANNER MODULE	Support capability no longer available
TTIP	TELCOM TEMPLATE; TELECOMMUNICATIONS TEMPLATES & I-PATTERN	
	SOFTWARE PACKAGE FOR TEKTRONIX TDS OSCILLOSCOPES	Support capability no longer available
UAF	VIDEO ANALYZER	Support capability no longer available
UPIK40	INTERFACE KIT; 40 PIN KIT FOR WIRING CUSTOM MICRO CLIPS	Support capability no longer available
VM700A	VID MEASMT SET; VIDEO MEASUREMENT SET	Calibration Service
VS210	SYNCHRONIZER; NTSC COMPOSITE VIDEO	Support capability no longer available
VS211	PAL FRAME SYNC;	Support capability no longer available
VS211F2	UPGRADE KIT; ADD COMPOSITE SERIAL DIGITAL I/O TO VS210 S/W	
	B020000 AND ABOVE	Support capability no longer available
VS211F3	UPGRADE KIT; PERFORMANCE UPGRADE FOR VS211	Support capability no longer available
VX1400	C SIZE VXIBUS; C SIZE VXIBUS CHASSIS	Support capability no longer available
VX1400A	C SIZE VXIBUS; CHASSIS,13 SLOT HI P	Support capability no longer available
VX1405	C SIZE MF 5SLOT	Support capability no longer available
VX1500	13 SLOT MF; D SIZE	Support capability no longer available
VX4223	UNIVERSAL CTR/TMR C SIZE CARD	Support capability no longer available
VX4236	6.5 DIGIT DMM; C SIZE CARD	Support capability no longer available
VX4250	WVFM DIGITIZER 100 M5/S 7BIT 2K WAVE FORM DIGITIZER	Support capability no longer available
VX4332	40 CHAN SCANNER; 2 WIRE SCANNER MASTER	Support capability no longer available
VX4334	24 CHAN SCANNER; 4 WIRE SCANNER MASTER	Support capability no longer available
VX4363	32 CHAN SWITCH; SPST RELAY MOD, LOW COST	Support capability no longer available
VX4365	24 CHAN SWITCH; DPST OR SPDT RELAY	Support capability no longer available
VX4366	20 CHAN SWITCH; DPDT RELAY MOD,LOW COST	Support capability no longer available
VX4386	MAT SW LATCHING; 128 CROSS POINT	Support capability no longer available
VX4440	SCANNER MASTER; 6 PORT,32BIT I/O SCNR CNTRL	Support capability no longer available
VX4469	XMTR RCVR MDL; ARINC-629	Support capability no longer available
VX4790	ARBITRARY WAVEFORM GENERATOR	Support capability no longer available
VX5521	RESRCE MGR SLT0; ENHANCED	Support capability no longer available
VX5535	VXI SYS CNTRLR; D SIZE,20MHZ,386 & CD,8MB RAM	Support capability no longer available
VX5790A	ARBITRARY WAVEFORM GENERATOR;1 CH,25MHZ	Support capability no longer available
VXI833	PENTIUM CNTLR; 133 MHZ EMBEDDED	Support capability no longer available
VXI866	PENTIUM CNTLR 166 MHZ EMBEDDED PENTIUM CONTROLLER	Support capability no longer available
XP214C	COLOR NETSTATN; COLOR NETSTN, 1024X768, 14 IN, 4MB STD, 36MB MAX, X11R5TCP/IP, 2 IN 1 LAN, 2 SER, 3 BTN MOUSE, 1 YR DPT	
YT5100	PROBE, PASSIVE; 100 MHZ, 1X-10X, W/O READOUT, 1METER	Support capability no longer available