



**TOSHIBA**

FILE NO. 050-200422

**SERVICE MANUAL**

**COLOR TELEVISION**

**26HF84A**



## SERVICING NOTICES ON CHECKING

### 1. KEEP THE NOTICES

As for the places which need special attentions, they are indicated with the labels or seals on the cabinet, chassis and parts. Make sure to keep the indications and notices in the operation manual.

### 2. AVOID AN ELECTRIC SHOCK

There is a high voltage part inside. Avoid an electric shock while the electric current is flowing.

### 3. USE THE DESIGNATED PARTS

The parts in this equipment have the specific characters of incombustibility and withstand voltage for safety. Therefore, the part which is replaced should be used the part which has the same character.

Especially as to the important parts for safety which is indicated in the circuit diagram or the table of parts as a  mark, the designated parts must be used.

### 4. PUT PARTS AND WIRES IN THE ORIGINAL POSITION AFTER ASSEMBLING OR WIRING

There are parts which use the insulation material such as a tube or tape for safety, or which are assembled in the condition that these do not contact with the printed board. The inside wiring is designed not to get closer to the pyrogenic parts and high voltage parts. Therefore, put these parts in the original positions.

### 5. TAKE CARE TO DEAL WITH THE CATHODE-RAY TUBE

In the condition that an explosion-proof cathode-ray tube is set in this equipment, safety is secured against implosion. However, when removing it or serving from backward, it is dangerous to give a shock. Take enough care to deal with it.

### 6. AVOID AN X-RAY

Safety is secured against an X-ray by considering about the cathode-ray tube and the high voltage peripheral circuit, etc.

Therefore, when repairing the high voltage peripheral circuit, use the designated parts and make sure not modify the circuit.

Repairing except indicates causes rising of high voltage, and it emits an X-ray from the cathode-ray tube.

### 7. PERFORM A SAFETY CHECK AFTER SERVICING

Confirm that the screws, parts and wiring which were removed in order to service are put in the original positions, or whether there are the portions which are deteriorated around the serviced places serviced or not. Check the insulation between the antenna terminal or external metal and the AC cord plug blades. And be sure the safety of that.

#### (INSULATION CHECK PROCEDURE)

1. Unplug the plug from the AC outlet.
2. Remove the antenna terminal on TV and turn on the TV.
3. Insulation resistance between the cord plug terminals and the eternal exposure metal [Note 2] should be more than 1M ohm by using the 500V insulation resistance meter [Note 1].
4. If the insulation resistance is less than 1M ohm, the inspection repair should be required.

#### [Note 1]

If you have not the 500V insulation resistance meter, use a Tester.

#### [Note 2]

External exposure metal: Antenna terminal  
Earphone jack

## HOW TO ORDER PARTS

Please include the following informations when you order parts. (Particularly the VERSION LETTER.)

### 1. MODEL NUMBER and VERSION LETTER

The MODEL NUMBER can be found on the back of each product and the VERSION LETTER can be found at the end of the SERIAL NUMBER.

### 2. PART NO. and DESCRIPTION

You can find it in your SERVICE MANUAL.

## IMPORTANT

Inferior silicon grease can damage IC's and transistors.


When replacing an IC's or transistors, use only specified silicon grease (YG6260M).

Remove all old silicon before applying new silicon.

## **ABOUT LEAD FREE SOLDER (PbF)**

### **Distinction of PbF PCB:**

PCBs (manufactured) using lead free solder will have a PbF printing on the PCB.  
(Please refer to figures.)



### **Caution:**

- Pb free solder has a higher melting point than standard solder;  
Typically the melting point is 50°F~70°F(30°C~40°C) higher.  
Please use a soldering iron with temperature control and adjust it to 650°F ± 20°F (350°C ± 10°C).  
In case of using high temperature soldering iron, please be carefull not to heat too long.
- Pb free solder will tend to splash when heated too high (about 1100°F/ 600°C).
- All products with the printed circuit board with PbF printing must be serviced with lead free solder.  
When soldering or unsoldering, completely remove all of the solder from the pins or solder area,  
and be sure to heat the soldering points with the lead free solder until it melts sufficiently.

### **Recommendations**

Recommended lead free solder composition is Sn-3.0Ag-0.5Cu.

# TABLE OF CONTENTS

<b>SERVICING NOTICES ON CHECKING .....</b>	A1-1
<b>HOW TO ORDER PARTS .....</b>	A1-1
<b>IMPORTANT .....</b>	A1-1
<b>ABOUT LEAD FREE SOLDER (PbF) .....</b>	A1-2
<b>TABLE OF CONTENTS .....</b>	A2-1
<b>GENERAL SPECIFICATIONS .....</b>	A3-1~A3-12
<b>DISASSEMBLY INSTRUCTIONS</b>	
1. REMOVAL OF ANODE CAP .....	B1-1
2. REMOVAL AND INSTALLATION OF FLAT PACKAGE IC .....	B2-1, B2-2
<b>SERVICE MODE LIST .....</b>	C-1
<b>CONFIRMATION OF HOURS USED .....</b>	C-1
<b>WHEN REPLACING EEPROM (MEMORY) IC .....</b>	C-2, C-3
<b>ELECTRICAL ADJUSTMENTS .....</b>	D-1~D-6
<b>BLOCK DIAGRAMS</b>	
TV .....	E-1, E-2
SOUND AMP/FRONT JACK .....	E-3, E-4
MICON1/STEREO .....	E-5, E-6
AV/SYNC COUNT .....	E-7, E-8
INTERFACE .....	E-9, E-10
MICON2 .....	E-11, E-12
SCALER .....	E-13, E-14
<b>PRINTED CIRCUIT BOARDS</b>	
MAIN .....	F-1~F-4
AV .....	F-5, F-6
HD-MI/FRONT JACK .....	F-7, F-8
CRT/VM COIL/SCALER .....	F-9, F-10
<b>SCHEMATIC DIAGRAMS</b>	
CHROMA/PROGRESSIVE/PIN CUSHION .....	G-1, G-2
DEFLECTION .....	G-3, G-4
TV POWER .....	G-5, G-6
OPERATION .....	G-7, G-8
SOUND AMP/FRONT AV .....	G-9, G-10
MICON1 .....	G-11, G-12
STEREO .....	G-13, G-14
TUNER/AV .....	G-15, G-16
REGULATOR .....	G-17, G-18
SYNC COUNT .....	G-19, G-20
CRT/SVM .....	G-21, G-22
INTERFACE .....	G-23, G-24
MICON2 .....	G-25, G-26
ANALOG/DIGITAL CONVERTER .....	G-27, G-28
SCALER .....	G-29, G-30
DIGITAL COMB .....	G-31, G-32
SDRAM .....	G-33, G-34
IO/REGULATOR .....	G-35, G-36
<b>WAVEFORMS .....</b>	H-1~H-4
<b>MECHANICAL EXPLODED VIEWS .....</b>	I-1~I-4
<b>MECHANICAL REPLACEMENT PARTS LIST .....</b>	J1-1, J1-2
<b>ELECTRICAL REPLACEMENT PARTS LIST .....</b>	J2-1~J2-18

## GENERAL SPECIFICATIONS

G-1	TV System	CRT	CRT Size / Visual Size	26 inch / 656.7mmV
		CRT Type	Flat (16:9)	
		Deflection	104 degree	
		Magnetic Field	BV/BH	+0.45G/0.18G
		Color System		NTSC
		Speaker		2 Speaker
		Position		Front Bottom
		Size		1.8 x 3.9 Inch
		Impedance		8 ohm
		Sound Output	MAX	5.0W+5.0W
			10%(Typical)	_ W
		NTSC3.58+4.43 /PAL60Hz		No
G-2	Tuning System	Broadcasting System		US System M
		Tuner and Receive CH	System	1Tuner
			Destination	USA(W/ CABLE)
			Tuning System	F-Synth
			Input Impedance	VHF/UHF 75 ohm
			CH Coverage	2 - 69, 4A, A-5 - A-1, A - I, J - W, W+1 - W+84
		Intermediate Frequency	Picture(FP) Sound(FS)	45.75MHz 41.25MHz 4.50MHz
		FP-FS		
		Preset CH		No
		Stereo/Dual TV Sound		Yes
		Tuner Sound Muting		Yes
G-3	Power	Power Source	AC DC	120V AC 60Hz
		Power Consumption		at AC
			Stand by (at AC)	175 W at AC 120 V 60 Hz
			Per Year	1 W at AC 120 V 60 Hz
		Protector	Power Fuse Safety Circuit IC Protector(Micro Fuse)	-- kWh/Year Yes Yes Yes
G-4	Regulation	Safety Radiation X-Radiation		UL/CSA FCC/IC DHHS/HWC
G-5	Temperature	Operation Storage		+50°C ~ +400C -20oC ~ +60oC
G-6	Operating Humidity			Less than 80% RH

# GENERAL SPECIFICATIONS

G-7	On Screen Display	Menu	
		Menu Type	Yes
		Picture	Icon Yes
		Mode(Picture preference)	Yes
		Brightness	Yes
		Contrast	Yes
		Color	Yes
		Tint	Yes
		Sharpness	Yes
		Color Temperature	Yes
		Display Format	Yes
		Cable Clear	Yes
		SVM	Yes
		Reset	Yes
		Audio	Yes
		MTS	Yes
		Bass	Yes
		Treble	Yes
		Balance	Yes
		Stable Sound	Yes
		Speakers On/Off	Yes
		Dolby Virtual	No
		WOW SRS 3D	Yes
		WOW Focus	Yes
		WOW Tru Bass	Yes
		BBE	No
		HDMI1	Yes
		HDMI2	No
		Reset	Yes
		Setup	Yes
		Language	Yes
		Clock Set	Yes
		TV/CABLE	Yes
		CH Program	Yes
		Add/ Erase	Yes
		Closed Caption	Yes
		Picture Size	Yes
		Picture Scroll	Yes
		Cinema Mode	Yes
		Aspect	Yes
		Image Tilt	Yes
		Option	Yes
		Timer	Yes
		Favorite CH	Yes
		CH Label	Yes
		VIDEO Label	Yes
		Locks	Yes
		V-Chip	Yes
		Lock	Yes
		New Password	Yes
		Front Panel Lock	Yes
		Control Level	Yes
		Volume	Yes
		Contrast	Yes
		Brightness	Yes
		Color	Yes
		Tint	Yes
		Sharpness	Yes
		Bass	Yes
		Treble	Yes
		Balance	Yes
		Image Tilt	Yes
		Picture Scroll	Yes
		Stereo, SAP, Mono	Yes
		Video	Yes
		Color Stream(Component)	Yes
		HDMI	Yes
		Channel(TV/Cable)	Yes
		CH Label	Yes
		Video Label	Yes
		Clock	Yes
		Game Timer	Yes
		Front Panel Lock	Yes
		On Timer	Yes
		Sleep Timer	Yes
		Reset	Yes
		Sound Mute	Yes
		V-chip Rating	Yes
		NOT AVAILABLE	Yes
		Picture Size	Yes

# GENERAL SPECIFICATIONS

G-8	OSD Language		English	French	Spanish
G-9	Clock and Timer	Sleep Timer	Max Time Step	120 Min 10 Min	
		On Timer	Program	Yes	
		Wake Up Timer		No	
		Timer Back-up (at Power Off Mode)	more than	-- Min	Sec
G-10	Remote Control	Unit		RC-GR	
		Glow in Dark Remocon		No	
		Back Light Remocon		Yes	
		Format		Toshiba	
		Custom Code		TV:40-BFh	
		Power Source	Voltage(D.C) UM size x pcs	3V UM-3 x 2 pcs	
		Total Keys		40 Keys	
		Keys	Power	Yes	
			1	Yes	
			2	Yes	
			3	Yes	
			4	Yes	
			5	Yes	
			6	Yes	
			7	Yes	
			8	Yes	
			9	Yes	
			0	Yes	
			100 /+10	Yes	
			CH Up	Yes	
			CH Down	Yes	
			Volume Up	Yes	
			Volume Down	Yes	
			TV/Video(Input Select)	Yes	
			ENT,CH RTN(Quick View)	Yes	
			Menu > / FAV Up	Yes	
			Menu < / FAV Down	Yes	
			Menu Up	Yes	
			Menu Down	Yes	
			Mute	Yes	
			PIC SIZE (16:9)	Yes	
			Light	Yes	
		Multi Brand Keys (DVD Keys)	TV/CBL/SAT/VCR/DVD	Yes	
		(TV / DVD Keys)	Enter	Yes	
			SLEEP/TOP MENU	Yes	
			RECALL(Call) / (Display)	Yes	
			Menu/Enter / DVD MENU	Yes	
			Exit / DVD CLEAR	Yes	
		(DVD / VCR Keys)	Pause/Still	Yes	
			FF	Yes	
			Rew	Yes	
			Play	Yes	
			Stop	Yes	
			<</Skip / Search Forward	Yes	
			>>/Skip / Search Forward	Yes	
		(VCR Keys)	Rec	Yes	
			TV/VCR	Yes	

## GENERAL SPECIFICATIONS

G-11	Features	Auto Degauss	Yes
		Auto Shut Off	Yes
		CABLE	Yes
		Memory(Last CH)	Yes
		Memory(Last Volume)	Yes
		V-Chip	Yes
		Type	<u>USA, ORION Type</u>
		SRS WOW(SRS 3D/Focus/Tru Bass)	Yes
		Timer(On Timer /Sleep Timer)	Yes
		Aspect	Yes
		Cinema Mode	Yes
		Image Tilt	Yes
		BBE	No
		Direct Input Selection	Yes
		Auto Search	No
		CH Allocation	No
		CH Lock	Yes
		CH Program	Yes
		CH Label	Yes
		SAP	Yes
		Just Clock Function	No
		VIDEO Label	Yes
		SVM	Yes
		VM Circuit	Yes
		Comb Filter	Yes <u>3 -D</u>
		Super Wide Band AMP	No
		Cable Clear	Yes
		Hotel Lock	No
		Closed Caption	Yes
		Stable Sound	Yes
		FBT Leak Test Protect	Yes
		Video Lock	Yes
		Game Timer(Max Time:120Min)	Yes
		Energy Star	Yes
		Favorite CH	Yes
		Variable Audio Out	Yes
		Virtual Dolby	No
		Picture Size	Yes
		Color Temperature Control	Yes
		Mode(Picture Preference)	Yes
		Front Panel Lock	Yes
		Available Scan Rates (Component/HDMI)	480i/480p/720p/1080i
		Menu=Volume Up+Volume Down	Yes
		Auto Setup(Language/CH Program)	Yes

# GENERAL SPECIFICATIONS

G-12	Accessories	Owner's Manual	Language W/ Warranty	English Yes
		Remote Control Unit		Yes
		Rod Antenna	Poles Terminal	No
		Loop Antenna	Terminal	No
		U/V Mixer		No
		DC Car Cord (Center+)		No
		Guarantee Card		No
		Warning Sheet		No
		Circuit Diagram		No
		Antenna Change Plug		No
		Service Station List		No
		Important Safety Instruction		No
		Dew/AHC Caution Sheet		No
		AC Plug Adapter		No
		Quick Set-up Sheet		No
		Battery	UM size x pcs OEM Brand	Yes UM-3 x 2 No
		AC Cord		No
		AV Cord (2Pin-1Pin)		No
		Registration Card (NDL Card)		Yes
		PTB Sheet		No
		ESP Card		No
		300 ohm to 75 ohm Antenna Adapter		No
		Information Sheet(for HDMI)		Yes
G-13	Interface	Switch	Front	Power Channel Up/Menu Up Channel Down/Menu Down Volume Up/Menu > Volume Down/Menu <
			Rear	AC/DC TV/CABLE Selector Degauss Main Power SW
			Indicator	Power Stand-by On Timer
		Terminals	Front	Video Input = VIDEO3 Audio Input = VIDEO3 S Input = VIDEO3 Other Terminal
			Rear	Video Input(Rear1) = VIDEO1 Video Input(Rear2) = VIDEO2 S Input = VIDEO1 S Input = VIDEO2 Audio Input(Rear1) = VIDEO1 Audio Input(Rear2) = VIDEO2 Video Output Audio Output Component Input1(w/ Analog Audio L/R) Component Input2(w/ Analog Audio L/R) HDMI Input1(w/ Analog Audio L/R) HDMI Input2(w/ Analog Audio L/R) Diversity Ext Speaker VHF/UHF Antenna Input AC Outlet
				RCA RCA x 2 Yes No RCA RCA Yes Yes RCA x 2 RCA x 5 RCA x 5 HDMI x 1(RCA x 2) No No No F Type No
G-14	Set Size	Approx.	W x D x H (mm)	700 x 502 x 495.5
G-15	Weight	Net (Approx.) Gross (Approx.)	36.0 kg (79.4 lbs) 41.5kg (91.5lbs)	

## GENERAL SPECIFICATIONS

G-16	<b>Carton</b>	Master Carton		No
		Content		--- Sets
		Material		-- /--
		Dimensions W x D x H(mm)		-- X -- X --
		Description of Origin		No
		Gift Box		Yes
		Material		Double/Brown
		Dimensions W x D x H(mm)		840 x 620 x 627
		Design		As per Buyer's
		Description of Origin		Yes
G-17	<b>Cabinet Material</b>	Drop Test		Natural Dropping At 1 Corner / 2 Edges / 4 Surfaces
		Height (cm)		60 (ORION SPEC:31)
		Container Stuffing		156 Sets/40' container
		Cabinet	Cabinet Front	PS 94V0 DE CABROM
G-18	<b>Environment</b>	Cabinet Rear		PS 94V0 NON-DECABROM
		PCB	Non-Halogen Demand	No
			Eyelet Demand	Yes
		Pb Free	Pb-free Solder	Yes
			Other	No
		Cd Free		No

# GENERAL SPECIFICATIONS

G-1	TV System	CRT	CRT Size / Visual Size	26 inch / 656.7mmV
		CRT Type	Flat (16:9)	
		Deflection	104 degree	
		Magnetic Field	BV/BH	+0.45G/0.18G
		Color System		NTSC
		Speaker		2 Speaker
		Position		Front Bottom
		Size		1.8 x 3.9 Inch
		Impedance		8 ohm
		Sound Output	MAX 10%(Typical)	5.0W+5.0W - W No
NTSC3.58+4.43 /PAL60Hz				
G-2	Tuning System	Broadcasting System		US System M
		Tuner and Receive CH	System Destination	1Tuner USA(W/ CABLE)
		Tuning System		F-Synth
		Input Impedance		VHF/UHF 75 ohm
		CH Coverage		2 - 69, 4A, A-5 - A-1, A - I, J - W, W+1 - W+84
		Intermediate Frequency	Picture(FP) Sound(FS) FP-FS	45.75MHz 41.25MHz 4.50MHz
		Preset CH		No
		Stereo/Dual TV Sound		Yes
		Tuner Sound Muting		Yes
G-3	Power	Power Source	AC DC	120V AC 60Hz
		Power Consumption	at AC  Stand by (at AC) Per Year	175 W at AC 120 V 60 Hz 1 W at AC 120 V 60 Hz -- kWh/Year
		Protector		Yes
				Yes
				Yes
G-4	Regulation	Safety Radiation X-Radiation		UL/CSA FCC/IC DHHS/HWC
G-5	Temperature	Operation Storage		+5oC ~ +40oC -20oC ~ +60oC
G-6	Operating Humidity			Less than 80% RH

# GENERAL SPECIFICATIONS

G-7	On Screen Display	Menu	
		Menu Type	Yes
		Picture	Icon
	Audio	Mode(Picture preference)	Yes
		Brightness	Yes
		Contrast	Yes
		Color	Yes
		Tint	Yes
		Sharpness	Yes
		Color Temperature	Yes
	Setup	Display Format	Yes
		Cable Clear	Yes
		SVM	Yes
		Reset	Yes
		MTS	Yes
		Bass	Yes
		Treble	Yes
		Balance	Yes
		Stable Sound	Yes
		Speakers On/Off	Yes
	Option	Dolby Virtual	No
		WOW SRS 3D	Yes
		WOW Focus	Yes
		WOW Tru Bass	Yes
		BBE	No
		HDMI1	Yes
		HDMI2	No
		Reset	Yes
		Language	Yes
		Clock Set	Yes
	Locks	TV/CABLE	Yes
		CH Program	Yes
		Add/ Erase	Yes
		Closed Caption	Yes
		Picture Size	Yes
		Picture Scroll	Yes
		Cinema Mode	Yes
		Aspect	Yes
		Image Tilt	Yes
		Timer	Yes
	Control Level	Favorite CH	Yes
		CH Label	Yes
		VIDEO Label	Yes
		V-Chip	No
		Lock	Yes
		New Password	Yes
		Front Panel Lock	Yes
		Volume	Yes
		Contrast	Yes
		Brightness	Yes
	Stereo, SAP, Mono	Color	Yes
		Tint	Yes
		Sharpness	Yes
		Bass	Yes
		Treble	Yes
		Balance	Yes
		Image Tilt	Yes
		Picture Scroll	Yes
		Stereo, SAP, Mono	Yes
		Video	Yes
	NOT AVAILABLE	Color Stream(Component)	Yes
		HDMI	Yes
		Channel(TV/Cable)	Yes
		CH Label	Yes
		Video Label	Yes
		Clock	Yes
		Game Timer	Yes
		Front Panel Lock	Yes
		On Timer	Yes
		Sleep Timer	Yes
	Picture Size	Reset	Yes
		Sound Mute	Yes
		V-chip Rating	No
		NOT AVAILABLE	Yes
		Picture Size	Yes

# GENERAL SPECIFICATIONS

	<b>OSD Language</b>		English	French	Spanish
G-8					
G-9	Clock and Timer	Sleep Timer Max Time Step	120 Min 10 Min		
		On Timer Program	Yes		
		Wake Up Timer	No		
		Timer Back-up (at Power Off Mode) more than	-- Min Sec		
G-10	Remote Control	Unit	RC-GR		
		Glow in Dark Remocon	No		
		Back Light Remocon	Yes		
		Format	Toshiba		
		Custom Code	TV:40-BFh		
		Power Source Voltage(D.C)	3V		
		UM size x pcs	UM-3 x 2 pcs		
		Total Keys	40 Keys		
		Keys			
		Power	Yes		
		1	Yes		
		2	Yes		
		3	Yes		
		4	Yes		
		5	Yes		
		6	Yes		
		7	Yes		
		8	Yes		
		9	Yes		
		0	Yes		
		100 /+10	Yes		
		CH Up	Yes		
		CH Down	Yes		
		Volume Up	Yes		
		Volume Down	Yes		
		TV/Video(Input Select)	Yes		
		ENT,CH RTN(Quick View)	Yes		
		Menu > / FAV Up	Yes		
		Menu < / FAV Down	Yes		
		Menu Up	Yes		
		Menu Down	Yes		
		Mute	Yes		
		PIC SIZE (16:9)	Yes		
		Light	Yes		
		Multi Brand Keys (DVD Keys)	Yes		
		Enter	Yes		
		(TV / DVD Keys) SLEEP/TOP MENU	Yes		
		RECALL(Call) / (Display)	Yes		
		Menu/Enter / DVD MENU	Yes		
		Exit / DVD CLEAR	Yes		
		(DVD / VCR Keys) Pause/Still	Yes		
		FF	Yes		
		Rew	Yes		
		Play	Yes		
		Stop	Yes		
		<</Skip / Search Forward	Yes		
		>>/Skip / Search Forward	Yes		
		(VCR Keys) Rec	Yes		
		TV/VCR	Yes		

## GENERAL SPECIFICATIONS

G-11	Features	Auto Degauss	Yes
		Auto Shut Off	Yes
		CABLE	Yes
		Memory(Last CH)	Yes
		Memory(Last Volume)	Yes
		V-Chip	No
		Type	
		SRS WOW(SRS 3D/Focus/Tru Bass)	Yes
		Timer(On Timer /Sleep Timer)	Yes
		Aspect	Yes
		Cinema Mode	Yes
		Image Tilt	Yes
		BBE	No
		Direct Input Selection	Yes
		Auto Search	No
		CH Allocation	No
		CH Lock	Yes
		CH Program	Yes
		CH Label	Yes
		SAP	Yes
		Just Clock Function	No
		VIDEO Label	Yes
		SVM	Yes
		VM Circuit	Yes
		Comb Filter	Yes 3 -D
		Super Wide Band AMP	No
		Cable Clear	Yes
		Hotel Lock	No
		Closed Caption	Yes
		Stable Sound	Yes
		FBT Leak Test Protect	Yes
		Video Lock	Yes
		Game Timer(Max Time:120Min)	Yes
		Energy Star	Yes
		Favorite CH	Yes
		Variable Audio Out	Yes
		Virtual Dolby	No
		Picture Size	Yes
		Color Temperature Control	Yes
		Mode(Picture Preference)	Yes
		Front Panel Lock	Yes
		Available Scan Rates (Component/HDMI)	480i/480p/720p/1080i
		Menu=Volume Up+Volume Down	Yes
		Auto Setup(Language/CH Program)	Yes

# GENERAL SPECIFICATIONS

G-12	Accessories	Owner's Manual	Language W/ Warranty	English / French Yes
		Remote Control Unit		Yes
		Rod Antenna	Poles Terminal	No
		Loop Antenna	Terminal	No
		U/V Mixer		No
		DC Car Cord (Center+)		No
		Guarantee Card		No
		Warning Sheet		No
		Circuit Diagram		No
		Antenna Change Plug		No
		Service Station List		No
		Important Safety Instruction		No
		Dew/AHC Caution Sheet		No
		AC Plug Adapter		No
		Quick Set-up Sheet		No
		Battery	UM size x pcs OEM Brand	Yes UM-3 x 2 No
		AC Cord		No
		AV Cord (2Pin-1Pin)		No
		Registration Card (NDL Card)		No
		PTB Sheet		No
		ESP Card		No
		300 ohm to 75 ohm Antenna Adapter		No
		Information Sheet(for HDMI)		Yes
G-13	Interface	Switch	Front	Power Channel Up/Menu Up Channel Down/Menu Down Volume Up/Menu > Volume Down/Menu <
			Rear	AC/DC TV/CABLE Selector Degauss Main Power SW
		Indicator		Power Stand-by On Timer
		Terminals	Front	Video Input = VIDEO3 Audio Input = VIDEO3 S Input = VIDEO3 Other Terminal
			Rear	Video Input(Rear1) = VIDEO1 Video Input(Rear2) = VIDEO2 S Input = VIDEO1 S Input = VIDEO2 Audio Input(Rear1) = VIDEO1 Audio Input(Rear2) = VIDEO2 Video Output Audio Output Component Input1(w/ Analog Audio L/R) Component Input2(w/ Analog Audio L/R) HDMI Input1(w/ Analog Audio L/R) HDMI Input2(w/ Analog Audio L/R) Diversity Ext Speaker VHF/UHF Antenna Input AC Outlet
				RCA RCA x 2 Yes No RCA RCA x 2 RCA RCA x 2 RCA RCA x 5 RCA x 5 HDMI x 1(RCA x 2) No No F Type No
G-14	Set Size	Approx.	W x D x H (mm)	700 x 502 x 495.5

# GENERAL SPECIFICATIONS

G-15	<b>Weight</b>	Net (Approx.) Gross (Approx.)	.36.0 kg ( 79.4 lbs) 41.5kg ( 91.5lbs)
G-16	<b>Carton</b>	Master Carton	No
		Content	--- Sets
		Material	-- /--
		Dimensions W x D x H(mm)	-- x -- x --
		Description of Origin	No
	<b>Gift Box</b>		Yes
		Material	Double/Brown
		Dimensions W x D x H(mm)	840 x 620 x 627
		Design	As per Buyer's
		Description of Origin	Yes
	<b>Drop Test</b>		Natural Dropping At 1 Corner / 2 Edges / 4 Surfaces
		Height (cm)	60 (ORION SPEC:31)
	<b>Container Stuffing</b>		156 Sets/40' container
G-17	<b>Cabinet Material</b>	Cabinet	Cabinet Front PS 94V0 DE CABROM Cabinet Rear PS 94V0 NON-DECABROM
		PCB	Non-Halogen Demand No Eyelet Demand Yes
G-18	<b>Environment</b>	Pb Free	Pb-free Solder Yes Other No
		Cd Free	No

# DISASSEMBLY INSTRUCTIONS

## 1. REMOVAL OF ANODE CAP

Read the following **NOTED** items before starting work.


- \* After turning the power off there might still be a potential voltage that is very dangerous. When removing the Anode Cap, make sure to discharge the Anode Cap's potential voltage.
- \* Do not use pliers to loosen or tighten the Anode Cap terminal, this may cause the spring to be damaged.

### REMOVAL


1. Follow the steps as follows to discharge the Anode Cap. **(Refer to Fig. 1-1.)**

Connect one end of an Alligator Clip to the metal part of a flat-blade screwdriver and the other end to ground. While holding the plastic part of the insulated Screwdriver, touch the support of the Anode with the tip of the Screwdriver.

A cracking noise will be heard as the voltage is discharged.



2. Flip up the sides of the Rubber Cap in the direction of the arrow and remove one side of the support. **(Refer to Fig. 1-2.)**




3. After one side is removed, pull in the opposite direction to remove the other.

### NOTE

Take care not to damage the Rubber Cap.

## INSTALLATION


1. Clean the spot where the cap was located with a small amount of alcohol. **(Refer to Fig. 1-3.)**




### NOTE

Confirm that there is no dirt, dust, etc. at the spot where the cap was located.

2. Arrange the wire of the Anode Cap and make sure the wire is not twisted.
3. Turn over the Rubber Cap. **(Refer to Fig. 1-4.)**



4. Insert one end of the Anode Support into the anode button, then the other as shown in **Fig. 1-5**.



5. Confirm that the Support is securely connected.
6. Put on the Rubber Cap without moving any parts.

# DISASSEMBLY INSTRUCTIONS


## 2. REMOVAL AND INSTALLATION OF FLAT PACKAGE IC

### REMOVAL

1. Put the Masking Tape (cotton tape) around the Flat Package IC to protect other parts from any damage. (Refer to Fig. 2-1.)

#### NOTE


Masking is carried out on all the parts located within 10 mm distance from IC leads.



2. Heat the IC leads using a blower type IC desoldering machine. (Refer to Fig. 2-2.)

#### NOTE


Do not add the rotating and the back and forth directions force on the IC, until IC can move back and forth easily after desoldering the IC leads completely.



3. When IC starts moving back and forth easily after desoldering completely, pickup the corner of the IC using tweezers and remove the IC by moving with the IC desoldering machine. (Refer to Fig. 2-3.)

#### NOTE


Some ICs on the PCB are affixed with glue, so be careful not to break or damage the foil of each IC leads or solder lands under the IC when removing it.



4. Peel off the Masking Tape.
5. Absorb the solder left on the pattern using the Braided Shield Wire. (Refer to Fig. 2-4.)

#### NOTE

Do not move the Braided Shield Wire in the vertical direction towards the IC pattern.



# DISASSEMBLY INSTRUCTIONS

## INSTALLATION

1. Take care of the polarity of new IC and then install the new IC fitting on the printed circuit pattern. Then solder each lead on the diagonal positions of IC temporarily.  
**(Refer to Fig. 2-5.)**




Fig. 2-5

2. Supply the solder from the upper position of IC leads sliding to the lower position of the IC leads.  
**(Refer to Fig. 2-6.)**




Fig. 2-6

3. Absorb the solder left on the lead using the Braided Shield Wire. **(Refer to Fig. 2-7.)**

### NOTE

Do not absorb the solder to excess.




Fig. 2-7

4. When bridge-soldering between terminals and/or the soldering amount are not enough, resolder using a Thin-tip Soldering Iron. **(Refer to Fig. 2-8.)**




Fig. 2-8

5. Finally, confirm the soldering status on four sides of the IC using a magnifying glass. Confirm that no abnormality is found on the soldering position and installation position of the parts around the IC. If some abnormality is found, correct by resoldering.

### NOTE

When the IC leads are bent during soldering and/or repairing, do not repair the bending of leads. If the bending of leads are repaired, the pattern may be damaged. So, always be sure to replace the IC in this case.

## SERVICE MODE LIST

This unit provided with the following SERVICE MODES so you can repair, examine and adjust easily.  
To enter the Service Mode, press both set key and remote control key for more than 2 seconds.


Set Key	Remocon Key	Operations
VOL. (-) MIN	0	Releasing of V-CHIP PASSWORD.
VOL. (-) MIN	1	Initialization of the factory. NOTE: Do not use this for the normal servicing. If you set a factory initialization, the memories are reset such as the channel setting, and the POWER ON total hours.
VOL. (-) MIN	6	POWER ON total hours is displayed on the screen. Refer to the "CONFIRMATION OF HOURS USED".  Can be checked of the INITIAL DATA of MEMORY IC. Refer to the "WHEN REPLACING EEPROM (MEMORY) IC".
VOL. (-) MIN	9	Display of the Adjustment MENU on the screen. Refer to the "ELECTRICAL ADJUSTMENT" (On-Screen Display Adjustment).

## CONFIRMATION OF HOURS USED

POWER ON total hours can be checked on the screen. Total hours are displayed in 16 system of notation.

**NOTE: If you set a factory initialization, the total hours is reset to "0".**

1. Set the VOLUME to minimum.
2. Press both VOL. DOWN button on the set and Channel button **(6)** on the remote control for more than 2 seconds.
3. After the confirmation of using hours, turn off the power.



**FIG. 1**

## WHEN REPLACING EEPROM (MEMORY) IC

If a service repair is undertaken where it has been required to change the MEMORY IC, the following steps should be taken to ensure correct data settings while making reference to TABLE 1.

	ADDRESS	DATA
INIT	000	DF
CRT ON	0010	
OEC7118A_32		

**FIG. 1**

\*1

INI	USA	CANADA
000	DF	5F

INI	+0	+1	+2	+3	+4	+5	+6	+7	+8	+9	+A	+B	+C	+D	+E	+F
00	*1	A2	05	C0	A6	1C	87	B8	42	E4	B3	03	0D	36	03	00
10	01	05	1F	24	40	45	5D	62	45	4A	67	0F	15	0A	00	64
20	84	00	00	00	00	00	00	00	1A	00	5A	98	33	04	76	
30	77	05	07	21	10	07	00	22	74	81	01	07	06	40	40	40
40	8F	C0	40	00	27	0A	0A	00	13	40	00	51	70	72	99	59
50	68	99	5B	00	73	14	1F	2D	24	16	00	00	00	00	00	FE
60	08	D6	D9	DB	15	00	00	26	06	07	09	00	C9	C8	E8	BC
70	40	0F	00	4A	22	77	00	00	00	07	1D	6D	FF	FF	FA	FA
80	FF	C0	52	50	8B	00	06	06	22	00	96	8B	2C	90	22	00
90	11	F2	00	07	00	00	00	B6	01	48	33	23	27	2A	2D	30
A0	33	36	39	3C	3F	42	45	48	4B	4E	51	53	55	57	58	59
B0	5A	5B	5C	5D	5E	5F	61	63	65	67	69	6A	6B	6C	6D	6E
C0	6F	70	71	71	72	72	73	73	74	74	75	75	75	75	76	76
D0	76	76	77	77	77	77	78	78	78	78	79	42	00	00	00	OB
E0	15	06	11	14	E0	E6	F5	2B	38	FF	17	31	36	40	00	3F
F0	54	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
100	DC	F1	54	22	66	0C	71	69	33	00	0E	38	22	66	DA	71
110	69	33	00	44	00	77	59	94	57	03	82	88	88	00	82	01
120	00	03	82	03	82	0F	85	00	82	8D	83	00	82	D0	01	82
130	00	82	00	82	0D	00	05	11	00	11	00	11	1A	00	1C	00
140	00	00	00	00	00	25	1E	F4	05	16	A4	03	03	00	7F	7F
150	00	7E	7E	0E	0A	00	00	00	00	84	00	00	00	00	00	83
160	00	00	00	00	00	1D	0A	FF	F3	EC	FF	FF	FF	FF	FF	FF
170	FF	FF	FB	00	10	01	FB	00	20	01	FB	00	4D	01	FB	00
180	2A	01	FB	00	10	01	FB	00	05	01	FB	00	19	01	FB	00
190	42	01	FB	00	27	01	FB	00	05	01	77	77	77	---	---	---

**Table 1**

## WHEN REPLACING EEPROM (MEMORY) IC

1. Enter DATA SET mode by setting VOLUME to minimum.
2. Press both VOL. DOWN button on the set and Channel button **(6)** on the remote control for more than 2 seconds. ADDRESS and DATA should appear as FIG 1.
3. ADDRESS is now selected and should "blink". Using the UP/DOWN button on the remote, step through the ADDRESS until required ADDRESS to be changed is reached.
4. Press RIGHT/LEFT button to select DATA. When DATA is selected, it will "blink".
5. Again, step through the DATA using UP/DOWN button until required DATA value has been selected.
6. Pressing RIGHT/LEFT button will take you back to ADDRESS for further selection if necessary.
7. Repeat steps 3 to 6 until all data has been checked.
8. When satisfied correct DATA has been entered, turn POWER off (return to STANDBY MODE) to finish DATA input.

### **After the data input, set to the initializing of shipping.**

9. Turn POWER on.
10. Press both VOL. DOWN button on the set and Channel button **(1)** on the remote control for more than 2 seconds.
11. After the finishing of the initializing of shipping, the unit will turn off automatically.

The unit will now have the correct DATA for the new MEMORY IC.

# ELECTRICAL ADJUSTMENTS

## 1. ADJUSTMENT PROCEDURE

Read and perform these adjustments when repairing the circuits or replacing electrical parts or PCB assemblies.

### CAUTION

- Use an isolation transformer when performing any service on this chassis.
- Before removing the anode cap, discharge electricity because it contains high voltage.
- When removing a PCB or related component, after unfastening or changing a wire, be sure to put the wire back in its original position.
- When you exchange IC and Transistor for a heat sink, apply the silicon grease on the contact section of the heat sink. Before applying new silicon grease, remove all the old silicon grease. (Old grease may cause damages to the IC and Transistor.)

**Prepare the following measurement tools for electrical adjustments.**

1. Oscilloscope
2. Digital Voltmeter
3. Multi-sound Generator
4. Pattern Generator

### On-Screen Display Adjustment

1. In the condition of NO indication on the screen. Press the VOL. DOWN button on the set and the Channel button (9) on the remote control for more than 2 second to appear the adjustment mode on the screen as shown in Fig. 1-1.




Fig. 1-1

3. Use the Channel UP/DOWN button or Channel button (0-9) on the remote control to select the options shown in Fig. 1-2.
4. Press the MENU button on the remote control to end the adjustments.
5. To display the adjustment screen for AV, CS and HD-MI mode, press the TV/VIDEO button on the remote control to set to the AV, CS and HD-MI mode. Press the VOL.DOWN button on the set and the channel (9) on the remote control for more than 2 seconds.

NO.	FUNCTION	NO.	FUNCTION	NO.	FUNCTION
00	OSD H	20	CORNER	40	R-Y PHASE
01	CUT OFF	21	C.PARA	41	G-Y GAIN
02	H.POSI	22	C.SAW	42	G-Y PHASE
03	V.POSI	23	V.SYMM	43	BRI.CENT
04	H. SIZE	24	R.BIAS	44	BRI.MAX
05	V. SIZE	25	G.BIAS	45	BRI.MIN
06	V. LIN	26	B.BIAS	46	CONT.CENT
07	V-EHT	27	R/G.DRV	47	CONT.MAX
08	H-EHT	28	B/R.DRV	48	CONT.MIN
09	V-BLK P	29	R.BIAS(C)	49	COL.CENT
10	V-BLK S	30	G.BIAS(C)	50	COL.MAX
11	V.CENT	31	B.BIAS(C)	51	COL.MIN
12	V.LIMIT	32	R/G.DRV(C)	52	SUB CONT
13	V.CORR	33	B/R.DRV(C)	53	TINT
14	V.S.CORR	34	R.BIAS(W)	54	SHARP.CENT
15	EW PARA	35	G.BIAS(W)	55	SHARP.MAX
16	TRAPEZIUM	36	B.BIAS(W)	56	SHARP.MIN
17	COR.TOP	37	R/G.DRV(W)	57	TILT.CENT
18	COR.BTM	38	B/R.DRV(W)	58	TEST STEREO
19	S.CORR	39	R-Y GAIN	59	TEST AUDIO

Fig. 1-2

## 2. BASIC ADJUSTMENTS

### 2-1: CUT OFF

1. Place the set with Aging Test for more than 15 minutes.
2. Set condition is AV MODE without signal.
3. Using the remote control, set the brightness and contrast to normal position.
4. Activate the adjustment mode display of Fig. 1-1 and press the channel button (01) on the remote control to select "CUT OFF".
5. Adjust the **Screen Volume** until a dim raster is obtained.

### 2-2: WHITE BALANCE

**NOTE:** Adjust after performing CUT OFF adjustment.

1. Place the set with Aging Test for more than 10 minutes.
2. Receive the gray scale pattern from the Pattern Generator.
3. Using the remote control, set the brightness and contrast to normal position.
4. Activate the adjustment mode display of Fig. 1-1 and press the channel button (24) on the remote control to select "R.BIAS".
5. Press the CH. UP/DOWN button on the remote control to select the "R.BIAS", "G.BIAS", "B.BIAS", "R/G.DRV", "B/R.DRV", "R.BIAS(C)", "G.BIAS(C)", "B.BIAS(C)", "R/G.DRV(C)", "B/R.DRV(C)", "R.BIAS(W)", "G.BIAS(W)", "B.BIAS(W)", "R/G.DRV(W)" or "B/R.DRV(W)".
6. Adjust the VOL. UP/DOWN button on the remote control to whiten the R.BIAS(C), G.BIAS(C), B.BIAS(C), R/G.DRV(C), B/R.DRV(C), R.BIAS(W), G.BIAS(W), B.BIAS(W), R/G.DRV(W) and B/R.DRV(W)" at each step tone sections equally.
7. Perform the above adjustments 5 and 6 until the white color is looked like a white.

# ELECTRICAL ADJUSTMENTS

## 2-3: FOCUS

1. Receive the monoscope pattern.
2. Turn the Focus Volume fully counterclockwise once.
3. Adjust the **Focus Volume** until picture is distinct.

## 2-4: OSD HORIZONTAL

1. Receive the monoscope pattern from the Pattern Generator.
2. Using the remote control, set the brightness and contrast to normal position.
3. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(00)** on the remote control to select "OSD H".
4. Press the LEFT/RIGHT button on the remote control until the difference of A and B becomes minimum.  
**(Refer to Fig. 2-1)**




Fig. 2-1

## 2-5: HORIZONTAL POSITION/ HORIZONTAL SIZE

1. Receive the monoscope pattern.
2. Press the MENU button. And, then press the LEFT/RIGHT button on the remote control until the PICTURE menu appears.
3. Press the LEFT/RIGHT button on the remote control to highlight DISPLAY FORMAT.
4. Press the LEFT/RIGHT button on the remote control to select 1080i.
5. Set the screen mode to FULL.
6. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(02)** on the remote control to select "H.POSI".
7. Press the VOL. UP/DOWN button on the remote control until the SHIFT quantity of the OVER SCAN on right and left becomes minimum.
8. Receive the monoscope pattern.
9. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(04)** on the remote control to select "H. SIZE".
10. Press the VOL. UP/DOWN button on the remote control until the SHIFT quantity of the OVER SCAN on right and left becomes 7.5%.

## 2-6: VERTICAL CENT/ VERTICAL SIZE

1. Receive the monoscope pattern.
2. Press the MENU button. And, then press the LEFT/RIGHT button on the remote control until the PICTURE menu appears.
3. Press the LEFT/RIGHT button on the remote control to highlight DISPLAY FORMAT.
4. Press the LEFT/RIGHT button on the remote control to select 1080i.
5. Set the screen mode to FULL.
6. Using the remote control, set the brightness and contrast to normal position.
7. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(11)** on the remote control to select "V. CENT".
8. Press the VOL. UP/DOWN button on the remote control until the horizontal line becomes fit to the notch of the shadow mask.
9. Receive the monoscope pattern.
10. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(05)** on the remote control to select "V. SIZE".
11. Press the VOL. UP/DOWN button on the remote control until the SHIFT quantity of the OVER SCAN on upside and downside becomes 8%.

## 2-7: VERTICAL LINEARITY

**NOTE:** Adjust after performing adjustments in section 2-6.  
After the adjustment of Vertical Linearity, reconfirm the Vertical Position and Vertical Size adjustments.

1. Receive the monoscope pattern.
2. Press the MENU button. And, then press the LEFT/RIGHT button on the remote control until the PICTURE menu appears.
3. Press the LEFT/RIGHT button on the remote control to highlight DISPLAY FORMAT.
4. Press the LEFT/RIGHT button on the remote control to select 1080i.
5. Set the screen mode to FULL.
6. Using the remote control, set the brightness and contrast to normal position.
7. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(06)** on the remote control to select "V. LIN".
8. Press the VOL. UP/DOWN button on the remote control until the SHIFT quantity of the OVER SCAN on upside and downside becomes 8%.

# ELECTRICAL ADJUSTMENTS

## 2-8: BRIGHT CENT

1. Receive the monoscope pattern. (RF Input)
2. Set the screen mode to FULL.
3. Using the remote control, set the brightness and contrast to normal position.
4. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(43)** on the remote control to select "BRI CENT".
5. Press the VOL. UP/DOWN button on the remote control until the white 10% is starting to be visible
6. Receive the monoscope pattern. (Audio Video Input)
7. Press the TV/VIDEO button on the remote control to set to the AV mode. Then perform the above adjustments 2~5.
8. Receive the monoscope pattern.
9. Press the TV/VIDEO button on the remote control to set to the CS mode. Then perform the above adjustments 2~5.
10. Receive the monoscope pattern.
11. Press the TV/VIDEO button on the remote control to set to the HD-MI mode.
12. Set the screen mode to FULL.
13. Using the remote control, set the brightness and contrast to normal position.
14. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(43)** on the remote control to select "BRI CENT".
15. Press the VOL. UP/DOWN button on the remote control until the white 12% is starting to be visible

## 2-9: SUB CONTRAST

1. Set the screen mode to FULL.
2. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(52)** on the remote control to select "SUB CONT".
3. Check if the step No. SUB CONT is "16".
4. Receive a broadcast and check if the picture is normal.
5. Press the TV/VIDEO button on the remote control to set to the AV mode. Then perform the above adjustments 1~4.
6. Press the TV/VIDEO button on the remote control to set to the CS mode. Then perform the above adjustments 1~4.
7. Press the TV/VIDEO button on the remote control to set to the HD-MI mode. Then perform the above adjustments 1~4.

## 2-10: E/W PARA

1. Receive the crosshatch signal from the Pattern Generator.
2. Set the screen mode to FULL.
3. Using the remote control, set the brightness and contrast to normal position.
4. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(15)** on the remote control to select "E W PARA".
5. Press the VOL. UP/DOWN button on the remote control until the both ends vertical lines become straight.
6. Set the screen mode to 4:3.
7. Press the VOL. UP/DOWN button on the remote control until the both ends vertical lines of the screen become parallel.

## 2-11: TRAPEZIUM

1. Receive the crosshatch signal from the Pattern Generator.
2. Press the MENU button. And, then press the LEFT/RIGHT button on the remote control until the PICTURE menu appears.
3. Press the LEFT/RIGHT button on the remote control to highlight DISPLAY FORMAT.
4. Press the LEFT/RIGHT button on the remote control to select 1080i.
5. Set the screen mode to FULL.
6. Using the remote control, set the brightness and contrast to normal position.
7. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(16)** on the remote control to select "TRAPEZIUM".
8. Press the VOL. UP/DOWN button on the remote control until the both ends vertical lines of the screen become parallel.

## 2-12: COR TOP/BTM

1. Receive the crosshatch signal from the Pattern Generator.
2. Set the screen mode to FULL.
3. Using the remote control, set the brightness and contrast to normal position.
4. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(17)** on the remote control to select "COR. TOP".
5. Press the VOL. UP/DOWN button on the remote control until the both ends vertical lines become straight.
6. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(18)** on the remote control to select "COR. BTM".
7. Press the VOL. UP/DOWN button on the remote control until the both ends vertical lines of the screen become parallel.

# ELECTRICAL ADJUSTMENTS

## 2-13: TINT/COLOR CENT

1. Receive the color bar pattern.
2. Connect the oscilloscope to **TP806**.
3. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(53)** on the remote control to select "TINT".
4. Press the VOL. UP/DOWN button on the remote control until the section "A" becomes as straight line. **(Refer to Fig. 2-2)**
5. Connect the oscilloscope to **TP805**.
6. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(49)** on the remote control to select "COL.CENT".
7. Press the VOL. UP/DOWN button on the remote control until the red color level is adjusted to  $105 \pm 10\%$  of the white level. **(Refer to Fig. 2-3)**
8. Please check whether the waveform of TP806 is straight line. If is not a straight line, adjust to TINT again.
9. Receive the color bar pattern. (Audio Video Input)
10. Press the TV/VIDEO button on the remote control to set to the AV mode. Then perform the above adjustments 2~8.
11. Receive the color bar pattern.
12. Press the TV/VIDEO button on the remote control to set to the CS mode. Then perform the above adjustments 2~8.
13. Receive the color bar pattern.
14. Press the TV/VIDEO button on the remote control to set to the HD-MI mode. Then perform the above adjustments 2~8.




Fig. 2-2




Fig. 2-3

## 2-14: TILT

1. Connect the digital voltmeter between **W843** and **W844**.
2. Receive the crosshatch signal from the Pattern Generator.
3. Press the PIC SIZE button on the remote control to select the FULL screen mode.
4. Using the remote control, set the brightness and contrast to normal position.
5. Activate the adjustment mode display of **Fig. 1-1** and press the channel button **(57)** on the remote control to select "TILT CENT".
6. Press the VOL. UP/DOWN button on the remote control until the voltage become minimum(0V).

## 2-15: Confirmation of Fixed Value (Step No.)

Please check if the fixed values of the each adjustment items are set correctly referring below.

NO.	FUNCTION	RF	AV	CS	HD-MI
03	V.POSI	01	01	01	01
07	V-EHT	04	04	04	04
08	H-EHT	03	03	03	03
09	V-BLK P	31	31	31	31
10	V-BLK S	00	00	00	00
12	V.LIMIT	00	00	00	00
13	V.CORR	15	15	15	15
14	V.S.CORR	40	40	40	40
19	S.CORR	16	16	16	16
20	CORNER	15	15	15	15
21	C.PARA	8	8	8	8
22	C.SAW	8	8	8	8
23	V.SYMM	128	128	128	128
39	R-Y GAIN	8	8	8	8
40	R-Y PHASE	3	3	3	3
41	G-Y GAIN	5	5	5	5
42	G-Y PHASE	0	0	0	0
44	BRI.MAX	210	210	210	210
45	BRI.MIN	50	50	50	50
46	CONT.CENT	70	70	70	70
47	CONT.MAX	127	127	127	127
48	CONT.MIN	50	50	50	50
50	COL.MAX	80	80	80	80
51	COL.MIN	0	0	0	0
54	SHARP.CENT	55	55	64	64
55	SHARP.MAX	100	100	100	100
56	SHARP.MIN	0	0	0	0
58	TEST STEREO	0	0	0	0
59	TEST AUDIO	0	0	0	0

# ELECTRICAL ADJUSTMENTS

## 3. PURITY AND CONVERGENCE ADJUSTMENTS

### NOTE

1. Turn the unit on and let it warm up for at least 30 minutes before performing the following adjustments.
2. Place the CRT surface facing east or west to reduce the terrestrial magnetism.
3. Turn ON the unit and demagnetize with a Degauss Coil.

### 3-1: STATIC CONVERGENCE (ROUGH ADJUSTMENT)

1. Tighten the screw for the magnet. Refer to the adjusted CRT for the position. (**Refer to Fig. 3-1**)  
If the deflection yoke and magnet are in one body, untighten the screw for the body.
2. Receive the green raster pattern from the color bar generator.
3. Slide the deflection yoke until it touches the funnel side of the CRT.
4. Adjust center of screen to green, with red and blue on the sides, using the pair of purity magnets.
5. Switch the color bar generator from the green raster pattern to the crosshatch pattern.
6. Combine red and blue of the 3 color crosshatch pattern on the center of the screen by adjusting the pair of 4 pole magnets.
7. Combine red/blue (magenta) and green by adjusting the pair of 6 pole magnets.
8. Adjust the crosshatch pattern to change to white by repeating steps 6 and 7.

### 3-2: PURITY

### NOTE

Adjust after performing adjustments in section 3-1.

1. Receive the green raster pattern from color bar generator.
2. Adjust the pair of purity magnets to center the color on the screen.  
Adjust the pair of purity magnets so the color at the ends are equally wide.
3. Move the deflection yoke backward (to neck side) slowly, and stop it at the position when the whole screen is green.
4. Confirm red and blue color.
5. Adjust the slant of the deflection yoke while watching the screen, then tighten the fixing screw.




Fig. 3-1

### 3-3: STATIC CONVERGENCE

### NOTE

Adjust after performing adjustments in section 3-2.

1. Receive the crosshatch pattern from the color bar generator.
2. Combine red and blue of the 3 color crosshatch pattern on the center of the screen by adjusting the pair of 4 pole magnets.
3. Combine red/blue (magenta) and green by adjusting the pair of 6 pole magnets.

### 3-4: DYNAMIC CONVERGENCE

### NOTE

Adjust after performing adjustments in section 3-3.

1. Adjust the differences around the screen by moving the deflection yoke upward/downward and right/left. (**Refer to Fig. 3-2-a**)
2. Insert three wedges between the deflection yoke and CRT funnel to fix the deflection yoke. (**Refer to Fig. 3-2-b**)




Fig. 3-2-a






Fig. 3-2-b

# ELECTRICAL ADJUSTMENTS


## 4. ELECTRICAL ADJUSTMENT PARTS LOCATION GUIDE (WIRING CONNECTION)




# TV BLOCK DIAGRAM




## **SOUND AMP/FRONT JACK BLOCK DIAGRAM**




## MICON1/STEREO BLOCK DIAGRAM




# AV/SYNC COUNT BLOCK DIAGRAM




# INTERFACE BLOCK DIAGRAM




## MICON2 BLOCK DIAGRAM




## SCALER BLOCK DIAGRAM



**PRINTED CIRCUIT BOARDS  
MAIN (INSERTED PARTS)  
SOLDER SIDE**




**PRINTED CIRCUIT BOARDS  
MAIN (CHIP MOUNTED PARTS)  
SOLDER SIDE**




## **PRINTED CIRCUIT BOARDS**

**AV (INSERTED PARTS)  
SOLDER SIDE**




**AV (CHIP MOUNTED PARTS)  
SOLDER SIDE**




# PRINTED CIRCUIT BOARDS


**HD-MI (TOP SIDE)**




**HD-MI (BOTTOMSIDE)**



**FRONT JACK (TOP SIDE)**




**FRONT JACK (BOTTOM SIDE)**








# PRINTED CIRCUIT BOARDS

**SCALER (TOP SIDE)**



## CHROMA/PROGRESSIVE/ PIN CUSHION


### WAVEFORMS





NOTE: The following waveforms were measured at the point of the corresponding balloon number in the schematic diagram.

# WAVEFORMS



## MICON1



## STEREO




## SYNC COUNT/ CONNECTOR




NOTE: The following waveforms were measured at the point of the corresponding balloon number in the schematic diagram.


# WAVEFORMS



## CRT/CVM




## INTERFACE




NOTE: The following waveforms were measured at the point of the corresponding balloon number in the schematic diagram.

## WAVEFORMS




NOTE: The following waveforms were measured at the point of the corresponding balloon number in the schematic diagram.


## MECHANICAL EXPLODED VIEW




## MECHANICAL EXPLODED VIEW



## MECHANICAL EXPLODED VIEW (PACKING DIAGRAM)



## MECHANICAL EXPLODED VIEW (PACKING DIAGRAM)



# MECHANICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description	
101	AE004958	7A7010028A	FRONT CABI ASS'Y	
101A	AE004959	701WPJ1278	CABINET,FRONT	
101B	AE004821	711WPA0210	PLATE,FRONT	
101C	AE004960	712WPJ0871	DOOR	
101D	AE004823	713WPA0334	GUIDE,REMOCON	
101E	AE004824	7230007791	SHEET,BUTTON	
101F	AE004825	7230007792	AV LABEL	
101G	AD302008	7235490036	BADGE,BRAND	
101H	AE004961	735WPB0300	BUTTON,FRAME	
101I	AE004962	735WPJ0244	BUTTON,POWER	
101J	AE004828	738WPA0106	STOPPER,BUTTON	
101K	AE003110	800WQ0A052	FELT SHEET	
101L	AE004963	761WPA0344	HOLDER,LED	
101M	BZ710039	8995034000	CORD CLIP UL CO.	
102	AE005524	7A7020015B	BACK CABI ASS'Y	
102A	AE004965	702WPA1107	CABINET,BACK	
102B	AE003020	800WQ0A050	FELT SHEET	
102C	AD300520	800WQ00068	FELT SHEET	
102D	AE004836	7230007788	SHEET,JACK	
103	AE004831	752WSA0413	HDMI SHIELD,COVER	
104	AE004832	752WSA0414	HDMI SHIELD,BOTTOM	
105	AE005433	752WSA0448	PLATE,BOTTOM	
106	AE005202	752WSA0429	HDMI SHIELD,COVER2	
107	BZ710660	741WUA0021	SPRING,EARTH	
108	BZ710039	8995034000	CORD CLIP UL CO.	
109	AE005575	7225490166	SHEET,RATING	
110	AE005203	752WSA0430	HDMI SHIELD,BOTTOM2	
111	AE004967	7230007799	POP LABEL	
112	BZ710259	762WPA0011	HOLDER,CRT WIRE	
113	AE004838	752WSA0433	SHIELD,AV JACK	
114	AE005207	761WPA115	HOLDER,SPEAKER	
115	AE000007	7220001107	SHEET,HWC	
116	AE004840	761WPA0325	HOLDER,PCB RAIL	
117	AE004055	769WSA0016	WASHER CRT T=0.5	
118	AD300518	801WR00001	DAMPER,SPEAKER	
119	AE005576	761WPA0347	HOLDER,PCB-1	
120	AE004841	890DL20000	DOOR LATCHES(DL2)	
121	BZ710260	899HV3T000	HOLDER,ANODE WIRE	
122	AD300432	791WHA0092	LAMIFILM,BAG	
123	AE004968	792WHA0548	PACKAGE,TOP	
124	AE004969	792WHA0549	PACKAGE,BOTTOM	
125	AE004970	793WCD1563	GIFT BOX	
126	AE005577	A3R3030975	INSTRUCTION BOOK KIT	
127	AE005397	JA4KD300	POLYBAG,INSTRUCTION(RED CAUTION)	
128	AE004983	J2D60117A	REGISTRATION CARD	
129	AE005578	J3R30301A	INSTRUCTION BOOK	
130	AE005213	J3R40329A	INFORMATION SHEET	
131	AE000006	7220001119	SHEET,CSA WARNING	
132	AE005279	800WF00062	CUSHION	
133	AE005579	761WPA0348	HOLDER,PCB-2	
134	AE005580	761WPA0349	HOLDER,PCB-3	
135	AD301370	899EFBA002	WIRING-CLIP	
201	AE003522	8117540B0U	SCREW,TAP TITE(B0) TRUSS	4x20
202	AE005398	8162540A6U	SCREW,TAPPING (B0) WASHER 18	
203	AE004848	8141H60D5U	SCREW,TAP TITE(P) GW20	6x45
204	AE003528	8110630A0U	SCREW,TAP TITE(P) BRAZIER	3x10
205	AE003529	811063080U	SCREW,TAP TITE(P) BRAZIER	3x8
206	AE005214	810213080U	SCREW,PAN	M3x8
207	AE003526	810923080U	SCREW,TAP TITE(B) BIND	3x8
208	AE003524	8109I30A0U	SCREW,TAP TITE(B) WH7	3x10
209	BZ710019	8109630802	SCREW,TAP TITE(B) BRAZIER	3x8
210	AE003531	810763080U	SCREW,TAP TITE(S) BRAZIER	3x8
211	AE004850	8159130A0U	SCREW,TAPPING(B) WASHER12 PAN	3x10

# MECHANICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description
101	AE004958	7A7010028A	FRONT CABI ASS'Y
101A	AE004959	701WPAJ1278	CABINET,FRONT
101B	AE004821	711WPA0210	PLATE,FRONT
101C	AE004960	712WPAJ0871	DOOR
101D	AE004823	713WPA0334	GUIDE,REMOCON
101E	AE004824	7230007791	SHEET,BUTTON
101F	AE004825	7230007792	AV LABEL
101G	AD302008	7235490036	BADGE,BRAND
101H	AE004961	735WPB0300	BUTTON,FRAME
101I	AE004962	735WPJ0244	BUTTON,POWER
101J	AE004828	738WPA0106	STOPPER,BUTTON
101K	AE003110	800WQ0A052	FELT SHEET
101L	AE004963	761WPA0344	HOLDER,LED
101M	BZ710039	8995034000	CORD CLIP UL CO.
102	AE005524	7A7020015B	BACK CABI ASS'Y
102A	AE004965	702WPA1107	CABINET,BACK
102B	AE003020	800WQ0A050	FELT SHEET
102C	AD300520	800WQ00068	FELT SHEET
102D	AE004836	7230007788	SHEET,JACK
103	AE004831	752WSA0413	HDMI SHIELD,COVER
104	AE004832	752WSA0414	HDMI SHIELD,BOTTOM
105	AE005433	752WSA0448	PLATE,BOTTOM
106	AE005202	752WSA0429	HDMI SHIELD,COVER2
107	BZ710660	741WUA0021	SPRING,EARTH
108	BZ710039	8995034000	CORD CLIP UL CO.
109	AE005575	7225490166	SHEET,RATING
110	AE005203	752WSA0430	HDMI SHIELD,BOTTOM2
111	AE004967	7230007799	POP LABEL
112	BZ710259	762WPA0011	HOLDER,CRT WIRE
113	AE004838	752WSA0433	SHIELD,AV JACK
114	AE005207	761WPAA115	HOLDER,SPEAKER
115	AE000007	7220001107	SHEET,HWC
116	AE004840	761WPA0325	HOLDER,PCB RAIL
117	AE004055	769WSA0016	WASHER CRT T=0.5
118	AD300518	801WR00001	DAMPER,SPEAKER
119	AE005576	761WPA0347	HOLDER,PCB-1
120	AE004841	890DL20000	DOOR LATCHES(DL2)
121	BZ710260	899HV3T000	HOLDER,ANODE WIRE
122	AD300432	791WHA0092	LAMIFILM,BAG
123	AE004968	792WHA0548	PACKAGE,TOP
124	AE004969	792WHA0549	PACKAGE,BOTTOM
125	AE004970	793WCD1563	GIFT BOX
126	AE005581	A3R3040975	INSTRUCTION BOOK KIT
127	AE005582	JA4KD200	POLYBAG,INSTRUCTION(RED CAUTION)
129	AE005583	J3R30421A	INSTRUCTION BOOK
130	AE005213	J3R40329A	INFORMATION SHEET
131	AE000006	7220001119	SHEET,CSA WARNING
132	AE005279	800WF00062	CUSHION
133	AE005579	761WPA0348	HOLDER,PCB-2
134	AE005580	761WPA0349	HOLDER,PCB-3
135	AD301370	899EFBA002	WIRING-CLIP
201	AE003522	8117540B0U	SCREW,TAP TITE(B0) TRUSS
202	AE005398	8162540A6U	SCREW,TAPPING (B0) WASHER 18
203	AE004848	8141H60D5U	SCREW,TAP TITE(P) GW20
204	AE003528	8110630A0U	SCREW,TAP TITE(P) BRAZIER
205	AE003529	811063080U	SCREW,TAP TITE(P) BRAZIER
206	AE005214	810213080U	SCREW,PAN
207	AE003526	810923080U	SCREW,TAP TITE(B) BIND
208	AE003524	8109130A0U	SCREW,TAP TITE(B) WH7
209	BZ710019	8109630802	SCREW,TAP TITE(B) BRAZIER
210	AE003531	810763080U	SCREW,TAP TITE(S) BRAZIER
211	AE004850	8159130A0U	SCREW,TAPPING(B) WASHER12 PAN

# ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description
<b>RESISTORS</b>			
△R401	AE002516	R4X5T6222F	R,METAL
△R403	BZ210105	R4X5T6183F	R,METAL
△R405	BZ210231	R4X5T6153F	R,METAL
△R406	AD300039	R3X18A680J	R,METAL OXIDE
△R408	BZ210063	R3X181R22J	R,METAL OXIDE
△R413	AD300040	R3X18A2R2J	R,METAL OXIDE
△R416	AD300040	R3X18A2R2J	R,METAL OXIDE
△R417	BZ210087	R3X18A221J	R,METAL OXIDE
△R429	BZ210053	R002T22R2J	RC
△R430	AD300421	R5X2CF1R8J	R,CEMENT
△R434	BZ210053	R002T22R2J	RC
△R438	AE004809	R3X181332J	R,METAL
△R445	AE004002	R635812R2J	R,FUSE
△R462	BZ210211	R3X28B221J	R,METAL OXIDE
△R468	BZ210003	R3K181102J	R,METAL OXIDE
△R472	AD302347	R3X181120J	R,METAL OXIDE
△R473	AD302347	R3X181120J	R,METAL OXIDE
△R492	AE002520	R3X181100J	R,METAL OXIDE
△R501	BZ210233	R4X5T6272F	R,METAL
△R503	BZ210206	R002T2155J	RC
△R508	AD301203	R002T4101J	RC
△R510	BZ210080	R0G3K2275K	RC
△R515	AE001883	R3X28A104J	R,METAL OXIDE
△R516	BZ210243	R3X181R18J	R,METAL OXIDE
△R517	BZ210190	R63581R22J	R,FUSE
△R518	BZ210243	R3X181R18J	R,METAL OXIDE
△R520	AE000415	R3X1811R5J	R,METAL OXIDE
△R524	AE001073	R3X18A331J	R,METAL OXIDE
△R530	AE004810	R5X2CF010J	R,CEMENT
△R545	AE003270	R3X28B2R7J	R,METAL OXIDE
△R548	BZ210051	R3X18AR47J	R,METAL OXIDE
△R560	AE005280	R5X2AE2R2J	R,CEMENT
△R801	BZ210154	R5X2CE332J	RC,CEMENT
△R834	BZ210154	R5X2CE332J	R,CEMENT
△R842	BZ210154	R5X2CE332J	R,CEMENT
△R855	BZ210185	R65582151J	R,FUSE
△R881	AD302132	R3X18A271J	R,METAL OXIDE
△R3411	AD301597	R3X18AR39J	R,METAL OXIDE
△R3412	AD301597	R3X18AR39J	R,METAL OXIDE
<b>CAPACITORS</b>			
△C403	BZ110195	E02LU8220M	CE
△C404	AE004798	E61DFB470M	CE
△C412	AD301144	P4J7F3274J	CMPP
C417	AD300049	P3N1F5153J	CPP
△C418	AE004932	P4N8FK822H	CMPP
C425	AE004367	P4J7F3335J	CMPP
C426	BZ110204	E0ELFD220M	CE
△C429	AD301434	E02LU4101M	CE
△C430	BZ110101	E5EZF3222M	CE
C433	BZ110202	C0PLRR713K	CC
△C434	BZ110124	E5EZF4222M	CE
C438	AE004933	P4J7F3333J	CMPP
△C446	BZ110225	E5EZFD220M	CE
△C502	BZ110025	P2122B224M	CMP
△C505	BZ110025	P2122B224M	CMP
△C509	BZ110084	E5EZFC220M	CE
C512	BZ110202	C0PLRR713K	CC
△C513	AE005233	E141T3220M	CE
△C517	AE004934	CD39B0MH2K	CC
△C519	AE000950	CD39E0ME3M	CC
△C525	BZ110222	CD39E0MH3M	CC
△C528	BZ110226	C0JBB07H3K	CC
△C529	BZ110226	C0JBB07H3K	CC
△C530	AE003883	E51DFC102M	CE
△C536	BZ110224	E5EZF3332M	CE
△C541	BZ110076	E02LF1222M	CE
△C542	BZ110053	E02LF3102M	CE
C543	AE000874	C0PLRR7E3K	CC
△C545	AE004799	E61SFC221M	CE
△C548	BZ110055	E5EZF4102M	CE
C549	BZ110203	C0PLRR7W2K	CC

## ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description	
<b>CAPACITORS</b>				
C567	BZ110209	E0ELF3222M	CE	2200 UF 25V
C808	AE003828	C13DB0713K	CC	0.001 UF 2KV B
C809	AD301347	E0ELFD330M	CE	33 UF 250V
C870	AE000272	E50HU2470M	CE	47 UF 16V
C3406	AE004935	E02LF0332M	CE	3300 UF 6.3V
<b>DIODES</b>				
D001	BZ410037	D97U03301B	DIODE,ZENER	MTZJ33B T-77
D101	BZ410006	D1VT001330	DIODE,SILICON	1SS133T-77
D102	BZ410021	D97U05R61B	DIODE,ZENER	MTZJ5.6B T-77
D103	BZ410064	D97U03R91B	DIODE,ZENER	MTZJ3.9B T-77
D104	BZ410021	D97U05R61B	DIODE,ZENER	MTZJ5.6B T-77
D105	BZ410021	D97U05R61B	DIODE,ZENER	MTZJ5.6B T-77
D106	BZ410021	D97U05R61B	DIODE,ZENER	MTZJ5.6B T-77
D107	BZ410021	D97U05R61B	DIODE,ZENER	MTZJ5.6B T-77
D108	BZ410064	D97U03R91B	DIODE,ZENER	MTZJ3.9B T-77
D109	BZ410021	D97U05R61B	DIODE,ZENER	MTZJ5.6B T-77
D110	BZ410064	D97U03R91B	DIODE,ZENER	MTZJ3.9B T-77
D111	BZ410006	D1VT001330	DIODE,SILICON	1SS133T-77
D112	BZ410012	D28TQS04N0	DIODE,SCHOTTKY	11EQS04N-TA1B2
△D402	BZ410063	D2WTAU02A0	DIODE,SILICON	AU02A-EIC
△D403	BZ410043	D2WT011E10	DIODE,SILICON	11E1-EIC
△D404	BZ410043	D2WT011E10	DIODE,SILICON	11E1-EIC
△D405	AE004792	DCBFMQ3GU0	DIODE	FMQ-3GULF027-102
D406	BZ410103	D2WXGP10J0	DIODE,RECTIFIER	RGP10J-EIC
D407	BZ410094	D97U01501B	DIODE,ZENER	MTZJ15B T-77
△D408	BZ410021	D97U05R61B	DIODE,ZENER	MTZJ5.6B T-77
D409	BZ410094	D97U01501B	DIODE,ZENER	MTZJ15B T-77
D410	BZ410043	D2WT011E10	DIODE,SILICON	11E1-EIC
D411	BZ410023	D97U09R11B	DIODE,ZENER	MTZJ9.1B T-77
△D412	BZ410063	D2WTAU02A0	DIODE,SILICON	AU02A-EIC
D413	BZ410037	D97U03301B	DIODE,ZENER	MTZJ33B T-77
D414	BZ410037	D97U03301B	DIODE,ZENER	MTZJ33B T-77
△D415	BZ410063	D2WTAU02A0	DIODE,SILICON	AU02A-EIC
D417	AE004359	D97U03901B	DIODE,ZENER	MTZJ39B T-77
D418	BZ410037	D97U03301B	DIODE,ZENER	MTZJ33B T-77
D420	BZ410094	D97U01501B	DIODE,ZENER	MTZJ15B T-77
D423	BZ410006	D1VT001330	DIODE,SILICON	1SS133T-77
D424	BZ410006	D1VT001330	DIODE,SILICON	1SS133T-77
△D501	BZ410031	D6CE24110A	DIODE,VARISTA	ENE241D-10A-Q6
D502	BZ410006	D1VT001330	DIODE,SILICON	1SS133T-77
D503	AD302208	D97U03R31B	DIODE,ZENER	MTZJ3.3B T-77
D504	BZ410006	D1VT001330	DIODE,SILICON	1SS133T-77
D505	BZ410006	D1VT001330	DIODE,SILICON	1SS133T-77
△D506	BZ410085	D2WXN40050	DIODE,SILICON	1N4005-EIC
△D507	BZ410085	D2WXN40050	DIODE,SILICON	1N4005-EIC
D508	BZ410006	D1VT001330	DIODE,SILICON	1SS133T-77
△D509	BZ410043	D2WT011E10	DIODE,SILICON	11E1-EIC
△D510	BZ410085	D2WXN40050	DIODE,SILICON	1N4005-EIC
△D511	BZ410085	D2WXN40050	DIODE,SILICON	1N4005-EIC
D512	BZ410103	D2WXGP10J0	DIODE,RECTIFIER	RGP10J-EIC
D514	BZ410006	D1VT001330	DIODE,SILICON	1SS133T-77
D515	BZ410011	D28TELS2N2	DIODE,RECTIFIER	10ELS2N-TA1B2
D516	BZ410021	D97U05R61B	DIODE,ZENER	MTZJ5.6B T-77
D517	AD300671	D97U01801B	DIODE,ZENER	MTZJ18B T-77
D518	BZ410011	D28TELS2N2	DIODE,RECTIFIER	10ELS2N-TA1B2
D519	AD300731	D2WXN49370	DIODE,SILICON	1N4937
△D520	BZ410062	D2WTRM11C0	DIODE,SILICON	RM11C-EIC
△D521	BZ410062	D2WTRM11C0	DIODE,SILICON	RM11C-EIC
△D522	BZ410062	D2WTRM11C0	DIODE,SILICON	RM11C-EIC
△D523	BZ410062	D2WTRM11C0	DIODE,SILICON	RM11C-EIC
△D524	AD300731	D2WXN49370	DIODE,SILICON	1N4937
△D525	BZ410062	D2WTRM11C0	DIODE,SILICON	RM11C-EIC
△D526	BZ410062	D2WTRM11C0	DIODE,SILICON	RM11C-EIC
△D527	BZ410062	D2WTRM11C0	DIODE,SILICON	RM11C-EIC
△D528	BZ410062	D2WTRM11C0	DIODE,SILICON	RM11C-EIC
D529	AD300671	D97U01801B	DIODE,ZENER	MTZJ18B T-77
D531	BZ410006	D1VT001330	DIODE,SILICON	1SS133T-77
△D532	BZ410010	D28T21DQN9	DIODE,SCHOTTKY	21DQ09N-TA2B1
△D533	BZ410010	D28T21DQN9	DIODE,SCHOTTKY	21DQ09N-TA2B1
△D534	AE003872	DOU002720M	DIODE,VARISTA	DSS-272M-S00B
D535	AE003870	D97U04R31B	DIODE,ZENER	MTZJ4.3B T-77

## ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description
<b>DIODES</b>			
△D536	AD301980	D2CF2016L0	DIODE,SILICON
△D537	BZ410010	D28T21DQN9	DIODE,SCHOTTKY
△D539	BZ410091	D230PF6DT0	DIODE,SILICON
D540	AD300731	D2WXN49370	DIODE,SILICON
△D541	AD301980	D2CF2016L0	DIODE,SILICON
D543	BZ410006	D1VT001330	DIODE,SILICON
D544	BZ410006	D1VT001330	DIODE,SILICON
D546	BZ410006	D1VT001330	DIODE,SILICON
D547	BZ410084	D97U01101B	DIODE,ZENER
D548	BZ410006	D1VT001330	DIODE,SILICON
D549	BZ410037	D97U03301B	DIODE,ZENER
D550	BZ410021	D97U05R61B	DIODE,ZENER
△D551	AE004936	D6E027110A	DIODE,VARISTA
△D553	BZ410010	D28T21DQN9	DIODE,SCHOTTKY
D554	BZ410006	D1VT001330	DIODE,SILICON
D601	BZ410011	D28TELS2N2	DIODE,RECTIFER
D606	AE004358	D97U02R01B	DIODE,ZENER
D607	AD300069	D97U02701B	DIODE,ZENER
D608	BZ410006	D1VT001330	DIODE,SILICON
D609	BZ410006	D1VT001330	DIODE,SILICON
D610	BZ410006	D1VT001330	DIODE,SILICON
D611	BZ410023	D97U09R11B	DIODE,ZENER
D612	BZ410023	D97U09R11B	DIODE,ZENER
D613	BZ410023	D97U09R11B	DIODE,ZENER
D614	AD300070	D97U01201B	DIODE,ZENER
D615	BZ410023	D97U09R11B	DIODE,ZENER
D616	BZ410023	D97U09R11B	DIODE,ZENER
D617	BZ410023	D97U09R11B	DIODE,ZENER
D618	AD300070	D97U01201B	DIODE,ZENER
D619	AD300070	D97U01201B	DIODE,ZENER
D621	BZ410034	D97U01301B	DIODE,ZENER
D622	AD300070	D97U01201B	DIODE,ZENER
D701	BZ410022	D97U06R81B	DIODE,ZENER
D702	BZ410021	D97U05R61B	DIODE,ZENER
D703	BZ410021	D97U05R61B	DIODE,ZENER
D704	BZ410022	D97U06R81B	DIODE,ZENER
D705	BZ410084	D97U01101B	DIODE,ZENER
D801	BZ410006	D1VT001330	DIODE,SILICON
D802	BZ410006	D1VT001330	DIODE,SILICON
D803	BZ410006	D1VT001330	DIODE,SILICON
D807	BZ410006	D1VT001330	DIODE,SILICON
D808	BZ410006	D1VT001330	DIODE,SILICON
D809	BZ410006	D1VT001330	DIODE,SILICON
D853	BZ410006	D1VT001330	DIODE,SILICON
D854	BZ410006	D1VT001330	DIODE,SILICON
D855	BZ410006	D1VT001330	DIODE,SILICON
D856	BZ410006	D1VT001330	DIODE,SILICON
D901	AD300070	D97U01201B	DIODE,ZENER
D1001	AE004643	D28R1QS040	DIODE
D1002	AE004643	D28R1QS040	DIODE
D1003	AE004643	D28R1QS040	DIODE
D1004	AE004643	D28R1QS040	DIODE
D2001	BZ410073	D28TEQS040	DIODE,SCHOTTKY
D2009	BZ410054	0021721150	LED
D2101	AE004795	DE7RB5R62B	DIODE,ZENER
D2102	AE004795	DE7RB6R62B	DIODE,ZENER
D2103	AE004795	DE7RB5R62B	DIODE,ZENER
D3401	BZ410043	D2WT011E10	DIODE,SILICON
D3403	BZ410010	D28T21DQN9	DIODE,SCHOTTKY
D3404	BZ410010	D28T21DQN9	DIODE,SCHOTTKY
D3451	AE004643	D28R1QS040	DIODE
D3601	AE004937	D77R1A1R10	DIODE,VARISTA
D3602	AE004795	DE7RB5R62B	DIODE,ZENER
D3603	AE004937	D77R1A1R10	DIODE,VARISTA
D3604	AE004793	DD7R60L400	DIODE,SCHOTTKY
D3605	AE004793	DD7R60L400	DIODE,SCHOTTKY
D3606	AE004796	DE7RB6R82B	DIODE,ZENER
D3607	AE004796	DE7RB6R82B	DIODE,ZENER
D3609	AE004794	DE7RB3R32B	DIODE,ZENER
D3613	AE004794	DE7RB3R32B	DIODE,ZENER

# ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	ICS	Description
IC101	AE005619	S3R3030F01	MEMORY DATA	OEC7118A
IC102	79097849	I9UF032290	IC	PST3229NR
IC103	79097849	I9UF032290	IC	PST3229NR
IC199	AE005612	S3R3030E01	MEMORY DATA	AT24C256N-10SU-2.7
△IC401	BZ611117	I03TD80410	IC	LA78041
△IC402	AD302356	I03S065100	IC	LA6510
△IC501	AE002809	000220002W	PHOTO COUPLER	PS2561AL1-1-V(W)
△IC502	AE003907	I0BD061590	IC	STR-A6159
△IC503	AE002809	000220002W	PHOTO COUPLER	PS2561AL1-1-V(W)
△IC504	AD302211	I1KJ9A431A	IC	KIA431A-AT
△IC505	AD301929	I1KA78R090	IC	KIA278R09PI
△IC506	AD302211	I1KJ9A431A	IC	KIA431A-AT
IC602	AE004361	I05DD13170	IC	TA1317ANG
IC603	AE004362	I05DE13600	IC	TA1360ANG
IC701	AE002728	I01F05853B	IC	AN15853B-E1
IC702	AE004651	I0QF025840	IC	NJM2584AM(TE1)
IC705	AE004800	I05FE13830	IC	TA1383FG
IC706	AE004651	I0QF025840	IC	NJM2584AM(TE1)
IC707	BZ611104	I0QF02533V	IC	NJM2533V(TE2)
IC902	AE004801	I19FF34400	IC	MSP3440G-QA-C12
IC1001	AE004803	I1MFP20240	IC	TA2024B
IC1501	AE005607	I55FE0A920	IC	TC90A92AFG
IC2101	AE005610	IFSK0883C0	IC	MST9883C-LF-110
△IC3400	BZ611089	I1KA98R09A	IC	KIA78R09API
△IC3401	AD301931	I1KA78R050	IC	KIA278R05PI
△IC3402	AE003914	I1KA98R330	IC	KIA278R33PI
IC3451	BZ611130	I0GF9XZ010	IC	PQ070XZ01ZP
IC3452	BZ611130	I0GF9XZ010	IC	PQ070XZ01ZP
IC3601	AE004654	I1KF98D330	IC	KIA78D33F
IC3602	AE004654	I1KF98D330	IC	KIA78D33F
IC3604	AE001295	I0QJ045800	IC	NJM4580M(TE1)
IC3605	AE004805	I5PF099930	IC	SI9993CTG100
IC3606	AE004939	S3R3010E02	MEMORY DATA	BR24L02F-WE2
IC3607	AE004802	I1FF043340	IC	CS4334-KSZR
IC3608	AE004940	S3R3010E03	MEMORY DATA	BR24L32F-WE2
IC3611	AE004806	ICMF09C580	IC	SST89C58-33-C-TQJE
IC3612	AE003923	I5CF01G080	IC	SN74AHC1G08DCKR
IC3901	AE005611	IFTK023010	IC	FLI2301-LF-BD
IC3902	AE005609	IF6J032B26	IC	MT48LC2M32B2P-6(Y14W)
<b>TRANSISTORS</b>				
Q101	AE002626	T8YJ2412K0	TRANSISTOR,SILICON	2SC2412KT146 R,S
Q102	AE002626	T8YJ2412K0	TRANSISTOR,SILICON	2SC2412KT146 R,S
Q103	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON	2SA1037AKT146R,S
Q104	BZ510022	TNYJJ05001	COMPOUND TRANSISTOR	DTC114TKAT146
△Q401	AE004385	TC5TC3328Y	TRANSISTOR,SILICON	2SC3328_Y(TPE6_F)
△Q402	AE004814	T250029200	FET	2SK2920(Q)
△Q403	AE004386	TCKF059040	TRANSISTOR,SILICON	2SC5904000LI
Q405	BZ510020	TNYJB05001	COMPOUND TRANSISTOR	DTC114EKAT146
Q406	BZ510020	TNYJB05001	COMPOUND TRANSISTOR	DTC114EKAT146
Q407	BZ510109	TCAA3875SY	TRANSISTOR,SILICON	KTC3875S_Y_RT
Q408	BZ510109	TCAA3875SY	TRANSISTOR,SILICON	KTC3875S_Y_RT
Q413	BZ510069	TCATC31980	TRANSISTOR,SILICON	KTC3198-AT(Y,GR)
Q501	AE002626	T8YJ2412K0	TRANSISTOR,SILICON	2SC2412KT146 R,S
Q502	BZ510069	TCATC31980	TRANSISTOR,SILICON	KTC3198-AT(Y,GR)
Q503	BZ510069	TCATC31980	TRANSISTOR,SILICON	KTC3198-AT(Y,GR)
△Q504	AE004387	TJXG15NK50	FET	STP15NK50ZFP
△Q505	BZ510070	TCAT032034	TRANSISTOR,SILICON	KTC3203_Y-AT
Q506	BZ510105	TCAT03209Y	TRANSISTOR,SILICON	KTC3209_Y-AT
Q507	BZ510073	TAATA12660	TRANSISTOR,SILICON	KTA1266-AT(Y,GR)
△Q508	BZ510004	TA3T016240	TRANSISTOR,SILICON	2SA1624-AA
△Q509	BZ510105	TCAT03209Y	TRANSISTOR,SILICON	KTC3209_Y-AT
Q510	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON	2SA1037AKT146R,S
Q601	AE002626	T8YJ2412K0	TRANSISTOR,SILICON	2SC2412KT146 R,S
Q602	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON	2SA1037AKT146R,S
Q603	AE002626	T8YJ2412K0	TRANSISTOR,SILICON	2SC2412KT146 R,S
Q604	AE002626	T8YJ2412K0	TRANSISTOR,SILICON	2SC2412KT146 R,S
Q605	AE002626	T8YJ2412K0	TRANSISTOR,SILICON	2SC2412KT146 R,S
Q606	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON	2SA1037AKT146R,S
Q607	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON	2SA1037AKT146R,S
Q608	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON	2SA1037AKT146R,S
Q611	AE002626	T8YJ2412K0	TRANSISTOR,SILICON	2SC2412KT146 R,S

# ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description
<b>TRANSISTORS</b>			
Q612	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q613	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q615	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q616	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q617	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q701	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q702	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q703	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q704	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q705	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q706	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q708	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q709	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q710	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q716	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q717	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
△Q801	AE004383	TC30040750	TRANSISTOR,SILICON
△Q802	AE004383	TC30040750	TRANSISTOR,SILICON
△Q803	AE004383	TC30040750	TRANSISTOR,SILICON
Q804	BZ510073	TAATA12660	TRANSISTOR,SILICON
△Q810	BZ510069	TCATC31980	TRANSISTOR,SILICON
△Q811	BZ510069	TCATC31980	TRANSISTOR,SILICON
△Q812	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q814	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q852	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q853	AE004818	TCUT0752GY	TRANSISTOR,SILICON
Q854	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q855	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q856	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q857	BZ510073	TAATA12660	TRANSISTOR,SILICON
Q858	AE004815	TA10021400	TRANSISTOR,SILICON
Q859	AE004816	TC10059930	TRANSISTOR,SILICON
Q860	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q1002	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q1098	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q1099	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q1501	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q1502	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q1503	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q1504	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q1505	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q2001	BZ510021	TNYJC05001	COMPOUND TRANSISTOR
△Q3403	AD301934	TBA0013660	TRANSISTOR,SILICON
Q3404	BZ510022	TNYJJ05001	COMPOUND TRANSISTOR
Q3603	BZ510113	T27T030180	FET
Q3604	BZ510113	T27T030180	FET
Q3605	BZ510113	T27T030180	FET
Q3606	BZ510113	T27T030180	FET
Q3607	BZ510113	T27T030180	FET
Q3608	BZ510081	TPYJA05001	COMPOUND TRANSISTOR
Q3609	BZ510045	TNYJD05001	COMPOUND TRANSISTOR
Q3610	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q3611	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q3612	BZ510045	TNYJD05001	COMPOUND TRANSISTOR
Q3613	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q3901	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q3902	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q3903	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q3904	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q3905	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q3906	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
<b>COILS &amp; TRANSFORMERS</b>			
L002	BZ310117	021LA6330K	COIL
L402	AE004941	022R00043A	COIL,LINEARITY
L406	AE004329	02D3000063	COIL,CHOKE
L407	AE004329	02D3000063	COIL,CHOKE
L408	AE004751	02D3000069	COIL,CHOKE
L501	BZ310150	02167E220K	COIL
△L502	AE005594	029X000122	COIL,LINE FILTER
△L503	AE005594	029X000122	COIL,LINE FILTER
L504	BZ310150	02167E220K	COIL

# ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description
<b>COILS &amp; TRANSFORMERS</b>			
L505	BZ310118	02AHB9A972	CORE,FERRITE
L506	BZ310150	02167E220K	COIL
L602	BZ310039	02167F220J	COIL
L603	BZ310039	02167F220J	COIL
L604	BZ310039	02167F220J	COIL
L606	BZ310183	021LA6220J	COIL
L607	BZ310039	02167F220J	COIL
L651	BZ310118	02AHB9A972	CORE,FERRITE
L701	BZ310040	02167F470J	COIL
L702	BZ310040	02167F470J	COIL
L703	BZ310040	02167F470J	COIL
L705	BZ310041	02167F101J	COIL
L706	BZ310040	02167F470J	COIL
L707	BZ310040	02167F470J	COIL
L708	BZ310040	02167F470J	COIL
L710	BZ310040	02167F470J	COIL
L712	BZ310041	02167F101J	COIL
L805	BZ310002	021673101K	COIL
L806	BZ310002	021673101K	COIL
L807	BZ310002	021673101K	COIL
L808	AD300613	02167F150J	COIL
L809	AD300613	02167F150J	COIL
L810	AD300613	02167F150J	COIL
L901	BZ310141	02167F100J	COIL
L904	BZ310141	02167F100J	COIL
L905	BZ310141	02167F100J	COIL
L1001	AE004748	021W0G100M	COIL
L1002	AE004748	021W0G100M	COIL
L1003	AE004748	021W0G100M	COIL
L1004	AE004748	021W0G100M	COIL
L1005	BZ310118	02AHB9A972	CORE,FERRITE
L1501	AE005592	0216S8330K	COIL
L1502	AE005285	0216S8470K	COIL
L1503	AE005591	0216S81R5M	COIL
L1504	AE005285	0216S8470K	COIL
L1505	AE005589	0216S8100K	COIL
L1506	AE005589	0216S8100K	COIL
L1507	AE005589	0216S8100K	COIL
L1508	AE005590	0216S8150K	COIL
L1509	AE005590	0216S8150K	COIL
L1510	AE005058	0216S4220J	COIL
L1511	AE005590	0216S8150K	COIL
L1512	AE005590	0216S8150K	COIL
L1513	AE005058	0216S4220J	COIL
L1514	AE005592	0216S8330K	COIL
L2101	AE005285	0216S8470K	COIL
L2102	AE005285	0216S8470K	COIL
L2103	AE005285	0216S8470K	COIL
L2104	AE005593	0216SD5R6J	COIL
L2105	AE005593	0216SD5R6J	COIL
L2106	AE005593	0216SD5R6J	COIL
L3401	BZ310150	02167E220K	COIL
L3402	BZ310150	02167E220K	COIL
L3601	AE004752	02D6000068	COIL,CHOKE
L3602	AE004752	02D6000068	COIL,CHOKE
L3603	AE004752	02D6000068	COIL,CHOKE
L3604	AE004752	02D6000068	COIL,CHOKE
L3901	AE005285	0216S8470K	COIL
L3903	AE005588	0216S4270J	COIL
L3906	AE005285	0216S8470K	COIL
L3907	AE005285	0216S8470K	COIL
L3908	AE005285	0216S8470K	COIL
L3909	AE005590	0216S8150K	COIL
T401	AE004332	0450190181	TRANS,HORIZONTAL DRIVE
△T501	AE004942	048119003S	TRANSFORMER,SWITCHING
△T502	AE004754	048149002S	TRANSFORMER,SWITCHING
<b>JACKS</b>			
J705	AE002759	060J431020	RCA JACK
J706	AE004759	060Q431019	RCA JACK
J707	AE004759	060Q431019	RCA JACK
J708	AE004760	063D000078	JACK PLATE
			MSP-213V-2-432_NI_LF
			YKC21-7306N
			YKC21-7306N
			MSP-803V-BBA-432_NI_LF

# ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description	
<b>JACKS</b>				
J709	AE004760	063D000078	JACK PLATE	MSP-803V-BBA-432_NI_LF
△J801	BZ614115	066C130017	SOCKET,CATHODE RAY TUBE	CVT3275-5101
J2201	AE004761	063D700010	JACK	MDC-012V1-A_LF
J2202	AE004756	060J401104	RCA JACK	MTJ-032-03A-30FE
J2203	AE004758	060J401106	RCA JACK	MTJ-032-03A-32FE
J2204	AE004757	060J401105	RCA JACK	MTJ-032-03A-31FE
J3601	AE002950	060J421037	RCA JACK	MTJ-032-05A-32-FE
J3602	AE002951	060J421030	RCA JACK	MTJ-032-05A-31-FE
<b>SWITCHES</b>				
SW2001	BZ612010	0504101T34	SWITCH,TACT	EVQ21505R
SW2002	BZ612010	0504101T34	SWITCH,TACT	EVQ21505R
SW2003	BZ612010	0504101T34	SWITCH,TACT	EVQ21505R
SW2004	BZ612010	0504101T34	SWITCH,TACT	EVQ21505R
SW2005	BZ612010	0504101T34	SWITCH,TACT	EVQ21505R
<b>P.C.BOARD ASSEMBLIES</b>				
PCB070	AE005600	A3R3030070	PCB ASS'Y	CMD003B
PCB110	AE005601	A3R3030110	PCB ASS'Y	CCD002A
PCB260	AE005602	A3R3030260	PCB ASS'Y	CED008B
PCBD20	AE005603	A3R3030D20	PCB ASS'Y	CED019A
PCBD80	AE005604	A3R3030D80	PCB ASS'Y	CED012A
PCBDJ0	AE005605	A3R3030DJ0	PCB ASS'Y	CED011A
PCBDS0	AE005606	A3R3030DS0	PCB ASS'Y	CED020A
<b>MISCELLANEOUS</b>				
B403	BZ310121	024HT03553	CORE,BEADS	W5RH3.5X5X1.0
B404	BZ310121	024HT03553	CORE,BEADS	W5RH3.5X5X1.0
B405	BZ310121	024HT03553	CORE,BEADS	W5RH3.5X5X1.0
B851	BZ310121	024HT03553	CORE,BEADS	W5RH3.5X5X1.0
B852	BZ310121	024HT03553	CORE,BEADS	W5RH3.5X5X1.0
B853	BZ310121	024HT03553	CORE,BEADS	W5RH3.5X5X1.0
B1501	AE004602	024HC36001	CORE,BEADS	HCB2012K-600T25
B3601	AE004602	024HC36001	CORE,BEADS	HCB2012K-600T25
B3602	AE004602	024HC36001	CORE,BEADS	HCB2012K-600T25
B3603	AE004602	024HC36001	CORE,BEADS	HCB2012K-600T25
B3604	AE004602	024HC36001	CORE,BEADS	HCB2012K-600T25
B3608	AE004602	024HC36001	CORE,BEADS	HCB2012K-600T25
B3609	AE004602	024HC36001	CORE,BEADS	HCB2012K-600T25
B3610	BZ310186	024HC31022	CORE,BEADS	FCM2012H-102T04
B3611	BZ310186	024HC31022	CORE,BEADS	FCM2012H-102T04
BT001	AD302369	141L003010	BATTERY,MANGAN	R6P(AR)XICI
BT002	AD302369	141L003010	BATTERY,MANGAN	R6P(AR)XICI
CD101	AE003640	06CU2B3301	CORD,CONNECTOR	CU2B3301
△CD501	AE001245	1209419910	CORD,AC BUSH	9419910
△CD507	AE004950	028R260002	COIL,DEGAUSS	8R260002
CD509	AD301550	06CU2C2501	CORD,CONNECTOR	CU2C2501
CD601	AE005597	06CU294002	CORD,CONNECTOR	CU294002
CD603	AE004338	06CU225201	CORD,CONNECTOR	CU225201
CD605	AE005422	06CU273302	CORD,CONNECTOR	CU273302
CD802	AE005282	WEL6854038	FLAT CABLE AWM2468 AWG26 7C GRAY 540MM	
CD803	AE005222	06C383037A	CORD,CONNECTOR	C383037A
CD808	BZ614492	WCL6850038	FLAT CABLE AWM2468 AWG26 5C GRAY 500MM	
CD852	AD301043	06CU232001	CORD,CONNECTOR	CU232001
CP101	BZ614214	069S2B0629	CONNECTOR PCB SIDE	A2001WV2-11P
CP102	BZ614213	069S2A0629	CONNECTOR PCB SIDE	A2001WV2-10P
CP103	AE001188	069S270639	CONNECTOR PCB SIDE	A2001WR2-7P
CP403	BZ614365	069S120419	CONNECTOR PCB SIDE	A2502WV2-2P
△CP404	BZ614240	069X460029	CONNECTOR PCB SIDE	B06B-DVS
△CP501	BZ614283	069S420110	CONNECTOR PCB SIDE	A1561WV2-2P
CP504	BZ614444	069D01001A	CONNECTOR PCB SIDE	003P-2100
CP505	BZ614444	069D01001A	CONNECTOR PCB SIDE	003P-2100
CP506	BZ614444	069D01001A	CONNECTOR PCB SIDE	003P-2100
CP509	AD301554	069S2C0629	CONNECTOR PCB SIDE	A2001WV2-12P
CP510	BZ614444	069D01001A	CONNECTOR PCB SIDE	003P-2100
CP601	BZ614458	069S290629	CONNECTOR PCB SIDE	A2001WV2-9P
CP602	AD301997	067U007029	WIRE HOLDER	B2013H02-7P
CP605	BZ614485	069S270629	CONNECTOR PCB SIDE	A2001WV2-7P
CP801	BZ614416	069S220629	CONNECTOR PCB SIDE	A2001WV2-2P
CP803	AD301996	069S330010	CONNECTOR PCB SIDE	A2361WV2-3P
CP804	BZ614058	069W010010	CONNECTOR PCB SIDE	005P-2100
CP852	BZ614350	069S230629	CONNECTOR PCB SIDE	A2001WV2-3P
CP853	BZ614349	067U003029	WIRE HOLDER	B2013H02-3P
CD1001	AE004772	06CU241802	CORD,CONNECTOR	CU241802

# ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description
<b>MISCELLANEOUS</b>			
CD1003	AE004773	06CU263001	CORD,CONNECTOR
CD1004	AE004771	06CU143801	CORD,CONNECTOR
CD2201	AE004775	06CU283001	CORD,CONNECTOR
CD2251	AE005223	06CU013502	CORD,CONNECTOR
CP1001	AD301998	069S240629	CONNECTOR PCB SIDE
CP1003	BZ614242	069S260629	CONNECTOR PCB SIDE
CP2201	AD301796	069S280629	CONNECTOR PCB SIDE
CP3601	AE004763	069HYJ3010	CONNECTOR PCB SIDE
CP3602	AE004769	069J1K0048	CONNECTOR
CP3604	BZ614239	069S290639	CONNECTOR PCB SIDE
CP802B	AD300098	069R270589	CONNECTOR PCB SIDE
CP808A	BZ614276	067U005049	WIRE HOLDER
CP808B	BZ614212	069R250589	CONNECTOR PCB SIDE
CP851A	BZ614349	067U003029	WIRE HOLDER
CP851B	AD300101	069R230589	CONNECTOR PCB SIDE
CP3604A	AE004768	069J1K0038	CONNECTOR PCB SIDE
CP3901A	AE005596	069R2Y0710	CONNECTOR PCB SIDE
CP3901B	AE005595	069R2Y0700	CONNECTOR PCB SIDE
EL0701	BZ614043	124116281A	EYE LET
EL0702	BZ614044	124120301A	EYE LET
EL1101	BZ614043	124116281A	EYE LET
EL1102	BZ614044	124120301A	EYE LET
△F501	BZ614422	081PC6R305	FUSE
△F502	AE004346	0835A07005	MICRO FUSE
△FB401	AE004955	043226001F	TRANSFORMER,FLYBACK
FH501	AE002634	06710T0009	HOLDER,FUSE
FH502	AE002634	06710T0009	HOLDER,FUSE
NR1501	AE004680	110P4101M4	R,NETWORK
NR1502	AE004680	110P4101M4	R,NETWORK
NR2101	AE005599	110P4220M4	R,NETWORK
NR2102	AE005599	110P4220M4	R,NETWORK
NR2103	AE005599	110P4220M4	R,NETWORK
NR2104	AE005599	110P4220M4	R,NETWORK
NR2105	AE005599	110P4220M4	R,NETWORK
NR2106	AE005599	110P4220M4	R,NETWORK
NR2107	AE005599	110P4220M4	R,NETWORK
NR3901	AE004629	110N4000M3	R,NETWORK
NR3902	AE004629	110N4000M3	R,NETWORK
NR3903	AE004629	110N4000M3	R,NETWORK
NR3904	AE004629	110N4000M3	R,NETWORK
NR3905	AE004629	110N4000M3	R,NETWORK
NR3906	AE004629	110N4000M3	R,NETWORK
NR3907	AE004629	110N4000M3	R,NETWORK
NR3908	AE004629	110N4000M3	R,NETWORK
NR3909	AE004629	110N4000M3	R,NETWORK
NR3910	AE004629	110N4000M3	R,NETWORK
NR3911	AE004629	110N4000M3	R,NETWORK
NR3912	AE004629	110N4000M3	R,NETWORK
NR3913	AE004629	110N4000M3	R,NETWORK
OS2001	AD301048	0773071001	REMOTE RECEIVER
△RY501	AD300114	0560V20115	RELAY
△RY502	AE003621	0560V50118	RELAY
△SP1001	BZ614381	070C546004	SPEAKER
△SP1002	BZ614381	070C546004	SPEAKER
△TH502	BZ410079	DF5EL3R0A0	DEGAUSS ELEMENT
TM101	AD302374	07650GR010	TRANSMITTER
△TU001	AE005587	0163300014	RF UNIT
△V801	AE004957	0981260901	CRT W/DY
X103	AE004780	100WT01611	CRYSTAL
X603	AE004348	1002R01502	CERAMIC OSCILLATOR
X701	AE004348	1002R01502	CERAMIC OSCILLATOR
X702	AE004349	100CT3R536	CRYSTAL
X901	BZ613042	100CT01803	CRYSTAL
X1501	AE004628	100DT04201	CRYSTAL
X3601	AE004779	100CT01101	CRYSTAL
X3901	AE005598	100DT01303	CRYSTAL

## ELECTRICAL REPLACEMENT PARTS LIST

### RESISTOR

RC..... CARBON RESISTOR

### CAPACITORS

CC..... CERAMIC CAPACITOR  
CE..... ALUMI ELECTROLYTIC CAPACITOR  
CP..... POLYESTER CAPACITOR  
CPP..... POLYPROPYLENE CAPACITOR  
CPL..... PLASTIC CAPACITOR  
CMP..... METAL POLYESTER CAPACITOR  
CMPL..... METAL PLASTIC CAPACITOR  
CMPP..... METAL POLYPROPYLENE CAPACITOR

## ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description
<b>RESISTORS</b>			
△R401	AE002516	R4X5T6222F	R,METAL
△R403	BZ210105	R4X5T6183F	R,METAL
△R405	BZ210231	R4X5T6153F	R,METAL
△R406	AD300039	R3X18A680J	R,METAL OXIDE
△R408	BZ210063	R3X181R22J	R,METAL OXIDE
△R413	AD300040	R3X18A2R2J	R,METAL OXIDE
△R416	AD300040	R3X18A2R2J	R,METAL OXIDE
△R417	BZ210087	R3X18A221J	R,METAL OXIDE
△R429	BZ210053	R002T22R2J	RC
△R430	AD300421	R5X2CF1R8J	R,CEMENT
△R434	BZ210053	R002T22R2J	RC
△R438	AE004809	R3X181332J	R,METAL
△R445	AE004002	R635812R2J	R,FUSE
△R462	BZ210211	R3X28B221J	R,METAL OXIDE
△R468	BZ210003	R3K181102J	R,METAL OXIDE
△R472	AD302347	R3X181120J	R,METAL OXIDE
△R473	AD302347	R3X181120J	R,METAL OXIDE
△R492	AE002520	R3X181100J	R,METAL OXIDE
△R501	BZ210233	R4X5T6272F	R,METAL
△R503	BZ210206	R002T2155J	RC
△R508	AD301203	R002T4101J	RC
△R510	BZ210080	R0G3K2275K	RC
△R515	AE001883	R3X28A104J	R,METAL OXIDE
△R516	BZ210243	R3X181R18J	R,METAL OXIDE
△R517	BZ210190	R63581R22J	R,FUSE
△R518	BZ210243	R3X181R18J	R,METAL OXIDE
△R520	AE000415	R3X1811R5J	R,METAL OXIDE
△R524	AE001073	R3X18A331J	R,METAL OXIDE
△R530	AE004810	R5X2CF010J	R,CEMENT
△R545	AE003270	R3X28B2R7J	R,METAL OXIDE
△R548	BZ210051	R3X18AR47J	R,METAL OXIDE
△R560	AE005280	R5X2AE2R2J	R,CEMENT
△R801	BZ210154	R5X2CE332J	R,CEMENT
△R834	BZ210154	R5X2CE332J	R,CEMENT
△R842	BZ210154	R5X2CE332J	R,CEMENT
△R855	BZ210185	R65582151J	R,FUSE
△R881	AD302132	R3X18A271J	R,METAL OXIDE
△R3411	AD301597	R3X18AR39J	R,METAL OXIDE
△R3412	AD301597	R3X18AR39J	R,METAL OXIDE
<b>CAPACITORS</b>			
△C403	BZ110195	E02LU8220M	CE
△C404	AE004798	E61DFB470M	CE
△C412	AD301144	P4J7F3274J	CMPP
C417	AD300049	P3N1F5153J	CPP
△C418	AE004932	P4N8FK822H	CMPP
C425	AE004367	P4J7F3335J	CMPP
C426	BZ110204	E0ELFD220M	CE
△C429	AD301434	E02LU4101M	CE
△C430	BZ110101	E5EZP3222M	CE
C433	BZ110202	C0PLRR713K	CC
△C434	BZ110124	E5EZP4222M	CE
C438	AE004933	P4J7F3333J	CMPP
△C446	BZ110225	E5EZP220M	CE
△C502	BZ110025	P2122B224M	CMP
△C505	BZ110025	P2122B224M	CMP
△C509	BZ110084	E5EZFC220M	CE
C512	BZ110202	C0PLRR713K	CC
△C513	AE005233	E141T3220M	CE
△C517	AE004934	CD39B0MH2K	CC
△C519	AE000950	CD39E0ME3M	CC
△C525	BZ110222	CD39E0MH3M	CC
△C528	BZ110226	C0JBB07H3K	CC
△C529	BZ110226	C0JBB07H3K	CC
△C530	AE003883	E51DFC102M	CE
△C536	BZ110224	E5EZP332M	CE
△C541	BZ110076	E02LF1222M	CE
△C542	BZ110053	E02LF3102M	CE
C543	AE000874	C0PLRR7E3K	CE
△C545	AE004799	E61SFC221M	CE
△C548	BZ110055	E5EZP4102M	CE
C549	BZ110203	C0PLRR7W2K	CE

# ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description
<b>CAPACITORS</b>			
C567	BZ110209	E0ELF3222M	2200 UF 25V
C808	AE003828	C13DB0713K	0.001 UF 2KV B
C809	AD301347	E0ELFD330M	33 UF 250V
C870	AE000272	E50HU2470M	47 UF 16V
C3406	AE004935	E02LF0332M	3300 UF 6.3V
<b>DIODES</b>			
D001	BZ410037	D97U03301B	DIODE,ZENER
D101	BZ410006	D1VT001330	DIODE,SILICON
D102	BZ410021	D97U05R61B	DIODE,ZENER
D103	BZ410064	D97U03R91B	DIODE,ZENER
D104	BZ410021	D97U05R61B	DIODE,ZENER
D105	BZ410021	D97U05R61B	DIODE,ZENER
D106	BZ410021	D97U05R61B	DIODE,ZENER
D107	BZ410021	D97U05R61B	DIODE,ZENER
D108	BZ410064	D97U03R91B	DIODE,ZENER
D109	BZ410021	D97U05R61B	DIODE,ZENER
D110	BZ410064	D97U03R91B	DIODE,ZENER
D111	BZ410006	D1VT001330	DIODE,SILICON
D112	BZ410012	D28TQS04N0	DIODE,SCHOTTKY
▲D402	BZ410063	D2WTAU02A0	DIODE,SILICON
▲D403	BZ410043	D2WT011E10	DIODE,SILICON
▲D404	BZ410043	D2WT011E10	DIODE,SILICON
▲D405	AE004792	DCBFMQ3GU0	DIODE
D406	BZ410103	D2WXGP10J0	DIODE,RECTIFIER
D407	BZ410094	D97U01501B	DIODE,ZENER
▲D408	BZ410021	D97U05R61B	DIODE,ZENER
D409	BZ410094	D97U01501B	DIODE,ZENER
D410	BZ410043	D2WT011E10	DIODE,SILICON
D411	BZ410023	D97U09R11B	DIODE,ZENER
▲D412	BZ410063	D2WTAU02A0	DIODE,SILICON
D413	BZ410037	D97U03301B	DIODE,ZENER
D414	BZ410037	D97U03301B	DIODE,ZENER
▲D415	BZ410063	D2WTAU02A0	DIODE,SILICON
D417	AE004359	D97U03901B	DIODE,ZENER
D418	BZ410037	D97U03301B	DIODE,ZENER
D420	BZ410094	D97U01501B	DIODE,ZENER
D423	BZ410006	D1VT001330	DIODE,SILICON
D424	BZ410006	D1VT001330	DIODE,SILICON
▲D501	BZ410031	D6CE24110A	DIODE,VARISTA
D502	BZ410006	D1VT001330	DIODE,SILICON
D503	AD302208	D97U03R31B	DIODE,ZENER
D504	BZ410006	D1VT001330	DIODE,SILICON
D505	BZ410006	D1VT001330	DIODE,SILICON
▲D506	BZ410085	D2WXN40050	DIODE,SILICON
▲D507	BZ410085	D2WXN40050	DIODE,SILICON
D508	BZ410006	D1VT001330	DIODE,SILICON
▲D509	BZ410043	D2WT011E10	DIODE,SILICON
▲D510	BZ410085	D2WXN40050	DIODE,SILICON
▲D511	BZ410085	D2WXN40050	DIODE,SILICON
D512	BZ410103	D2WXGP10J0	DIODE,RECTIFIER
D514	BZ410006	D1VT001330	DIODE,SILICON
D515	BZ410011	D28TELS2N2	DIODE,RECTIFIER
D516	BZ410021	D97U05R61B	DIODE,ZENER
D517	AD300671	D97U01801B	DIODE,ZENER
D518	BZ410011	D28TELS2N2	DIODE,RECTIFIER
D519	AD300731	D2WXN49370	DIODE,SILICON
▲D520	BZ410062	D2WTRM11C0	DIODE,SILICON
▲D521	BZ410062	D2WTRM11C0	DIODE,SILICON
▲D522	BZ410062	D2WTRM11C0	DIODE,SILICON
▲D523	BZ410062	D2WTRM11C0	DIODE,SILICON
▲D524	AD300731	D2WXN49370	DIODE,SILICON
▲D525	BZ410062	D2WTRM11C0	DIODE,SILICON
▲D526	BZ410062	D2WTRM11C0	DIODE,SILICON
▲D527	BZ410062	D2WTRM11C0	DIODE,SILICON
▲D528	BZ410062	D2WTRM11C0	DIODE,SILICON
D529	AD300671	D97U01801B	DIODE,ZENER
D531	BZ410006	D1VT001330	DIODE,SILICON
▲D532	BZ410010	D28T21DQN9	DIODE,SCHOTTKY
▲D533	BZ410010	D28T21DQN9	DIODE,SCHOTTKY
▲D534	AE003872	DOU002720M	DIODE,VARISTA
D535	AE003870	D97U04R31B	DIODE,ZENER

## ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No. DIODES	Description
△D536	AD301980	D2CF2016L0	DIODE,SILICON
△D537	BZ410010	D28T21DQN9	DIODE,SCHOTTKY
△D539	BZ410091	D230PF6DT0	DIODE,SILICON
D540	AD300731	D2WXN49370	DIODE,SILICON
△D541	AD301980	D2CF2016L0	DIODE,SILICON
D543	BZ410006	D1VT001330	DIODE,SILICON
D544	BZ410006	D1VT001330	DIODE,SILICON
D546	BZ410006	D1VT001330	DIODE,SILICON
D547	BZ410084	D97U01101B	DIODE,ZENER
D548	BZ410006	D1VT001330	DIODE,SILICON
D549	BZ410037	D97U03301B	DIODE,ZENER
D550	BZ410021	D97U05R61B	DIODE,ZENER
△D551	AE004936	D6E027110A	DIODE,VARISTA
△D553	BZ410010	D28T21DQN9	DIODE,SCHOTTKY
D554	BZ410006	D1VT001330	DIODE,SILICON
D601	BZ410011	D28TELS2N2	DIODE,RECTIFER
D606	AE004358	D97U02R01B	DIODE,ZENER
D607	AD300069	D97U02701B	DIODE,ZENER
D608	BZ410006	D1VT001330	DIODE,SILICON
D609	BZ410006	D1VT001330	DIODE,SILICON
D610	BZ410006	D1VT001330	DIODE,SILICON
D611	BZ410023	D97U09R11B	DIODE,ZENER
D612	BZ410023	D97U09R11B	DIODE,ZENER
D613	BZ410023	D97U09R11B	DIODE,ZENER
D614	AD300070	D97U01201B	DIODE,ZENER
D615	BZ410023	D97U09R11B	DIODE,ZENER
D616	BZ410023	D97U09R11B	DIODE,ZENER
D617	BZ410023	D97U09R11B	DIODE,ZENER
D618	AD300070	D97U01201B	DIODE,ZENER
D619	AD300070	D97U01201B	DIODE,ZENER
D621	BZ410034	D97U01301B	DIODE,ZENER
D622	AD300070	D97U01201B	DIODE,ZENER
D701	BZ410022	D97U06R81B	DIODE,ZENER
D702	BZ410021	D97U05R61B	DIODE,ZENER
D703	BZ410021	D97U05R61B	DIODE,ZENER
D704	BZ410022	D97U06R81B	DIODE,ZENER
D705	BZ410084	D97U01101B	DIODE,ZENER
D801	BZ410006	D1VT001330	DIODE,SILICON
D802	BZ410006	D1VT001330	DIODE,SILICON
D803	BZ410006	D1VT001330	DIODE,SILICON
D807	BZ410006	D1VT001330	DIODE,SILICON
D808	BZ410006	D1VT001330	DIODE,SILICON
D809	BZ410006	D1VT001330	DIODE,SILICON
D853	BZ410006	D1VT001330	DIODE,SILICON
D854	BZ410006	D1VT001330	DIODE,SILICON
D855	BZ410006	D1VT001330	DIODE,SILICON
D856	BZ410006	D1VT001330	DIODE,SILICON
D901	AD300070	D97U01201B	DIODE,ZENER
D1001	AE004643	D28R1QS040	DIODE
D1002	AE004643	D28R1QS040	DIODE
D1003	AE004643	D28R1QS040	DIODE
D1004	AE004643	D28R1QS040	DIODE
D2001	BZ410073	D28TEQS040	DIODE,SCHOTTKY
D2009	BZ410054	0021721150	LED
D2101	AE004795	DE7RB5R62B	DIODE,ZENER
D2102	AE004795	DE7RB5R62B	DIODE,ZENER
D2103	AE004795	DE7RB5R62B	DIODE,ZENER
D3401	BZ410043	D2WT011E10	DIODE,ZENER
D3403	BZ410010	D28T21DQN9	DIODE,SCHOTTKY
D3404	BZ410010	D28T21DQN9	DIODE,SCHOTTKY
D3451	AE004643	D28R1QS040	DIODE
D3601	AE004937	D77R1A1R10	DIODE,VARISTA
D3602	AE004795	DE7RB5R62B	DIODE,ZENER
D3603	AE004937	D77R1A1R10	DIODE,VARISTA
D3604	AE004793	DD7R60L400	DIODE,SCHOTTKY
D3605	AE004793	DD7R60L400	DIODE,SCHOTTKY
D3606	AE004796	DE7RB6R82B	DIODE,ZENER
D3607	AE004796	DE7RB6R82B	DIODE,ZENER
D3609	AE004794	DE7RB3R32B	DIODE,ZENER
D3613	AE004794	DE7RB3R32B	DIODE,ZENER

# ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No. ICS	Description
IC101	AE005619	S3R3030F01	MEMORY DATA
IC102	79097849	I9UF032290	IC
IC103	79097849	I9UF032290	IC
IC199	AE005620	S3R3030E02	MEMORY DATA
△IC401	BZ611117	I03TD80410	IC
△IC402	AD302356	I03S065100	IC
△IC501	AE002809	000220002W	PHOTO COUPLER
△IC502	AE003907	I0BD061590	IC
△IC503	AE002809	000220002W	PHOTO COUPLER
△IC504	AD302211	I1KJ9A431A	IC
△IC505	AD301929	I1KA78R090	IC
△IC506	AD302211	I1KJ9A431A	IC
IC602	AE004361	I05DD13170	IC
IC603	AE004362	I05DE13600	IC
IC701	AE002728	I01F05853B	IC
IC702	AE004651	I0QF025840	IC
IC705	AE004800	I05FE13830	IC
IC706	AE004651	I0QF025840	IC
IC707	BZ611104	I0QF02533V	IC
IC902	AE004801	I19FF34400	IC
IC1001	AE004803	I1MFP20240	IC
IC1501	AE005607	I55FE0A920	IC
IC2101	AE005610	IFSK0883C0	IC
△IC3400	BZ611089	I1KA98R09A	IC
△IC3401	AD301931	I1KA78R050	IC
△IC3402	AE003914	I1KA98R330	IC
IC3451	BZ611130	I0GF9XZ010	IC
IC3452	BZ611130	I0GF9XZ010	IC
IC3601	AE004654	I1KF98D330	IC
IC3602	AE004654	I1KF98D330	IC
IC3604	AE001295	I0QJ045800	IC
IC3605	AE004805	I5PF099930	IC
IC3606	AE004939	S3R3010E02	MEMORY DATA
IC3607	AE004802	I1FF043340	IC
IC3608	AE004940	S3R3010E03	MEMORY DATA
IC3611	AE004806	ICMF09C580	IC
IC3612	AE003923	I5CF01G080	IC
IC3901	AE005611	IFTK023010	IC
IC3902	AE005609	IF6J032B26	IC
<b>TRANSISTORS</b>			
Q101	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q102	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q103	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q104	BZ510022	TNYJJ05001	COMPOUND TRANSISTOR
△Q401	AE004385	TC5TC3328Y	TRANSISTOR,SILICON
△Q402	AE004814	T250029200	FET
△Q403	AE004386	TCKF059040	TRANSISTOR,SILICON
Q405	BZ510020	TNYJB05001	COMPOUND TRANSISTOR
Q406	BZ510020	TNYJB05001	COMPOUND TRANSISTOR
Q407	BZ510109	TCAA3875SY	TRANSISTOR,SILICON
Q408	BZ510109	TCAA3875SY	TRANSISTOR,SILICON
Q413	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q501	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q502	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q503	BZ510069	TCATC31980	TRANSISTOR,SILICON
△Q504	AE004387	TJXG15NK50	FET
△Q505	BZ510070	TCAT032034	TRANSISTOR,SILICON
Q506	BZ510105	TCAT03209Y	TRANSISTOR,SILICON
Q507	BZ510073	TAATA12660	TRANSISTOR,SILICON
△Q508	BZ510004	TA3T016240	TRANSISTOR,SILICON
△Q509	BZ510105	TCAT03209Y	TRANSISTOR,SILICON
Q510	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q601	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q602	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q603	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q604	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q605	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q606	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q607	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q608	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q611	AE002626	T8YJ2412K0	TRANSISTOR,SILICON

# ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description
<b>TRANSISTORS</b>			
Q612	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q613	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q615	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q616	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q617	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q701	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q702	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q703	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q704	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q705	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q706	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q708	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q709	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q710	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q716	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q717	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
△Q801	AE004383	TC30040750	TRANSISTOR,SILICON
△Q802	AE004383	TC30040750	TRANSISTOR,SILICON
△Q803	AE004383	TC30040750	TRANSISTOR,SILICON
Q804	BZ510073	TAATA12660	TRANSISTOR,SILICON
△Q810	BZ510069	TCATC31980	TRANSISTOR,SILICON
△Q811	BZ510069	TCATC31980	TRANSISTOR,SILICON
△Q812	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q814	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q852	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q853	AE004818	TCUT0752GY	TRANSISTOR SILICON
Q854	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q855	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q856	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q857	BZ510073	TAATA12660	TRANSISTOR,SILICON
Q858	AE004815	TA10021400	TRANSISTOR,SILICON
Q859	AE004816	TC10059930	TRANSISTOR,SILICON
Q860	BZ510069	TCATC31980	TRANSISTOR,SILICON
Q1002	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q1098	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q1099	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q1501	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q1502	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q1503	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q1504	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q1505	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q2001	BZ510021	TNYJC05001	COMPOUND TRANSISTOR
△Q3403	AD301934	TBA0013660	TRANSISTOR,SILICON
Q3404	BZ510022	TNYJJ05001	COMPOUND TRANSISTOR
Q3603	BZ510113	T27T030180	FET
Q3604	BZ510113	T27T030180	FET
Q3605	BZ510113	T27T030180	FET
Q3606	BZ510113	T27T030180	FET
Q3607	BZ510113	T27T030180	FET
Q3608	BZ510081	TPYJA05001	COMPOUND TRANSISTOR
Q3609	BZ510045	TNYJD05001	COMPOUND TRANSISTOR
Q3610	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q3611	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q3612	BZ510045	TNYJD05001	COMPOUND TRANSISTOR
Q3613	AE002626	T8YJ2412K0	TRANSISTOR,SILICON
Q3901	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q3902	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q3903	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q3904	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q3905	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
Q3906	BZ510001	T6YJ1037K0	TRANSISTOR,SILICON
<b>COILS &amp; TRANSFORMERS</b>			
L002	BZ310117	021LA6330K	COIL
L402	AE004941	022R00043A	COIL,LINEARITY
L406	AE004329	02D3000063	COIL,CHOKE
L407	AE004329	02D3000063	COIL,CHOKE
L408	AE004751	02D3000069	COIL,CHOKE
L501	BZ310150	02167E220K	COIL
△L502	AE005594	029X000122	COIL,LINE FILTER
△L503	AE005594	029X000122	COIL,LINE FILTER
L504	BZ310150	02167E220K	COIL

## ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No. COILS & TRANSFORMERS	Description
L505	BZ310118	02AHB9A972	CORE,FERRITE
L506	BZ310150	02167E220K	COIL
L602	BZ310039	02167F220J	COIL
L603	BZ310039	02167F220J	COIL
L604	BZ310039	02167F220J	COIL
L606	BZ310183	021LA6220J	COIL
L607	BZ310039	02167F220J	COIL
L651	BZ310118	02AHB9A972	CORE,FERRITE
L701	BZ310040	02167F470J	COIL
L702	BZ310040	02167F470J	COIL
L703	BZ310040	02167F470J	COIL
L705	BZ310041	02167F101J	COIL
L706	BZ310040	02167F470J	COIL
L707	BZ310040	02167F470J	COIL
L708	BZ310040	02167F470J	COIL
L710	BZ310040	02167F470J	COIL
L712	BZ310041	02167F101J	COIL
L805	BZ310002	021673101K	COIL
L806	BZ310002	021673101K	COIL
L807	BZ310002	021673101K	COIL
L808	AD300613	02167F150J	COIL
L809	AD300613	02167F150J	COIL
L810	AD300613	02167F150J	COIL
L901	BZ310141	02167F100J	COIL
L904	BZ310141	02167F100J	COIL
L905	BZ310141	02167F100J	COIL
L1001	AE004748	021W0G100M	COIL
L1002	AE004748	021W0G100M	COIL
L1003	AE004748	021W0G100M	COIL
L1004	AE004748	021W0G100M	COIL
L1005	BZ310118	02AHB9A972	CORE,FERRITE
L1501	AE005592	0216S8330K	COIL
L1502	AE005285	0216S8470K	COIL
L1503	AE005591	0216S81R5M	COIL
L1504	AE005285	0216S8470K	COIL
L1505	AE005589	0216S8100K	COIL
L1506	AE005589	0216S8100K	COIL
L1507	AE005589	0216S8100K	COIL
L1508	AE005590	0216S8150K	COIL
L1509	AE005590	0216S8150K	COIL
L1510	AE005058	0216S4220J	COIL
L1511	AE005590	0216S8150K	COIL
L1512	AE005590	0216S8150K	COIL
L1513	AE005058	0216S4220J	COIL
L1514	AE005592	0216S8330K	COIL
L2101	AE005285	0216S8470K	COIL
L2102	AE005285	0216S8470K	COIL
L2103	AE005285	0216S8470K	COIL
L2104	AE005593	0216SD5R6J	COIL
L2105	AE005593	0216SD5R6J	COIL
L2106	AE005593	0216SD5R6J	COIL
L3401	BZ310150	02167E220K	COIL
L3402	BZ310150	02167E220K	COIL
L3601	AE004752	02D6000068	COIL,CHOKE
L3602	AE004752	02D6000068	COIL,CHOKE
L3603	AE004752	02D6000068	COIL,CHOKE
L3604	AE004752	02D6000068	COIL,CHOKE
L3901	AE005285	0216S8470K	COIL
L3903	AE005588	0216S4270J	COIL
L3906	AE005285	0216S8470K	COIL
L3907	AE005285	0216S8470K	COIL
L3908	AE005285	0216S8470K	COIL
L3909	AE005590	0216S8150K	COIL
T401	AE004332	0450190181	TRANS,HORIZONTAL DRIVE
▲T501	AE004942	048119003S	TRANSFORMER,SWITCHING
▲T502	AE004754	048149002S	TRANSFORMER,SWITCHING
<b>JACKS</b>			
J705	AE002759	060J431020	RCA JACK
J706	AE004759	060Q431019	RCA JACK
J707	AE004759	060Q431019	RCA JACK
J708	AE004760	063D000078	JACK PLATE

# ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No.	Description
<b>JACKS</b>			
J709	AE004760	063D000078	JACK PLATE
▲J801	BZ614115	066C130017	SOCKET,CATHODE RAY
J2201	AE004761	063D700010	JACK
J2202	AE004756	060J401104	RCA JACK
J2203	AE004758	060J401106	RCA JACK
J2204	AE004757	060J401105	RCA JACK
J3601	AE002950	060J421037	RCA JACK
J3602	AE002951	060J421030	RCA JACK
<b>SWITCHES</b>			
SW2001	BZ612010	0504101T34	SWITCH,TACT
SW2002	BZ612010	0504101T34	SWITCH,TACT
SW2003	BZ612010	0504101T34	SWITCH,TACT
SW2004	BZ612010	0504101T34	SWITCH,TACT
SW2005	BZ612010	0504101T34	SWITCH,TACT
<b>P.C.BOARD ASSEMBLIES</b>			
PCB070	AE005614	A3R3040070	PCB ASS'Y
PCB110	AE005601	A3R3030110	PCB ASS'Y
PCB260	AE005615	A3R3040260	PCB ASS'Y
PCBD20	AE005616	A3R3040D20	PCB ASS'Y
PCBD80	AE005604	A3R3030D80	PCB ASS'Y
PCBDJ0	AE005617	A3R3040DJ0	PCB ASS'Y
PCBDS0	AE005606	A3R3030DS0	PCB ASS'Y
<b>MISCELLANEOUS</b>			
B403	BZ310121	024HT03553	CORE,BEADS
B404	BZ310121	024HT03553	CORE,BEADS
B405	BZ310121	024HT03553	CORE,BEADS
B851	BZ310121	024HT03553	CORE,BEADS
B852	BZ310121	024HT03553	CORE,BEADS
B853	BZ310121	024HT03553	CORE,BEADS
B1501	AE004602	024HC36001	CORE,BEADS
B3601	AE004602	024HC36001	CORE,BEADS
B3602	AE004602	024HC36001	CORE,BEADS
B3603	AE004602	024HC36001	CORE,BEADS
B3604	AE004602	024HC36001	CORE,BEADS
B3608	AE004602	024HC36001	CORE,BEADS
B3609	AE004602	024HC36001	CORE,BEADS
B3610	BZ310186	024HC31022	CORE,BEADS
B3611	BZ310186	024HC31022	CORE,BEADS
BT001	AD302369	141L003010	BATTERY,MANGAN
BT002	AD302369	141L003010	BATTERY,MANGAN
CD101	AE003640	06CU2B3301	CORD,CONNECTOR
▲CD501	AE001245	1209419910	CORD,AC BUSH
▲CD507	AE004950	028R260002	COIL,DEGAUSS
CD509	AD301550	06CU2C2501	CORD,CONNECTOR
CD601	AE005597	06CU294002	CORD,CONNECTOR
CD603	AE004338	06CU225201	CORD,CONNECTOR
CD605	AE005422	06CU273302	CORD,CONNECTOR
CD802	AE005282	WEL6854038	FLAT CABLE AWM2468 AWG26 7C GRAY 540MM
CD803	AE005222	06C383037A	CORD,CONNECTOR
CD808	BZ614492	WCL6850038	FLAT CABLE AWM2468 AWG26 5C GRAY 500MM
CD852	AD301043	06CU232001	CORD,CONNECTOR
CP101	BZ614214	069S2B0629	CONNECTOR PCB SIDE
CP102	BZ614213	069S2A0629	CONNECTOR PCB SIDE
CP103	AE001188	069S270639	CONNECTOR PCB SIDE
CP403	BZ614365	069S120419	CONNECTOR PCB SIDE
▲CP404	BZ614240	069X460029	CONNECTOR PCB SIDE
▲CP501	BZ614283	069S420110	CONNECTOR PCB SIDE
CP504	BZ614444	069D01001A	CONNECTOR PCB SIDE
CP505	BZ614444	069D01001A	CONNECTOR PCB SIDE
CP506	BZ614444	069D01001A	CONNECTOR PCB SIDE
CP509	AD301554	069S2C0629	CONNECTOR PCB SIDE
CP510	BZ614444	069D01001A	CONNECTOR PCB SIDE
CP601	BZ614458	069S290629	CONNECTOR PCB SIDE
CP602	AD301997	067U007029	WIRE HOLDER
CP605	BZ614485	069S270629	CONNECTOR PCB SIDE
CP801	BZ614416	069S220629	CONNECTOR PCB SIDE
CP803	AD301996	069S330010	CONNECTOR PCB SIDE
CP804	BZ614058	069W010010	CONNECTOR PCB SIDE
CP852	BZ614350	069S230629	CONNECTOR PCB SIDE
CP853	BZ614349	067U003029	WIRE HOLDER
CD1001	AE004772	06CU241802	CORD,CONNECTOR

## ELECTRICAL REPLACEMENT PARTS LIST

Location No.	TSB P/N	Reference No. MISCELLANEOUS	Description
CD1003	AE004773	06CU263001	CORD,CONNECTOR
CD1004	AE004771	06CU143801	CORD,CONNECTOR
CD2201	AE004775	06CU283001	CORD,CONNECTOR
CD2251	AE005223	06CU013502	CORD,CONNECTOR
CP1001	AD301998	069S240629	CONNECTOR PCB SIDE
CP1003	BZ614242	069S260629	CONNECTOR PCB SIDE
CP2201	AD301796	069S280629	CONNECTOR PCB SIDE
CP3601	AE004763	069HYJ3010	CONNECTOR PCB SIDE
CP3602	AE004769	069J1K0048	CONNECTOR
CP3604	BZ614239	069S290639	CONNECTOR PCB SIDE
CP802B	AD300098	069R270589	CONNECTOR PCB SIDE
CP808A	BZ614276	067U005049	WIRE HOLDER
CP808B	BZ614212	069R250589	CONNECTOR PCB SIDE
CP851A	BZ614349	067U003029	WIRE HOLDER
CP851B	AD300101	069R230589	CONNECTOR PCB SIDE
CP3604A	AE004768	069J1K0038	CONNECTOR PCB SIDE
CP3901A	AE005596	069R2Y0710	CONNECTOR PCB SIDE
CP3901B	AE005595	069R2Y0700	CONNECTOR PCB SIDE
EL0701	BZ614043	124116281A	EYE LET
EL0702	BZ614044	124120301A	EYE LET
EL1101	BZ614043	124116281A	EYE LET
EL1102	BZ614044	124120301A	EYE LET
△F501	BZ614422	081PC6R305	FUSE
△F502	AE004346	0835A07005	MICRO FUSE
△FB401	AE004955	043226001F	TRANSFORMER,FLYBACK
FH501	AE002634	06710T0009	HOLDER,FUSE
FH502	AE002634	06710T0009	HOLDER,FUSE
NR1501	AE004680	110P4101M4	R,NETWORK
NR1502	AE004680	110P4101M4	R,NETWORK
NR2101	AE005599	110P4220M4	R,NETWORK
NR2102	AE005599	110P4220M4	R,NETWORK
NR2103	AE005599	110P4220M4	R,NETWORK
NR2104	AE005599	110P4220M4	R,NETWORK
NR2105	AE005599	110P4220M4	R,NETWORK
NR2106	AE005599	110P4220M4	R,NETWORK
NR2107	AE005599	110P4220M4	R,NETWORK
NR3901	AE004629	110N4000M3	R,NETWORK
NR3902	AE004629	110N4000M3	R,NETWORK
NR3903	AE004629	110N4000M3	R,NETWORK
NR3904	AE004629	110N4000M3	R,NETWORK
NR3905	AE004629	110N4000M3	R,NETWORK
NR3906	AE004629	110N4000M3	R,NETWORK
NR3907	AE004629	110N4000M3	R,NETWORK
NR3908	AE004629	110N4000M3	R,NETWORK
NR3909	AE004629	110N4000M3	R,NETWORK
NR3910	AE004629	110N4000M3	R,NETWORK
NR3911	AE004629	110N4000M3	R,NETWORK
NR3912	AE004629	110N4000M3	R,NETWORK
NR3913	AE004629	110N4000M3	R,NETWORK
OS2001	AD301048	0773071001	REMOTE RECEIVER
△RY501	AD300114	0560V20115	RELAY
△RY502	AE003621	0560V50118	RELAY
△SP1001	BZ614381	070C546004	SPEAKER
△SP1002	BZ614381	070C546004	SPEAKER
△TH502	BZ410079	DF5EL3R0A0	DEGAUSS ELEMENT
TM101	AD302374	07650GR010	TRANSMITTER
△TU001	AE005587	0163300014	RF UNIT
△V801	AE004957	0981260901	CRT W/DY
X103	AE004780	100WT01611	CRYSTAL
X603	AE004348	1002R01502	CERAMIC OSCILLATOR
X701	AE004348	1002R01502	CERAMIC OSCILLATOR
X702	AE004349	100CT3R536	CRYSTAL
X901	BZ613042	100CT01803	CRYSTAL
X1501	AE004628	100DT04201	CRYSTAL
X3601	AE004779	100CT01101	CRYSTAL
X3901	AE005598	100DT01303	CRYSTAL

## ELECTRICAL REPLACEMENT PARTS LIST

### RESISTOR

RC..... CARBON RESISTOR

### CAPACITORS

CC.....	CERAMIC CAPACITOR
CE.....	ALUMI ELECTROLYTIC CAPACITOR
CP.....	POLYESTER CAPACITOR
CPP.....	POLYPROPYLENE CAPACITOR
CPL.....	PLASTIC CAPACITOR
CMP.....	METAL POLYESTER CAPACITOR
CMPL.....	METAL PLASTIC CAPACITOR
CMPP.....	METAL POLYPROPYLENE CAPACITOR

**TOSHIBA CORPORATION**

1-1, SHIBAURA 1-CHOME, MINATO-KU, TOKYO 105-8001, JAPAN