

SUPERIOR QUALITY SINCE 1886.

2016 Marks the 130th Anniversary of Carl Walther. For well over a century Walther has built firearms for the discerning individual who is looking for superior craftsmanship and incredible accuracy.

From humble beginnings in the Rhineland area, Carl Walther and his family have built a legacy of quality for firearms that is unparalleled in Europe and all over the world. Trusted models such as the PPK, TPH and P5 have solidified Walther in the history books and for good reason.

As a testament to our dedication to the consumer, Walther has introduced its very first mass produced .45 Auto Pistol, built from the ground up to compete in the American market place. Featuring Carl Walthers Signature ergonomics and our quick defense trigger, the PPQ 45 stands out with 12 round magazine capacity and fully ambidextrous controls. This addition as well as the introduction of our New PPS M2 is part of our commitment to listening to our customer and delivering the features they are looking for. Our PPS M2 also features a new push button magazine release, improved ergonomics and the superior accuracy that you have come to expect from a Walther.

We are thankful for our support from our loyal customers and as we step further into the 21st Century, Walther will continue to leave an indelible mark on handguns with innovations that stand apart and chart new paths for the future of the world of firearms.







| Model: | 2807076 | | |
|---------------------|---------|--|--|
| Caliber: | .45 ACP | | |
| Finish: | Black | | |
| Barrel Length: | 4.25" | | |
| Trigger Pull: | 5.6 lbs | | |
| Capacity: | 12 rds | | |
| Overall Length: | 7.4" | | |
| Height: | 5.8" | | |
| Width: | 1.3" | | |
| Sight Radius: | 6.5" | | |
| Weight (empty mag): | 28 oz | | |

3 SAFETIES: Trigger safety, firing pin safety and disconnector safety.



ACCESSORIES:

2810883 - Magazine PPQ .45 Auto 12rd

- 1.) LOW PROFILE THREE DOT POLYMER SIGHTS: Rapid aiming and target acquisition. Rear sight screw adjustable for windage. Low profile won't snag clothing.
- 2.) MIL-STD-1913 PICATINNY ACCESSORY MOUNTING RAIL: For lights, lasers, or other tactical devices.
- 3.) TENIFER™ COATING ON SLIDE, BARREL, AND INSIDE ACTION PARTS: Resists corrosion. Matte finish.
- 4.) AMBIDEXTROUS SLIDE STOP: Slide locks back on empty magazine. Slide stop is extended for easy gloved operation.
- 5.) AMBIDEXTROUS MAGAZINE RELEASE BUTTON: Conveniently positioned for thumb operation. Reversible for right or left hand operation.
- 6.) FRONT AND REAR SLIDE SERRATIONS: Non-slip surface to operate the slide smoothly. Distinctive Walther styling.
- 7.) QUICK DEFENSE TRIGGER: Smooth, light 5.6 lb trigger pull for all shots. Short 0.4" trigger travel with safety and 0.1" trigger reset for fast, accurate second shots. Facilitates double-taps. Superb trigger feel aids accuracy.

2807076 - PPQ M2 .45 Auto

8.) ERGONOMIC WALTHER GRIP: Comfortable shape. Non-slip cross-directional grip surface for better control.




PALTHER PAGE 45

INTERCHANGEABLE BACKSTRAP. Standard/Large inserts change in seconds.



| Model: | 2805961 | *2807424 | 2807696 |
|---------------------|-----------|-----------|-----------|
| Caliber: | 9mm | .40 S&W | 9mm |
| Finish: | Black | Black | Black |
| Barrel Length: | 3.18" | 3.18" | 3.18" |
| Trigger Pull: | 6.1 lbs | 6.1 lbs | 6.1 lbs |
| Capacity M/L: | 6/7/8 rds | 5/6/7 rds | 6/7/8 rds |
| Overall Length: | 6.3" | 6.3" | 6.3" |
| Height S: | 4.4" | 4.4" | 4.4" |
| Height M: | 4.9" | 4.9" | 4.9" |
| Height L: | 5.3" | 5.3" | 5.3" |
| Width: | 1" | 1" | 1" |
| Sight Radius: | 5.34" | 5.4" | 5.34" |
| Weight (empty mag): | 21.1 oz | 21.1 oz | 21.1 oz |





2807785 - Magazine PPS M2 9mm 6rd

2807793 - Magazine PPS M2 9mm 7rd

2807807 - Magazine PPS M2 9mm 8rd

2810751 - Magazine PPS M2 .40 S&W 5rd

2810760 - Magazine PPS M2 .40 S&W 6rd

2805961 - PPS M2 9mm 2807424 - PPS M2 .40 S&W

2807696 - PPS M2 9mm LE edition (includes 3 mags & phosphoric sights)

Carl Wallher Ulm/Do. Meda in Germany

2810778 - Magazine PPS M2 .40 S&W 7rd


- 1.) LOW PROFILE THREE DOT STEEL COMBAT SIGHTS: Rapid aiming and target acquisition. Rear sight adjustable for windage. Low profile won't snag clothing.
- 2.) TENIFER™ COATED SLIDE AND BARREL: Resists corrosion. Matte finish.
- 3.) LOADED CHAMBER VIEWPORT: Quick status inspection.
- 4.) SMOOTH, LIGHT 6.1 LB TRIGGER PULL: Short trigger travel and reset for fast, accurate second shots. Superb trigger feel aids accuracy.

0

- 5.) MAGAZINE RELEASE BUTTON: Conveniently positioned for thumb operation.
- 6.) SMOOTH NO-SNAG SLIDE STOP: Slide locks back on empty magazine.
- 7.) COCKING INDICATOR: Tactile and visible status for low light.
- 8.) FRONT AND REAR SLIDE SERRATIONS: Non-slip surface to operate the slide smoothly. Distinctive Walther styling.
- 9.) ERGONOMIC WALTHER GRIP: Comfortable shape. Non-slip cross-directional grip surface.
- 10.) THREE MAGAZINE OPTIONS: Flat for concealment, mid for comfort, and large for extra capacity.




ERGONOMIC WALTHER GRIP. Non-slip cross-directional grip surface. Comfortable shape.



| Model: | 2796066 | 2796074 |
|---------------------|---------|---------|
| Caliber: | 9mm | .40 S&W |
| Finish: | Black | Black |
| Barrel Length: | 4" | 4.2" |
| Trigger Pull: | 5.6 lbs | 5.6 lbs |
| Capacity: | 15 rds | 11 rds |
| Overall Length: | 7.1" | 7.2" |
| Height: | 5.3" | 5.3" |
| Width: | 1.3" | 1.3" |
| Sight Radius: | 6.1" | 6.2" |
| Weight (empty mag): | 24.5 oz | 25 oz |







- 1.) LOW PROFILE THREE DOT POLYMER SIGHTS: Rapid aiming and target acquisition. Rear sight screw adjustable for windage. Low profile won't snag clothing.
- 2.) MIL-STD-1913 PICATINNY ACCESSORY MOUNTING RAIL: For lights, lasers, or other tactical devices.
- 3.) TENIFER™ COATING ON SLIDE, BARREL, AND INSIDE ACTION PARTS: Resists corrosion. Matte finish.
- 4.) AMBIDEXTROUS SLIDE STOP: Slide locks back on empty magazine. Slide stop is extended for easy gloved operation.
- 5.) AMBIDEXTROUS MAGAZINE RELEASE BUTTON: Conveniently positioned for thumb operation. Reversible for right or left hand operation.
- 6.) FRONT AND REAR SLIDE SERRATIONS: Non-slip surface to operate the slide smoothly. Distinctive Walther styling.
- QUICK DEFENSE TRIGGER: Smooth, light 5.6 lb trigger pull for all shots. Short 0.4" trigger travel with safety and 0.1" trigger reset for fast, accurate second shots. Facilitates double-taps. Superb trigger feel aids accuracy.
- 8.) ERGONOMIC WALTHER GRIP: Comfortable shape. Non-slip cross-directional grip surface for better control.



INTERCHANGEABLE BACKSTRAP. Small/medium/large inserts change in seconds.

| Model: | 2796091 | 2796104 |
|---------------------|---------|---------|
| Caliber: | 9mm | .40 S&W |
| Finish: | Black | Black |
| Barrel Length: | 5" | 5" |
| Trigger Pull: | 5.6 lbs | 5.6 lbs |
| Capacity: | 15 rds | 11 rds |
| Overall Length: | 8.1" | 8.1" |
| Height: | 5.3" | 5.3" |
| Width: | 1.3" | 1.3" |
| Sight Radius: | 7.2" | 7.2" |
| Weight (empty mag): | 26 oz | 26.5 oz |





- 1.) LOW PROFILE THREE DOT POLYMER SIGHTS: Rapid aiming and target acquisition. Rear sight screw adjustable for windage. Low profile won't snag clothing.
- 2.) MIL-STD-1913 PICATINNY ACCESSORY MOUNTING RAIL: For lights, lasers, or other tactical devices.
- 3.) TENIFER™ COATING ON SLIDE, BARREL, AND INSIDE ACTION PARTS: Resists corrosion. Matte finish.
- 4.) AMBIDEXTROUS SLIDE STOP: Slide locks back on empty magazine. Slide stop is extended for easy gloved operation.
- 5.) AMBIDEXTROUS MAGAZINE RELEASE BUTTON: Conveniently positioned for thumb operation. Reversible for right or left hand operation.
- 6.) FRONT AND REAR SLIDE SERRATIONS: Non-slip surface to operate the slide smoothly. Distinctive Walther styling.
- 7.) QUICK DEFENSE TRIGGER: Smooth, light 5.6 lb trigger pull for all shots. Short 0.4" trigger travel with safety and 0.1" trigger reset for fast, accurate second shots. Facilitates double-taps. Superb trigger feel aids accuracy.

PPC MER

5 INCH

8.) ERGONOMIC WALTHER GRIP: Comfortable shape. Non-slip cross-directional grip surface for better control.



INTERCHANGEABLE BACKSTRAP. Small/medium/large inserts change in seconds.

| Model: | 2796082 |
|---------------------|-----------|
| Caliber: | 9mm |
| Finish: | Black |
| Barrel Length: | 4.6" |
| Trigger Pull: | 5.6 lbs |
| Capacity: | 15/17 rds |
| Overall Length: | 7.8" |
| Height: | 5.3" |
| Width: | 1.3" |
| Sight Radius: | 6.1" |
| Weight (empty mag): | 25 oz |





2796651 - Magazine PPQ M2 9mm 10rd AFC

ACCESSORIES:

- 2796678 Magazine PPQ M2 9mm 15rd AFC
- 2796694 Magazine PPQ M2 9mm 15+2rd AFC
- 2796660 Magazine PPQ M2 .40 S&W 10rd AFC
- 2796686 Magazine PPQ M2 .40 S&W 11rd AFC
- 2796708 Magazine PPQ M2 .40 S&W 11+2rd AFC
- 2796643 Magazine Loader PPQ and P99
- 281329710 Threaded Barrel PPQ M2 9mm
 - LOW PROFILE THREE DOT POLYMER SIGHTS:
 Rapid aiming and target acquisition. Rear
 sight screw adjustable for windage.
 Low profile won't snag clothing.
 - 2.) MIL-STD-1913 PICATINNY ACCESSORY MOUNTING RAIL: For lights, lasers, or other tactical devices.
 - 3.) TENIFER™ COATING ON SLIDE, BARREL, AND INSIDE ACTION PARTS: Resists corrosion. Matte finish.
- 4.) AMBIDEXTROUS SLIDE STOP: Slide locks back on empty magazine. Slide stop is extended for easy gloved operation.
- 5.) AMBIDEXTROUS MAGAZINE RELEASE BUTTON: Conveniently positioned for thumb operation. Reversible for right or left hand operation.
- 6.) FRONT AND REAR SLIDE SERRATIONS: Non-stip surface to operate the slide smoothly. Distinctive Walther styling.
- 7.) QUICK DEFENSE TRIGGER: Smooth, light 5.6 lb trigger pull for all shots. Short 0.4" trigger travel with safety and 0.1" trigger reset for fast, accurate second shots. Facilitates double-taps. Superb trigger feel aids accuracy.
- 8.) ERGONOMIC WALTHER GRIP: Comfortable shape. Non-slip cross-directional grip surface for better control.



INTERCHANGEABLE BACKSTRAP. Small/medium/large inserts change in seconds.



| Model: | 2796333 | 2796350 | 2796368 | 2796384 |
|---------------------|---------|---------|----------|----------|
| Caliber: | 9mm | .40 S&W | 9mm | .40 S&W |
| Finish: | Black | Black | Black | Black |
| Barrel Length: | 3.2" | 3.2" | 3.2" | 3.2" |
| Trigger Pull: | 6.1 lbs | 6.1 lbs | 10.5 lbs | 10.5 lbs |
| Capacity M/L: | 7/8 rds | 6/7 rds | 7/8 rds | 6/7 rds |
| Overall Length: | 6.3" | 6.3" | 6.3" | 6.3" |
| Height S: | 4.4" | 4.4" | 4.4" | 4.4" |
| Height M: | 4.9" | 4.9" | 4.9" | 4.9" |
| Height L: | 5.3" | 5.3" | 5.3" | 5.3" |
| Width: | 1" | 1" | 1" | 1" |
| Sight Radius: | 5.4" | 5.4" | 5.4" | 5.4" |
| Weight (empty mag): | 21.5 oz | 21.1 oz | 21.5 oz | 21.1 oz |



2796368 - PPS 9mm Massachusetts Model 2796384 - PPS .40 S&W Massachusetts Model





2796554 - Magazine PPS .40 S&W 5rd

2796571 - Magazine PPS .40 S&W 6rd

2796597 - Magazine PPS .40 S&W 7rd

2796333 - PPS 9mm 2796350 - PPS .40 S&W


- 1.) LOW PROFILE THREE DOT STEEL COMBAT SIGHTS: Rapid aiming and target acquisition. Rear sight adjustable for windage. Low profile won't snag clothing.
- 2.) TENIFER™ COATED SLIDE AND BARREL: Resists corrosion. Matte finish.
- 3.) WEAVER® ACCESSORY RAIL: Mounts optional flashlight or laser.
- 4.) LOADED CHAMBER VIEWPORT: Quick status inspection.

- 5.) SMOOTH, LIGHT 6.1 LB TRIGGER PULL: Short trigger travel and reset for fast, accurate second shots. Superb trigger feel aids accuracy.
- 6.) PADDLE-STYLE AMBIDEXTROUS MAGAZINE RELEASE LEVER: Fast, no-look magazine changes.
- 7.) SMOOTH NO-SNAG SLIDE STOP: Slide locks back on empty magazine.
- 8.) RED COCKING INDICATOR: Visible status for low light.

- 9.) REAR SLIDE SERRATIONS: Non-slip surface to operate the slide. Distinctive Walther styling.
- 10.) ERGONOMIC WALTHER GRIP: Comfortable shape. Non-slip cross-directional grip surface.
- THREE MAGAZINE OPTIONS: Flat for concealment, mid for comfort, and large for extra capacity.



INTERCHANGEABLE BACKSTRAP. Inserts change in seconds. Customize the grip to fit your hand.



| Model: | 2796325 | 2796341 | 2796376 | 2796392 |
|---------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Caliber: | 9mm | .40 S&W | 9mm | .40 S&W |
| Finish: | Black | Black | Black | Black |
| Barrel Length: | 4" | 4.2" | 3.5" | 3.5" |
| Trigger Pull: | DA: 9 lbs SA: 4.5 lbs |
| Capacity: | 15 rds | 12 rds | 10 rds | 8 rds |
| Overall Length: | 7.1" | 7.2" | 6.6" | 6.6" |
| Height: | 5.3" | 5.3" | 4.3" | 4.3" |
| Width: | 1.3" | 1.3" | 1.3" | 1.3" |
| Sight Radius: | 6.1" | 6.2" | 5.6" | 5.6" |
| Weight (empty mag): | 24 oz | 26 oz | 21.5 oz | 21.5 oz |





 LOW PROFILE THREE DOT COMBAT SIGHTS: Rapid aiming and target acquisition. Rear sight screw adjustable for windage.

2796490 - Magazine P99C 9mm 10rd

2796635 - Grip Extension for P99C

2796643 - Magazine Loader P99 and PPQ

- 2.) WEAVER® ACCESSORY RAIL: Mounts optional flashlight or laser.
- 3.) TENIFER™ COATED SLIDE AND BARREL: Resists corrosion. Matte finish.
- 4.) ERGONOMIC WALTHER GRIP: Comfortable shape. Non-slip cross-directional grip surface.
- 5.) ANTI-STRESS TRIGGER: Traditional double action. Initial shot 9 lb trigger pull with 0.6" travel limits accidental discharge under stress. Subsequent shots 4.5 lb pull with 0.31" travel.
- 6.) PADDLE-STYLE AMBIDEXTROUS MAGAZINE RELEASE LEVER: Fast, no-look magazine changes.
- 7.) REAR SLIDE SERRATIONS: Non-slip surface to operate the slide easily. Distinctive Walther styling.
- 8.) MANUAL DECOCKER: Flush with slide to prevent snags.

2796325 - P99 AS 9mm

2796341 - P99 AS .40 S&W


- 9.) SLIDE STOP: Slide locks back on empty magazine.
- 10.) SEVERAL MAGAZINE OPTIONS: Choose from standard capacity, high capacity, or compact. Adapter available to fire full size magazines in compact frame.



INTERCHANGEABLE BACKSTRAP. Small/medium/large inserts change in seconds.



| Model: | 5080300 | 5080301 |
|---------------------|----------|-----------|
| Caliber: | 9mm | 9mm |
| Finish: | Black | Stainless |
| Barrel Length: | 3.54" | 3.54" |
| Trigger Pull: | 5.5 lbs | 5.5 lbs |
| Capacity: | 8 rds | 8 rds |
| Overall Length: | 6.41" | 6.41" |
| Height: | 5.12" | 5.12" |
| Width: | 1.18" | 1.18" |
| Sight Radius: | 5.43" | 5.43" |
| Weight (empty mag): | 22.33 oz | 22.33 oz |





- 1.) LOW PROFILE THREE DOT POLYMER SIGHTS: Adjustable rear sight, 3 front sight heights for easy target acquisition.
- 2.) MIL-STD-1913 PICATINNY ACCESSORY MOUNTING RAIL: For lights, lasers, or other tactical devices.
- 3.) EASY COCKING SLIDE: silver stainless.
 - Available in black with Cerakote™ coating or
- 4.) SLIDE LOCK: Slide locks back on empty magazine.

- 5.) LIGHT WEIGHT TRIGGER FOR GREATER ACCURACY: Smooth, light (5.5 lbs) trigger pull for all shots, short (0.27") trigger travel.
- 6.) AMBIDEXTROUS MAGAZINE RELEASE BUTTON: Conveniently positioned for thumb operation. Reversible for right or left hand operation.
- 7.) ERGONOMIC WALTHER GRIP: Comfortable shape. Non-slip, Hi-Grip™ Surface.
- 8.) CONVENIENT MANUAL THUMB SAFETY: for easy use and accessibility. Additional internal firing pin safety for safe carrying.
- 9.) FRONT AND REAR SLIDE SERRATIONS: Non-slip surface to operate the slide smoothly. Distinctive Walther styling.
- 10.) 8-ROUND SINGLE STACK MAGAZINE.



ERGONOMIC WALTHER GRIP. Comfortable shape. Non-slip, Hi-Grip™ Surface.



| 4796001 | 4796002 |
|----------------------------|--|
| .380 ACP | .380 ACP |
| Stainless | Black |
| 3.3" | 3.3" |
| DA: 13.4 lbs / SA: 6.1 lbs | DA: 13.4 lbs / SA: 6.1 lbs |
| 6 rds | 6 rds |
| 6.1" | 6.1" |
| 3.8" | 3.8" |
| 1" 5 | 1" |
| 4.3" | 4.3" |
| 22.1 oz | 22.1 oz |
| | .380 ACP Stainless 3.3" DA: 13.4 lbs / SA: 6.1 lbs 6 rds 6.1" 3.8" 1" 4.3" |



INTERNAL SLIDE STOP: Reduces external snags.



ACCESSORIES:

2246008 - Magazine PPK .380 ACP 6rd Standard Blue

2246010 - Magazine PPK .380 ACP 6rd Nickel

2246009 - Magazine PPK .380 ACP 6rd Standard Nickel


4796001 - PPK .380 Stainless

- 1.) FIXED FRONT AND REAR SIGHTS.
- 2.) TOP STRAP IS CUT WITH A WAVE TO REDUCE GLARE.
- 3.) LOADED CHAMBER INDICATOR: Quick status inspection.
- 4.) DOUBLE OR SINGLE ACTION TRIGGER: Double action 13.4 lbs, single action 6.1 lbs.
- 5.) REAR SLIDE SERRATIONS: Non-slip grip and classic Walther styling.
- 6.) HAMMER DROP DECOCKING SAFETY: Locks the firing pin for confident, safe handling.
- 7.) BEAVER TAIL EXTENSION: Improves shooting comfort and stability.
- 8.) CLASSIC GRIP: Checkered panels are
- 9.) TWO MAGAZINE STYLES: Extended for larger hands. Flat for smaller hands and enhanced concealment.



CLASSIC WALTHER GRIP. Checkered panels are standard.

| Model: | 4796004 | 4796006 |
|---------------------|----------------------------|----------------------------|
| Caliber: | .380 ACP | .380 ACP |
| Finish: | Stainless | Black |
| Barrel Length: | 3.3" | 3.3" |
| Trigger Pull: | DA: 13.4 lbs / SA: 6.1 lbs | DA: 13.4 lbs / SA: 6.1 lbs |
| Capacity: | 7 rds | 7 rds |
| Overall Length: | 6.1" | 6.1" |
| Height: | 4.3" | 4.3" |
| Width: | 1" | 1" |
| Sight Radius: | 4.3" | 4.3" |
| Weight (empty mag): | 23.6 oz | 23.6 oz |



INTERNAL SLIDE STOP: Reduces external snags.



ACCESSORIES:

2246011 - Magazine PPK/S .380 ACP 7rd Standard Nickel

2246012 - Magazine PPK/S .380 ACP 7rd Nickel

4796004 - PPK/S .380 Stainless

- 1.) FIXED FRONT AND REAR SIGHTS.
- 2.) TOP STRAP IS CUT WITH A WAVE TO REDUCE GLARE.
- 3.) DOUBLE OR SINGLE ACTION TRIGGER: Double action 13.4 lbs, single action
- 4.) PPK/S FRAME: The "Sport" version with longer grip.
- 5.) REAR SLIDE SERRATIONS: Non-slip grip and classic Walther styling.
- 6.) HAMMER DROP DECOCKING SAFETY: Locks the firing pin for confident, safe handling.
- 7.) BEAVER TAIL EXTENSION: Improves shooting comfort and stability.
- 8.) CLASSIC GRIP: Checkered panels are standard.
- 9.) 7-ROUND MAGAZINE.



CLASSIC WALTHER GRIP. Checkered panels are standard.



| Model: | 5050308 | 5050309 | 5050310 (Laser Set) |
|---------------------|-------------------------|-------------------------|-------------------------|
| Caliber: | .380 ACP | .380 ACP | .380 ACP |
| Finish: | Black | Nickel | Black |
| Barrel Length: | 3.66" | 3.66" | 3.66" |
| Trigger Pull: | DA: 11 lbs SA: 4 lbs | DA: 11 lbs SA: 4 lbs | DA: 11 lbs SA: 4 lbs |
| Capacity: | 8 rds | 8 rds | 8 rds |
| Overall Length: | 6.5" | 6.5" | 6.5" |
| Height: | 5.2" | 5.2" | 5.2" |
| Width: | 1.2" | 1.2" | 1.2" |
| Sight Radius: | 5.4" | 5.4" | 5.4" |
| Weight (empty mag): | 18 oz | 18 oz | 18 oz |



TACTICAL STYLING: Roughly 7/8 scale of the P99.



ACCESSORIES:

505600 - Magazine PK380 .380 ACP 8rd

505100 - Laser PK380



5050309 - PK380 .380 Nickel



5050308 - PK380 .380 Black

- 1.) LOW PROFILE THREE DOT POLYMER COMBAT SIGHTS: Rapid aiming and target acquisition. Low profile won't snag clothing.
- 2.) WEAVER® ACCESSORY RAIL: Mounts optional flashlight or laser.
- 3.) CERAKOTE™ COATED SLIDE AND BARREL: Resists corrosion. Matte finish.
- 4.) DOUBLE/SINGLE ACTION TRIGGER: 11 lb trigger pull for double action. 4 lb trigger pull for single action.
- 5.) LOADED CHAMBER VIEWPORT: Quick status inspection.
- 6.) PADDLE-STYLE AMBIDEXTROUS MAGAZINE RELEASE LEVER: Fast, no-look magazine changes.
- REAR SLIDE SERRATIONS: Non-slip surface to operate the slide. Distinctive Walther styling.
- 8.) MANUAL SAFETY: Blocks firing pin for safe handling.
- 9.) ERGONOMIC WALTHER GRIP: Comfortable shape. Small size ideal for small hands.
- 10.) 8-ROUND MAGAZINE.



PADDLE-STYLE MAGAZINE RELEASE. Fast, no-look magazine changes.







FINEST RIMFIRE HANDGUN IN THE WORLD



Weight - 4.85 lbs. pull

| Model: | 5100300 | 5100301 | 5100302 |
|---------------------|----------|----------|----------|
| Caliber: | .22 L.R. | .22 L.R. | .22 L.R. |
| Finish: | Black | Black | Black |
| Barrel Length: | 4" | 4.6" | 5" |
| Trigger Pull: | 4.85 lbs | 4.85 lbs | 4.85 lbs |
| Capacity: | 12 rds | 12 rds | 12 rds |
| Overall Length: | 7.15" | 8.1" | 8.1" |
| Height: | 5.3" | 5.3" | 5.3" |
| Width: | 1.3" | 1.3" | 1.3" |
| Sight Radius: | 6.1" | 6.1" | 7.1" |
| Weight (empty mag): | 20.8 oz | 20.9 oz | 23.6 oz |







2 SAFETIES: Trigger safety and firing pin safety.



51060102 - Magazine PPQ .22 L.R. 10rd 51060002 - Magazine PPQ .22 L.R. 12rd 5100300 - PPQ .22 Black

- SIGHTS: Polymer front sight with dot. Metal rear sight that is fully adjustable for wind and elevation.
- 2.) MIL-STD-1913 PICATINNY ACCESSORY MOUNTING RAIL: For lights, lasers, or other tactical devices.
- 3.) CERAKOTE™ COATED SLIDE AND BARREL: Resists corrosion. Matte finish.
- 4.) AMBIDEXTROUS SLIDE STOP: Slide locks back on empty magazine. Slide stop is extended for easy gloved operation.
- 5.) AMBIDEXTROUS MAGAZINE RELEASE BUTTON: Conveniently positioned for thumb operation. Reversible for right or left hand operation.
- 6.) FRONT AND REAR SLIDE SERRATIONS: Non-slip surface to operate the slide smoothly.

 Distinctive Walther styling.
- 7.) QUICK DEFENSE TRIGGER: Smooth, light 5.6 lb trigger pull for all shots. Short 0.4" trigger travel with safety and 0.1" trigger reset for fast, accurate second shots. Facilitates double-taps. Superb trigger feel aids accuracy.
- 8.) ERGONOMIC WALTHER GRIP: Comfortable shape. Non-slip cross-directional grip surface for better control.



ERGONOMIC WALTHER GRIP. Comfortable shape. Non-slip cross-directional grip surface.



| Model: | 5120302 | 5120326 | 5120300 | 5120325 | 5120315 | 5120329 |
|---------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Caliber: | .22 L.R. |
| Finish: | Black | Nickel | Black | Nickel | Military | Laser-Set |
| Barrel Length: | 5" | 5'' | 3.42" | 3.42" | 3.42" | 3.42" |
| Trigger Pull: | DA: 11 lbs SA: 4 lbs |
| Capacity: | 10 rds |
| Overall Length: | 7.8" | 7.8" | 6.3" | 6.3" | 6.3" | 6.3" |
| Height: | 4.5" | 4.5" | 4.5" | 4.5" | 4.5" | 4.5" |
| Width: | 1.1" | 1.1" | 1.1" | 1.1" | 1.1" | 1.1" |
| Sight Radius: | 6.75" | 6.75" | 5.1" | 5.1" | 5.1" | 5.1" |
| Weight (empty mag): | 20 oz | 20 oz | 17 oz | 17 oz | 17 oz | 17 oz |



3 SAFETIES: Two drop safeties and a firing pin block for safe carry.



512602 - Magazine Standard P22

512604 - Magazine P22Q

512104 - Laser Sight for P22

512102 - Bridge Mount with Picatinny Rail for P22

California compliant versions are available. PK380 laser set compatible.









- LOW PROFILE THREE DOT POLYMER
 COMBAT SIGHTS: Rapid aiming and target
 acquisition. Rear sight adjustable for
 windage. Low profile won't snag clothing.
- 2.) THREADED BARREL: Threaded for suppressor. Easy to change to/from target barrel. Barrel wrench provided. Thread Size: M8x.75
- 3.) PICATINNY STYLE ACCESSORY RAIL: Mounts optional flashlight or laser.
- 4.) DOUBLE/SINGLE ACTION TRIGGER: 11 lb trigger pull for double action. 4 lb trigger pull for single action.
- PADDLE-STYLE AMBIDEXTROUS MAGAZINE RELEASE LEVER: Fast, no-look magazine changes.
- 6.) LOADED CHAMBER VIEWPORT: Quick status inspection.
- 7.) FRONT AND REAR SLIDE SERRATIONS: Non-slip surface to operate the slide. Distinctive Walther styling.
- 8.) EXTERNAL SLIDE STOP: Slide locks back on empty magazine.
- ERGONOMIC WALTHER GRIP: Comfortable shape. Small size ideal for small hands.



INTERCHANGEABLE BACKSTRAP.
Small/large inserts change in seconds.









LEGENDARY DESIGN GOES RIMFIRE




| Model: | 5030300 | 5030320 |
|---------------------|----------------------------|----------------------------|
| Caliber: | .22 L.R. | .22 L.R. |
| Finish: | Black | Nickel |
| Barrel Length: | 3.3" | 3.3" |
| Trigger Pull: | DA: 17.5 lbs / SA: 6.1 lbs | DA: 17.5 lbs / SA: 6.1 lbs |
| Capacity: | 10 rds | 10 rds |
| Overall Length: | 6.1" | 6.1" |
| Height: | 4.9" | 4.9" |
| Width: | 0.98" | 0.98" |
| Sight Radius: | 4.2" | 4.2" |
| Weight (empty mag): | 20 oz | 20 oz |









ACCESSORIES:

503600 - Magazine PPK/S .22 L.R.

- 1.) SIGHTS: Metal rear sights adjustable for windage. Polymer front sight is fixed with 3 different heights for elevation.
- 2.) TOP STRAP IS CUT WITH A WAVE TO REDUCE GLARE.
- 3.) DOUBLE OR SINGLE ACTION TRIGGER: Double action 17.5 lbs, single action 6.1 lbs.
- 4.) PPK/S FRAME: The "Sport" version with longer grip.
- 5.) REAR SLIDE SERRATIONS: Non-slip grip and classic Walther styling.
- 6.) HAMMER DROP DECOCKING SAFETY: Locks the firing pin for confident, safe handling.
- 7.) BEAVER TAIL EXTENSION: Improves shooting comfort and stability.
- 8.) CLASSIC GRIP: Checkered panels are standard.
- 9.) 10-ROUND MAGAZINE.
- 10.) THREADED BARREL: Size M8x.75



CLASSIC WALTHER GRIP. Checkered panels are standard.



HANDGUN CO



| | No. | | | | | | - | | | | |
|---|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------|-------------------|--|
| Model | CCP | PPQ 45 M2 | PPQ M1 & M2 | PPQ M2 5" | PPQ M2 Navy SD | PPQ .22 4" | PPQ .22 SD 4" | PPQ .22 5" | P99 AS | P99 AS Compact | |
| Caliber | 9mm | .45 ACP | 9mm / .40 S&W | 9mm / .40 S&W | 9mm* | .22 L.R. | .22 L.R.* | .22 L.R. | 9mm / .40 S&W | 9mm / .40 S&W | |
| Color | Black / Stainless | Black | Black | Black | |
| Slide Material | Steel | Steel | Steel | Steel | Steel | Zinc Diecast | Zinc Diecast | Zinc Diecast | Steel | Steel | |
| Frame Materials | Polymer | Polymer | Polymer | |
| Overall Length (in) | 6.41 | 7.4 | 7.1 / 7.2 | 8.1 | 7.8 | 7.1 | 8.1 | 8.1 | 7.1 / 7.2 | 6.6 | |
| Slide Length (in) | 6.41 | 7.4 | 7.1 / 7.2 | 8.1 | 7.1 | 7.1 | 8.1 | 8.1 | 7.1 / 7.2 | 6.6 | |
| Width (in) | 1.18 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | |
| Height (in) | 5.12 | 5.8 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 4.3 | |
| Barrel Length (in) | 3.54 | 4.25 | 4 / 4.2 | 5 | 4.6 | 4 | 4.6 | 5 | 4 / 4.2 | 3.5 | |
| Sight Radius | 5.43 | 6.5 | 6.1 / 6.2 | 7.2 | 6.1 | 6.1 | 6.1 | 7.1 | 6.1 / 6.2 | 5.6 | |
| Trigger Reach: Distance Trigger to Backstrap | 2.58 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 3 | 3 | |
| Grip Circumference (in) | 4.6 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | |
| Distance Barrel to Shooting Hand (in) | 0.8 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Weight, without Magazine (oz) | 20 | 25.2 | 21.5 / 22 | 23 / 23.5 | 22 | 18 | 18.1 | 19 | 21 / 23 | 19 | |
| Weight, with Empty Magazine (oz) | 22 | 28 | 24.5 / 25 | 26 / 26.5 | 25 | 20.8 | 20.9 | 22.4 | 24 / 26 | 21.5 | |
| Magazine Capacity | 8x2 | 12x2 | 15x2 / *** | 15x2 /*** | 15 / 15+2 | 12 | 12 | 12 | 15x2 /12x2 | 10x2/8x2 | |
| Trigger Action | pre-cocked | DA & SA | DA & SA | |
| Safeties | Manual + 1 Auto | 3 Auto | 3 Auto | 3 Auto | 3 Auto | 2 Auto | 2 Auto | 2 Auto | 3 Auto | 3 Auto | |
| Trigger Pull, Single Action (lbs) | 5.5 | 5.6 | 5.6 | 5.6 | 5.6 | 4.85 SA0 | 4.85 SA0 | 4.85 SA0 | 4.5 | 4.5 | |
| Trigger Pull, Double Action (lbs) | - | - | - | - | - | - | - | - | 9 | 9 | |
| Trigger Travel (in) | 0.27 | 0.4 | 0.4 | 0.4 | 0.4 | 0.16 | 0.16 | 0.16 | DA: 0.6 / SA: 0.3 | DA: 0.6 / SA: 0.3 | |
| Magazines Included | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | |
| Accessory Rail Style | Picatinny / MIL-STD-1913 | Weaver® | Weaver® | |

WALTHERARMS.COM

MPARISON CHART

| | | | | a | | | | | | 3 |
|-----------------------|-----------------------|---------------------------|-----------------------------|-----------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | | J | | U | U | V | | | |
| PPS M2 | PPS Classic | PPS Classic HT (MA Specs) | PPX M1 4" | PPX M1 SD | PPK .380 | PPK/S .380 | PPK/S .22 | PK 380 | P22 | P22 Target |
| 9mm / .40 S&W | 9mm / .40 S&W | 9mm / .40 S&W | 9mm / .40 S&W | 9mm* | .380 ACP | .380 ACP | .22 L.R. | .380 ACP | .22 L.R. | .22 L.R. |
| Black | Black | Black | Black / Stainless | Black | Stainless / Blue | Stainless / Blue | Nickel / Black | Nickel / Black | Various | Black / Nickel |
| Steel | Steel | Steel | Steel | Steel | Steel | Steel | Zinc Diecast | Steel | Zinc Diecast | Zinc Diecast |
| Polymer | Polymer 6.3 | Polymer | Polymer | Polymer | Steel | Steel | Zinc Diecast | Polymer | Polymer | Polymer |
| 6.3 | | 6.3 | 7.3 | 7.9 | 6.1 | 6.1 | 6.1 | 6.5 | 6.3 | 7.8 |
| | 6.3 | 6.3 | 7.3 | 7.3 | 5.6 | 5.6 | 5.6 0.98 | 6.3 | 6 | |
| 1 | | | 1.3 | 1.3 | | | | 1.2 | 1.1 | 1.1 |
| 4.4/4.9/5.3 3.2 | 4.4/4.9/5.3 | 4.4/4.9/5.3 | 5.6 | 5.6 4.6 | 3.8 | 3.8 | 4.9 3.3 | 5.2 | 4.5 3.42 | 4.5 |
| 5.4 | 5.4 | 5.4 | 6.3 | 6.3 | 4.2 | 4.2 | 4.2 | 3.66 5.4 | 5.1 | 6.25 |
| 5.4 | 5.4 | 5.4 | 0.3 | 0.3 | 4.2 | 4.2 | 4.2 | 5.4 | 0.1 | 0.23 |
| 2.7 | 2.7 | 2.7 | 2.8 | 2.8 | 2.8 | 2.8 | 2.9 | 2.8 | 2.7 | 2.7 |
| 5.1 | 5.1 | 5.1 | 5.2 | 5.2 | 4.7 | 4.7 | 4.7 | 4.9 | 4.4 | 4.4 |
| 0.8 | 0.8 | 0.8 | 1.3 | 1.3 | 1 | 1 | 0.8 | 1,10° | 0.9 | 0.9 |
| 19.4 / 19 | 19.4 / 19 | 19.4 / 19 | 23.8 / 24.3 | 24.1 | 19 | 19 | 19 | 17 | 16 | 17 |
| 21.5 / 21.1 | 21.5 / 21.1 | 21.5 / 21.1 | 27 / 27.5 | 27.3 | 21.1 | 23.6 | 20 | 18 | 17 | 18 |
| 1x7 - 1x8 / 1x6 - 1x7 | 1x7 - 1x8 / 1x6 - 1x7 | 1x7 - 1x8 / 1x6 - 1x7 | 16x2 / 14x2 | 16x2 | 6x2 | 7x2 | 10 | 8 | 10x2 | 10x2 |
| pre-cocked | pre-cocked | pre-cocked | pre-cocked | pre-cocked | DA & SA |
| 3 Auto | 3 Auto | 3 Auto | 3 Auto | 3 Auto | Manual | Manual | Manual + 1 Auto |
| 6.1 | 6.1 | 10.5 | 6.5 | 6.5 | 6.1 | 6.1 | 6.1 | 4 | 4 | 4 |
| - | - | - | - | - | 13.4 | 13.4 | 17.5 | 11 | 11 | 11 |
| 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | DA: .04 / SA: 0.2 | DA: .06 / SA: 0.2 | DA: .06 / SA: 0.2 |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 2 | 2 |
| | Weaver® | Weaver® | Picatinny / MIL-STD-1913 | Picatinny / MIL-STD-1913 | SIE | Pi | No. 18 To the | Weaver® | Picatinny Style | Picatinny Style |

Please visit our website to browse our wide range of product accessories, special make-ups, promotional items, rebates, and much more.

THE WALTHER LEGENDARY LIFETIME LIMITED WARRANTY

The Walther Legendary Lifetime Limited Warranty gives you absolute confidence in your decision when you purchase a Walther. With Walther, you can rely on the precision of German engineering and the dependability of an American guarantee. Our warranty provides unwavering support for your new firearm and continues for the life cycle of the product as long as the company manufactures and supports it. If you purchase a Walther firearm, it carries its Legendary Warranty regardless of whether or not you are the original purchaser. This warranty covers Walther centerfire and rimfire firearms, produced after 1993 only and does not apply to antique, limited edition or custom firearms.

If your Walther firearm has a defect in materials or workmanship, please contact Walther or return the firearm, postage paid, with a brief description of the problem to us at the following address for a repair or replacement at no cost to you:

Walther Arms, Inc. - 7700 Chad Colley Blvd | Fort Smith, AR 72916

This Warranty does not cover cosmetic blemishes or wear and tear associated with normal use. This warranty does not cover any problems caused by abuse, misuse, or acts of God. This Warranty does not cover defects or damage caused by the use of parts or service not provided by Walther. Walther assumes no liability for consequential, punitive or other damages (except as set forth herein) related to a claim under this warranty. A service and/or handling charge may be required for non-warranty repairs. This warranty applies to the United States of America and covers only firearms currently produced and supported by Walther and distributed by Walther Arms, Inc. in Fort Smith, Arkansas in the United States of America. This warranty does not cover firearms that have been discontinued by Carl Walther or Walther Arms, Inc. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



SERVICE DEPARTMENT

LEGENDARY FIREARMS COME STANDARD WITH LEGENDARY SERVICE

48-HOUR WARRANTY SERVICE TURNAROUND

World class service is provided for our Walther customers by the professional group of gunsmiths and gun techs staffed at our facility in Fort Smith, Arkansas. Our goal is to service your firearm and ship it back to you within 48 hours of arriving at our facility.







To contact customer service please call 479-242-8500 Ext 507 or email customerservice@waltherarms.com.



.22 L.R. Ammo - The Ammunition Counts™

Through top performance and absolute reliability every single RWS rimfire brand product proves daily its superior quality. Whether for international competitions, sport in general, training or for special applications RWS rimfire cartridges invariably stand for the highest reliability and accuracy.



remium

The Premium Line stands for cartridges of the highest quality and performance for high end applications.



The Professional Line identifies highperformance cartridges for competition and training.



The Sport Line comprises solid training cartridges for price conscious shooters.



The Field Line incorporates all cartridges for special applications.



PRODUCT GUIDE - BALLISTIC DATA Velocity FPS Accuracy Examples Bullet Barrel Bullet Chamber Pressure 10 shots / 50 m Item Number Desc. Neight in length/ Muzzle 50 yds 100 yds Style grains mm 2134195 - R 100 .22 L.R. Lead 40 25.600 650 1.080 990 900 Box = 50, Brick = 500 2134187 - R 50 .22 L.R. Lead 40 25.600 650 1083 968 886 Box = 50, Brick = 500 2134225 - Rifle Match .22 L.R. Lead 40 25.600 650 1083 968 886 Box = 50, Brick = 500 Shot group 20 mm Rifle Match 2132478 - Target Rifle .22 L.R. 25.600 886 Lead 40 650 1083 968 Box = 50, Brick = 500 Energy in ft./lbs E₁₀₀ E 2132664 - Subsonic HP Hollow .22 L.R. 40 25.600 650 1034 935 860 129 106 89 Point Box = 50, Brick = 500 .22 L.R. 2132494 - High Vel. HP Lead Hollow 40 25.600 650 1263 1076 961 193 140 112 Box = 50, Brick = 500 Coppered



Musket Caps

| Item No. | Cap# | Finish | Max. Internal Diameter | Min. Height | Count |
|------------------|-------|------------|------------------------|------------------|-------|
| A 2319353 | 1075+ | Ribbed "U" | 4.25 mm, .17 in | 4.20 mm, .17 in. | 250 |
| B 2319357 | 1081 | 4 flanges | 5.60 mm, .23 in. | 6.10 mm, .23 in. | 200 |



Floberts

| Item No. | Type | Caliber | Count | Alex A Street Ballion |
|------------------|-------------------------|-----------|-------|-----------------------|
| © 2130505 | BB Cap (round ball) | .22, 6 mm | 100 | 75.5 |
| D 2130521 | CB Cap (conical bullet) | .22, 6 mm | 100 | |









Sean Dexter

Serving over 20 years as a California Law Enforcement professional, Sean Dexter is the most seasoned veteran of the Walther shooting team and represents Walther in 3-gun. Competing in 3-gun competitions for over 25 years, Sean's experience places him among the top ranked in the heavy optics division among shooters in his class.



Michelle Waldran

Relatively new to competitive shooting, Michelle Waldran represents Walther in 3-gun and picked up the sport while taking a concealed carry course. Her quick target acquisition skills and ability to react quickly landed her sponsorships from industry professionals such as Taran Tactical and others. A spectacular ambassador for action shooting, Michelle is always anxious to share experiences with those new to firearms and the shooting sports.



Scott Lewis

Serving over 20 years as a Arkansas Law Enforcement professional, Scott represents Walther in the IDPA arena. A highly competitive instructor, Lewis has taught several concealed carry courses as well as firearms safety instruction courses. Scott has also represented Walther Arms to local law enforcement at area demonstrations.



Heath Parsons

Shooting since he was eight years old, Heath Parsons represents Walther in the world of production class in the USPSA. Heath holds twelve 1st place open titles from 2015 and is on his way to securing more in 2016. Working together with his son Ayden, Heath is passing on a time honored tradition of teaching his son the value of responsible and competitive marksmanship.



Ayden Parsons

Son of Heath Parsons, Ayden also represents Walther in the world of production class in the USPSA. Ayden began shooting competitively in 2013 and quickly took to the open division of USPSA. In 2015 Ayden captured 11 titles and shows no sign of slowing down in 2016.

WALTHER GEAR

A German Success Story

This book, available in two volumes, was conceived to celebrate the 125-year anniversary of Carl Walther GmbH. This is an amazing combination of history, innovation, and photography. If you are a firearms enthusiast or history buff, this book will be a

valuable addition to your collection.

Walther Dark Chrome Distressed Hoodie 60 percent Cotton 40 percent Polyester.

Walther Dark Chrome Distressed T-Shirt

50 percent Cotton 50 percent Polyester. Available in medium through XXL.

Dark Series™ of Range Accessories

Designed in association with our friends at Tuff[®] products, the Dark Series[™] of Range Accessories by Walther are constructed of 1500 Denier water resistant Cordura® and built to give you the protection your premium firearm deserves.




recreational or beginning shooter. 14 inches wide by 10 inches deep and 7 inches tall. PVC logoed patch and accessory shoulder strap.

Dark Chrome Pistol Rug A slim and stout pistol case that accommodates any of the Walther line of semi automatic pistols. On the inside are 5 magazine pouches on the left sleeve and one large pouch on the right sleeve. 13 inches wide by 9 inches tall with one zippered external pocket and one zippered main closure and PVC logoed patch.

Available in medium through XXL.



Walther Stainless Steel 30 oz. Drink mug





Shadow Series[™] Shooting Cap Constructed of a moisture wicking material with perforated backing and Velcro

adjustable strap. One size fits most. Smooth top and profile with offset stitching and PVC logoed panel.

To order these and other accessories please visit the Walther Store at WALTHERARMS.COM



