

# Using PANTONE Color files

**Note** *For the latest information on color libraries, call Tektronix Customer Support in the U.S. and Canada at 1-800-835-6100. Outside the U.S. and Canada, contact your local Tektronix reseller.*

## **PANTONE Color Files for the Phaser 480X**

<b>Application and version number</b>	<b>PANTONE Color file</b>
<a href="#">Adobe Illustrator 3.0 and 4.02</a>	TEK_480X.AI
<a href="#">PageMaker 5.0</a>	TEK_480X.ACF
<a href="#">CorelDRAW!</a>	TEK_480X.PAL
<a href="#">FreeHand 3.0 and 3.1</a>	TEK_480X.CLB*

\*This file is not shipped with the printer. Check the Tektronix Bulletin Board Service (BBS) for this file, or call Tektronix Customer Support.

## Adobe Illustrator

The *TEK\_480X.AI* file lets you customize PANTONE Colors for Adobe Illustrator and a Phaser 480X printer. This file is application-specific and printer-specific.

### Adobe Illustrator 3.0 and 4.02

1. Locate the *TEK\_480X.AI* file in the *APPLSPEC* directory either on the Phaser 480X CD-ROM (*UTILS* directory) or on the Windows 3.1 Driver and Printer Utilities diskette.
2. Copy the *TEK\_480X.AI* file to your computer's hard disk, for example, to Adobe Illustrator's *Color* directory.
3. Start the Illustrator program.
4. Open the file or image you want to use.
5. From the **File** menu, select the **Open** command.
6. In the dialog box that appears, locate the directory and file location of the *TEK\_480X.AI* file, and open the file.
7. When you are working on an image, use the **Paint** menu and either the **Paint Style** or **Custom Color** commands to select PANTONE Colors.

# Aldus applications

## FreeHand 3.0 and 3.1

The *TEK\_480X.CLB* file is not shipped with the printer. Check the Tektronix Bulletin Board Service (BBS) for this file, or call Tektronix Customer Support.

## PageMaker 5.0

The *TEK\_480X.ACF* file is used by the application to properly specify PANTONE Colors for Aldus PageMaker and the Phaser 480X printer. This file is application-specific and printer-specific.

1. Locate the *TEK\_480X.ACF* file in the *APPLSPEC* directory either on the Phaser 480X CD-ROM (*UTILS* directory) or on the Windows 3.1 Driver and Printer Utilities diskette.
2. Copy the *TEK\_480X.ACF* file to your hard disk.
3. Place the file in the *USENGLSH\COLOR\* directory in the *Aldus* application directory.
4. Start PageMaker.
5. Choose **Element, Define Colors, New, Libraries**, then select the Phaser 480X printer.
6. Click to select desired PANTONE Color swatches.  
To add swatches one at a time, hold down the **Control** key while clicking.  
To select continuous groups, hold down the **Shift** key while clicking.
7. Click OK in three consecutive dialog boxes.
8. The selected colors are available in the **Color Palette** window.

## CorelDRAW!

The *TEK\_480X.PAL* file is used by the CorelDRAW! application to properly specify PANTONE Colors for a Phaser 480X printer. This file is application-specific and printer-specific.

### CorelDRAW! 3

1. Locate the *TEK\_480X.PAL* file in the *APPLSPEC* directory either on the Phaser 480X CD-ROM (*UTILS* directory) or on the Windows 3.1 Driver and Printer Utilities diskette.
2. Copy the *TEK\_480X.PAL* file to your computer's hard disk, for example, to the Corel application's directory.
3. Open CorelDRAW!.
4. Open the document file you want to work in.
5. Select the item you want filled with a Phaser 480X-specific PANTONE Color, then select the **Fill tool** icon (paint bucket).
6. Select the **Uniform Fill** icon (the *pie* in the upper left).
7. In the **Uniform Fill** dialog box, make the following selections:
  - a. Select **CMYK** for the type of **Model**.
  - b. Select **Process** for the type of **Method**.
  - c. Select **Palette**, then select **Load New Palette**.

8. In the **Open Palette** dialog box, make the following selections:
  - a. Select **Palette File (\*.PAL)** for **List Files of Type**.
  - b. Specify the proper directory.
  - c. Select the *TEK\_480X.PAL* file.
  - d. Click **OK**.
  
9. The Phaser 480X-specific PANTONE Colors are available for use.

### CorelDRAW! 4 and 5

1. Locate the *TEK\_480X.PAL* file in the *APPLSPEC* directory either on the Phaser 480X CD-ROM (*UTILS* directory) or on the Windows 3.1 Driver and Printer Utilities diskette.
2. Copy the *TEK\_480X.PAL* file to your computer's hard disk, for example, to the Corel application's directory.
3. Open CorelDRAW!.
4. Open the document file you want to work in.
5. Select the item you want filled with a Phaser 480X-specific PANTONE Color, then select the **Fill tool** icon (paint bucket).
6. Select the **Uniform Fill** icon (the *pie* in the upper left).
7. In the **Uniform Fill** dialog box, make the following selections:
  - a. Select **CMYK Color Model** for **Show**.
  - b. Select **Custom Palette** and click **Open**.

8. In the **Open Palette** dialog box, make the following selections:
  - a. Select **Process Palette** for **List Files of Type**.
  - b. Specify the proper directory.
  - c. Select the *TEK\_480X.PAL* file.
  - d. Click **OK**.
9. In the **Uniform Fill** dialog box, **Custom Palette** should read *TEK\_480X.PAL*. Click **OK**.
10. The Phaser 480X-specific PANTONE Colors are available for use.