

# DAQUISITION Software Suite

**Integrated Data Acquisition Software Package** 

Bulletin 04L00L00-01E

www.yokogawa.com/ns/daqworx/




# DAQUIVORX An Integration of YOKOGAWA Recorders, Data Loggers, Data Acquisition Software Suite Controllers, and Measuring Instruments

# **Connects a Wide Range of Devices**

Connect up to 32 of Yokogawa's major data acquisition instruments or controllers\*. \*Certain models allow only up to 16 connections.



μR1000/μR1800/VR100/VR200














Highly Reliable Data Logging Software

 Build integrated acquisition and monitoring systems comprising diverse models, all without programming.



# ■ Data Logging and Monitoring


• High speed data acquisition and monitoring on up to 1600 channels (1 second intervals\*)

LOGGER

- Assign up to 50 groups of 32 channels for monitoring A wide variety of monitor displays available

①Analog trend display ②Digital value display ③Meter display ④Alarm overview display Meter display

\* Performance may differ depending on number of units and channels connected, communication interface, and other factors.



# ■ Waveform Viewer and **Assorted Utilities**

- Redisplay saved data in trend graphs or as numerical values
- Statistical processing over a cursor-specified area
   Writing of marks (arbitrary character strings) at specified
- Search displayed data for alarms, marks, and other points
- Printing and conversion of data to Excel and other formats
   Online editing of data acquisition instrument settings \*
- \* Excluding instruments connected via Gate software

### ■ More Reliable Continuous Acquisition ■ Save and Load Acquisition Setups

- Save acquisition setups as arbitrarily named "Projects", and easily switch between projects
  - Password protection function prevents mishandling of data

New.

# ■ More Reliable **Continuous Acquisition**

• Data file power failure protection function

Communication disconnection automatic recovery function

## **Events**

- Alarms
- Fixed time intervals
- Data file complete Report complete
- Disconnect/recovery
- User operation Data value

### When an event is detected, a file is created and/or a previously specified process is executed

## **Files**

- Data files
- Report files Image files
- Messages

## **Processes**


- E-mail transmission
- FTP transmission
- File conversion
- HTML format output




Сору...

# **High Added-Value Software**

Expand acquisition and monitoring functionality with Add-on software.







# **AddObserver**

DAQLOGGER

AddMulti

• Easily create monitor screens with a large selection of display objects (trends,

Thinning recording

meters, thermometers, etc.)

• Enables setting of SP values, switching between Run and Stop, and other

operations on the connected controllers

Displays images from Web cameras (JPEG still images)

Enables simultaneous remote monitoring from up to 16 locations (using the

Run-Time monitor)





## **Main Functions**


MIX

LOGGER

- Connects up to 20 MX100s for acquisition on up to 1200 channels collectively
  Operate test units with up to four types of analog waveform (pattern/manual) output and up to four types of contact manual output.
  Supports multi-interval operation (3 intervals) for highly efficient recording of a variety of signals from temperature to high speed phenomena.
  Taking advantage of the power of the PC, the software offers a variety of real time calculations (240 channels)
  Saved data can be redisplayed, printed, converted to Excel format, and manipulated in other ways. other ways
- other ways.

  When combined with AddMulti/AddTrigger, you can perform trigger event recording and recording on individual groups at 24 ch/10 ms, 60 ch/100 ms, or 240 MATH ch/100 ms.

  With AddObserver, you can display data in X-Y graphs or alarm summaries.







- High speed data acquisition (as fast as 0.5 seconds) on 360 channels (including MATH channels)
   Supports Ethernet/RS-232/RS-422/RS-485/GP-IB

# DAQEXPLORER

DAOSTATION/MobileCorder Management Software

## **Main Functions**

- Centrally manage up to 16 units of the DAQSTATION or MobileCorder (excluding the DX100P/DX200P)
   Recording START/STOP, real time monitoring
   Display data files in the instrument's internal memory or on external media in a list, and easily transfer them to a PC by dragging them with a

DAO


EXPLORER

0 0 0

- mouse. Data files can be redisplayed, printed, converted to Excel format, and manipulated in other
- ways.

   Monitor internal memory at regular intervals, automatically transfer files, and automatically convert files to Excel and other formats.

   Online editing of instrument settings.
- With AddObserver, you can flexibly design your own easy-to-read monitor screens.





# DataBrowser File Searching and Waveform Display Software

DAQ Desktop

- Search for data files on the PC by date, tag name, or other criteria
- Display found waveforms simultaneously regardless of the model or recording interval

Supported Models: DX100/200, CX, MV100/200, MX100Standard/MXLOGGER, DAQLOGGER/AddMulti/AddTrigger

### ●PC System Requirements (\* See the specification sheet for details)

Oparating System
 Microsoft Windows 2000 Professional, Windows XP Home Edition, or Professional, Windows Vista Home Premium 32bit, or Busine
 Microsoft Windows 2000 Professional, Windows XP Home Edition, or Professional, Windows Vista Home Premium 32bit, or Busine
 Processor and Main Memory (for Desktop PCs)
 2000XP: Intel Pentium 4 2.4GHz or faster, 256MB or more (Pentium 4 1.6GHz or faster, 512MB or more recommended)
 Vista: Intel Pentium 4 2.4GHz or faster, 1GB or more (Pentium 4 3.0GHz or faster, 2GB ore more recommended)
 Waster of the Pentium 4 2.4GHz or faster, 1GB or more (Pentium 4 3.0GHz or faster, 2GB ore more recommended)
 Waster of the System of the Syste

Other
CDHON drive, sound source (sound board), speaker, A4 printer (color recommended), Ethernet or another of the various rommunication interfaces

## ●List of License and Model Codes for Integrated Packages

Model/Suffix Code		Description	Note
WX101		DAQLOGGER	Integrated data acquisition software, connect up to 32units 1600ch, highest measurement interval of tsec Supported models> DAQSTATION DX/CX, MVAdvanced/MobileCorder MV, DARWIN DA/DC/DR, Chart recorder µR1000/1800, View recorder VR, Gate software
WX81		DAQLOGGER Client	DAQLOGGER/MXLOGGER Client Monitor
WX1*		GateDX-P GateuR	DAQSTATION DX100P/DX200P (Style S4 or later) interface (connect up to 16 units) Industrial chart recorder µR10000/µR20000 interface (connect up to 16 units)
		GateMX/MW	DAQMASTER MX100/MW100 (for the MW100, firmware R2.11 or later only) interface (connect up to 32 units)
		GateCONTROL	Control product interface (connect up to 32 units)  - «Supported models» Temperature Controller UT100 series, Indicating Controller  UT3c0/32/1360/35/1420/450/320/550/55/1750, US1000, Program Controller  UP3c0/32/1360/35/150/150, Indicator with Alarms UM330/331/350/351, Signal Conditioner VJ  U7/57/A7/H7/PG/70/30/X7, Digital Limit Alarms WH HK/PK/TK
		GateWT	Power meter WT100/200/1000/2000/1600 interface (connect up to 16 units)
		GateOPC	OPC DA Server interface (connect up to 16 servers)* Browse function required.
		GateMODBUS	Modbus RTU/TCP interface (up to 300 tags)
		GateEye*	Web camera (still JPEG) interface (connect up to 4 units)
WX11		AddObserver	Add-on software for monitoring using user-created screens (with builder)
WX83		AddObserver Runtime	Add-on software for monitoring using user-created screens (run-time)
WX12		AddMulti	Data acquisition add-on software for recording by groups (32ch x 50groups)
WX13		AddTrigger	Data acquisition add-on software with various condition triggers
WX201		DataBrowser	Advanced file searching and waveform viewing software
Options	/NCD	License sheet only	Product CD-ROM, manual CD-ROM, and Installation & Operation Guide not included

With each WX1 license you can launch one Gate software application. A separate WX1 license must be purchased for each Gate progrou wish to run simultaneously (up to five). Note that multiple instances of the same type of Gate program cannot be run on the same PC GateEye is used by connecting to AddObserver.

The various control products may not be connectable depending on the date of manufacture. See the specification sheet for details.



Please read all relevant users manuals for correct and safe operation of instruments.

# YOKOGAWA

YOKOGAWA ELECTRIC CORPORATION

Network Solutions Business Div./Phone: (81)-422-52-7179, Fax: (81)-422-52-6619 E-mail: ns@cs.jp.yokogawa.com

YOKOGAWA CORPORATION OF AMERICA YOKOGAWA EUROPE B.V.

YOKOGAWA ENGINEERING ASIA PTE. LTD.

Phone: 800-888-6400, Fax: (1)-770-251-6427 Phone: (31)-33-4641806, Fax: (31)-33-4641807 Phone: (65)-62419933, Fax: (65)-62412606

●List of License and Model Codes for Product Specific Packages

Model/Suffix Code		Description	Note			
WX102 WX82		DAQ32Plus DAQ32Plus Client	Data acquisition software for DARWIN (single connection) DAG32Plus Client Monitor			
WX103 WX81		MXLOGGER DAQLOGGER Client*	Data acquisition software for DAQMASTER MX100 (connect up to 20 units)  DAQLOGGER/MXLOGGER Client Monitor			
WX104		DAQEXPLORER	Software for DAQSTATION DX/CX, MobileCorder MV (connect up to 16 units)			
WX11		AddObserver	Add-on software for monitoring using user-created screens (with builder)			
WX83		AddObserver Runtime	Add-on software for monitoring using user-created screens (run-time)			
WX12		AddMulti*	Data acquisition add-on software for recording by groups (32ch x 50groups)			
WX13		AddTrigger*	Data acquisition add-on software with various condition triggers			
WX201		DataBrowser	Advanced file searching and waveform viewing softwareAdvanced file searching and waveform			
Options	/NCD	License sheet only	Product CD-ROM, manual CD-ROM, and Installation & Operation Guide not included			
* Restri	* Restrictions on the number of hardware connections and the acquisition interval apply when using MXLOGGER in combination with					

AddMulti, AddTrigger, and DAQLOGGER Client. For more information, please visit our Web site (http://www.yokogawa.com/ns/) or contact

●List of License and Model Codes for Upgrades

Model/Suffix Code		Description	Applicable models★		
WX101UP		DAQLOGGER upgrade	DAQLOGGER R3/R4/R5/R6 -> R7 latest release		
WX102UP		DAQ32Plus upgrade	DAQ32Plus R9/R10 -> R11 latest release		
WX103UP		MXLOGGER upgrade	MXLOGGER R1 -> R2 latest release		
WX104UP		DAQEXPLORER upgrade	DAQEXPLORER R1/R2/R3 -> R4 latest release		
WX11UP		AddObserver upgrade	DAQOBSERVER/AddObserver R1/R2/R3 -> R4 latest release		
WX12UP		AddMulti upgrade	AddMulti R1 -> R2 latest releaseAddMulti R1 -> R2 latest release		
Options	/NCD	License sheet only	Product CD-ROM, manual CD-ROM, and Installation & Operation Guide not included		
* The following upgrades must be purchased as full products (no discount upgrade options available): DAQLOGGER Client (R3/R4/R5/R6->R7 latest release), DAQ32Plus Client (R9/R10 -> R11 latest release), DAQOBSERVER/AddObserver Runtime (R1/R2/R3 -> R4 latest					

For release upgrades from older versions other than the above, please contact your Yokogawa representative NCD:When ordering DACWORX model WX\_\_\_, the package includes the ordered quantity's worth of product CD-ROMs, manual CD-ROMs, and Installation & Operation Guides plus the license sheet. The CD-ROMs and Installation & Operation Guides are the same, therefore if multiple copies are not needed, please specify the /NCD opinion (WX\_\_\_/NCD) for all but the first item.

## ●Free Revision Upgrade

- Free HeVision Upgrade Customers with the latest version of the license (see table below) can upgrade to the latest release (obtain a "revision upgrade") of the software through one of the following methods.
  Finding the latest edition of the OALWORK CO-HOM obtained when purchasing other additional software. Otherwise, you can also put the CD-HOM medium only (model 89991 WB).
  Fowmised the upgrade from the Product Registration members page on our company's Web site (http://www.yokogawa.com/ris/daqwor.

List of versions eligible for the free revision upgrade

DAQLOGGER/DAQLOGGER Client: R7, Gate software: All, DAQ32Plus/DAQ32Plus Client: R11, MXLOGGER: R2, DAQEXPLORER: R4 AddObserver/AddObserver Runtime: R4, AddMulti: R2, AddTrigger: R1, DataBrowser: R1

Yokogawa, DAOWORX, DAOSTATION, DAOMASTER, and MobileCorder are registered trademarks of Yokogawa Electric Corporation. Microsoft, Windows, Windows Vista, and Excel are registered trademarks or trademarks of Microsoft Corporation. Lotus is a registered trademark of International Business Machines Corporation. Intel and Peritum are registered trademarks of Intel Corporation. OPC is a trademark of OPC Foundation.

Modbus is a registered trademark of Schender Automation Inc.

Modbus is a registered trademark of Schender Automation Inc.

Other companylyroduct names are registered trademarks or trademarks of their respective companies.

\*as of March 17, 2008

Subject to change without notice. [Ed:04/b] Copyright ©2006 Printed in Japan, 804(KP)



NetSOL Online Sign up for our free e-mail newsletter www.yokogawa.com/ns/

RS-16F