

Cables & Adapters

Table of Contents:

Studio One Cables	3
Instrument / Patch Cables	4-5
Microphone Cables	6-7
PA / Studio Specialty Cables	8-12
Digital / Midi / Computer Cables	13-14
Specialty Cables	15-17
Snake Boxes / Fan Snakes	17-19
The Speaker System - Cable Issues	19
Audio Adaptors	20-21
Speaker Cables	22-23
Power Cords / Accessory Packages	24
Connectors	25-27

Studio One Premium Audio Cables

Studio One cables deliver unmatched reliability with uncommon clarity and tone. High quality Amphenol connectors with the patented 'Jaws' internal strain relief system ensure the Studio One cable ends will not fail even during the most enthusiastic of live performances. The cable itself is designed around the 18-gauge center conductor that guarantees transparent signal transfer from source to mixer or amplifier. A rugged ultra-flexible PVC cable jacket and pure copper braided shielding ensure your sound makes it to the mix night after night without additional background noise.



Studio One cables deliver unmatched reliability with uncommon clarity and tone.




High Quality die-cast Amphenol 1/4-inch Phono Connector with Ergonomic grip



Patented 'Jaws' cable clamp internal strain relief to preserve solder connection



Pure copper braided shielding with minimum 95% coverage



Increased solder area on internal contacts



Precision machined contacts for exact positive connection



Ultra flexible matte jacket PVC cable jacket



18 gauge center conductor


Yorkville Studio One 18-gauge Instrument & Patch Cables

Straight Conr	nectors	
PC-3S1	3 ft.	1/4-inch to 1/4-inch Amphenol Straight Connectors
PC-6S1	6 ft.	1/4-inch to 1/4-inch Amphenol Straight Connectors
PC-10S1	10 ft.	1/4-inch to 1/4-inch Amphenol Straight Connectors
PC-15S1	15 ft.	1/4-inch to 1/4-inch Amphenol Straight Connectors
PC-20S1	20 ft.	1/4-inch to 1/4-inch Amphenol Straight Connectors


Instrument / Patch Cables

Apex Economy Vintage Instrument Cables

Deluxe 1/4-inch to 1/4-inch Connectors w/ Strain Relief - Black & Red Fabric Covering*



Deluxe 1/4-inch to 1/4-inch Connectors w/ Strain Relief - Turquoise & Purple Fabric Covering*



Yorkville 20-gauge Vintage Instrument Cables

Premium 1/4-inch to 1/4-inch Connectors w/ Heat Shrink Strain Relief - Brown & Yellow Tweed Covering*

Straight Connectors	Straight to Right Angle Connec	tors
PC-3V 3 ft. PC-6V 6 ft. PC-10V 10 ft. PC-15V 15 ft. PC-20V 20 ft. PC-25V 25 ft. PC-30V 30 ft.	PC-1VA 1 ft. PC-10VA 10 ft. PC-20VA 20 ft. *See colour chart on back cover	


Yorkville Silent Switch 24-gauge Instrument Cable

1/4-inch to 1/4-inch Premium Connectors


Straight Connectors	Straight to Right Angle Connectors	
PC-10Q 10 ft. PC-20Q 20 ft.	PC-10Q90 10 ft. PC-20Q90 20 ft.	

Apex Economy Instrument & Patch Cable


1/4-inch to 1/4-inch Straight Connectors



AGC320 20 ft. - Chrome Connector




AGC410 10 ft. - Brass Connector AGC420 20 ft. - Brass Connector



Yorkville Standard 20-gauge Instrument & Patch Cables

1/4-inch to 1/4-inch Neutrik(tm) Straight Connectors




Yorkville Professional 24-gauge Instrument & Patch Cables

1/4-inch to 1/4-inch Premium Connectors w/ Heat Shrink Strain Relief

	Straight Connectors	Straight to Right Angle Connectors	
Torkand	PC-1 1 ft. PC-2 2 ft. PC-3 3 ft. PC-6 6 ft.	PC-10A 10 ft. PC-15A 15 ft. PC-20A 20 ft.	PHIANIGH PS
	PC-10 10 ft. PC-15 15 ft. PC-20 20 ft.	Right Anle to Right Angle Connectors	1
	PC-30 30 ft.	PC-1A 6-inch	

Yorkville Deluxe 22-gauge Instrument & Patch Cables

1/4-inch to 1/4-inch Amphenol Straight Connectors




Yorkville Premium 18-gauge Canare(tm) Instrument & Patch Cables

1/4-inch to 1/4-inch Neutrik(tm) NP2C Connectors

Straight Connectors	Straight to Right Angle Connectors	
GC-3C 3 ft. GC-6C 6 ft. GC-10C 10 ft. GC-20C 20 ft.	GC-10C90 10 ft. GC-20C90 20 ft.	

Yorkville Studio One 18-gauge Instrument & Patch Cables

1/4-inch to 1/4-inch Amphenol Straight Connectors



Microphone Cables

Apex Economy XLR to XLR Microphone Cables

XLR to XLR Connectors



XLR to XLR Connectors

A105MC 5 ft. A110MC 10 ft. A120MC 20 ft.

Yorkville Economy XLR to XLR Microphone Cables

XLR to XLR Microphone Cables w/Black Connectors



XLR to XLR w/Black Connectors

MC-5B 5 ft. MC-15B 15 ft. MC-25B 25 ft. MC-50B 50 ft.

Yorkville Standard XLR to XLR Microphone Cables

XLR to XLR Premium Switchcraft(tm) Connectors w/ Heat Shrink Strain Relief



XLR to XLR Connectors

MC-5 5 ft. MC-20 20 ft. MC-50 50 ft.

Yorkville Deluxe XLR to XLR Microphone Cables

XLR to XLR Microphone Cables w/ Neutrik(tm) Connectors



XLR to XLR Connectors

MC-25N 25 ft. MC-50N 50 ft.

XLR to XLR Connectors w/ integrated on/off switch

MC-25NSW 25 ft.

Yorkville Premium XLR to XLR Microphone Cables

XLR to XLR Microphone Cables - 4-wire Canare(tm) cable w/ Neutrik(tm) Connectors



XLR to XLR Connectors

MC-25C 25 ft.

MC-25CBL 25 ft. w/ Blue Coloured Cable

Apex XLR (female) to 1/4-inch Microphone Cable

XLR (female) to 1/4-inch Microphone Cable w/ molded ends

XLR (female) to 1/4-inch

A105PXF 5 ft. A110PXF 10 ft. A120PXF 20 ft.

Apex XLR (male) to 1/4-inch (male) Microphone Cable

XLR (male) to 1/4-inch (male) Microphone Cable w/ molded ends



XLR (male) to 1/4-inch (male)

A105PXM 5 ft. A110PXM 10 ft. A120PXM 20 ft.

Yorkville Deluxe XLR (female) to 1/4-inch Microphone Cable

XLR (female) to 1/4-inch Microphone Cable



XLR (female) to 1/4-inch

MC-20HN 20 ft.

Apex XLR to 1/4-inch Low to High Impedance Transformer Cables

1/4-inch Low to High Impedance Transformer Microphone Cables & Adaptors







AA38 XLR male to mono 1/4-inch female - connector

AA39 XLR female to 1/4-inch male - connector

AA14 XLR female to 1/4-inch male - 6-inch cable version

PA / Studio Specialty Cables

Yorkville Premium XLR to 1/4-inch Low to High Impedance Transformer Cables

XLR to 1/4-inch Low to High Impedance Transformer Microphone Cables w/ Neutrik(tm) Connectors



XLR to 1/4-inch

LHNT-1 1ft. LHNT-25 25ft.

Apex Balanced Patch Cables

Molded TRS 1/4-inch to TRS 1/4-inch Connectors




Single Connectors

A103SS 3 ft. A106SS 10 ft. A110SS 20 ft.

6 ft.

Yorkville Balanced Patch Cables

Premium TRS 1/4-inch to TRS 1/4-inch Connectors



Single Connectors Dual Connectors PC-3ST 3 ft.

PC-10ST2 10 ft. PC-20ST2 20 ft.



Apex Patch Cables

XLR to TRS 1/4-inch - Molded Connectors




XLR female to 1/4-inch TRS male XLR male to 1/4-inch TRS male A105SXM 5 ft. A105SXF 5 ft.

A110SXF 10 ft. A110SXM 10 ft. A120SXF 20 ft. A120SXM 20 ft.



Yorkville Balanced Patch Cables

Premium XLR to TRS 1/4-inch Connectors




Apex RCA to RCA Dual Cables

RCA to RCA Dual Cables

Dual Connectors A203RR 3 ft. 2x RCA male to 2x RCA male A206RR 6 ft. 2x RCA male to 2x RCA male A210RR 10 ft. 2x RCA male to 2x RCA male A215RR 15 ft. 2x RCA male to 2x RCA male A220RR 20 ft. 2x RCA male to 2x RCA male


Yorkville 24-gauge Premium RCA to RCA Patch Cables

24-gauge Premium RCA to RCA Patch Cables*




Apex Patch Cables

RCA to 1/4-inch - Molded Ends



Yorkville Patch Cables


RCA to 1/4-inch Patch Cable w/ Premium Ends*



PA / Studio Specialty Cables


Apex Patch Cables

RCA to XLR w/ Molded Ends



Yorkville Patch Cables

RCA to XLR w/ Premium Ends




Apex Insert Cables

1/4-inch TRS to 2 x 1/4-inch w/ Molded Ends

RCA male to XLR female A203SPY 3 ft. 1/4-inch TRS male to 2x 1/4-inch male - molded ends A206SPY 6-ft. 1/4-inch TRS male to 2x 1/4-inch male - molded ends A210SPY 10 ft. 1/4-inch TRS male to 2x 1/4-inch male - molded ends A215SPY 15 ft. 1/4-inch TRS male to 2x 1/4-inch male - molded ends

Yorkville Insert Cables

1/4-inch TRS to 2x 1/4-inch premium ends



Apex Insert Cables - Other

1/4-inch TRS male to 1x XLR male / 1x XLR female - molded ends



A210SXY 10 ft. - 1/4-inch TRS male to 1x XLR male / 1x XLR female - molded ends

Apex Insert Cables

1/4-inch TRS to 2x RCA w/ Molded Ends



1/4-inch TRS to 2x RCA

A203SRY 3 ft. 1/4-inch TRS male to 2x RCA male - molded ends A206SRY 6 ft. 1/4-inch TRS male to 2x RCA male - molded ends A210SRY 10 ft. 1/4-inch TRS male to 2x RCA male - molded ends A215SRY 15 ft. 1/4-inch TRS male to 2x RCA male - molded ends

Yorkville Insert Cables - Other
















	Model	Length	Configuration
	MC-1YF	1 ft.	'Y' cable - 1x XLR male to 2x XLR female - premium ends
	MC-1YM	1 ft.	'Y' cable - 1x XLR female to 2x XLR male - premium ends
	PC-10ISMP	10 ft.	1/8-inchstereo male to 2x 1/4-inch male - premium ends
	PC-10ISMPS	10 ft.	1/8-inchstereo male to 2x 1/4-inch TRS male - premium ends
	PC-10ISMXM	10 ft.	1/8-inchstereo male to 2x XLR Male - premium ends
ź	PC-10ISXMP4	10 ft.	4x 1/4-inch TRS male to 4x XLR female & 4x XLR male - premium ends
(PC-6ISXPM	6 ft.	1/4-inch TRS male to 1x XLR male and 1x XLR

PA / Studio Specialty Cables



















































Digital / Midi / Computer Cables



S/PDIF RCA to RCA Cables 75ohm w/ Molded Connector

A106SPD 6 ft.



S/PDIF / RG59 Coax BNC to BNC Cables 75ohm w/ Molded Connector A106BNC 6 ft.

A110BNC 10 ft.



S/PDIF RCA to RCA Cables 750hm w/ Premium Connectors

PC-10SPD 10 ft.

PC-15SPD 15 ft.

Apex Toslink Fiber Optic Cable



Toslink Fiber Optic Cable

A103F0 3 ft. A106F0 6 ft. A110F0 10 ft.


Apex 6-pin FireWire Cables



6-pin FireWire Cables

A105FW66 5 ft. A110FW66 10 ft. A115FW66 15 ft.

Apex USB Cables




A105U 5 ft. A110U 10 ft. A115U 15 ft.



Digital / Midi / Computer Cables


Apex Midi Cables

Midi to Midi



Yorkville Universal Sound Card Midi Cables


DB15M/DB15F to Midi




Specialty Cables

Apex Headphone Extension Cables

Stereo 1/4-inch TRS male to stereo 1/4-inch TRS female



Apex A/V Cables



Apex Dual Mono 1/4-inch Cables

Dual Mono 1/4-inch to Dual Mono 1/4-inch Cables

Mono to Mono

A203PP 3 ft. 2x 1/4-inch male to 2x 1/4-inch male A206PP 6 ft. 2x 1/4-inch male to 2x 1/4-inch male


A210PP 10 ft. 2x 1/4-inch male to 2x 1/4-inch male

A215PP 15 ft. 2x 1/4-inch male to 2x 1/4-inch male

A220PP 20 ft. 2x 1/4-inch male to 2x 1/4-inch male


A203PPY 3 ft. 1/4-inch male to 2x 1/4-inch male

A206PPY 6 ft. 1/4-inch male to 2x 1/4-inch male



Apex Dual Stereo 1/4-inch Cables

Dual Stereo 1/4-inch to Dual Stereo 1/4-inch Cables



A210SS 10 ft. 2x stereo 1/4-inch male to 2x stereo 1/4-inch male

Apex Stereo 1/4-inch to RCA Cables

Stereo 1/4-inch to RCA Cables



A203PRY 3 ft. 1/4-inch male to 2x RCA male

A206PRY 6 ft. 1/4-inch male to 2x RCA male

Apex Stereo 1/8-inch to Stereo 1/8-inch Cables

Stereo 1/8-inch to Stereo 1/8-inch Cables




A103MM $\,$ 3 ft. stereo 1/8-inch male to stereo 1/8-inch male

LEVEL

A106MM 6 ft. stereo 1/8-inch male to stereo 1/8-inch male A110MM 10 ft. stereo 1/8-inch male to stereo 1/8-inch male

A120MM $\,$ 20 ft. stereo 1/8-inch male to stereo 1/8-inch male

A120MMF 20 ft. stereo 1/8-inch male to stereo 1/8-inch female



Specialty Cables

Apex Mono 1/8-inch to Mono 1/4-inch Cables

Mono 1/8-inch to Mono 1/4-inch Cables



A106MMP 6 ft. 1/8-inch male to 1/4-inch male A110MMP 10 ft. 1/8-inch male to 1/4-inch male

A108MMPF 8' 1/8-inch male to 1/4-inch female (no blister packaging)



Apex Stereo 1/8-inch to 1/4-inch Cables

Stereo 1/8-inch to 1/4-inch Cables



A103MP 3 foot - stereo 1/8-inch male to 1/4-inch male A106MP 6-foot - stereo 1/8-inch male to 1/4-inch male

Apex Stereo 1/8-inch to 2x 1/4-inch Cables

Stereo 1/8-inch to 2x 1/4-inch Cables



A203MPY 3 ft. stereo 1/8-inch male to 2x 1/4-inch male A206MPY 6 ft. stereo 1/8-inch male to 2x 1/4-inch male A210MPY 10 ft. stereo 1/8-inch male to 2x 1/4-inch male

Apex Stereo 1/8-inch to Stereo 1/4-inch Cables

Stereo 1/8-inch to Stereo 1/4-inch Cables



A103MS 3 ft. stereo 1/8-inch male to stereo 1/4-inch male A106MS 6 ft. stereo 1/8-inch male to stereo 1/4-inch male A110MS 10 ft. stereo 1/8-inch male to stereo 1/4-inch male

Apex Stereo 1/8-inch to XLR Cables

Stereo Right Angled 1/8-inch to XLR Cables



A103MXF 3 ft. stereo right angled 1/8-inch male to XLR female A106MXF 6 ft. stereo right angled 1/8-inch male to XLR female

Apex Stereo 1/8-inch to 2x RCA Cables

Stereo 1/8-inch to 2x RCA Cables



A203MRY 3 ft. stereo 1/8-inch male to 2x RCA male A206MRY 6 ft. stereo 1/8-inch male to 2x RCA male A210MRY 10 ft. stereo 1/8-inch male to 2x RCA male

Snakes

Yorkville PA Snakes







1	Model	Length	Configuration	
	SN-164P	100 ft.	Snake w/16 XLR microphone channels plus 4 TRS 1/4-inch returns - metal stage box - wire mesh cable grips	
	SN-164X	100 ft.	Snake w/16 XLR microphone channels plus 4 XLR returns - metal stage box - wire mesh cable grips	
	SN-244X	100 ft.	Snake w/24 XLR microphone channels plus 4 XLR returns - metal stage box - wire mesh cable grips	
				_

Yorkville PA Snakes w/ Speaker Returns





Model	Length	Configuration
SN-822P	100 ft.	Snake w/8 XLR microphone channels, 2 TRS 1/4-inch returns, 2 x 14AWG Speaker returns, metal stage box
SN-1222P	100 ft.	Snake w/12 XLR microphone channels, 2 TRS 1/4-inch returns, 2 x 14AWG Speaker returns, metal stage box
SN-1622P	100 ft.	Snake w/16 XLR microphone channels, 2 TRS 1/4-inch returns, 2 x 14AWG Speaker returns, metal stage box
SN-1624P	100 ft.	Snake w/16 XLR microphone channels, 2 TRS 1/4-inch returns, 4 x 14AWG Speaker returns, metal stage box
	SN-822P SN-1222P SN-1622P	5N-822P 100 ft. 5N-1222P 100 ft. 5N-1622P 100 ft.

Snakes


Apex Fan Snakes









Model	Length	Configuration
A806PP	6 ft.	8x mono 1/4-inch male to 8x mono 1/4-inch male - fan snake
A810PP	10 ft.	8x mono 1/4-inch male to 8x mono 1/4-inch male - fan snake
A806PR	6 ft.	8x mono 1/4-inch male to 8x RCA male - fan snake
A810PR	10 ft.	8x mono 1/4-inch male to 8x RCA male - fan snake
A806RR	6 ft.	8x RCA male to 8x RCA male - fan snake
A810RR	10 ft.	8x RCA male to 8x RCA male - fan snake






Model	Length	Configuration
A806SS	6 ft.	8x stereo 1/4-inch male to 8x stereo 1/4-inch male - fan snake
A810SS	10 ft.	8x stereo 1/4-inch male to 8x stereo 1/4-inch male - fan snake
A810SPY	6 ft.	8x mono 1/4-inch male to 4x stereo 1/4-inch male - fan snake - grouped in pairs





	Model	Length	Configuration
	PC-10PR8	10 ft.	8-channel - 1/4 - inch- RCA fan snake
	PC-10RR8	10 ft.	8-channel - RCA-RCA fan snake
`			

Yorkville Fan Snakes







1	Model	Length	Configuration
	PC-6STPP8 PC-10STPP8	6 ft. 10 ft.	8-channel - 1/4-inch TRS- 1/4-inch TRS fan snake - balanced 8-channel - 1/4-inch TRS - 1/4-inch TRS fan snake - balanced
	PC-10STX8F	10 ft.	8-channel - XLR female - 1/4-inch TRS fan snake - balanced
	PC-10STX8M	10 ft.	8-channel - XLR male - 1/4-inch TRS fan snake - balanced
	PC-10STX8F	10 ft.	8-channel - XLR female - 1/4-inch TRS fan snake - baland

The Speaker System

Cable Issues

The quality and quantity of speaker cable is a real factor in determining a system's overall impedance. Cable presents the overall load with additional resistance. It is even possible for speaker cable to add inductance.

{TIP - In certain rare cases you might find that coiling a speaker cable the right way can get rid of radio frequency interference. Occasionally, the speaker lines effectively pick up powerful radio signals. This interference then goes back into the amplifier's grounding, is amplified and comes out the speaker system. In a few instances, it has been reported that winding the cables into coils and taping them in place actually helped to reduce the problem.}

Resistance, however, is the main additive and it varies in direct proportion to the gauge and length of the wire. The effect that it has on the system's impedance is easy to chart out; what we offer instead is the effect that cable has on the amplifier's delivered power. The reason we do this is that the percentage of power loss varies, not only according to the length and gauge of wire, but also according to the speaker impedance. As you will notice in the "CABLE LOSS CHART" the lower the speaker load, the higher the loss.

For obvious reasons, it makes sense to pay attention to what speaker cable you are using. In general, the less wire, the better. The heavier the gauge, the better. We suggest that you look over the "CABLE LOSS CHART" and spend some time studying it. Proper speaker cable selection could dramatically improve your system performance!!

Wire Gauge (AWG)	length (ft.)	speaker load (Ohms)	power loss (% of watts)
18	25	8Ω	6.82 %
16	25	8	4.35
14	25	8	2.75
12	25	8	1.67
18	50	8	12.94
16	50	8	8.41
14	50	8	5.39
12	50	8	3.29
18	100	8	23.44
16	100	8	15.76
14	100	8	10.34
12	100	8	6.41
18	25	4	12.94
16	25	4	8.41
14	25	4	5.39
12	25	4	3.9
18	50	4	23.44
16	50	4	15.76
14	50	4	10.34
12	50	4	6.41
18	100	4	39.33
16	100	4	27.94
14	100	4	19.10
12	100	4	12.21
18	25	2	23.44
16	25	2	15.76
14	25	2	10.34
12	25	2	6.41
18	50	2	39.33
16	50	2	27.98
14	50	2	19.10
12	50	2	12.21
18	100	2	58.95
16	100	2 2	45.43
14	100		33.08
12	100	2	22.24




Apex Audio Adaptor Cables

*See colour chart on back cover



1 ft. - RCA male to RCA male (8 pc package)



1 ft. - mono 1/4-inch male to mono 1/4-inch male (8 pc package)




1 ft. - stereo 1/4-inch male to stereo 1/4-inch male (8 pc package)



18-inch - stereo 1/4-inch male to stereo 1/4-inch male (8 pc package)



6-inch - Angle-Angle w/ molded ends - (was PC-6AM) (6 pc package)



6-inch - Angle-Angle w/ chrome ends (was PC-6AC)



6-inch - stereo 1/4-inch female to angled stereo 1/8-inch male



6-inch - mono 1/4-inch female to stereo 1/8-inch male



1 foot - XLR female to angled stereo 1/8-inch male



6-inch - mono 1/4-inch female to Speakon - 16AWG



6-inch - mono 1/4-inch female to Dual Banana - 16AWG

Apex Audio Adaptors



mono 1/4-inch female to mono 1/4-inch female adaptor (2 pc package)



mono 1/4-inch female to mono 1/4-inch female adaptor (6 pc package)



mono 1/4-inch female to angled mono 1/4-inch male adaptor



mono 1/4-inch female to mono 1/8-inch male adaptor



mono 1/4-inch male to Offset 1/4-inch male adaptor crank plug



mono 1/4-inch male to angled RCA female adaptor (2 pc package)



stereo 1/4-inch female to angled stereo 1/4-inch male adaptor



stereo 1/4-inch female to stereo 1/8-inch male adaptor



XLR female to XLR female adaptor



XLR female to 1/4-inch stereo female adaptor




XLR female to stereo 1/4-inch male adaptor



XLR female to RCA female adaptor

Apex Audio Adaptors




XLR female to RCA male adaptor



XLR male to XLR male adaptor



XLR male to 1/4-inch stereo male adaptor



XLR male to stereo 1/4-inch female adaptor



XLR male to RCA female adaptor



XLR male to RCA male adaptor



stereo 1/8-inch female to stereo 1/8-inchadaptor



stereo 1/8-inch female to stereo 1/4-inch male adaptor



stereo 1/8-inch female to mono 1/4-inch male adaptor



RCA female to 1/4-inch male adaptor - (2 pc package)



RCA female to 1/4-inch male adaptor - (6 pc package)



RCA female to RCA female adaptor - (2 pc package)



RCA female to mono 1/8-inch male adaptor (2 pc package)



2x RCA female to stereo 1/8-inch male adaptor



RCA male to 1/4-inch female adaptor (2 pc package)



RCA male to angled RCA female adaptor (2 pc package)



MIDI female to MIDI female adaptor




BNC male to RCA female adaptor

Speaker Cables


Yorkville HPN Speaker Cables

1/4-inch to 1/4-inch Cables




Yorkville (round) Speaker Cables

1/4-inch to 1/4-inch Cables



Yorkville Speaker Cables - 12 Gauge

1/4-inch to 1/4-inch Cables



Yorkville Speakon(tm) Speaker Cables - (round) Wire - Speakon to 1/4 - inch

Speakon2(tm) to 1/4 - inch




Yorkville Speakon(tm) Speaker Cables - (round) Wire - Speakon to Speakon

Speakon(tm) to Speakon(tm) Cables

SP2/SP4	SP2-25SS	25 ft.	2x16 AWG Wire, Speakon2(tm) to Speakon2(tm)
	SP2-50SS	50 ft.	2x16 AWG Wire, Speakon2(tm) to Speakon2(tm)
	SP2-50SS/14	50 ft.	2x14 AWG Wire, Speakon2(tm) to Speakon2(tm)
Ellip	SP2-100SS/14	100 ft.	2x14 AWG Wire, Speakon2(tm) to Speakon2(tm)
-	SP4-5SS	5ft.	4x14 AWG Wire, Speakon4(tm) to Speakon4(tm)
SP8	SP4-25SS	25 ft.	4x14 AWG Wire, Speakon4(tm) to Speakon4(tm)
	SP4-50SS	50 ft.	4x14 AWG Wire, Speakon4(tm) to Speakon4(tm)
(m)	SP4-100SS	100 ft.	4x12 AWG Wire, Speakon4(tm) to Speakon4(tm)
	SP8-25SS	25 ft.	8x14 AWG Wire, Speakon8(tm) to Speakon8(tm)
	SP8-50SS	50 ft.	8x14 AWG Wire, Speakon8(tm) to Speakon8(tm)
	SP8-100SS	100 ft.	8x14 AWG Wire, Speakon8(tm) to Speakon8(tm)

Yorkville Speakon(tm) Speaker Cables - (round) Wire - Speakon to Banana


Speakon(tm) to Banana Cables



Model	Length	Configuration
SP4-3SB	3 ft.	4x20 AWG Wire, Speakon4(tm) to 2x dual banana plug (TX sense lines)"


Yorkville Special Application Speaker Cables

Dual Banana Plug to 1/4-inch phone plug



Power Cords / Accessory Packages

Apex Power Cords







Apex Accessory Packages










Apex Studio Jack Panels













Neutrik(tm) Speakon Connectors



Female Neutrik(tm) Speakon(tm) 4-conductor speaker wire connector (was NL4FC)



Female Neutrik(tm) Speakon(tm) 8-conductor speaker wire connector



Panel Mount Neutrik(tm) Speakon(tm) Connector 4-conductor speaker wire connector



Panel Mount Neutrik(tm) Speakon(tm) Connector 8-conductor speaker wire connector










Audio Connectors - XLR
























Audio Connectors - 1/4-inch & Mini Phone Plugs



Male mono Neutrik(tm) 1/4-inch plug



Male mono Neutrik(tm) 1/4-inch plug



Male mono Neutrik(tm) 1/4-inch plug



1/4-inch plug



Male stereo Neutrik(tm) 1/4-inch plug



Switchcraft(tm) 1/4-inch male - mono plug



Switchcraft(tm) 1/4-inch male - TRS plug



Switchcraft(tm) 1/4 - inch" male mono - jumbo barrel




G&H 1/4-inch male - mono - jumbo barrel



Switchcraft(tm) 1/4-inch male - mono - right angle plug







Switchcraft(tm) 1/4-inch female - TRS - inline connector



panel mount jack



female - mono - extra long bushing cabinet mount jack



Switchcraft(tm) 1/4-inch female - TRS - extra long bushing cabinet mount jack



Switchcraft(tm) 1/8-inch mini male - TRS - right angle plug

Audio Connectors - RCA



Neutrik(tm) gold tip RCA - black



Neutrik(tm) gold tip RCA - red

Audio Connectors - 1/4-inch Phone Jacks



Switchcraft(tm) 1/4-inch female - locking - mono panel mount jack



Switchcraft(tm) 1/4-inch female - locking - TRS - panel mount jack



Switchcraft(tm) 1/4-inch female locking - TRS - long bushing - panel mount jack



Switchcraft(tm) 1/4-inch female switching - mono - panel mount jack



Switchcraft(tm) 1/4-inch female switching - mono - long bushing panel mount jack



Switchcraft(tm) 1/4-inch female - switching - TRS - panel mount jack



Switchcraft(tm) 1/4-inch female switching - TRS - long bushing panel mount jack



Switchcraft(tm) 1/4-inch female switching - TRS - PCB mount jack

Other Cables & Connectors



.10-inch center AC adaptor plug







APEX ELECTRONICS
550 Granite Court,
Pickering, Ontario L1W 3Y8
Phone (905) 837-8481
Fax (905) 839-5776 Email: info@apexelectronics.com

APEX ELECTRONICS

4625 Witmer Industrial Estate, Niagara Falls, New York 14305 Phone (716) 297-2920 Fax (716) 297-3689 Email: info@apexelectronics.com