www.acsami.org

Correction to Photogenerated Carriers Transfer in Dye—Graphene— SnO₂ Composites for Highly Efficient Visible-Light Photocatalysis

Shendong Zhuang, Xiaoyong Xu,* Bing Feng, Jingguo Hu,* Yaru Pang, Gang Zhou, Ling Tong, and Yuxue Zhou

ACS Appl. Mater. Interfaces 2014, 6 (1), 613-621. DOI: 10.1021/am4047014

Page 613. Because of a production error, incorrect text was inserted in the second paragraph on this page. In the sixth line, "Supporting Information" was incorrect and should be replaced by "supporting material". Lines 4–7 should read as follows: Moreover, because of the large-size two-dimensional surface, the graphene sheet could behave as a giant solid supporting material (stabilizer) of nanoparticles through interfacial interaction to avoid particle aggregation.

Page 618. In the seventh line, " $\ln(C/C_0) = kt$ " should be replaced by " $\ln(C_0/C) = kt$ " or " $\ln(C/C_0) = -kt$ ". Lines 4–8 should read as follows: To quantitatively evaluate the photocatalytic efficiencies of these catalysts, the corresponding apparent reaction rate constants (k) of the RhB degradation were calculated by using an equation $\ln(C_0/C) = kt$ based on the pseudo-first-order kinetic model.



Published: April 25, 2014