Ag@Cu₂O Core-Shell Nanoparticles as Visible-Light Plasmonic Photocatalysts

Jiangtian Li,†,[∥] Scott K. Cushing,‡,[∥] Joeseph Bright,† Fanke Meng,† Tess R. Senty,‡ Peng Zheng,† Alan D. Brist[o](#page-4-0)w, $^\ddag$ and Nianqiang [W](#page-4-0)u $^{*,\ddag}$

† Department of Mechanical and Aerospace En[gin](#page-4-0)eering, West Virginia University, Morgantown, West Virginia 26506-6106, United States

‡ Department of Physics, West Virginia University, Morgantown, West Virginia 26506-6315, United States

S Supporting Information

[AB](#page-4-0)STRACT: [Compared t](#page-4-0)o pristine $Cu₂O$ nanoparticles (NPs), Ag@Cu₂O core-shell NPs exhibit photocatalytic activity over an extended wavelength range because of the presence of localized surface plasmon resonance (LSPR) in the Ag core. The photocatalysis action spectra and transient absorption measurements show that the plasmonic energy is transferred from the metal to the semiconductor via plasmoninduced resonant energy transfer (PIRET) and direct electron transfer (DET) simultaneously, generating electron−hole pairs in the semiconductor. The LSPR band of $Ag@Cu₂O$ core-shell NPs shows a red-shift with an increase in the $Cu₂O$ shell

thickness, extending the light absorption of $Ag@Cu₂O$ heterostructures to longer wavelengths. As a result, the photocatalytic activity of the Ag ω Cu₂O core-shell NPs is varied by modulation of the shell thickness on the nanometer scale. This work has demonstrated that the Ag@Cu₂O core-shell heterostructure is an efficient visible-light plasmonic photocatalyst, which allows for tunable light absorption over the entire visible-light region by tailoring the shell thickness.

KEYWORDS: plasmon, photocatalyst, resonant energy transfer, electron transfer, solar energy

Photocatalysts convert solar energy into chemical energy to produce solar fuels or to remove pollutants. Metal oxide semiconductors are extensively used as photocatalysts.¹⁻⁵ However, many metal oxides have a wide band gap, which limits their light absorption to a small spectral region.^{6−8} [For](#page-4-0) example, $TiO₂$, which is the most common photocatalyst, only absorbs the ultraviolet light that accounts for less than [5% o](#page-4-0)f all solar radiation.^{7,8} Organic dye molecules^{9,10} and inorganic quantum dots $(QDs)^{11,12}$ have been used as "photosensitizers" to extend the l[igh](#page-4-0)t absorption spectrum of [sem](#page-4-0)iconductors to enable the photoc[atalyt](#page-4-0)ic activity at longer wavelengths. Unfortunately, there is some concern about their instability.¹³ An alternative to QDs and dye sensitizers is the use of plasmonic metal nanostructures combined with the metal oxi[de](#page-4-0) semiconductors to form plasmonic photocatalysts that utilize the plasmonic nanostructure as the sensitizer for semiconductor catalyst.14−²³ In particular, our recent report has shown that a plasmonic sensitizer can harvest and transfer solar energy to the semico[nducto](#page-4-0)r at the energies above and below the band edge through resonant energy transfer, which induces the charge separation, leading to the enhanced photocatalytic activity over an extended wavelength range.¹⁴

In the plasmonic metal, the incident radiation is converted to a nonthermalized distribution [o](#page-4-0)f electron−hole pairs with a lifetime of a few femtoseconds. This is an extremely short lifetime compared to conventional QD or dye sensitizers that have excited state lifetime of nanoseconds or longer. Consequently, plasmon oscillations have a broad resonance and short lifetime that allows for dramatically different energy transfer processes. Traditional QDs or dye sensitizers are based on thermalized electron transfer, in which the excited electrons relax to the band edge before transferring to the semiconductor. The process can only proceed given energetically favorable band alignment.^{9,10} The energy transfer from the sensitizer to the semiconductor is a downward process, since the conduction band of the sen[sitiz](#page-4-0)er must be aligned at a higher energy level than that of the semiconductor. In contrast, the energy transfer from a plasmonic sensitizer to a semiconductor catalyst is not restricted by electronically favorable band alignment, since the transfer may occur through a nonradiative coupling of the metal and semiconductor or charge transfer from an excited state with the energy larger than the Schottky barrier. $24,35$

The geometry plays a large role in the plasmonic energy transfer processes, which can occur even if [there](#page-4-0) is a gap or an insulating medium between the catalyst and the sensitizer.¹⁴ In contrast, semiconductor photocatalysts must be in intimate contact with the conventional QD or dye sensitizers to e[na](#page-4-0)ble

Received: October 15, 2012 Revised: December 1, 2012 Published: December 3, 2012

efficient charge transfer.¹² Moreover, individual plasmonic sensitizers can be easily tuned by the local dielectric constant and/or the geometry. T[hus](#page-4-0) a single sensitizer can enhance a large spectral range. Although different dyes or QDs can be used to tune the enhancement throughout the spectral region, the individual enhancement is spectrally narrow, necessitating the attachment of several different dyes or QDs to achieve full spectral coverage.

The discovery of plasmonic sensitizers has provided new opportunities to develop highly efficient photocatalysts, inspiring research in two main areas: (i) unraveling the mechanism of plasmon-enhanced photocatalysis; and (ii) optimizing the architecture for broadband absorption of solar light.

In plasmonic metal/semiconductor photocatalysts, the photoexcited plasmonic energy in the metal is transferred to the semiconductor, generating electron−hole pairs in the semiconductor.¹⁴ Charge separation can occur either via the transfer of hot electrons known as direct electron transfer $(DET)^{24}$ or vi[a t](#page-4-0)he plasmon-induced resonant energy transfer $(PIRET).¹⁴$ For DET, the nonthermalized electrons excited by a local[ize](#page-4-0)d surface plasmon resonance (LSPR) have energy above th[at](#page-4-0) of the Fermi level in the metal, allowing the Schottky barrier created by charge equilibrium between the metal and the semiconductor to be overcome in the excited state.^{24,35} Thus the electron transfer process does not require the energetically favorable equilibrium band alignment. In cont[rast,](#page-4-0) PIRET originates from a near-field electromagnetic interaction between the LSPR dipole of the metal and the interband transition dipole of the semiconductor, and therefore does not require the intimate contact between the plasmonic metal and the semiconductor.¹⁴ Unlike DET, which has enhancement that follows the spectral shape of the LSPR, PIRET follows the spectral over[lap](#page-4-0) of the LSPR and the band edge of the semiconductor. To date, DET^{24} or $PIRET^{14}$ has been independently reported as being responsible for charge separation in the semiconductor. It is unclea[r w](#page-4-0)hether D[ET](#page-4-0) and PIRET interact or compete with regard to the overall photocatalysis enhancement from a plasmonic sensitizer. The present work on $Ag@Cu₂O$ core-shell nanoparticles (NPs) shows the previously unreported situation where DET and PIRET coexist, and both the mechanisms are responsible for the LSPR-induced charge separation in the semiconductor.

In most of the previously reported plasmonic photocatalysts, NPs were deposited on the surface of semiconductors as the isolated islands to produce a heterointerface.²⁵ Exposure of surface-attached metal NPs to reactants and the surrounding medium may cause corrosion and dissolutio[n](#page-4-0) of the metal particles.²⁶ In addition, the metal NPs are only in point contact with the semiconductor matrix. Moreover, the observed enhance[me](#page-4-0)nt of photocatalytic activity arises from a combination of effects due to the LSPR and self-catalysis of the metal. In the present work, metal-core@semiconductor-shell NPs are developed as plasmonic photocatalysts. The core-shell plasmonic architecture offers several advantages. First, such core-shell architecture effectively protects the metal NPs from corrosion. Second, it maximizes the metal−support interaction through the three-dimensional contact between the metal core and the semiconductor shell, thereby facilitating the plasmonic energy transfer processes. Last, the local electromagnetic field of the LSPR penetrates the shell, which can be used to tune the center wavelength of the LSPR. Specifically, the LSPR position can be tuned by changing the shell thickness on the nanometer

scale. Herein photocatalytic enhancement is observed in Ag@ $Cu₂O$ core-shell heterostructure as a function of shell thickness since the thickness-dependent LSPR controls the synergistic contributions of PIRET and DET processes. Optimum photocatalysis can be achieved when there is broad spectral coverage. This work demonstrates, therefore, that the use of the metal-core@semiconductor-shell architecture provides flexible light harvesting that can be tailored for specific applications.

Ag NPs were synthesized by reducing $AgNO₃$ with sodium citrate (See detailed experimental section and Figure S1 in Supporting Information).²⁷ The Cu₂O shell was then coated on the Ag core to form the $Ag@Cu₂O$ core@shell NPs. In this [manner, the shell thicknes](#page-4-0)s was varied by keeping the same sized Ag cores for all samples. Briefly, 1.0 mL of as-prepared 1 mM Ag NPs solution was mixed with 5 mL of $Cu²⁺$ solution containing 0.1 M CuCl₂ and 0.0338 M sodium dodecyl sulfate (SDS) with shaking. Next, 0.15 mL of 1 M NaOH and 0.25 mL of 0.2 M $NH_4OH·HCl$ were added under agitation for 10 s. The mixture was aged for 2 h and centrifuged to separate the core-shell NPs. This sample is denoted as $Ag@Cu₂O$ (24 nm) according to the corresponding $Cu₂O$ shell thickness. The resulting $Cu₂O$ shell thickness was inversely related to the concentration of the added Ag NPs (0.25, 0.50, 1.00, 2.00, and 3.00 mL), yielding a range of 11 nm < d < 40 nm (Supporting Information, Table S1). The resulting samples are denoted as Ag@Cu₂O (*d nm*). Cu₂O is chosen as the material f[or the shell](#page-4-0) [because its visible-light](#page-4-0) band gap facilitates a determination of possible plasmonic energy transfer mechanisms. $Cu₂O$ is initially used as a model photocatalyst to extract useful information for future development of practical photocatalyst materials.

Figure 1 shows the SEM and TEM images of Ag ω Cu₂O (31) nm) core@shell NPs. The average diameter of well-dispersed Ag core [wa](#page-2-0)s about 30 nm. After being coated with the $Cu₂O$ shell, the total size increased to 100 nm. The $Cu₂O$ shell thickness was tailored by varying the concentration of Ag NPs, as shown in Supporting Information, Table S1 and Figure S2. The LSPR positions for the various $Ag@Cu₂O$ NPs in ethanol were measu[red with optical absorption \(Figure 1d\). The](#page-4-0) spectral features on the blue side of 500 nm for all samples were attributed to the interband transitions in $Cu₂O$ and [sc](#page-2-0)attering from the $Cu₂O$ shell.³² For thicker shell NPs, the strength of the Mie scattering feature at wavelengths below 500 nm increased. The absor[pti](#page-4-0)on feature on the red side of 500 nm was the LSPR for all the core-shell NPs. Bare Ag NPs exhibited a LSPR at 415 nm (Supporting Information, Figure S1). The local dielectric constant increased with increasing $Cu₂O$ shell thickness, leading to [red-shift of the peak. A curve of the](#page-4-0) LSPR position versus the shell thickness (d) was obtained by fitting the experimental data, where the fitting correlation was $R^2 =$ 0.976 (Figure 1e). Even for an 11 nm thick $Cu₂O$, the LSPR had a large red-shift due to the high refractive index of $Cu₂O$. This trend als[o](#page-2-0) agreed with the simulated extinction spectra calculated using the Discrete Dipole Approximation (DDA), as shown in Supporting Information, Figure S5a. The LSPR position and the plasmon field intensity are highly sensitive to both the sh[ape and the size of the cores, as well as](#page-4-0) the dielectric constant of the surrounding medium.28−³¹ Herein silver is chosen as the core material instead of gold. The plasmon frequency of pure Ag is at a higher en[ergy th](#page-4-0)an pure Au; and the plasmon dampening rate is reduced, leading to differences in the oscillator strength. The difference in the dielectric constant between Ag and Au results in different sensitivities to

Figure 1. Microscopic images and absorption spectra of $Ag@Cu₂O$ core-shell nanoparticles. (a) SEM, (b) TEM, and (c) HRTEM images; (d) UV−visible absorption spectra of the core-shell nanoparticles with various shell thicknesses, from left to right clearly showing the red shift of LSPR extinction; (e) the LSPR peak position as a function of the shell thickness. The Inset shows the schematic architecture of the coreshell structure.

the effective dielectric environment resulting from the thickness of the Cu₂O shell. The higher LSPR energy of pure Ag allows for a tunable light absorption of $Ag@Cu₂O$ over the entire visible region by changing the thickness of the $Cu₂O$ shell. The Au $@Cu₂O$ could not support this large tuning range. The higher LSPR energy of Ag also allows for a broader range of LSPR band overlap with the absorption band of $Cu₂O$.

The photocatalytic activity of the $Ag@Cu₂O$ and the pure $Cu₂O$ NPs were evaluated by the photodegradation rate of methyl orange (MO) in an aqueous solution under visible-light irradiation with a visible light source (Cool White Fluorescent, wavelength range from 400 to 700 nm), as shown in Figure 2. All the photocatalytic activity data were normalized with surface area; and the normalization process is given in the Supporting Information (photocatalysis section). The $Ag@Cu₂O$ core-shell NPs showed the enhanced photocatalytic activity c[ompared to](#page-4-0) the pure $Cu₂O$ NPs, which can be attributed to the presence of the LSPR. The photocatalytic activity of the $Ag@Cu₂O$ NPs was highly dependent on the shell thickness. Since increasing the $Cu₂O$ shell thickness led to a red-shift of the LSPR, the strength of the plasmonic energy transfer depended on the shell

Figure 2. Photocatalytic activity of the $Ag@Cu₂O$ core-shell nanoparticles. (a) Degradation of methyl orange by the photocatalysts with different $Cu₂O$ shell thicknesses; the activity was normalized with surface area; (b) and (c) the absorption spectra and the apparent photocatalytic efficiency as a function of the wavelength of monochromatic light for pure $Cu₂O$ and Ag $@Cu₂O$ (24 nm) nanoparticles, respectively; (d) LSPR-induced local electromagnetic field in the $\rm Cu_2O$ shell, the scale bar shows the relative increase in field enhancement $|E/E_{\text{inc}}|^2$. The axis refers to the physical dimensions of the core shell particle; E_{inc} is parallel to the x axis.

thickness. The photocatalytic activity of the $Ag@Cu₂O$ NPs was enhanced with an increase in the shell thickness from roughly 11 to 30 nm. However, further increase in the shell thickness diminished the photocatalytic activity, as shown in Supporting Information, Figure S5.

To confirm that the LSPR was responsible for the [enhancement of photocatalytic a](#page-4-0)ctivity, the photocatalysis action spectra were obtained by plotting the apparent photocatalytic efficiency as a function of the wavelength of incident monochromatic light in the wavelength range of 450− 700 nm. The apparent photocatalytic efficiency (η) per unit time was calculated according to the equation of $\eta = 1240$ eV·nm· $(C_0 - C)/C_0/(\lambda P_\lambda)$, where 1240 eV·nm units is the energy conversion factor, C_0 is the original methyl orange (MO) concentration before irradiation, C is the MO concentration after irradiation at a certain wavelength of the incident light (λ) for 3 h, P_{λ} is the power of monochromatic light at a certain wavelength (λ) . The apparent photocatalytic efficiency does not represent a photocatalysis quantum yield, rather it is necessary to normalize the data by the differing intensity of the monochromatic light across the spectrum.

Figure 2b and 2c show the photocatalysis action spectra and the extinction spectra for the pure Cu₂O and the Ag@Cu₂O (24 nm) core@shell NPs. In both cases, the photocatalysis action spectra showed a similar trend to the extinction spectra. Pure $Cu₂O$ exhibited negligible photocatalytic activity below the band edge, while the Ag $@Cu₂O$ NPs displayed significant enhancement at the wavelengths corresponding to the LSPR, which was below the band gap of $Cu₂O$. The spectrally dependent enhancement can only happen if light excites the plasmon, and then the plasmonic energy is transferred to the semiconductor to drive the chemical reaction. Thus, this result

Figure 3. Transient absorption spectra and mechanism determination. $|\Delta T|/T$ versus the wavelength for (a) Ag@Cu₂O (11 nm), (b) Ag@Cu₂O (24 nm), (c) Ag@Cu₂O (31 nm), and (d) Ag@Cu₂O (40 nm). Each shell thickness is fit by a model for PIRET, DET, and PIRET+DET to show that both mechanisms are responsible for generation of charge carriers in $Cu₂O$.

confirmed that the LSPR was the most likely cause of the enhancement of photocatalytic activity. Although Fermi level equilibration can lead to trapping of charges and increased carrier lifetime, it cannot explain the observed wavelengthdependent enhancement.^{26,33} This is because the charge equilibration is independent of wavelength and depends only on the electronic align[ment](#page-4-0) of the $Cu₂O$ and Ag. Hence, equilibration would lead to a uniform photocatalysis enhancement over the spectral range.

Photocatalysis enhancement occurred at the position of LSPR band, which indicates that the electron−hole pairs in the semiconductor can be created via DET and/or PIRET from the plasmonic metal to the semiconductor.¹⁴ To verify that both the mechanisms were possible in the $Ag@Cu₂O$ heterostructure, discrete dipole approximation [si](#page-4-0)mulations (DDA) of the $Ag@Cu₂O$ NPs were performed by following the calculation method reported in refs 31 and 34. Figure 2d shows that the LSPR-enhanced electromagnetic (EM) field extended throughout the $Cu₂O$ shell. [Th](#page-4-0)e ext[ent](#page-4-0) of the lo[ca](#page-2-0)l EM field into the shell and the spectral overlap of the LSPR with the interband absorption band of $Cu₂O$ (Supporting Information, Figure S6) satisfied the requirements for PIRET. In addition, the band alignment of Ag and $Cu₂O$ [allowed for](#page-4-0) [the energetically favo](#page-4-0)rable electron transfer, satisfying the requirements for DET. Therefore PIRET, DET, or a combination of both mechanisms may contribute to the plasmon-mediated generation of charge carriers in $Cu₂O$.

Theoretically, the carrier creation efficiency for PIRET follows the overlap integral of the $Cu₂O$ absorbance and LSPR, while the carrier creation efficiency for DET follows the hot electron distribution present under excitation, and thus is represented spectrally as the LSPR absorbance.¹⁴ Hence, separation of the two mechanisms can be achieved by measuring the wavelength-dependence of the cha[rg](#page-4-0)e carrier density in the Cu₂O. The carrier density was measured with transient-absorption spectroscopy, which was performed with 100-fs pump and probe pulses. The pump was tuned across the spectral region of interest from 600 to 750 nm and the probe was centered at 800 nm, such that it was predominantly sensitive to free-carrier absorption in the $Cu₂O$. The amplitude of the differential transmission $|\Delta T|/T$ was extracted for each pump wavelength at a probe delay of approximately 10 ps. This delay time was determined from the transients (Supporting Information, Figure S7) to correspond with the $|\Delta T|/T$ response shortly after the decay of the transient c[ontribution](#page-4-0) [from the Ag core bu](#page-4-0)t before recombination in $Cu₂O$ significantly affected the carrier population. Figure 3 shows the wavelength-dependent carriers concentration for the Ag@ $Cu₂O$ NPs with four different shell thicknesses: 11, 24, 31, and 40 nm. In each case, the carrier density was largest at shorter wavelength, close to the absorption edge of $Cu₂O$, and decreased at longer wavelengths below the interband absorption. For the chosen 800-nm probe, neither the pure $Cu₂O$ or the Ag NPs exhibited transient signals. Therefore, the observed differential transmission from the Ag $@Cu₂O$ NPs was due to plasmon-induced carrier accumulation in $Cu₂O$.

To determine whether DET or PIRET dominated the plasmonic-energy transfer to the $Cu₂O$, a model was produced for the spectra signature of each mechanism. The UV−visible spectrum for each sample was deconvolved into contributions from the LSPR and the $Cu₂O$ interband absorption (Supporting Information, Figure S6). PIRET followed the overlap integral between these two components, while DET f[ollowed the LSPR. The two contr](#page-4-0)ibutions were used in conjunction to fit the wavelength-dependent differential transmission (see Figure 3). The fitting procedure confirmed that both PIRET and DET were necessary to describe the data for all shell thicknesses measured. Nonetheless, as the $Cu₂O$ shell thickness increased, the relative contribution of DET and PIRET was different. For the thin shell sample, DET and PIRET contributions overlapped strongly since the peak of the LSPR was located close to the $Cu₂O$ absorption edge (Figure 3a). For the three thicker samples, the red shift of the LSPR was significantly larger, which separated the PIRET and DET [co](#page-3-0)ntributions (Figure 3b-d). Overall, these three samples exhibited stronger photocatalytic activity and thus presented a couple of striking fact[or](#page-3-0)s. First, these data reveal the wide tuning range of the LSPR, while maintaining enhancement of the photocatalytic activity. Second, strong photocatalytic activity were observed even for weak overlap between the LSPR and the $Cu₂O$ absorption edge. Finally, DET and PIRET complemented one another in the enhancement of the photocatalytic activity. In contrast, the thinner sample did not show significant enhancement of photocatalytic activity when the DET and PIRET processes strongly overlapped, which suggested that the mechanisms may compete in this case. There existed an optimal shell thickness for maximizing the overall visible-light photocatalytic activity (Figure 2a and Supporting Information, Figure S5). Several factors competed to define the optimal thickness, as analyzed in the Supp[or](#page-2-0)ting Information.

In summary, the metal core@semiconductor shell architecture exhibited the plasmonic enhancement of visible-light photocatalytic activity. The entire visible-light spectrum can be enhanced by tuning the shell thickness, or a specific spectral region can be targeted. Transient absorption measurements showed that both PIRET and DET mechanisms contributed to the plasmonic energy transfer from the metal to the semiconductor, leading to charge separation in the $Cu₂O$. The Ag $@Cu₂O$ core-shell structure was an efficient visible-light plasmonic photocatalyst with the flexibility for tailoring the plasmonic properties and also an ideal platform for mechanistic studies of the plasmonic energy transfer from a metal to a semiconductor. The plasmonic energy transfer mechanisms outlined in this study can be extended to any metalsemiconductor interaction, not just $Cu₂O$, outlining the design strategies for plasmonic enhancement of photocatalysis.

■ ASSOCIATED CONTENT

S Supporting Information

Experimental details, SEM and TEM images for $Ag@Cu₂O$ nanoparticles, photocatalytic kinetic data, DDSCAT simulation, and transient absorption spectroscopy. This material is available free of charge via the Internet at http://pubs.acs.org.

■ AUTHOR INFORMATION

Corresponding Author

*Fax: (+1) 304-293-6689. E-mail: nick.wu@mail.wvu.edu.

Author Contributions

∥ Li and Cushing contributed equa[lly to this work.](mailto:nick.wu@mail.wvu.edu)

Notes

The authors declare no competing financial interest.

■ ACKNOWLEDGMENTS

This work was supported by the National Science Foundation (CBET-1233795) and NSF Graduate Research Fellowship under Grant (1102689).The resource and facilities used in this work were partially supported by NSF (EPS 1003907), and the West Virginia University Research Corporation and the West Virginia EPSCoR Office. The use of WVU Shared Facility was appreciated.

■ REFERENCES

(1) Maeda, K.; Domen, K. J. Phys. Chem. Lett. 2010, 1, 2655.

(2) Kudo, A.; Miseki, Y. Chem. Soc. Rev. 2009, 38, 253.

(3) Wu, N. Q.; Wang, J.; Tafen, D.; Wang, H.; Zheng, J. G.; Lewis, J. P.; Liu, X.; Leonard, S. S.; Manivannan, A. J. Am. Chem. Soc. 2010, 132, 6679.

(4) Li, J.; Meng, F.; Suri, S.; Ding, W.; Huang, F.; Wu, N. Q. Chem. Commun. 2012, 48, 8213.

(5) Meng, F.; Hong, Z.; Arndt, J.; Li, M.; Zhi, M.; Yang, F.; Wu, N. Q. Nano Res. 2012, 5, 213.

(6) Meng, F.; Li, J.; Hong, Z.; Sakla, A.; Wu, N. Q. Catal. Today 2013, 199, 48−52.

(7) Wang, J.; Tafen, D.; Lewis, J. P.; Hong, Z.; Manivannan, A.; Zhi, M.; Li, M.; Wu, N. Q. J. Am. Chem. Soc. 2009, 131, 12290.

(8) Tafen, D.; Wang, J.; Wu, N. Q.; Lewis, J. P. Appl. Phys. Lett. 2009, 94, 093101.

(9) Youngblood, W. J.; Lee, S.H. A.; Maeda, K.; Mallouk, T. E. Acc. Chem. Res. 2009, 42, 1966.

(10) Ni, M.; Leung, M. K.H.; Leung, D. Y.C.; Sumathy, K. Renewable Sustainable Energy Rev. 2007, 11, 401.

(11) Li, G.; Zhang, D.; Yu, J. C. Environ. Sci. Technol. 2009, 43, 7079.

(12) Wang, D.; Zhao, H.; Wu, N. Q.; El Khakani, A.; Ma, D. J. Phys. Chem. Lett. 2010, 1, 1030.

(13) Wang, B.; Kerr, L. L. J. Solid State Electrochem. 2012, 16, 1091. (14) Cushing, S. K.; Li, J.; Meng, F.; Senty, T. R.; Suri, S.; Zhi, M.; Li,

M.; Bristow, A. D.; Wu, N. Q. J. Am. Chem. Soc. 2012, 134, 15033.

(15) Ide, Y.; Matsuoka, M.; Ogawa, M. J. Am. Chem. Soc. 2010, 132, 16762.

(16) Naya, S.; Inoue, A.; Tada, H. Energy Environ. Sci. 2012, 5, 5133. (17) Awazu, K.; Fujimaki, M.; Rockstuhl, C.; Tominaga, J.; Murakami, H.; Ohki, Y.; Yoshida, N.; Watanabe, T. J. Am. Chem.

- Soc. 2008, 130, 1676. (18) Hu, C.; Peng, T.; Hu, X.; Nie, Y.; Zhou, X.; Qu, J.; He, H. J. Am. Chem. Soc. 2010, 132, 857.
- (19) Christopher, P.; Ingram, D. B.; Linic, S. J. Phys. Chem. C 2010, 114, 9173.
- (20) Ingram, D. B.; Linic, S. J. Am. Chem. Soc. 2011, 133, 5202.
- (21) Thomann, I.; Pinaud, B. A.; Chen, Z.; Clemens, B. M.; Jaramillo, T. F.; Brongersma, M. L. Nano Lett. 2011, 11, 3440.
- (22) Liu, Z.; Hou, W.; Pavaskar, P.; Aykol, M.; Cronin, S. B. Nano

Lett. 2011, 11, 1111.

(23) Thimsen, E.; Formal, F.; Grätzel, M.; Warren, S. C. Nano Lett. 2011, 11, 35.

- (24) Tian, Y.; Tatsuma, T. J. Am. Chem. Soc. 2005, 127, 7632.
- (25) Murdoch, M.; Waterhouse, G. I. N.; Nadeen, M. A.; Metson, J. B.; Keane, M. A.; Howe, R. F.; Liorca, J.; Idriss, H. Nat. Chem. 2011, 3, 489.
- (26) Hirakawa, T.; Kamat, P. J. Am. Chem. Soc. 2005, 127, 3928.
- (27) Lee, P. C.; Meisel, D. J. Phys. Chem. 1982, 86, 3391.

(28) Liu, D.; Ding, S.; Lin, H.; Liu, B.; Ye, Z.; Fan, F.; Ren, B.; Tian., Z. J. Phys. Chem. C 2012, 116, 4477.

- (29) Zhang, L.; Wang, H. ACS Nano 2011, 5, 3257.
- (30) Zhang, L.; Blom, D. A.; Wang, H. Chem. Mater. 2011, 23, 4587.
- (31) Li, M.; Cushing, S. K.; Zhang, J.; Lankford, J.; Aguilar, Z. P.; Ma,
- D.; Wu, N. Q. Nanotechnology 2012, 23, 115501.
- (32) Mahmoud, M.; Qian, W.; El-Sayed, M. Nano Lett. 2011, 11, 3285.
- (33) Wolf, E. F.; Kamat, P. V. J. Am. Chem. Soc. 2004, 126, 4943.
- (34) Cushing, S. K.; Hornak, L. A.; Lankford, J.; Liu, Y.; Wu, N. Q.
- Appl. Phys. A: Mater. Sci. Process. 2011, 103, 955.

(35) Furube, A.; Du, L.; Hara, K.; Katoh, R.; Tachiya, M. J. Am. Chem. Soc. 2007, 129, 14852.