

# Chronological Index

- J06-158 Parallel Implementation of Structural Dynamic Analysis for Parachute Simulation.** Wenqing Zhang, Michael L. Accorsi, and John W. Leonard, *University of Connecticut* (**44**, 7, p. 1419) Article  
 Technical Comment by T. E. Tezduyar, *Rice University* (**45**, 9, p. 2364)  
 Technical Reply by W. Zhang, M. L. Accorsi, and J. W. Leonard, *University of Connecticut* (**46**, 4, 1020)
- J08-001 Development of High-Spectral-Resolution Planar Laser-Induced Fluorescence Imaging Diagnostics for High-Speed Gas Flows.** Waruna D. Kulatilaka, *Sandia National Laboratories*; Sameer V. Naik and Robert P. Lucht, *Purdue University* (**46**, 1, p. 17) Letter
- J08-002 Some Aeroelastic and Nonlinear Vibration Problems Encountered on the Journey to Ithaca.** John Dugundji, *Massachusetts Institute of Technology* (**46**, 1, p. 21) Lecture
- J08-003 Near-Field Investigation of Chevron Nozzle Mechanisms.** B. Callender, *GE Aviation*; E. Gutmark, *University of Cincinnati*; and S. Martens, *GE Transportation* (**46**, 1, p. 36) Article based on AIAA Paper 2003-3210
- J08-004 Design of Optimized Patches to Reinforce Damaged Wings.** Jean-Denis Mathias, Michel Grédiac, and Xavier Balandraud, *Laboratoire de Mécanique et Ingénieries, France* (**46**, 1, p. 46) Article
- J08-005 Aeroacoustic Control of Fan Tone Noise.** Masanobu Namba, *Sojo University, Japan*; and Akihiro Murahashi, *Mitsubishi Electric Corporation, Japan* (**46**, 1, p. 54) Article based on AIAA Paper 99-1810
- J08-006 Separating Turbofan Engine Noise Sources Using Auto- and Cross Spectra from Four Microphones.** Jeffrey H. Miles, *NASA John H. Glenn Research Center at Lewis Field* (**46**, 1, p. 61) Article based on AIAA Paper 2006-2580
- J08-007 Optimal Placement of Constrained-Layer Damping for Reduction of Interior Noise.** D.-H. Lee, *Dongueui University, Republic of Korea* (**46**, 1, p. 75) Article based on AIAA Paper 2006-6918
- J08-008 Turbofan Aft Noise Predictions Based on Lilley's Wave Model.** Damiano Casalino and Mariano Genito, *Italian Aerospace Research Center, Italy* (**46**, 1, p. 84) Article based on AIAA Paper 2007-3705
- J08-009 Flowfield Characteristics of a Confined Transverse Slot Jet.** K. A. Ahmed, D. J. Forliti, J. K. Moody, and R. Yamanaka, *The State University of New York at Buffalo* (**46**, 1, p. 94) Article
- J08-010 Turbulent Wake of Rectangular Cylinder Near Plane Wall and Free Surface.** M. Agelinchaab, J. M. Tsikata, M. F. Tachie, and K. K. Adane, *University of Manitoba, Canada* (**46**, 1, p. 104) Article based on AIAA Paper 2007-4478
- J08-011 Delayed Detached-Eddy Simulation and Analysis of Supersonic Inlet Buzz.** S. Trapier, S. Deck, and P. Duveau, *ONERA, France* (**46**, 1, p. 118) Article
- J08-012 Static/Dynamic Buckling of Axially Compressed Thin-Walled Cylindrical Shells Using Simple Models.** Anthony Kounadis, *Academy of Athens, Greece* (**46**, 1, p. 132) Article
- J08-013 Design Optimization of a Controllable Camber Rotor Airfoil.** Farhan Gandhi, Mary Frecker, and Andrew Nissly, *Pennsylvania State University* (**46**, 1, p. 142) Article
- J08-014 Reliability-Based Design of a Slat-Track Fatigue Life Using Mesh Morphing Technology.** Roberto d'Ippolito and Stijn Donders, *LMS International, Belgium*; Michael Hack, *LMS Deutschland GmbH, Germany*; Geert Van der Linden, *ASCO Industries, Belgium*; Dirk Vandepitte and David Moens, *Katholieke Universiteit Leuven, Belgium* (**46**, 1, p. 154) Article based on AIAA Paper 2006-2153
- J08-015 Two Error Bounds for Dynamic Condensation Methods.** Christophe Lecomte, *University of Cambridge, Great Britain*; J. G. McDaniel and Paul E. Barbone, *Boston University* (**46**, 1, p. 166) Article
- J08-016 Nonlinear Aeroelasticity: The Steady State Theory.** A. V. Balakrishnan, *University of California, Los Angeles* (**46**, 1, p. 177) Article
- J08-017 Thermal Postbuckling Behavior of Anisotropic Laminated Cylindrical Shells with Temperature-Dependent Properties.** Hui-Shen Shen, *Shanghai Jiao Tong University, China (PRC)* (**46**, 1, p. 185) Article
- J08-018 Variable Kinematic Model for the Analysis of Functionally Graded Material Plates.** E. Carrera, S. Brischetto, and A. Robaldo, *Politecnico di Torino, Italy* (**46**, 1, p. 194) Article
- J08-019 High-Order Accurate Numerical Method for Complex Flows.** A. Gross and H. F. Fasel, *University of Arizona* (**46**, 1, p. 204) Article based on AIAA Paper 2002-2735
- J08-020 Pressure-Sensitive Paint Measurement of Pressure Distribution in a Supersonic Micronozzle.** H. Nagai, R. Naraoka, K. Sawada, and K. Asai, *Tohoku University, Japan* (**46**, 1, p. 215) Article based on AIAA Paper 2006-1046
- J08-021 Vortex Formation Process of a Starting Square Jet.** S. C. M. Yu, J. J. Ai, L. Gao, and A. W. K. Law, *Nanyang Technological University, Republic of Singapore* (**46**, 1, p. 223) Article
- J08-022 Dynamic Compensation of a Synthetic Jetlike Actuator for Closed-Loop Cavity Flow Control.** Kihwan Kim, Marco Debiasi, Ryan Schultz, Andrea Serrani, and Mo Samimy, *The Ohio State University* (**46**, 1, p. 232) Article based on AIAA Paper 2007-880
- J08-023 Variable Structure Model for Flow-Induced Tonal Noise Control with Plasma Actuators.** Xun Huang, Sammie Chan, Xin Zhang, and Steve Gabriel, *University of Southampton, Great Britain* (**46**, 1, p. 241) Article
- J08-024 Comparison of High-Altitude Hypersonic Wake Flows of Slender and Blunt Bodies.** Jiaqiang Zhong, Takashi Ozawa, and Deborah A. Levin, *Pennsylvania State University* (**46**, 1, p. 251) Article based on AIAA Paper 2007-612
- J08-025 Damage Identification of Structures Including System Uncertainties and Measurement Noise.** X. Y. Li and S. S. Law, *Hong Kong Polytechnic University, China (PRC)* (**46**, 1, p. 263) Article
- J08-026 Modified Expression for Critical Reynolds Number in Eccentric Taylor-Couette Flow.** T. T. Lim and S. S. Lim, *National University of Singapore, Republic of Singapore* (**46**, 1, p. 277) Technical Note
- J08-027 Thermodynamic Modeling of Hysteresis Effects in Piezoceramics for Application to Smart Structures.** V. L. Sateesh, C. S. Upadhyay, and C. Venkatesan, *Indian Institute of Technology, India* (**46**, 1, p. 280) Technical Note based on AIAA Paper 2007-1743
- J08-028 Comb Wings for Flapping Flight at Extremely Low Reynolds Numbers.** D. Weihs and E. Barta, *Technion-Israel Institute of Technology, Israel* (**46**, 1, p. 285) Technical Note
- J08-029 Dislocation-Based Plasticity for Impact Loading in Solids.** X. Lu, *University of Florida*; and S. V. Hanagud, *Georgia Institute of Technology* (**46**, 2, p. 290) Article based on AIAA Paper 2004-1920
- J08-030 Constitutive Modeling and Simulation of Perforation of Targets by Projectiles.** G. Z. Voyiadjis and R. L. Abu Al-Rub, *Louisiana State University*; and A. N. Palazotto, *Air Force Institute of Technology* (**46**, 2, p. 304) Article based on AIAA Paper 2006-2089

- J08-031 Further Refinement and Validation of Material Models for Hypervelocity Gouging Impacts.** J. D. Cinnamon and A. N. Palazzotto, *Air Force Institute of Technology*; and A. G. Szmerekovsky, *U.S. Air Force Academy* (46, 2, p. 317) Article based on AIAA Paper 2006-2086
- J08-032 Modeling Projectile Damage in Transport Aircraft Wing Structures.** R. L. Hinrichsen, *RHAMM Technologies, LLC*; A. G. Kurtz, *Aerospace Survivability and Safety Flight*; J. T. Wang and C. M. Belcastro, *NASA Langley Research Center*; and J. L. Parks, *Illinois Institute of Technology* (46, 2, p. 328) Article based on AIAA Paper 2006-2128
- J08-033 Does a Model-Scale Nozzle Emit the Same Jet Noise as a Jet Engine?** K. Viswanathan, *The Boeing Company* (46, 2, p. 336) Article based on AIAA Paper 2005-2936
- J08-034 Deformation and Flexibility Equations for Curved, End-Loaded, Planar Elastica.** R. D. Hampton, *U. S. Military Academy*; M. J. Leamy, *MITRE Corporation*; N. Quraishi, *NASA Johnson Space Center*; and P. J. Bryant, *United Defense* (46, 2, p. 356) Article based on AIAA Paper 2003-6179
- J08-035 Current Status of Jet Noise Predictions Using Large-Eddy Simulation.** D. J. Bodony and S. K. Lele, *Stanford University* (46, 2, p. 364) Article based on AIAA Paper 2006-0466
- J08-036 Solution to the Incorrect Benchmark Shell-Buckling Problem.** B. L. Wardle, *Massachusetts Institute of Technology* (46, 2, p. 381) Article based on AIAA Paper 2006-2028
- J08-037 Robustness Analysis and Robust Design of Uncertain Systems.** L. G. Crespo, *National Institute of Aerospace*; D. P. Giesy and S. P. Kenny, *NASA Langley Research Center* (46, 2, p. 388) Article based on AIAA Paper 2006-7035
- J08-038 Control of Vortex Shedding from a Square Cylinder.** C. P. Shao, *Chinese Academy of Sciences, China (PRC)*; and Q. D. Wei, *Peking University, China (PRC)* (46, 2, p. 397) Article
- J08-039 Simulations of a Turbulent Flow Past a Sudden Expansion: A Sensitivity Analysis.** C. Duwig, M. Salewski, and L. Fuchs, *Lund University, Sweden* (46, 2, p. 408) Article based on AIAA Paper 2007-916
- J08-040 Spillover Phenomenon in Quadratic Model Updating.** M. T. Chu, *North Carolina State University*; B. Datta, *Northern Illinois University*; W.-W. Lin, *Tsinghua University, Taiwan (ROC)*; and S. Xu, *Peking University, China (PRC)* (46, 2, p. 420) Article
- J08-041 Computational Study of Unsteady Low-Reynolds-Number Airfoil Aerodynamics Using Moving Overlapping Meshes.** D. D. Chandar and M. Damodaran, *Nanyang Technological University, Republic of Singapore* (46, 2, p. 429) Article based on AIAA Paper 2007-4559
- J08-042 Geometrically Nonlinear Theory of Composite Beams with Deformable Cross Sections.** R. Palacios, *Imperial College, Great Britain*; and C. E. S. Cesnik, *University of Michigan* (46, 2, p. 439) Article based on AIAA Paper 2007-2275
- J08-043 Transient Growth and Transition Induced by Random Distributed Roughness.** R. S. Downs, E. B. White, and N. A. Denissen, *Texas A&M University* (46, 2, p. 451) Article
- J08-044 Aerodynamic/Acoustic Splitting Technique for Computational Aeroacoustics Applications at Low-Mach Numbers.** W. De Roeck, M. Baelmans, and W. Desmet, *Katholieke Universiteit Leuven, Belgium* (46, 2, p. 463) Article based on AIAA Paper 2007-3726
- J08-045 Global Luminescent Oil-Film Skin-Friction Meter.** T. Liu, J. Montefort, S. Woodiga, and P. Merati, *Western Michigan University*; and L. Shen, *Syracuse University* (46, 2, p. 476) Article
- J08-046 Supersonic Boundary Layers with Periodic Surface Roughness.** I. W. Ekoto and R. D. Bowersox, *Texas A&M University*; T. Beutner, *Defense Advanced Research Projects Agency*; and L. P. Goss, *Innovative Scientific Solutions, Inc.* (46, 2, p. 486) Article
- J08-047 Building Efficient Response Surfaces of Aerodynamic Functions with Kriging and Cokriging.** J. Laurenceau, *Centre Européen de Recherche et de Formation Avancée en Calcul Scientifique, France*; and P. Sagaut, *Université Pierre et Marie Curie, France* (46, 2, p. 498) Article
- J08-048 Unsteady Separated Flow Characterization on Airfoils Using Time-Resolved Surface Pressure Measurements.** S. Yarusevych, *University of Waterloo, Canada*; J. G. Kallow, *Ryerson University, Canada*; and P. E. Sullivan, *University of Toronto, Canada* (46, 2, p. 508) Article based on AIAA Paper 2007-4482
- J08-049 Comparison of Open and Choked Premixed Combustor Exits During Thermoacoustic Limit Cycle.** P. A. Hield and M. J. Brear, *University of Melbourne, Australia* (46, 2, p. 517) Article based on AIAA Paper 3426-494
- J08-050 Skin-Friction Measurements and Flow Establishment Within a Long Duct at Superorbital Speeds.** T. B. Silvester and R. G. Morgan, *University of Queensland, Australia* (46, 2, p. 527) Article
- J08-051 Master Dynamic Stability Formula for Structural Members Subjected to Periodic Loads.** G. V. Rao, *Sreenidhi Institute of Science and Technology, India*; B. S. Ratnam, *Malla Reddy College of Engineering and Technology, India*; and G. R. Janardhan, *JNTU College of Engineering, India* (46, 2, p. 537) Technical Note
- J08-052 Vortex Shedding over a Two-Dimensional Airfoil: Where the Particles Come From.** B. M. Cardwell and K. Mohseni, *University of Colorado* (46, 3, p. 545) Letter
- J08-053 Topology Optimization of a Reinforced Wing Box for Enhanced Roll Maneuvers.** A. A. Gomes, *Instituto Superior Tecnico, Portugal*; and A. Suleman, *University of Victoria, Canada* (46, 3, p. 548) Article based on AIAA Paper 2004-4608
- J08-054 Truss Beam with Tendon Diagonals: Mechanics and Designs.** G. Greschik, *University of Colorado* (46, 3, p. 557) Article based on AIAA Paper 2006-1945
- J08-055 Dynamics of Composite Aircraft Wings Carrying External Stores.** L. Librescu, *Virginia Polytechnic Institute and State University*; and O. Song, *Chungnam National University, Republic of Korea* (46, 3, p. 568) Article
- J08-056 Design-Oriented Thermostructural Analysis with Internal and External Radiation, Part 1: Steady State.** M. Bhatia and E. Livne, *University of Washington* (46, 3, p. 578) Article based on AIAA Paper 2006-2054
- J08-057 Time-Domain Spectral Element Method for Built-In Piezoelectric-Actuator-Induced Lamb Wave Propagation Analysis.** Y. Kim, S. Ha, and F.-K. Chang, *Stanford University* (46, 3, p. 591) Article
- J08-058 Flow and Noise Predictions for Single and Dual-Stream Beveled Nozzles.** K. Viswanathan, *The Boeing Company*; M. Shur, *New Technologies and Services, Russia*; P. R. Spalart, *The Boeing Company*; and M. Strelets, *New Technologies and Services, Russia* (46, 3, p. 601) Article based on AIAA Paper 2006-2445
- J08-059 Static Analysis of Sandwich Panels with Square Honeycomb Core.** R. K. Kapania, H. E. Soliman, S. Vasudeva, O. Hughes, and D. P. Makhecha, *Virginia Polytechnic Institute and State University* (46, 3, p. 627) Article based on AIAA Paper 2006-2168
- J08-060 Fast  $p$ -Multigrid Discontinuous Galerkin Method for Compressible Flows at All Speeds.** H. Luo, *North Carolina State University*; J. D. Baum, *Science Applications International Corporation*; and R. Löhner, *George Mason University* (46, 3, p. 635) Article based on AIAA Paper 2006-0110
- J08-061 Periodic Forcing of the Turbulent Boundary Layer on a Body of Revolution.** V. I. Kornilov and A. V. Boiko, *Russian Academy of Sciences, Russia* (46, 3, p. 653) Article

- J08-062 Switched Dynamical Systems for Reduced-Order Flow Modeling.** H. H. Hamilton, *Raytheon Missile Systems*; A. J. Kurdila and A. K. Jammulamadaka, *Virginia Polytechnic Institute and State University* (**46**, 3, p. 664) Article based on AIAA Paper 2006-6191
- J08-063 Multi-Objective Hybrid Evolutionary Optimization with Automatic Switching Among Constituent Algorithms.** R. J. Moral and G. S. Dulikravich, *Florida International University* (**46**, 3, p. 673) Article based on AIAA Paper 2006-6976
- J08-064 Shock-Refracted Acoustic Wave Model for Screech Amplitude in Supersonic Jets.** M. Kandula, *Sierra Lobo, Inc.* (**46**, 3, p. 682) Article based on AIAA Paper 2006-2674
- J08-065 Compact Scheme with Filtering for Large-Eddy Simulation of Transitional Boundary Layer.** S. Kawai, *Center for Turbulence Research, Stanford University*; and K. Fujii, *Japan Aerospace Exploration Agency, Japan* (**46**, 3, p. 690) Article
- J08-066 Biobjective Design Optimization for Axial Compressors Using Tabu Search.** T. Kipouros, D. M. Jaeggi, W. N. Dawes, and G. T. Parks, *University of Cambridge, Great Britain*; A. M. Savill, *Cranfield University, Great Britain*; and P. J. Clarkson, *University of Cambridge, Great Britain* (**46**, 3, p. 701) Article based on AIAA Paper 2005-4023
- J08-067 Stability of Vortex Pairs over Slender Conical Bodies: Analysis and Numerical Computation.** J. Cai and H.-M. Tsai, *National University of Singapore, Republic of Singapore*; S. Luo and F. Liu, *University of California* (**46**, 3, p. 712) Article
- J08-068 Optimization of Aircraft Wings for Gust Loads: Interval Analysis-Based Approach.** S. S. Rao and L. Majumder, *University of Miami* (**46**, 3, p. 723) Article
- J08-069 Active Control of Nonlinear Panel Flutter Using Aeroelastic Modes and Piezoelectric Actuators.** M. Kim, Q. Li, J.-K. Huang, and C. Mei, *Old Dominion University* (**46**, 3, p. 733) Article
- J08-070 Forebody Slot Blowing on Vortex Breakdown and Load over a Delta Wing.** Y. D. Cui, T. T. Lim, and H.-M. Tsai, *National University of Singapore, Republic of Singapore* (**46**, 3, p. 744) Article based on AIAA Paper 2007-882
- J08-071 Cylindrical Shell Submerged in Bounded Acoustic Media: A Modal Approach.** R. B. Davis and L. N. Virgin, *Duke University*; and A. M. Brown, *NASA Marshall Space Flight Center* (**46**, 3, p. 752) Article based on AIAA Paper 2007-2110
- J08-072 Circular Inhomogeneity with Viscoelastic Interface Under Antiplane Shear.** X. Wang and E. Pan, *University of Akron*; and A. K. Roy, *U.S. Air Force Research Laboratory* (**46**, 3, p. 764) Article
- J08-073 Use of Material Tailoring to Improve Buckling Capacity of Elliptical Composite Cylinders.** M. Sun and M. W. Hyer, *Virginia Polytechnic Institute and State University* (**46**, 3, p. 770) Article based on AIAA Paper 2007-2353
- J08-074 Spinning Projectile with an Inviscid Liquid Payload Impregnating Porous Media.** G. R. Cooper, *U.S. Army Research Laboratory* (**46**, 3, p. 783) Technical Note
- J08-075 Synthesis and Control of Piezoelectric Resonant Actuation Systems with Buckling-Beam Motion Amplifier.** J.-S. Kim, W. Wang, and E. C. Smith, *Pennsylvania State University* (**46**, 3, p. 787) Technical Note based on AIAA Paper 2007-2206
- J08-076 Nondestructive Determination of Additional Buckling Load for Preloaded Plates and Bars.** M. Baruch, *Technion-Israel Institute of Technology, Israel* (**46**, 3, p. 791) Technical Note
- J08-077 Lift of a Spherical Particle Subject to Vorticity and/or Spin.** E. Loth, *University of Illinois at Urbana-Champaign* (**46**, 4, p. 801) Survey Paper
- J08-078 Deriving Lifetime Maps of Coherent Structures in the Turbulent Boundary Layer.** D. Palumbo, *NASA Langley Research Center* (**46**, 4, p. 810) Article based on AIAA Paper 2006-2410
- J08-079 Placement Optimization of Distributed-Sensing Fiber Optic Sensors Using Genetic Algorithms.** J. Li, *Oakland University*; R. K. Kapania, *Virginia Polytechnic Institute and State University*; and W. B. Spillman, *Columbia Gorge Research* (**46**, 4, p. 824) Article based on AIAA Paper 2004-4334
- J08-080 Leading-Edge Separation Control by Means of Pulsed Vortex Generator Jets.** P. Scholz, M. Casper, J. Ortmanns, C. J. Kähler, and R. Radespiel, *Technical University of Brunswick, Germany* (**46**, 4, p. 837) Article based on AIAA Paper 2006-2850
- J08-081 Drag-Breakdown Methods from Wake Measurements.** M. Méheut and D. Bailly, *ONERA, France* (**46**, 4, p. 847) Article
- J08-082 ADjoint: An Approach for the Rapid Development of Discrete Adjoint Solvers.** C. A. Mader and J. R. Martins, *University of Toronto, Canada*; J. J. Alonso and E. van der Weide, *Stanford University* (**46**, 4, p. 863) Article based on AIAA Paper 2006-7121
- J08-083 Direct Noise Computation of the Turbulent Flow Around a Zero-Incidence Airfoil.** O. Marsden, C. Bogey, and C. Bailly, *Ecole Centrale de Lyon, France* (**46**, 4, p. 874) Article based on AIAA Paper 2006-2503
- J08-084 Multi-Attribute Structural Optimization Based on Conjoint Analysis.** H. K. Amarchinta and R. V. Grandhi, *Wright State University* (**46**, 4, p. 884) Article
- J08-085 Solving Discontinuous Galerkin Formulations of Poisson's Equation Using Geometric and  $p$  Multigrid.** B. T. Helenbrook, *Clarkson University*; and H. L. Atkins, *NASA Langley Research Center* (**46**, 4, p. 894) Article based on AIAA Paper 2007-4082
- J08-086 Improvement of Flügge's Equations for Buckling of Moderately Thick Anisotropic Cylindrical Shells.** Atsushi Takano, *Mitsubishi Electric Corporation, Japan* (**46**, 4, p. 903) Article
- J08-087 Evaluation of the Stability Derivatives Using the Sensitivity Equations.** Y.-X. Ren, *Tsinghua University, China (PRC)* (**46**, 4, p. 912) Article
- J08-088 Simulation and Parameter Variation of Flapping-Wing Motion Based on Dragonfly Hovering.** J. Young and J. C. Lai, *University of New South Wales, Australian Defence Force Academy, Australia*; and C. Germain, *Institut National des Sciences Appliquées de Lyon, France* (**46**, 4, p. 918) Article based on AIAA Paper 2006-38
- J08-089 Effect of Stiffness Uncertainties on the Flutter of a Cantilever Wing.** S. C. Castravete and R. A. Ibrahim, *Wayne State University* (**46**, 4, p. 925) Article
- J08-090 Flutter of Partially Rigid Cantilevered Two-Dimensional Plates in Axial Flow.** R. De Breuker, M. M. Abdalla, and Z. Gürdal, *Delft University of Technology, The Netherlands* (**46**, 4, p. 936) Article based on AIAA Paper 2006-1730
- J08-091 Stability Analysis of Solid Rocket Motor Combustion by Computational Fluid Dynamics.** T. Shimada, *Japan Aerospace Exploration Agency, Japan*; M. Hanzawa, T. Morita, T. Kato, T. Yoshikawa, and Y. Wada, *Tokai University, Japan* (**46**, 4, p. 947) Article based on AIAA Paper 2007-3427
- J08-092 Numerical Modeling of Sound Diffraction at a Half-Plane Trailing Edge.** M. Genito and D. Casalino, *Italian Aerospace Research Center, Italy* (**46**, 4, p. 958) Article based on AIAA Paper 2007-3503
- J08-093 Effects of Reynolds Number and Flapping Kinematics on Hovering Aerodynamics.** J. Tang, D. Viieru, and W. Shyy, *University of Michigan* (**46**, 4, p. 967) Article based on AIAA Paper 2007-129

- J08-094 Large Eddy/Reynolds-Averaged Navier-Stokes Simulation of a Mach 5 Compression-Corner Interaction.** J. R. Edwards, J.-I. Choi, and J. A. Boles, *North Carolina State University* (**46**, 4, p. 977) Article
- J08-095 Aerothermoelastic Stability of Composite Aerovehicle Wings Subjected to Heat Inputs.** G. M. Polli and F. Mastroddi, *University of Rome "La Sapienza," Italy*; L. Librescu, *Virginia Polytechnic Institute and State University*; and C. Di Trapani, *Avio Propulsione Aerospaziale, Italy* (**46**, 4, p. 992) Article based on AIAA Paper 2006-1731
- J08-096 Advanced Analysis on Tiltrotor Aircraft Flutter Stability, Including Unsteady Aerodynamics.** T. Kim and S. Shin, *Seoul National University, Republic of Korea* (**46**, 4, p. 1002) Article
- J08-097 Acoustic Response of a Resonant Igniter with Confuser Inlet.** N. Pearson and W. E. Anderson, *Purdue University* (**46**, 4, p. 1013) Technical Note
- J08-098 Analytical Equilibrium Swirling Inflow Conditions for Computational Fluid Dynamics.** X. Jiang, G. A. Siamas, and L. C. Wrobel, *Brunel University, Great Britain* (**46**, 4, p. 1015) Technical Note
- J08-099 Unsteady Aperiodic Behavior of a Periodically Disturbed Tip-Leakage Vortex.** R. Ma and W. J. Devenport, *Virginia Polytechnic Institute and State University* (**46**, 5, p. 1025) Article
- J08-100 Starting Pressure and Hysteresis Behavior of an Annular Injection Supersonic Ejector.** S. Kim and S. Kwon, *Korea Advanced Institute of Science and Technology, Republic of Korea* (**46**, 5, p. 1039) Article
- J08-101 Three-Dimensional Unsteady Flow Computations Around a Conventional Slat of High-Lift Devices.** T. Imamura, S. Enomoto, Y. Yokokawa, and K. Yamamoto, *Japan Aerospace Exploration Agency, Japan* (**46**, 5, p. 1045) Article based on AIAA Paper 2006-2668
- J08-102 One-Dimensional Multiple-Temperature Gas-Kinetic Bhatnagar-Gross-Krook Scheme for Shock Wave Computation.** C. Cai and D. D. Liu, *ZONA Technology, Inc.*; and K. Xu, *Hong Kong University of Science and Technology, Hong Kong* (**46**, 5, p. 1054) Article based on AIAA Paper 2006-7900
- J08-103 Enhanced Stability and Reduced Emissions in an Elliptic Swirl-Stabilized Burner.** C. O. Paschereit, *Berlin University of Technology, Germany*; and E. J. Gutmark, *University of Cincinnati* (**46**, 5, p. 1063) Article based on AIAA Paper 2003-1011
- J08-104 Integrated System-of-Systems Synthesis.** J. Sobieszczanski-Sobieski, *NASA Langley Research Center* (**46**, 5, p. 1072) Article based on AIAA Paper 2006-7064
- J08-105 Jet-Noise Reduction by Impinging Microjets: An Acoustic Investigation Testing Microjet Parameters.** T. Castelain, M. Sunyach, and D. Juvé, *École Centrale de Lyon, France*; and J.-C. Béra, *Université Claude Bernard Lyon I, France* (**46**, 5, p. 1081) Article based on AIAA Paper 2006-2705
- J08-106 Optical Method for Measuring Low Wall Shear Stresses Using Thermal Tufts.** J. W. Gregory, J. W. Baughn, C. O. Porter, and A. R. Byerley, *U.S. Air Force Academy* (**46**, 5, p. 1088) Article based on AIAA Paper 2006-0647
- J08-107 Aerodynamic Design Optimization Using the Drag-Decomposition Method.** W. Yamazaki, K. Matsushima, and K. Nakahashi, *Tohoku University, Japan* (**46**, 5, p. 1096) Article based on AIAA Paper 2006-3332
- J08-108 Suction and Oscillatory Blowing Actuator Modeling and Validation.** G. Arwatz, I. Fono, and A. Seifert, *Tel Aviv University, Israel* (**46**, 5, p. 1107) Article
- J08-109 Three-Component Vectorial Proper Orthogonal Decomposition of Axisymmetric Wake Behind a Disk.** M. Tutkun, *Norwegian Defence Research Establishment, Norway*; P. B. Johansson, *Volvo Aero Corporation, Sweden*; and W. K. George, *Chalmers University of Technology, Sweden* (**46**, 5, p. 1118) Article based on AIAA Paper 2006-3300
- J08-110 Two-Dimensional Simulation of Stripping Breakup of a Water Droplet.** H. Chen, *Leader University, Taiwan (ROC)* (**46**, 5, p. 1135) Article
- J08-111 Approximate Nonlinear Analysis Method for Debonding of Skin/Stringer Composite Assemblies.** E. Cosentino, *Airbus UK, Ltd., Great Britain*; and P. M. Weaver, *University of Bristol, Great Britain* (**46**, 5, p. 1144) Article
- J08-112 Improved Component-Mode Synthesis for Nonclassically Damped Systems.** M. H. Liu, *Harbin Institute of Technology, China (PRC)*; and G. T. Zheng, *Tsinghua University, China (PRC)* (**46**, 5, p. 1160) Article
- J08-113 General Framework for Dynamic Substructuring: History, Review and Classification of Techniques.** D. de Klerk, D. J. Rixen, and S. N. Voormeeren, *Delft University of Technology, The Netherlands* (**46**, 5, p. 1169) Article
- J08-114 Application of Laminar-Turbulent Transition Criteria in Navier-Stokes Computations.** J. Cliquet, R. Houdeville, and D. Arnal, *ONERA, France* (**46**, 5, p. 1182) Article based on AIAA Paper 2007-515
- J08-115 Improved Computational Efficiency of Unsteady Flow Problems via the Modified Wavelet Method.** H. M. Kang, D. H. Lee, and K. H. Kim, *Seoul National University, Republic of Korea*; and D. H. Lee, *Hanyang University, Republic of Korea* (**46**, 5, p. 1191) Article
- J08-116 Nonpremixed Combustion in an Accelerating Turning Transonic Flow Undergoing Transition.** F. Cheng, F. Liu, and W. A. Sirignano, *University of California, Irvine* (**46**, 5, p. 1204) Article
- J08-117 Aeroelastic Analysis of Wing Structures Using Equivalent Plate Models.** R. Vepa, *University of London, Great Britain* (**46**, 5, p. 1216) Article
- J08-118 Continuous Adjoint Method for Unstructured Grids.** A. Jameson and S. Shankaran, *Stanford University*; and L. Martinelli, *Princeton University* (**46**, 5, p. 1226) Article based on AIAA Paper 2003-3955
- J08-119 Kriging Hyperparameter Tuning Strategies.** D. J. Toal, N. W. Bressloff, and A. J. Keane, *University of Southampton, Great Britain* (**46**, 5, p. 1240) Article
- J08-120 Calibration and Uncertainty Analysis for Computer Simulations with Multivariate Output.** John McFarland and Sankaran Mahadevan, *Vanderbilt University*; Vicente Romero and Laura Swiler, *Sandia National Laboratories* (**46**, 5, p. 1253) Article
- J08-121 Full-Field Uncertainty Determination for Pressure-Sensitive Paint Measurements.** W. Ruyten, *Euclidean Optics, Inc.* (**46**, 5, p. 1266) Technical Note
- J08-122 Buckling Modes of Thin Circular Cylindrical Shells Under Fundamental Loads.** Y. Hirano, *Chuo University, Japan* (**46**, 5, p. 1268) Technical Note
- J08-123 Stability of Quasi-One-Dimensional Isentropic Flows.** D. Prasad, *Pratt & Whitney* (**46**, 5, p. 1271) Technical Note
- J08-124 Stress-Based Optimization Method for Reproducing In-Flight Loads Using Concentrated Forces.** C. Bou-Mosleh, *Stanford University*; and C. Farhat, *Stanford University* (**46**, 5, p. 1273) Technical Note
- J08-125 Unstructured-Mesh Discretizations and Solvers for Computational Aerodynamics.** D. J. Mavriplis, *University of Wyoming* (**46**, 6, p. 1281) Survey Paper based on AIAA Paper 2007-3955

- J08-126 Harmonic Solution of Unsteady Flow Around Blades with Separation.** L. He, *Oxford University, Great Britain* (46, 6, p. 1299) Article
- J08-127 Feasibility Study for Steering a Supersonic Projectile by a Plasma Actuator.** P. Gnemmi, R. Charon, J.-P. Dupéroux, and A. George, *French-German Research Institute of Saint-Louis, France* (46, 6, p. 1308) Article
- J08-128 Parametric Study of an Oscillating Airfoil in a Power-Extraction Regime.** T. Kinsey and G. Dumas, *Laval University, Canada* (46, 6, p. 1318) Article based on AIAA Paper 2006-2836
- J08-129 Nonlinear Flutter Calculations Using Finite Elements in a Direct Eulerian-Lagrangian Formulation.** G. Seber and O. O. Bendiksen, *University of California, Los Angeles* (46, 6, p. 1331) Article based on AIAA Paper 2005-1836
- J08-130 Tip Vortex Control via a Tab Deflecting at Higher Harmonic Frequencies.** T. Lee and J. Pereira, *McGill University, Canada* (46, 6, p. 1342) Article
- J08-131 Unsteady Discrete Adjoint Formulation for Two-Dimensional Flow Problems with Deforming Meshes.** K. Mani and D. J. Mavriplis, *University of Wyoming* (46, 6, p. 1351) Article based on AIAA Paper 2007-60
- J08-132 Investigation by Particle Image Velocimetry Measurements of Oblique Shock Reflection with Separation.** P. Dupont and S. Piponniau, *Centre National de la Recherche Scientifique, France*; A. Sidorenko, *Russian Academy of Sciences, Russia*; and J. F. Debiève, *Centre National de la Recherche Scientifique, France* (46, 6, p. 1365) Article based on AIAA Paper 2007-119
- J08-133 Enhancing the Robustness of Aeroelastic Instability Suppression Using Multi-Degree-of-Freedom Nonlinear Energy Sinks.** Y. S. Lee, *University of Illinois at Urbana-Champaign*; A. F. Vakakis, *National Technical University of Athens, Greece*; L. A. Bergman and D. M. McFarland, *University of Illinois at Urbana-Champaign*; and G. Kerschen, *University of Liege, Belgium* (46, 6, p. 1371) Article
- J08-134 Condition Assessment of Structures Under Ambient White Noise Excitation.** X. Y. Li and S. S. Law, *Hong Kong Polytechnic University, Hong Kong* (46, 6, p. 1395) Article
- J08-135 Long Carbon Nanotubes Grown on the Surface of Fibers for Hybrid Composites.** E. J. García, A. J. Hart, and B. L. Wardle, *Massachusetts Institute of Technology* (46, 6, p. 1405) Article based on AIAA Paper 2006-1854
- J08-136 Efficient Computation of Spinning Modal Radiation Through an Engine Bypass Duct.** X. Huang, X. Chen, Z. Ma, and X. Zhang, *University of Southampton, Great Britain* (46, 6, p. 1413) Article
- J08-137 Effect of Energy Pulse on 3-D Edney IV Interaction.** H. Yan, *Wright State University*; and D. Gaitonde, *U.S. Air Force Research Laboratory* (46, 6, p. 1424) Article based on AIAA Paper 2006-3344
- J08-138 Impedance Boundary Condition for Truncated Open Spaces.** K.-Y. Fung, X. D. Jing, Z. B. Lu, and T. Wang, *Hong Kong Polytechnic University, Hong Kong* (46, 6, p. 1432) Article based on AIAA Paper 2004-2870
- J08-139 Shock-Wave/Boundary-Layer Interaction Control Using Three-Dimensional Bumps for Transonic Wings.** H. Ogawa and H. Babinsky, *University of Cambridge, Great Britain*; M. Pätzold and T. Lutz, *University of Stuttgart, Germany* (46, 6, p. 1442) Article based on AIAA Paper 2007-324
- J08-140 Flow Reattachment and Vortex Re-Formation on Oscillating Low-Aspect-Ratio Wings.** E. Vardaki, Z. Wang, and I. Gursul, *University of Bath, Great Britain* (46, 6, p. 1453) Article based on AIAA Paper 2006-506
- J08-141 Smart Double Panel with Decentralized Active Dampers for Sound Transmission Control.** N. Alujević, P. Gardonio, and K. D. Frampton, *University of Southampton, Great Britain* (46, 6, p. 1463) Article
- J08-142 Orthogonal Blade-Vortex Interaction on a Helicopter Tail Rotor.** A. Filippone and I. Afgan, *University of Manchester, Great Britain* (46, 6, p. 1476) Article
- J08-143 Vibroacoustic Modes and Active Control of Both Vibration and Sound.** T. Kaizuka and N. Tanaka, *Tokyo Metropolitan University, Japan* (46, 6, p. 1490) Article
- J08-144 Aerodynamics of a Flapping and Pitching Wing Using Simulations and Experiments.** K. M. Isaac and J. Rolwes, *Missouri University of Science and Technology*; and A. Colozza, *NASA John H. Glenn Research Center at Lewis Field* (46, 6, p. 1505) Article based on AIAA Paper 2006-0450
- J08-145 Sensitivity Analysis Method for Membrane Wrinkling Based on the Tension-Field Theory.** T. Akita, *Osaka Prefecture University, Japan*; and M. C. Natori, *Institute of Space and Astronautical Science, Japan* (46, 6, p. 1516) Article based on AIAA Paper 2006-1800
- J08-146 Dielectric Barrier Discharge Flow Control at Very Low Flight Reynolds Numbers.** D. Greenblatt, *Technion-Israel Institute of Technology, Israel*; B. Göksel and I. Rechenberg, *Electrofluidsystems Ltd., Germany*; C. Y. Schüle, D. Romann, and C. O. Paschereit, *Berlin University of Technology, Germany* (46, 6, p. 1528) Article
- J08-147 Local Buckling and Mode Switching in the Optimum Design of Stiffened Panels.** P. Khosravi and R. Sedaghati, *Concordia University, Canada* (46, 6, p. 1542) Article
- J08-148 Robustly Optimal Fixed Pitch Wind Turbine with Tip Correction and Drag.** S. P. Farthing, *Wing'd Pump, Canada* (46, 6, p. 1549) Article
- J08-149 Delta-Wing Flow Control Using Dielectric Barrier Discharge Actuators.** D. Greenblatt, *Technion-Israel Institute of Technology, Israel*; Y. Kastantin, C. N. Nayeri, and C. O. Paschereit, *Berlin University of Technology, Germany* (46, 6, p. 1554) Technical Note based on AIAA Paper 2007-4277
- J08-150 Wind-Tunnel Study of Gurney Flaps Applied to Micro Aerial Vehicle Wing.** R. Albertani, *University of Florida* (46, 6, p. 1560) Technical Note
- J08-151 Kelvin-Helmholtz Instability Due to Slot Blowing in Laminar Boundary Layers.** A. de Tilly and J. M. Sousa, *Technical University of Lisbon, Portugal* (46, 6, p. 1562) Technical Note
- J08-152 Study on the Turbulent Burning Velocity of Hydrogen Mixtures Including Hydrocarbon.** M. Nakahara and H. Kido, *Kyushu University, Japan* (46, 7, p. 1569) Article based on AIAA Paper 2003-4638
- J08-153 Large-Eddy Simulations of Turbulent Flows in an Axisymmetric Dump Combustor.** A. Afshari and F. A. Jaber, *Michigan State University*; and T. I. Shih, *Iowa State University* (46, 7, p. 1576) Article
- J08-154 Impulse Generation by an Open Shock Tube.** J. Kashara, *University of Tsukuba, Japan*; Z. Liang, S. T. Browne, and J. E. Shepherd, *California Institute of Technology* (46, 7, p. 1593) Article
- J08-155 OH-Planar Fluorescence Measurements of Pressurized, Hydrogen Premixed Flames in the SimVal Combustor.** P. A. Strakey and S. D. Woodruff, *National Energy Technology Laboratory*; T. C. Williams and R. W. Schefer, *Sandia National Laboratories* (46, 7, p. 1604) Article based on AIAA Paper 2007-980
- J08-156 Computation of Airfoil-Vortex Interaction Using a Vorticity-Preserving Scheme.** F. Falissard and A. Lerat, *Ecole Nationale Supérieure d'Arts et Métiers, France*; and J. Sidès, *ONERA, France* (46, 7, p. 1614) Article
- J08-157 Structural Damage Detection Based on Proper Orthogonal Decomposition: Experimental Verification.** U. Galvanetto, *Imperial College, Great Britain*; C. Surace and A. Tassotti, *Politecnico di Torino, Italy* (46, 7, p. 1624) Article

- J08-158 Novel Kevlar-Walled Wind Tunnel for Aeroacoustic Testing of a Landing Gear.** M. C. Remillieux, H. E. Camargo, P. A. Ravetta, R. A. Burdisso, and W. F. Ng, *Virginia Polytechnic Institute and State University* (46, 7, p. 1631) Article based on AIAA Paper 2007-3453
- J08-159 Calculation of Multidimensional Flames Using Large Chemical Kinetics.** V. R. Katta, *Innovative Scientific Solutions, Inc.*; and W. M. Roquemore, *Wright Laboratory* (46, 7, p. 1640) Article based on AIAA Paper 2007-4418
- J08-160 Modeled Boltzmann Equation and Its Application to Direct Aeroacoustic Simulation.** S. C. Fu, R. M. So, and R. C. Leung, *Hong Kong Polytechnic University, China (PRC)* (46, 7, p. 1651) Article
- J08-161 Noise-Source Identification for Ducted Fan Systems.** G. J. Bennett and J. A. Fitzpatrick, *Trinity College Dublin, Ireland* (46, 7, p. 1663) Article based on AIAA Paper 2007-3693
- J08-162 Influence of Finite Span and Sweep on Active Flow Control Efficacy.** D. Greenblatt, *Technion—Israel Institute of Technology, Israel*; and A. E. Washburn, *NASA Langley Research Center* (46, 7, p. 1675) Article based on AIAA Paper 2007-4275
- J08-163 Mesh Movement for a Discrete-Adjoint Newton-Krylov Algorithm for Aerodynamic Optimization.** A. H. Truong, C. A. Oldfield, and D. W. Zingg, *University of Toronto, Canada* (46, 7, p. 1695) Article based on AIAA Paper 2007-3952
- J08-164 Large-Eddy Simulation of Separated Flow in a Channel with Streamwise-Periodic Constrictions.** J. Ziefle, *ETH Zurich, Switzerland*; S. Stolz, *Philip Morris International, Switzerland*; and L. Kleiser, *ETH Zurich, Switzerland* (46, 7, p. 1705) Article based on AIAA Paper 2005-5353
- J08-165 Best Strip-Beam Properties Derivable from Classical Lamination Theory.** W. Yu, *Utah State University*; and D. H. Hodges, *Georgia Institute of Technology* (46, 7, p. 1719) Article
- J08-166 Grid-Free Simulation of the Spatially Growing Turbulent Mixing Layer.** P. S. Bernard, *University of Maryland* (46, 7, p. 1725) Article
- J08-167 Study of Damping Linearity of Jointed Metal Plates.** S. J. Walker and G. S. Aglietti, *University of Southampton, Great Britain*; and P. Cunningham, *University of Loughborough, Great Britain* (46, 7, p. 1738) Article
- J08-168 Stability and Performance of a Smart Double Panel with Decentralized Active Dampers.** N. Alujevic, K. D. Frampton, and P. Gardonio, *Institute of Sound and Vibration Research, Great Britain* (46, 7, p. 1747) Article
- J08-169 Quiet-Flow Ludwieg Tube for Hypersonic Transition Research.** T. J. Juliano and S. P. Schneider, *Purdue University*; S. Aradag, *TOBB University of Economics and Technology, Turkey*; and D. Knight, *Rutgers University* (46, 7, p. 1757) Article
- J08-170 Numerical Prediction of Ultraviolet Radiation from Two-Phase Plumes at High Altitudes.** N. E. Gimelshein, R. B. Lyons, and J. G. Reuster, *ERC, Inc.*; and S. F. Gimelshein, *University of Southern California* (46, 7, p. 1764) Article based on AIAA Paper 2007-1014
- J08-171 Growth of Rounding Errors and Repetitiveness of Large Eddy Simulations.** J.-M. Senoner, M. García, S. Mendez, G. Staffelbach, and O. Vermorel, *Centre Européen de Recherche et de Formation Avancée en Calcul Scientifique, France*; and T. Poinot, *Institut de Mécanique des Fluides, France* (46, 7, p. 1773) Article
- J08-172 Inlet Conditions for Large Eddy Simulation of Gas-Turbine Swirl Injectors.** M. H. Baba-Ahmadi and G. R. Tabor, *University of Exeter, Great Britain* (46, 7, p. 1782) Article
- J08-173 Modal Identification of Truss Structures by Changing Stiffness Using Piezoelectric Actuator.** A. Senba, *Nagoya University, Japan*; K. Ohashi and H. Furuya, *Tokyo Institute of Technology, Japan* (46, 7, p. 1791) Article
- J08-174 Interpolation Method for Adapting Reduced-Order Models and Application to Aeroelasticity.** D. Amsallem and C. Farhat, *Stanford University* (46, 7, p. 1803) Article
- J08-175 Aerodynamic Optimization of Essentially Three-Dimensional Shapes for Wing-Body Fairing.** S. Peigin, *Israel Aerospace Industries, Ltd., Israel*; and B. Epstein, *Academic College of Tel-Aviv-Yaffo, Israel* (46, 7, p. 1814) Article
- J08-176 Implementation of Strength-Based Failure Criteria in the Lamination Parameter Design Space.** S. T. IJsselmuiden, M. M. Abdalla, and Z. Gürdal, *Delft University of Technology, The Netherlands* (46, 7, p. 1826) Article based on AIAA Paper 2007-2177
- J08-177 Numerical Study on the Unsteady-Force-Generation Mechanism of Insect Flapping Motion.** J.-S. Lee, J.-H. Kim, and C. Kim, *Seoul National University, Republic of Korea* (46, 7, p. 1835) Article based on AIAA Paper 2006-3210
- J08-178 Flow Relaxation Past a Transverse Square Rib in Pressure Gradients.** M. K. Shah and M. F. Tachie, *University of Manitoba, Canada* (46, 7, p. 1849) Article
- J08-179 Fuzzy Optimal Controller Design with Application to Fuzzy Modeled Structures.** S. S. Rao and Q. Liu, *University of Miami* (46, 7, p. 1864) Article
- J08-180 Roughness-Induced Bypass Transition, Revisited.** N. A. Denissen and E. B. White, *Texas A&M University* (46, 7, p. 1874) Technical Note
- J08-181 Effect of Cavity Width on the Unsteady Pressure in a Low-Mach-Number Cavity.** Ke Zhang and Ahmed M. Naguib, *Michigan State University* (46, 7, p. 1878) Technical Note
- J08-182 Experimental Study of Disturbances in Transitional and Turbulent Hypersonic Boundary Layers.** A. A. Maslov, A. V. Fedorov, D. A. Bountin, A. N. Shpiyuk, and A. A. Sidorenko, *Russian Academy of Sciences, Russia*; N. D. Malmuth, *Teledyne Scientific and Imaging Company*; and H. Knauss, *University of Stuttgart, Germany* (46, 7, p. 1880) Technical Note
- J08-183 Low Reynolds Number Effects in a Mach 3 Shock/Turbulent-Boundary-Layer Interaction.** M. Ringuette, M. Wu, and M. P. Martín, *Princeton University* (46, 7, p. 1883) Technical Note
- J08-184 Discontinuous Galerkin Multimodel Methods for Optimal Control of Aeroacoustics.** G. Chen, *Rice University*; and S. S. Collis, *Sandia National Laboratories* (46, 8, p. 1890) Article based on AIAA Paper 2005-0410
- J08-185 Precise Time-Step Integration Algorithms Using Response Matrices with Expanded Dimension.** T. C. Fung and Z. L. Chen, *Nanyang Technological University, Republic of Singapore* (46, 8, p. 1900) Article
- J08-186 Nonlinear Frequency-Domain Analysis of Unsteady Flows in Turbomachinery with Multiple Excitation Frequencies.** K. Ekici and K. C. Hall, *Duke University* (46, 8, p. 1912) Article based on AIAA Paper 2006-2995
- J08-187 Plasma Actuators for Cylinder Flow Control and Noise Reduction.** F. O. Thomas, A. Kozlov, and T. C. Corke, *University of Notre Dame* (46, 8, p. 1921) Article based on AIAA Paper 2006-2845
- J08-188 Lift on Stationary and Rotating Spheres Under Varying Flow and Surface Conditions.** J. B. Barlow, *University of Maryland*; and M. J. Domanski, *National Heart, Lung, and Blood Institute* (46, 8, p. 1932) Article
- J08-189 Bimodal Buckling of Optimized Truss-Lattice Shear Panels.** P. A. Williams, H. A. Kim, and R. Butler, *University of Bath, Great Britain* (46, 8, p. 1937) Article based on AIAA Paper 2007-2122

- J08-190 Transverse Injection Through Diamond and Circular Ports into a Mach 5.0 Freestream.** R. Srinivasan and R. D. Bowersox, *Texas A&M University* (46, 8, p. 1944) Article
- J08-191 Comparative Study of Topology Optimization Techniques.** N. M. Patel, D. Tillotson, and J. E. Renaud, *University of Notre Dame*; A. Tovar, *National University of Colombia, Colombia*; and K. Izui, *Kyoto University, Japan* (46, 8, p. 1963) Article
- J08-192 Thermal Buckling and Postbuckling of Sandwich Panels with a Transversely Flexible Core.** Y. Frostig, *Technion-Israel Institute of Technology, Israel*; and O. T. Thomsen, *Aalborg University, Denmark* (46, 8, p. 1976) Article
- J08-193 Computational Framework for Coupling Compressible and Low Mach Number Codes.** Y. V. Peet and S. K. Lele, *Stanford University* (46, 8, p. 1990) Article
- J08-194 Experimental Study of the Far Field of Incompressible Swirling Jets.** A. Shiri and W. K. George, *Chalmers University of Technology, Sweden*; and J. W. Naughton, *University of Wyoming* (46, 8, p. 2002) Article based on AIAA Paper 2006-3367
- J08-195 Generation of a Monodisperse Microbubble Jet in Microgravity.** J. Carrera, X. Ruiz, L. Ramírez-Piscina, and J. Casademunt, *Institute for Space Studies of Catalonia, Spain*; and M. Dreyer, *Center of Applied Space Technology and Microgravity, Germany* (46, 8, p. 2010) Article
- J08-196 Investigation of Noise Source Mechanisms in Subsonic Jets.** K. Viswanathan, *The Boeing Company* (46, 8, p. 2020) Article based on AIAA Paper 2007-3601
- J08-197 Response of an Oscillating System to Harmonic Forces of Time-Varying Frequency.** G. M. Henson, *The Aerospace Corporation* (46, 8, p. 2033) Article based on AIAA Paper 2007-2358
- J08-198 Mach 3 Shock Wave Unsteadiness Alleviation Using a Negative Corona Discharge.** P.-Q. Elias, B. Chanetz, S. Larigaldie, and D. Packan, *ONERA, France*; and C. O. Laux, *Ecole Centrale Paris, France* (46, 8, p. 2042) Article
- J08-199 Optimal Design of Functionally Graded Incompressible Linear Elastic Cylinders and Spheres.** R. C. Batra, *Virginia Polytechnic Institute and State University* (46, 8, p. 2050) Article
- J08-200 Nonlinear Feedback Excitation for System Interrogation by Bifurcation Morphing.** S.-H. Yin, *National Taipei University of Technology, Taiwan (ROC)*; and B. I. Epureanu, *University of Michigan* (46, 8, p. 2058) Article
- J08-201 Unsteady Wave Phenomena on a Supercritical Airfoil.** A. Alshabu and H. Olivier, *RWTH Aachen University, Germany* (46, 8, p. 2066) Article
- J08-202 Bearing Strength Analysis of Hybrid Titanium Composite Laminates.** J. M. Hundley, J.-M. Yang, and H. T. Hahn, *University of California, Los Angeles*; and A. B. Facciano, *Raytheon Missile Systems* (46, 8, p. 2074) Article
- J08-203 Hybrid Particle-Continuum Simulations of Hypersonic Flow over a Hollow-Cylinder-Flare Geometry.** T. E. Schwartztruber, *University of Minnesota*; L. C. Scalabrin, *ESI Group North America*; and I. D. Boyd, *University of Michigan* (46, 8, p. 2086) Article based on AIAA Paper 2007-3892
- J08-204 Aeromechanics of Membrane Wings with Implications for Animal Flight.** A. Song, X. Tian, E. Israeli, R. Galvao, K. Bishop, S. Swartz, and K. Breuer, *Brown University* (46, 8, p. 2096) Article based on AIAA Paper 2008-517
- J08-205 Mach-Number Measurement with Laser and Pressure Probes in Humid Supersonic Flow.** G. C. Herring, *NASA Langley Research Center* (46, 8, p. 2107) Technical Note
- J08-206 Insect-Based Hover-Capable Flapping Wings for Micro Air Vehicles: Experiments and Analysis.** B. Singh and I. Chopra, *University of Maryland* (46, 9, p. 2115) Article
- J08-207 Flapping Wing Aerodynamics: Progress and Challenges.** M. F. Platzer and K. D. Jones, *Naval Postgraduate School*; J. Young and J. C. Lai, *Australian Defence Force Academy, Australia* (46, 9, p. 2136) Article based on AIAA Paper 2006-0500
- J08-208 Integrative Model of Drosophila Flight.** W. B. Dickson, A. D. Straw, and M. H. Dickinson, *California Institute of Technology* (46, 9, p. 2150) Article based on AIAA Paper 2006-34
- J08-209 Propulsive Efficiency of a Moving Airfoil at Transitional Low Reynolds Numbers.** J. Windte and R. Radespiel, *Institute of Fluid Mechanics, Germany* (46, 9, p. 2165) Article
- J08-210 Computations of Insect and Fish Locomotion with Applications to Unconventional Unmanned Vehicles.** R. Ramamurti and W. Sandberg, *Naval Research Laboratory* (46, 9, p. 2178) Article
- J08-211 Detached-Eddy Simulation Around a Forebody with Rotary Motion.** A. K. Viswanathan and K. D. Squires, *Arizona State University*; and J. R. Forsythe, *Cobalt Solutions, LLC* (46, 9, p. 2191) Article based on AIAA Paper 2003-0265
- J08-212 Aeroelastic Solutions Using the Nonlinear Frequency-Domain Method.** F. Kachra and S. Nadarajah, *McGill University, Canada* (46, 9, p. 2202) Article based on AIAA Paper 2006-2980
- J08-213 Topology Optimization Using Hyper Radial Basis Function Network.** A. P. Apte and B. P. Wang, *University of Texas at Arlington* (46, 9, p. 2211) Article based on AIAA Paper 2006-1814
- J08-214 Compressibility and Rarefaction Effects on Drag of a Spherical Particle.** E. Loth, *University of Illinois at Urbana-Champaign* (46, 9, p. 2219) Article
- J08-215 Control of Flow Separation Using Self-Supplying Air-Jet Vortex Generators.** A. Krzysiak, *Institute of Aviation, Poland* (46, 9, p. 2229) Article
- J08-216 Numerical Simulation of Two-Dimensional Blade-Vortex Interactions Using the Finite Difference Lattice Boltzmann Method.** A. Tamura, M. Tsutahara, and T. Kataoka, *Kobe University, Japan*; T. Aoyama and C. Yang, *Japan Aerospace Exploration Agency, Japan* (46, 9, p. 2235) Article
- J08-217 Experimental Study for Momentum Transfer in a Dielectric Barrier Discharge Plasma Actuator.** T. Abe, Y. Takizawa, and S. Sato, *Institute of Space and Astronautical Science, Japan*; and N. Kimura, *Tokai University, Japan* (46, 9, p. 2248) Article based on AIAA Paper 2007-187
- J08-218 Modified Efficient Global Optimization for a Hat-Stiffened Composite Panel with Buckling Constraint.** A. Todoroki and M. Sekishiro, *Tokyo Institute of Technology, Japan* (46, 9, p. 2257) Article based on AIAA Paper 2007-2880
- J08-219 Flow-Induced Sound of Wall-Mounted Cylinders with Different Geometries.** S. Becker, C. Hahn, M. Kaltenbacher, and R. Lerch, *University of Erlangen-Nürnberg, Germany* (46, 9, p. 2265) Article based on AIAA Paper 2007-3430
- J08-220 Boundary Conditions for Acoustic Eigenmodes Computation in Gas Turbine Combustion Chambers.** N. Lamarque, *Centre Européen de Recherche et de Formation Avancée en Calcul Scientifique, France*; and T. Poinot, *Institut de Mécanique des Fluides de Toulouse, France* (46, 9, p. 2282) Article
- J08-221 Flow Control by Dielectric Barrier Discharge Actuators: Jet Mixing Enhancement.** N. Benard, J. P. Bonnet, G. Touchard, and E. Moreau, *University of Poitiers, France* (46, 9, p. 2293) Article

- J08-222 Control Input Separation Methods for Reduced-Order Model-Based Feedback Flow Control.** E. Caraballo, C. Kasnakoglu, A. Serrani, and M. Samimy, *The Ohio State University* (**46**, 9, p. 2306) Article
- J08-223 Design and Modeling of Selective Reinforcements for Integral Aircraft Structures.** M. Boscolo, G. Allegri, and X. Zhang, *Cranfield University, Great Britain* (**46**, 9, p. 2323) Article based on AIAA Paper 2007-2116
- J08-224 Material Uncertainty Propagation in Helicopter Nonlinear Aeroelastic Response and Vibratory Analysis.** S. Murugan, D. Harursampath, and R. Ganguli, *Indian Institute of Science, India* (**46**, 9, p. 2332) Article based on AIAA Paper 2007-2298
- J08-225 How to Solve Compressible Multifluid Equations: A Simple, Robust, and Accurate Method.** M.-S. Liou, *NASA John H. Glenn Research Center at Lewis Field*; C.-H. Chang, L. Nguyen, and T. G. Theofanous, *University of California* (**46**, 9, p. 2345) Article based on AIAA Paper 2007-4456
- J08-226 Detonation Initiation in a Tube via Imploding Toroidal Shock Waves.** S. I. Jackson, *Los Alamos National Laboratory*; and J. E. Shepherd, *California Institute of Technology* (**46**, 9, p. 2357) Article based on AIAA Paper 2004-3919
- J08-227 Efficient Implementation of Tam and Auriault's Time-Domain Impedance Boundary Condition.** Y. Reymen, M. Baelmans, and W. Desmet, *Katholieke Universiteit Leuven, Belgium* (**46**, 9, p. 2368) Article based on AIAA Paper 2006-2685
- J08-228 Vorticity-Preserving Artificial Dissipation Model for Vortical Wake Prediction.** C.-H. Sung, B. Rhee, and T. M. Shih, *David Taylor Model Basin* (**46**, 9, p. 2377) Technical Note
- J08-229 Evidence-Based Fuzzy Approach for the Safety Analysis of Uncertain Systems.** S. S. Rao and K. K. Annamdas, *University of Miami* (**46**, 9, p. 2383) Technical Note
- J08-230 Lay-Up Optimization of Composite Stiffened Panels Using Linear Approximations in Lamination Space.** J. E. Herencia, *University of Bristol, Great Britain*; R. T. Haftka, *University of Florida*; and P. M. Weaver and M. I. Friswell, *University of Bristol, Great Britain* (**46**, 9, p. 2387) Technical Note
- J08-231 Improved Design Formulas for Buckling of Orthotropic Plates Under Combined Loading.** P. M. Weaver, *University of Bristol, Great Britain*; and M. P. Nemeth, *NASA Langley Research Center* (**46**, 9, p. 2391) Technical Note based on AIAA Paper 2008-2273
- J08-232 Skin Friction Measurements Using Oil-Film Interferometry in NASA's 11-Foot Transonic Wind Tunnel.** D. M. Driver, *NASA Ames Research Center*; and A. Drake, *Northrop Grumman Corporation* (**46**, 10, p. 2401) Article based on AIAA Paper 2004-1359
- J08-233 Frequency Response of a Combined Structure Using a Modified Finite Element Method.** P. D. Cha, *Harvey Mudd College*; and X. Zhou, *Tsinghua University, China (PRC)* (**46**, 10, p. 2408) Article
- J08-234 Instability of Adverse-Pressure-Gradient Boundary Layers with Suction.** P. J. Roberts and J. M. Floryan, *University of Western Ontario, Canada* (**46**, 10, p. 2416) Article
- J08-235 Kinetic Ignition Enhancement of Diffusion Flames by Nonequilibrium Magnetic Gliding Arc Plasma.** T. Ombrello and Y. Ju, *Princeton University*; and A. Fridman, *Drexel University* (**46**, 10, p. 2424) Article based on AIAA Paper 2007-1025
- J08-236 Sensor Placement for Damage Detection in Nonlinear Systems Using System Augmentations.** K. D'Souza and B. I. Epureanu, *University of Michigan* (**46**, 10, p. 2434) Article based on AIAA Paper 2007-2057
- J08-237 Control of a Simplified Unsteady Film-Cooling Flow Using Gradient-Based Optimization.** F. Muldoon, *Louisiana State University* (**46**, 10, p. 2443) Article
- J08-238 Efficient Global Reliability Analysis for Nonlinear Implicit Performance Functions.** B. J. Bichon, *Vanderbilt University*; M. S. Eldred and L. P. Swiler, *Sandia National Laboratories*; S. Mahadevan and J. M. McFarland, *Vanderbilt University* (**46**, 10, p. 2459) Article
- J08-239 Aerodynamic Analysis of an Iced Airfoil at Medium/High Reynolds Number.** C. Marongiu, P. L. Vitagliano, and G. Zanazzi, *Italian Center for Aerospace Research, Italy*; and R. Narducci, *The Boeing Company* (**46**, 10, p. 2469) Article based on AIAA Paper 2007-4283
- J08-240 Numerical Investigations of Reignition in Vortex-Perturbed n-Heptane Nonpremixed Flames.** R. Venugopal and J. Abraham, *Purdue University* (**46**, 10, p. 2479) Article
- J08-241 Space-Time Correlations in Two Subsonic Jets Using Dual Particle Image Velocimetry Measurements.** V. Fleury, *Office National d'Études et de Recherches Aéropatiales, France*; C. Bailly, E. Jondeau, M. Michard, and D. Juvé, *Ecole Centrale de Lyon, France* (**46**, 10, p. 2498) Article based on AIAA Paper 2007-3615
- J08-242 Control of Poststall Airfoil Aerodynamics Based on Surface Perturbation.** M. M. Zhang, Y. Zhou, and L. Cheng, *Hong Kong Polytechnic University, Hong Kong* (**46**, 10, p. 2510) Article
- J08-243 Parametric Reduced-Order Models for Probabilistic Analysis of Unsteady Aerodynamic Applications.** T. Bui-Thanh and K. Willcox, *Massachusetts Institute of Technology*; and O. Ghattas, *University of Texas at Austin* (**46**, 10, p. 2520) Article based on AIAA Paper 2007-2049
- J08-244 Active Flow Control at Low Angles of Attack: Stingray Unmanned Aerial Vehicle.** J. A. Farnsworth, J. C. Vaccaro, and M. Amitay, *Rensselaer Polytechnic Institute* (**46**, 10, p. 2530) Article based on AIAA Paper 2007-4426
- J08-245 Development of a Preliminary Model-Scale Adaptive Jet Engine Chevron.** T. L. Turner, R. H. Cabell, R. J. Cano, and R. J. Silcox, *NASA Langley Research Center* (**46**, 10, p. 2545) Article
- J08-246 Multiple Sound Generation in Interaction of Shock Wave with Strong Vortex.** A. Chatterjee, *Gyeongsang National University, Republic of Korea*; and S. Vijayaraj, *Indian Institute of Technology, Bombay, India* (**46**, 10, p. 2558) Article
- J08-247 Modeling of Stardust Reentry Ablation Flows in the Near-Continuum Flight Regime.** Jiaqiang Zhong, Takashi Ozawa, and Deborah A. Levin, *Pennsylvania State University* (**46**, 10, p. 2568) Article based on AIAA Paper 2007-4551
- J08-248 Direct Reduction of Aero-Optical Aberrations by Large Structure Suppression Control in Turbulence.** A. P. Freeman and H. J. Catrakis, *University of California* (**46**, 10, p. 2582) Article based on AIAA Paper 2007-4008
- J08-249 Aeroelastic and Aerothermoelastic Behavior in Hypersonic Flow.** J. J. McNamara, *The Ohio State University*; P. P. Friedmann, K. G. Powell, and B. J. Thuruthimattam, *University of Michigan*; and R. E. Bartels, *NASA Langley Research Center* (**46**, 10, p. 2591) Article
- J08-250 Bilevel Adaptive Weighted Sum Method for Multidisciplinary Multi-Objective Optimization.** K.-S. Zhang, Z.-H. Han, W.-J. Li, and W.-P. Song, *Northwestern Polytechnical University, China (PRC)* (**46**, 10, p. 2611) Article based on AIAA Paper 2008-0908
- J08-251 Adiabatic Homogeneous Model for Flow Around a Multiperforated Plate.** S. Mendez, *Centre Européen de Recherche et de Formation Avancée en Calcul Scientifique, France*; and F. Nicoud, *University Montpellier II, France* (**46**, 10, p. 2623) Article

- J08-252 Implicit Large-Eddy Simulation of a Deep Cavity Using High-Resolution Methods.** B. Thornber and D. Drikakis, *Cranfield University, Great Britain* (46, 10, p. 2634) Article based on AIAA Paper 2008-0730
- J08-253 Origin of Surface-Shear-Stress Pulses in Turbulent Boundary Layers.** V. A. Sandborn, *Colorado State University* (46, 10, p. 2646) Technical Note
- J08-254 Two-Point Measurements of Wall Shear Stress Beneath an Axisymmetric Separating/Reattaching Flow.** Y. Li, *Caterpillar, Inc.*; A. M. Naguib, *Michigan State University*; and L. M. Hudy, *General Electric Global Research* (46, 10, p. 2649) Technical Note
- J08-255 Interrogative Testing for Nonlinear Identification of Aeroelastic Systems.** C. C. Chabalko, *U.S. Air Force Research Laboratory*; M. R. Hajj, *Virginia Polytechnic Institute and State University*; and W. A. Silva, *NASA Langley Research Center* (46, 11, p. 2657) Letter based on AIAA Paper 2008-2019
- J08-256 Computational Investigation of Acoustics and Instabilities in a Longitudinal-Mode Rocket Combustor.** R. Smith, M. Ellis, G. Xia, V. Sankaran, W. Anderson, and C. L. Merkle, *Purdue University* (46, 11, p. 2659) Article
- J08-257 Improved Model for the Penetration of Liquid Jets in Subsonic Crossflows.** A. Mashayek, A. Jafari, and N. Ashgriz, *University of Toronto, Canada* (46, 11, p. 2674) Article
- J08-258 Turbulence Within a Turbomachine Rotor Wake Subject to Nonuniform Contraction.** F. Soranna, Y.-C. Chow, O. Uzol, and J. Katz, *Johns Hopkins University* (46, 11, p. 2687) Article
- J08-259 Nonlinear Response Structural Optimization of a Joined Wing Using Equivalent Loads.** Y. I. Kim and G. J. Park, *Hanyang University, Republic of Korea*; R. M. Kolonay and M. Blair, *U.S. Air Force Research Laboratory*; and R. A. Canfield, *Air Force Institute of Technology* (46, 11, p. 2703) Article
- J08-260 Prediction of Turbulent Jet Mixing Noise Reduction by Water Injection.** M. Kandula, *Sierra Lobo, Inc.* (46, 11, p. 2714) Article based on AIAA Paper 2007-3645
- J08-261 Freestream Pulsation Effects on the Aeromechanical Response of a Finite Wing.** S. H. Cho, *Seoul National University, Republic of Korea*; T. Kim, *The Boeing Company*; and S. J. Song, *Seoul National University, Republic of Korea* (46, 11, p. 2723) Article
- J08-262 Surface Potential and Longitudinal Electric Field Measurements in the Aerodynamic Plasma Actuator.** C. L. Enloe, G. I. Font, T. E. McLaughlin, and D. M. Orlov, *U.S. Air Force Academy* (46, 11, p. 2730) Article
- J08-263 Experimental and Numerical Study of Cooling Gas Injection in Laminar Supersonic Flow.** K. A. Heufer and H. Olivier, *RWTH Aachen University, Germany* (46, 11, p. 2741) Article
- J08-264 Identification of Modal Parameters from Nonstationary Ambient Vibration Data Using Correlation Technique.** D.-Y. Chiang and C.-S. Lin, *National Cheng Kung University, Taiwan (ROC)* (46, 11, p. 2752) Article
- J08-265 Analytical Modeling of Impact Resistance and Damage Tolerance of Laminated Composite Plates.** K. Y. Huang, *Crea Mech Co., Ltd., China (PRC)*; A. de Boer and R. Akkerman, *University of Twente, The Netherlands* (46, 11, p. 2760) Article
- J08-266 Parallel Newton-Krylov Solver for the Euler Equations Discretized Using Simultaneous Approximation Terms.** J. E. Hicken and D. W. Zingg, *University of Toronto Canada* (46, 11, p. 2773) Article based on AIAA Paper 2007-4333
- J08-267 Characterization and Aero-Optic Correction of a Forced Two-Dimensional Weakly Compressible Shear Layer.** R. M. Rennie, D. A. Duffin, and E. J. Jumper, *University of Notre Dame* (46, 11, p. 2787) Article based on AIAA Paper 2007-4007
- J08-268 Eigenmodes of a Counter-Rotating Vortex Dipole.** L. M. González, R. Gómez-Blanco, and V. Theofilis, *Universidad Politécnica de Madrid, Spain* (46, 11, p. 2796) Article based on AIAA Paper 2007-4539
- J08-269 Robust Eigenvalue Analysis Using the Structured Singular Value: The  $\mu$ - $p$  Flutter Method.** D. Borglund, *Royal Institute of Technology, Sweden* (46, 11, p. 2806) Article
- J08-270 Surrogate-Based Optimization Using Multifidelity Models with Variable Parameterization and Corrected Space Mapping.** T. D. Robinson, *Massachusetts Institute of Technology*; M. S. Eldred, *Sandia National Laboratories*; and K. E. Willcox and R. Haimes, *Massachusetts Institute of Technology* (46, 11, p. 2814) Article
- J08-271 Formulation of the  $k$ - $w$  Turbulence Model Revisited.** D. C. Wilcox, *DCW Industries, Inc.* (46, 11, p. 2823) Article based on AIAA Paper 2007-1408
- J08-272 Probabilistic Solution of Nonlinear Oscillators Under External and Parametric Poisson Impulses.** G. K. Er, H. T. Zhu, V. P. Lu, and K. P. Kou, *University of Macau, China (PRC)* (46, 11, p. 2839) Article
- J08-273 Organized Self-Sustained Oscillations of Turbulent Flows over an Open Cavity.** S. B. Lee, W. Kang, and H. J. Sung, *Korea Advanced Institute of Science and Technology, Republic of Korea* (46, 11, p. 2848) Article
- J08-274 Computation of Shock Cell Structure of Dual-Stream Jets for Noise Prediction.** C. K. Tam and N. N. Pastouchenko, *Florida State University*; and K. Viswanathan, *The Boeing Company* (46, 11, p. 2857) Article based on AIAA Paper 2008-0027
- J08-275 Numerical Investigation of Three-Dimensional Laminar Wall Jet of Newtonian and Non-Newtonian Fluids.** K. K. Adane and M. F. Tachie, *University of Manitoba, Canada* (46, 11, p. 2868) Article based on AIAA Paper 2008-4163
- J08-276 Investigation of the Magnetic Field in a Pulsed Plasma Thruster.** A. Nawaz, M. Lau, G. Herdrich, and M. Auweter-Kurtz, *University of Stuttgart, Germany* (46, 11, p. 2881) Article
- J08-277 Reduced-Order Model Construction Procedure for Robust Mistuning Identification of Blisks.** A. C. Madden, M. P. Castanier, and B. I. Epureanu, *University of Michigan* (46, 11, p. 2890) Article based on AIAA Paper 2008-2332
- J08-278 Direct Numerical Simulation of Hypersonic Boundary Layer Transition over a Blunt Cone.** X. Li, D. Fu, and Y. Ma, *Chinese Academy of Sciences, China (PRC)* (46, 11, p. 2899) Article
- J08-279 Novel Approach to Axisymmetric Actuator Disk Modeling.** A. Rosen and O. Gur, *Technion-Israel Institute of Technology, Israel* (46, 11, p. 2914) Article
- J08-280 Nonlinear High-Order Core Theory for Sandwich Plates with Orthotropic Phases.** R. Li and G. A. Kardomateas, *Georgia Institute of Technology* (46, 11, p. 2926) Article
- J08-281 Quantitative Imaging of Injectant Mole Fraction and Density in a Supersonic Mixing.** H. Takahashi, S. Ikegami, H. Oso, and G. Masuya, *Tohoku University, Japan*; and M. Hirota, *Muroran Institute of Technology, Japan* (46, 11, p. 2935) Article
- J08-282 High Through-Thickness Thermal Conductivity Composites Based on Three-Dimensional Woven Fiber Architectures.** K. Sharp and A. E. Bogdanovich, *3TEX, Inc.*; W. Tang, D. Heider, S. Advani, and M. Glowiana, *University of Delaware* (46, 11, p. 2944) Article based on AIAA Paper 2008-1870

- J08-283 Robust Updating of Uncertain Computational Models Using Experimental Modal Analysis.** C. Soize and E. Capiiez-Lernout, *Universite Paris-Est, France*; and R. Ohayon, *Conservatoire National des Arts et M $\acute{e}$ tiers, France* (**46**, 11, p. 2955) Article
- J08-284 Mixing Enhancement in Subsonic Jet Flow Using the Air-Tab Technique.** S. C. Yu, *Nanyang Technological University, Republic of Singapore*; K. S. Lim, *National University of Singapore, Republic of Singapore*; W. Chao and X. P. Goh, *Nanyang Tech University, Republic of Singapore* (**46**, 11, p. 2966) Technical Note
- J08-285 Flow Control over a Conical Forebody Using Duty-Cycled Plasma Actuators.** F. Liu and S. Luo, *University of California*; C. Gao, X. Meng, J. Hao, J. Wang, and Z. Zhao, *Northwestern Polytechnical University, China (PRC)* (**46**, 11, p. 2969) Technical Note
- J08-286 Acoustic Diffraction by a Finite Airfoil in Uniform Flow.** W. Jeon, *National Institute for Mathematical Sciences, Republic of Korea*; and D.-J. Lee, *Korea Advanced Institute of Science and Technology, Republic of Korea* (**46**, 12, p. 2977) Article based on AIAA Paper 2005-2839
- J08-287 Control of the Shear Layer Above a Supersonic Cavity Using Energy Deposition.** E. Lazar, G. Elliott, and N. Glumac, *University of Illinois at Urbana-Champaign* (**46**, 12, p. 2987) Article based on AIAA Paper 2007-1229
- J08-288 Analysis of Constrained Damping Layers, Including Normal-Strain Effects.** S.-J. Tang, *University of Tennessee*; and A. Lumsdaine, *Agilent Technologies* (**46**, 12, p. 2998) Article
- J08-289 Computations of Homogeneous-Equilibrium Two-Phase Flows with Accurate and Efficient Shock-Stable Schemes.** S.-W. Ihm and C. Kim, *Seoul National University, Republic of Korea* (**46**, 12, p. 3012) Article based on AIAA Paper 2007-4457
- J08-290 Modeled Boltzmann Equation and Its Application to Shock-Capturing Simulation.** R. M. So, R. C. Leung, and S. C. Fu, *Hong Kong Polytechnic University, China (PRC)* (**46**, 12, p. 3038) Article
- J08-291 Using Bounded Rationality to Improve Decentralized Design.** A. P. Gurnani, *Vanderplaats R&D, Inc.*; and K. Lewis, *University at Buffalo* (**46**, 12, p. 3049) Article based on AIAA Paper 2006-6926
- J08-292 Separated Shear Layer Development on an Airfoil at Low Reynolds Numbers.** S. Yarusevych, *University of Waterloo, Canada*; J. G. Kawall, *Ryerson University, Canada*; and P. E. Sullivan, *University of Toronto, Canada* (**46**, 12, p. 3060) Article
- J08-293 Towards Verification of Unstructured-Grid Solvers.** J. L. Thomas, *NASA Langley Research Center*; B. Diskin, *National Institute of Aerospace*; and C. L. Rumsey, *NASA Langley Research Center* (**46**, 12, p. 3070) Article based on AIAA Paper 2008-0666
- J08-294 Block-Jacobi Implicit Algorithms for the Time Spectral Method.** F. Sicot, G. Puigt, and M. Montagnac, *Centre Europ $\acute{e}$ en de Recherche et de Formation Avanc $\acute{e}$ e en Calcul Scientifique, France* (**46**, 12, p. 3080) Article
- J08-295 Evaluation of Two High-Order Weighted Essentially Nonoscillatory Schemes.** R. H. Nichols, *University of Alabama at Birmingham*; R. W. Tramel, *Digital Fusion, Inc.*; and P. G. Buning, *NASA Langley Research Center* (**46**, 12, p. 3090) Article based on AIAA Paper 2007-3920
- J08-296 Dynamics of Airfoil Separation Control Using Zero-Net Mass-Flux Forcing.** R. Raju and R. Mittal, *George Washington University*; and L. Cattafesta, *University of Florida* (**46**, 12, p. 3103) Article
- J08-297 Observation of Turbulent Mixing in Lean-Direct-Injection Combustion at Elevated Pressure.** J. Kojima, *Ohio Aerospace Institute*; and Q.-V. Nguyen, *NASA John H. Glenn Research Center at Lewis Field* (**46**, 12, p. 3116) Article
- J08-298 Interlaminar Stresses by Sing Method Based on Interpolation of the Highest Derivative.** W. C. Slemple and R. K. Kapania, *Virginia Polytechnic Institute and State University* (**46**, 12, p. 3128) Article based on AIAA Paper 2008-1750
- J08-299 Characterization of Discharge Modes of Plasma Actuators.** Dmitri M. Orlov, Gabriel I. Font, and Daniel Edelstein, *U.S. Air Force Academy* (**46**, 12, p. 3142) Article based on AIAA Paper 2008-1409
- J08-300 Disturbance Growth in Boundary Layers on Classical and Wavy Surface Wings.** I. Zverkov, B. Zanin, and V. Kozlov, *Russian Academy of Sciences, Russia* (**46**, 12, p. 3149) Article
- J08-301 Characterizing Hydrodynamic Loads in Full Unsteady Flow.** L. Silverberg and B. Levedahl, *North Carolina State University* (**46**, 12, p. 3159) Technical Note
- J08-302 Buckling of Rectangular Plates on an Elastic Foundation Using the Levy Method.** L. H. Yu, *National Chung Cheng University, Taiwan (ROC)*; and C. Y. Wang, *Michigan State University* (**46**, 12, p. 3163) Technical Note