

AUTHOR INDEX

- Aalders, B.G.M. (JSR; see Savage, C.J.)
- Abdallah, S. (JA, SYN; see Hamed, A.)
- Abdel-Rahman, Tarek M. (JGC; see Hughes, Peter C.)
- Abhat, A. (AIAA J; see Chi, H. Nguyen)
- Abramenko, A.N. (AIAA J; see Vasiliev, L.L.)
- Abramovich, Haim (AIAA J; see Singer, Josef)
- Abzug, Malcolm J. Vector methods in homing guidance. (JGC, EN) 253
- Acharya, M., Horstman, C.C., and Kussoy, M.I. Reynolds number effects on the turbulence field in compressible boundary layers. (AIAA J) 380
- Adams, George F. (AIAA J, TC; see Nelson, Carl W.)
- Adams, M.J. (JGC; see Diehl, R.E.)
- Adams, Michael J. (PS, V.66; see Krier, Herman)
- Adelman, Howard M., Sawyer, Patricia L., and Shore, Charles P. Optimum design of structures at elevated temperatures. (AIAA J) 622
- Adler, D. and Baron A. Prediction of a three-dimensional circular turbulent jet in crossflow. (AIAA J) 168
- Adrian, R.J. (AIAA J; see Jones, B.G.)
- Ahern, J.E. and Lawson, T.W. Design and test evaluation of a solid cryogen cooler insulation system. (PS, V.65) 307
- Ahluwalia, R.K. (JE; see Chiu, H.H.)
- Ahrens, F.W. (JE; see Chiu, H.H.)
- Akin, D.L. (JE, TN; see Miller, R.H.)
- Alber, Irwin, E. (AIAA J; see Ausherman, Darrell R.)
- Albrecht, R. (JA; see Radgowski, E.)
- Alexander, Stephen G. (JGC; see Kaplan, Marshall H.)
- Alff, W.H. (PS, V.65; see Grammer, J.R.)
- Allums, Steve L. (JE; see Hastings, Leon J.)
- Almroth, B.O. (JSR; see Ericsson, L.E.)
- Alper, Marshall E. Photovoltaics and solar thermal conversion to electricity: status and prospects. (JE) 263
- Alt, R.E. (JSR; see Roux, J.A.)
- Altstatt, M. C. (JSR, SYN; see Dietz, W. E., Jr.)
- Alvestad, Reidar (JH,ERR; see Brown, Samuel H.)
- Aly, S. L., Simpson, R. B., and Hermance, C. E. Numerical solution of the two-dimensional premixed laminar flame equations. (AIAA J) 56
- Anderson, J. B. (AIAA J; see Cattolica, R. J.)
- Anderson, J.D. and Estabrook, F.B. Application of DSA spacecraft tracking technology to experimental gravitation. (JSR) 120
- Anderson, J. D., Jr. (AIAA J; see Parthasarathy, K. N.)
- Anderson, James L. (JA,EN; see Biter, Cleon J.)
- Anderson, L. P., Jr. (PS, V.64; see Moore, G. R.)
- Anderson, Melvin S. and Stroud, W. Jefferson General panel sizing computer code and its application to composite structural panels. (AIAA J) 892
- Anderson, Seth B. Historical overview of stall/spin characteristics of general aviation aircraft. (JA) 455
- Anderson, Willard W., Groom, Nelson J., and Woolley, Charles T. Annular suspension and pointing system. (JGC) 367
- Ando, Shigenori and Ichikawa, Akio Effect of forward acceleration on aerodynamic characteristics of wings. (AIAA J, TN) 653
- Andrews, Angus Method of error budgeting of inertial navigation systems. (JGC,EN) 438
- Andrews, Earl H., Jr. and Mackley, Ernest A Design, tests, and verification of a diffuser system for a Mach 4 scramjet test facility. (JA) 641
- Andrews, James R. (PS, V.63; see Netzer, David W.)
- Antani, D. L. (JA; see McMahon, H. M.)
- Anthani, V. V. (JGC, SYN; see Apte, Y. S.)
- Antonenko, V. A. (AIAA J; see Tolubinsky, V. I.)
- Aoki, Yoshio (JA, SYN; see Shindo, Shojiro)
- Apelt, Colin J. Characteristics of the split film sensor. (AIAA J, TN) 101
- Apte, Y. S. and Athani, V. V. Optimal autostabilizer for a supersonic fighter aircraft. (JGC, SYN) 97
- Arai, Norio Transient ablation of Teflon in intense radiative and convective environments. (AIAA J) 634
- Arai, Norio and Karashima, Kei-ichi Transient thermal response of ablating bodies. (AIAA J) 191
- Archer, Steven M. and Swarder, David D. Selection of the guidance variable for a re-entry vehicle. (JGC) 130
- Ardema, Mark D. Linearization of the boundary-layer equations of the minimum time-to-climb problem. (JGC,EN) 434
- Ariaratnam, S. T. (AIAA J; see Lin, Y. K.)
- (AIAA J, TN; see Fujimori, Y.)
- Arndt, Roger E. A. (AIAA J, TN; see Yamamoto, Kingo)
- Arora, Jasbir S. and Haug, Edward J. Methods of design sensitivity analysis in structural optimization. (AIAA J) 970
- Ascani, Leonard and Lackman, Leslie Design-to-cost with advanced composites and advanced metallics. (JA) 714
- Asfar, K. R., Mook, D. T., and Nayfeh, A. H. Application of the vortex-lattice technique to arbitrary bodies. (JA) 421
- Asher, Robert B., Eller, Thomas J., Robinson, Stanley R., Shackelford, Mark D. A., and Tapley, Byron D. Mixed observable estimation of random thrust errors for solar electric propulsion spacecraft. (JGC) 49
- Ashley, Holt (AIAA J; see Edwards, John W.)
- Ashworth, B. R. and McKissick, B. T. Effects of helmet loader cues on simulator pilot performance. (JA) 787
- Aston, Graeme and Kaufman, Harold R. Ion beam divergence characteristics of three-grid accelerator systems. (AIAA J) 64
- Athani, V. V. (JGC, SYN; see Apte, Y. S.)
- Ausherman, Darrell R., Alber, Irwin E., and Baum, Eric Acoustic suppression in a pulsed chemical laser. (AIAA J) 490
- Austin, James W. and Leondes, Cornelius T. Method for designing approximate optimal controllers for nonlinear systems. (JGC, EN) 347
- Avidor, Joel M. Improved free-vortex, subsonic aerodynamic window. (AIAA J, TN) 1267
- Aydellott, J. C. (JSR; see Tegart, J. R.)
- Azad, R. S. and Hummel, R. H. Similarities of turbulence structure in a conical diffuser with other wall-bounded flows. (AIAA J) 884
- Azuma, Akira and Kawachi, Keiji Local momentum theory and its application to the rotary wing. (JA) 6
- Backhus, D.R. (JA; see Iversen, J.D.)
- Baer, Paul G. Practical interior ballistic analysis of guns. (PS, V.66) 37
- Bailey, Cecil D. Comment on "Unconstrained variational statements for initial and boundary value problems." (AIAA J, RF) 541
- Bailie, J. A. (JSR; see Ericsson, L. E.)
- Baker, R. L. An irreversible thermodynamics model for graphite sublimation in radiation environments. (PS, V.64) 210
- Balas, Mark J. Direct velocity feedback control of large space structures. (JGC, EN) 252
- Ball, J. N. Rolling tail design and behavior as affected by actuator hinge moment limits. (JA) 527
- Ballal, D. R. and Lefebvre, A. H. Combustion performance of gas turbine combustors burning alternative fuels. (JE) 50
- Ballantyne, A. (AIAA J; see Reilly, J.P.)
- Ballhaus, William F. (AIAA J; see Holst, Terry L.)
- Banerjee, Sanjoy (AIAA J, TN; see Mulpuru, Sambasiva R.)
- Banks, W. H. H. and Zaturka, M. B. Unsteady flow arising from rotating fluid above a fixed plane. (AIAA J, TN) 1263
- Bannerot, Richard B. (PS, V.65; see Nabavi, Hassan)
- Barber, James R. (PS, V.65; see Sumner, Irving E.)
- Bareiss, L.E. Contamination design analysis approach for Spacelab. (JSR) 394
- Bar Itzhack, Itzhack Y. (AIAA J, RF; see Baruch, Menahem)
- Baron, A. (AIAA J; see Adler, D.)
- Barra, V. (AIAA J; see Zakkay, V.)
- Barron, Ronald M. and Wiley, J. Thomas Remarks on dusty hypersonic wedge flow. (AIAA J, TN) 317
- Baruch, Menahem Selective optimal orthogonalization of measured modes. (AIAA J, TN) 120
- Baruch, Menahem and Bar Itzhack, Itzhack Y. Reply by authors to A. Berman. (AIAA J, RF) 928
- Bassiouni, M. R. and Dosanjh, D. S. Acoustic and flow characteristics of cold high-speed coaxial jets. (AIAA J) 153
- Basu, B. C. (AIAA J, TN; see Chakrabarty, S. K.)
- Bathke, E. A. (JE; see Wells, P. B.)
- Battin, Richard H. and Fill, Thomas J. Extension of Gauss' method for the solution of Kepler's equation. (JGC) 190
- Bauer, Andrew B. Dipole modeling and nondimensionalization of airframe noise. (JA) 398
- Bauerle, G. L. (JE, SYN; see Rosemary, J. K.)
- Baum, Eric (AIAA J; see Ausherman, Darrell R.)
- Baumeister, Kenneth J. Evaluation of optimized multisectioned acoustic liners. (AIAA J) 1185
- Bayazitoglu, Yildiz and Higenyi, James Higher-order differential equations of radiative transfer: P_3 approximation. (AIAA J) 424
- Beck, C. E. (JA; see Myhre, S. H.)
- Bednarz, Joseph (JSR; see Kaplan, Marshall H.)
- Bejczy, Antal K. Smart sensors for smart hands. (PS, V.67) 275
- Benet, Charles A. Flight experience with a near-optimal attitude control system. (JGC) 416
- Bennett, J. C. Use of cylindrical hot films in unsteady flows. (AIAA J, TN) 215
- BenReuven, Moshe and Summerfield, Martin Applicability of relative quickness as a precision measure of muzzle velocity. (PS, V.66) 246
- Benz, H. F. (PS, V.67; see Snyder, W. E.)
- Berg, D. E. Surface roughness effects on a Mach 6 turbulent boundary layer. (AIAA J, SYN) 929
- Bergey, Karl H. The Lancaster-Betz limit. (JE, TN) 382
- Berglund, Carl (JSR; see Solman, F. John)

- Bergmann, Edward V., Croopnick, S. R., Turkovich, J.J., and Work, C.C. An advanced spacecraft autopilot concept (JGC) 161
- Berke, L. (AIAA J; see Khot, N.S.)
- Berman, A. Comment on "Optimal weighted orthogonalization of measured modes." (AIAA J, RF) 927
- Berman, Alex Mass matrix correction using an incomplete set of measured modes. (AIAA J, TN) 1147
- Berman, Howard and Boudreau, Jean Dispersed fly-by-wire sensor system for improved combat survivability. (JGC) 463
- Berreen, Terry and Sved, George Relative motion of particles in coplanar elliptic orbits. (JGC, EN) 443
- Bertelrud, A. Experimental and computational investigation of a swept-wing flow at subsonic speeds. (JA) 742
- Beser, Jacques Approach guidance logic for a tilt-rotor aircraft. (JGC) 528
- Bezner, E. (JGC; see Shinar, J.)
- Bilgen, E. (JE, TN; see Parachiovu, I.)
- Bill, Robert C. (JA; see Taylor, Christopher M.)
- Billig, F. S. (JSR; see Waltrup, P. J.)
- Billig, F. S., Crawford, L. J., and Gundersdorf, C. J. Advanced oceanographic instrumentation systems and measurements at St. Croix, U.S.V.I. (JH) 77
- Binder, John D. (PA, V.64; see Dirling, Ray B.)
- Binnie, W. Brian and Stengel, Robert F. Flight investigation and theory of direct side-force control. (JGC) 471
- Biolsi, Louis and Wallace, Lawrence R. Some effects of ablation on transport properties in the Jovian atmosphere. (PS, V.64) 65
- Bismarck-Nasr, Maher N. and Costa Savio, Hely R. Finite-element solution of the supersonic flutter of conical shells. (AIAA J, TN) 1148
- Biter, Cleon J. and Anderson, James L. Estimating aircraft true airspeed using temperatures from two different probes. (JA, EN) 893
- Blackwell, James A., Jr. Wind-tunnel blockage correction for two-dimensional transonic flow. (JA) 256
- Blair, A.B., Jr., Sawyer, Wallace C., and Jackson, Charlie M., Jr. Ram-air-spoiler roll stabilization device for forward-control cruciform missiles. (JGC) 40
- Blanchard, David L. "Smart" from a NEEDS perspective. (PS, V.67) 166
- Blanchard, R. L. High-accuracy calibration of electrostatic gyro strapdown navigation systems. (JGC) 361
- Bledjian, Leon, Burden, J. R., and Hanna, W. H. Development of a low-temperature phase change thermal capacitor. (PS, V.65) 255
- Block, P. J. W. Assessment of airframe noise. (JA) 834
- Bloor, M. I. G. and Evans, R. A. Use of vortex discretization in establishing weak shock diffraction patterns. (AIAA J) 1046
- Blue, M. D. (PS, V.65; see Grammer, J. R.)
- Bluford, Guion S., Jr. Numerical solution of the supersonic and hypersonic viscous flow around thin delta wings. (AIAA J) 942
- Blume, Hans-Juergen C., Swift, Calvin T., and Kendall, Bruce M. Advanced systems requirements for ocean observations via microwave radiometers. (PS, V. 67) 89
- Boasson, M. (AIAA J, TN; see Weihs, D.)
- Bogdonoff, Seymour M. (AIAA J; see Settles, Gary S.)
- Boggs, T. L., Crump, J. E., Kraeutle, K. J., and Zurn, D. E. Cinephotomicrography and scanning electron microscopy as used to study solid propellant combustion. (PS, V. 63) 20
- Bojic, Milorad Lj. and Eskinazi, S. Two-dimensional mathematical model of a nonbuoyant jet in a cross-flow. (AIAA J) 1050
- Boles, Michael A. and Stockman, Norbert O. Use of experimental separation limits in the theoretical design of V/STOL inlets. (JA) 29
- Boles, R. A. (JA; see Hackett, J. E.)
- Booton, M. and Tennyson, R. C. Buckling of imperfect anisotropic circular cylinders under combined loading. (AIAA J) 278
- Borin, S. M. (PS, V.63; see Mikheev, V. F.)
- Borrello, S. R. (PS, V.67; see Chapman, R. A.)
- Boudreau, A. H. Artificially induced boundary-layer transition on blunt-slender cones at hypersonic speeds. (JSR) 245
- Boudreau, Jean (JGC; see Berman, Howard)
- Bowers, Douglas L. Aerodynamic effects induced by a vectored high aspect ratio nonaxisymmetric exhaust nozzle. (JA) 515
- Bowles, David F., Rollins, John P., and Hawks, Roger J. Parametric performance analysis of a Darrieus wind turbine system. (JE) 140
- Bowles, Jeffrey V. (JA; see Conlon, John A.)
- Boykin, W.H., Jr. (JGC; see Williams, D.T.)
- Bracken, Jerome and Grotte, Jeffrey H. Required radar ranges for AEW aircraft. (JA) 792
- Bradshaw, P. Singularities in unsteady boundary layers. (AIAA J, TN) 790
- (AIAA J; see Mahgoub, H.E.H.)
- Brandon, Harold J., Britt, Allen H., and Dunavant, James C. Aerothermodynamic assessment of corrugated panel thermal protection systems. (PS, V.64) 387
- Brant, D.N. and Nestler, D.E. Development of an afterbody radiative and convective heating code for outer planet probes. (PS, V.64) 354
- Brashears, M.R. (JA; see Wilson, D.J.)
- Breakwell, John V. (AIAA J; see Edwards, John W.)
- (JGC, TC; see Edwards, John W.)
- Breckenridge, Roger A. and Husson, Charles Smart sensors in spacecraft: impact and trends. (PS, V.67) 3
- Breidenthal, R. Chemically reacting, turbulent shear layer. (AIAA J, TN) 310
- Bremer, Hartmut Dynamics of flexible hybrid structures. (JGC, EN) 86
- Bressel, Ellen R. (AIAA J; see Shui, Ven H)
- Breuhais, W.O. Comment on "Flight test of stick force stability in attitude-stabilized aircraft." (JA, TC) 639
- Brickman, R.A. (JA; see Iversen, J.D.)
- Brill, T.B. and Goetz, F. Laser Raman studies of solid oxidizer behavior. (PS, V.63) 3
- Briones, R.A. and Wuerker, R.F. Holography of solid propellant combustion. (PS, V63) 251
- Britt, Allen H. (PS, V.64; see Brandon, Harold J.)
- Broucke, R. Traveling between the Lagrange points and the moon. (JGC) 257
- Broussard, P.H., Jr. (JE; see Palowitch, E.R.)
- Brown, D.P. (JGC; see Lloyd, K.H.)
- Brown, R.S., Culick, F.E.C., and Zinn, B.T. Experimental methods for combustion admittance measurements. (PS, V.63) 191
- Brown, Samuel H. and Alvestad, Reidar Simulation of maneuvering control during underway replenishments. (JH, ERR) 68
- Brun, R. (AIAA J, TN; see Meolans, J.G.)
- Brusch, Richard G. Constrained impulsive trajectory optimization for orbit-orbit transfer. (JGC) 204
- Bryson, Arthur E., Jr. (JGC, TC; see Edwards, John W.)
- Brzustowski, T.A., Twardus, E.M., Wojcicki, S., and Sobiesiak, A. Interaction of two burning fuel droplets of arbitrary size. (AIAA J) 1234
- Buckley, T.J. (AIAA J, TN; see Muggeridge, D.B.)
- Burde, S.S. and Yovanovich, M.M. Thermal resistance at smooth-sphere/rough-flat contacts: theoretical analysis. (PS, V.65) 83
- Burden, J.R. (PS, V.65; see Bledjian, Leon)
- Burggraf, Odus, R., Rizzetta, D., Werle, M.J., and Vatsa, V.N. Effect of Reynolds number on laminar separation of a supersonic stream. (AIAA J) 336
- Burkhalter, J.E. (AIAA J, SYN; see Feldman, L.A.)
- Burkhalter, John E. (AIAA J; see Purvis, James W.)
- Bushnell, David Aiming an electromagnetic beam by bending segments of a large reflecting surface. (AIAA J) 413
- Control of surface configuration by application of concentrated loads. (AIAA J) 71
- Control of surface configuration of nonuniformly heated shells. (AIAA J) 78
- Bushnell, David and Skogh, Jorgen Mirror deformation for phase compensation of a thermally bloomed laser beam. (AIAA J) 288
- Buss, D.D. (PS, V.67; see Chapman, R.A.)
- Byers, David C. Electron bombardment thruster field and particle interfaces. (JSR, SP) 289
- Byers, James L. (JA see Coté/Scott M.)
- Byskov, Esben Applicability of an asymptotic expansion for elastic buckling problems with mode interaction. (AIAA J) 630
- Calarese, Wladimiro and Wlaterick, Ronald E. Mass injection and jet flow simulation effects on transonic afterbody drag. (JA) 433
- Calico, Robert A., Jr. A new look at $C_{N\beta, dyn}$. (JA, EN) 895
- Calkins, D.E. Hydrodynamic analysis of a high-speed marine towed system. (JH) 10
- Camp, Dennis W. (JA; see Frost, Walter)
- Campbell, Richard L. (JA; see Mantay, Wayne R.)
- Canavin, Joseph R. and Meirovitch, Leonard Eigensolution for large flexible spacecraft with singular gyroscopic matrices. (JGC, EN) 88
- Capone, F.J. (JA; see Willard, C.M.)
- Cardani, C. and Mantegazza, P. Calculation of eignvalue and eigenvector derivatives for algebraic flutter and divergence eigenproblems. (AIAA J) 408
- Carrubba, R. V. (JE; see Flanagan, P.)
- Caspar, J. R. (JE; see Dring, R.P.)
- Cassady, P. E., Pindroth, A.L., and Newton, J.F. Performance potential of advanced GDL concepts. (AIAA J) 845
- Castruccio, P.A. End-to-end design concept. (PS, V.67) 221
- Catalano, G.D., Morton, J.B., and Humphris, R.R. Pressure and velocity measurements in a three-dimensional wall jet. (AIAA J, SYN) 332
- Catherasoo, C.J. (AIAA J; see Koochesfahani, M.M.)
- Cattolica, R.J., Gallagher, R.J., Anderson, J.B., and Talbot, L. Aerodynamic separation of gases by velocity slip in freejet expansions. (AIAA J) 344
- Caughey, D.A. and Jameson, Antony Numerical calculation of transonic potention flow about wing-body combinations. (AIAA J) 175
- Caveny, Leonard H. and Gany, Alon Breakup of Al/Al_2O_3 agglomerates in accelerating flowfields. (AIAA J) 1368
- Caywood, W.C. (JSR; see Rubinstein, N.)
- Cea, R.A. (JA; see Potonides, H.C.)
- Cebeci, Tuncer and Chang K.C. Reply by authors to A.F. Mills. (AIAA J, TC) 221
- Cebeci, Tuncer, Hirsh, R.S., and Whitelaw, J.H. On the calculation of laminar and turbulent boundary layers on longitudinally curved surfaces. (AIAA J, TN) 434

- Cebeci, Tuncer, Khalil, E.E., and Whitelaw, J.H. Calculation of separated boundary-layer flows. (AIAA J, SYN) 1291
- Celentano, A. (AIAA J; see Lederman, S.)
- Celmins, Aivars K. Mathematical modeling of recoilless rifle interior ballistics. (PS, V.66) 13
- Cermak, J.E. Applications of wind tunnels to investigation of wind-engineering problems. (AIAA J, SP) 679
- Cervantes, J.A. and Palazotto, A.N. Cutout reinforcement of stiffened cylindrical shells. (JA) 203
- Chakrabarty, S.K. and Basu, B.C. Approximate analysis of strake wings at low speeds. (AIAA J, TN) 432
- Chang, K.C. (AIAA J, TC; see Cebeci, Tuncer)
- Chapman, Dean R. Computational aerodynamics development and outlook. (AIAA J, Dryden Lectureship in Research) 1293
- Chapman, Gary T. (AIAA J; see Cook, William J.)
- Chapman, R.A., Kinch, M.A., Borello, S.R., Simmons, A., Roberts, C.G., and Buss, D.D. HgCdTe charge-coupled devices. (PS, V.67) 424
- Chatfield, D.A. Einhorn, I.N., Hileman, F.D., Futrell, J.H., and Voorhees, K.J. Production and analysis of thermal decomposition products from polymeric materials. (PS, V.63) 49
- Chatterjee, Sailendra N. and Kulkarni, Satish V. Shear correction factors for laminated plates. (AIAA J, SYN) 498
- Chen, Allen W. (AIAA J, TN; see Redhed, David D.)
- Chen, C.P., Sajben, M., and Kroutil, J.C. Shock-wave oscillations in a transonic diffuser flow. (AIAA J) 1076
- Chen, Imao (JA, EN; see Pierson, Bion L.)
- Chen, J.C. Garba, J.A., and Day, F.D., III Voyager design and flight loads comparison. (JSR) 27
- Chen, J.C. Garba, J.A., and Wada, B.K. Estimation of payload loads using rigid-body interface accelerations. (JSR) 74
- Cheng, H.K. and Meng, S.Y. Lifting-line theory of oblique wings in transonic flows. (AIAA J, TN) 121
- Chi, H. Nguyen and Abhat, A. Performance evaluation of gravity-assisted copper-water heat pipes with liquid overfill. (AIAA J) 1003
- Chi, L.K. and Wen, Shih-Liang Solutions to higher-order boundary-layer equations for flow over a semi-infinite plate. (AIAA J, TN) 915
- Chick, Richard W. (JSR; see Solman, F. John)
- Chien, K.Y. (AIAA J, SYN; see Zien, T.-F.)
- Chin, Leonard (JGC, EN; see Leonides, Cornelius T.)
- Chin, Wilson, C. Kinematic wave approach to hydraulic jumps with waves. (JH) 120
- Some exact solutions to Guderley's equation. (AIAA J, TN) 438
- Stability of inviscid shear flow over flexible membranes. (AIAA J, TN) 665
- (AIAA J, TN; see Rizzetta, Donald P.)
- Chiu, H.H., Rodgers, L.W., Saleem, Z.A., Ahluwalia, R.K., Kartounes, G.T., and Ahrens, F.W. Mechanical energy storage systems: compressed air and underground pumped hydro. (JE) 131
- Chopra, Inderjit (AIAA J, TN; see Johnson, Wayne)
- Chow, W.L. (AIAA J, TN; see Liu, J.S.K.)
- Christensen, Edward, J. and Williams Bobby G. Mars gravity field derived from Viking-1 and Viking-2: the navigation result. (JGC) 179
- Christiansen, Walter H. (JE; see Yesil, Oktay)
- Chung, Benjamin T.F. (AIAA J; see Eslinger, Ralph G.)
- Chung, K.S. (AIAA J; see Tien, C.L.)
- Ciffone, Donald L. and Pedley, Barbara Measured wake-vortex characteristics of aircraft in ground effect. (JA) 102
- Clapworth, Gordon J. Singularity at the trailing edge of a swept wing. (AIAA J, TN) 313
- Clark, J.A. (JE; see Wyatt, W.R.)
- Clayton, B.R. and Massey, B.S. Exact similar solution for an axisymmetric laminar boundary layer on a circular cone. (AIAA J, TN) 785
- Clement, Warren F. (JA; see Jewell, Wayne F.)
- Clements, R.M. (AIAA J; see Oved, Y.)
- Clifton, Brian J. (JSR; see Solman, F. John)
- Coe, Charles, F. (JA; see Muhlstein, Lado, Jr.)
- Cohen, G.C. (JGC; see Cotter, C.J.)
- Coles, Donald and Wadcock, Alan J. Flying-hot-wire study of flow past an NACA 4412 airfoil at maximum lift. (AIAA J) 321
- Coll, J.B. (AIAA J, TN; see Raghunathan, S.)
- Comstock, F.L. and Uyttenhove, Hugo, J.J. Computer-implemented grading of flight simulator students. (JA) 780
- Comte-Bellot, Geneviève (AIAA J, TN; see Juvé, Daniel)
- Condon, John A. and Bowles, Jeffrey V. Application of advanced high-speed turboprop technology to civil short-haul transport aircraft. (JA) 680
- Cook, William J., Presley, Leroy L., and Chapman, Gary T. Shock tube as a device for testing transonic airfoils at high Reynolds numbers. (AIAA J) 714
- Cooley, Dale E. (JA; see Felt, L.R.)
- Cooper, Basil P., Jr. Computational scheme for calculating the plume backflow region. (JSR, EN) 284
- Corke, T.C. and Nagib, H.M. Large signal-to-noise technique for unsteady pressure measurements. (AIAA J, TN) 114
- Corsiglia, V.R. (JA; see Iversen, J.D.)
- Cost, Thomas L. Weight of x-ray shields for interceptor missiles. (JSR) 172
- Costa, Savio, Hely R. (AIAA J, TN; see Bismarck-Nasr, Maher N.)
- Cote Scott M. and Byers, James L. Operational environment of Naval aircraft gas turbines. (JA) 729
- Cotter, C.J. and Cohen, G.C. Automatic rollout control of the 747 airplane. (JGC) 25
- Couch, W. (JH; see Greszczuk, L.B.)
- Covert, Eugene E. Hysteresis zone or locus—aerodynamics of bulbous based bodies at low speeds. (AIAA J, TN) 659
- Craig, J.I. (JE; see Jeter, Sheldon)
- Craven, C.E. (JA; see Wilson, D.J.)
- Crawford, L.J. (JH; see Billig, F.S.)
- Creswell, G.A. (JGC; see Ellis, J.F.)
- Crites, R.C. (AIAA J, TN; see Sajben, M.)
- Croll, Robert H. and Peterson, Carl W. A computer-controlled video instrument for wind-tunnel testing of lifting parachutes (JA) 269
- Croopnick, S.R. (JGC; see Bergmann, Edward V.)
- Crosbie, A.L. Emittance of semi-infinite scattering medium with refractive index greater than unity. (AIAA J, TN) 117
- Crosbie, A.L. and Koewing, J.W. Two-dimensional radiative heat transfer in a planar layer bounded by nonisothermal walls. (AIAA J) 196
- Crosby, Bill (JA; see Frost, Walter)
- Crump, J.E. (PS, V.63; see Boggs, T.L.)
- Cubbage, J.M. (JA; see Hunt, J.L.)
- Cudahy, G.F., Van Kuren, J.T., and Wright, H.E. Degradation of a laser beam by a two-dimensional turbulent jet. (AIAA J) 1091
- Culick, F.E.C. (PS, V.63; see Brown, R.S.)
- Cunningham, E.P. Probability of crashing from Monte Carlo simulation. (JSR, EN) 348
- Cunnington, G.R., Jr. (PS, V.65; see Parmley, R.T.)
- Cutchins, M.A. (JA; see Moore, John Elliot, Jr.)
- Cwynar, David J. (JGC; see Kaplan, Marshall H.)
- (JSR; see Kaplan, Marshall H.)
- Dabora, E.K. (AIAA J; see Ostrowski, P.P.)
- Dalton, Charles, JH; see Zedan, M.F.)
- Daly, Kevin C., Gai, Eliezer, and Harrison, James V. Generalized likelihood test for FDI in redundant sensor configurations. (JGC) 9
- D'Amario, L.A. and Stubbs, G.S. A new single-rotation-axis autopilot for rapid spacecraft attitude maneuvers. (JG) 339
- D'Amico, W.P. In-flight measurements of the vibration history of spin-stabilized projectiles. (JSR, EN) 444
- D'Amico, W.P. and Miller, M.C. Flight stability produced by a rapidly spinning, highly viscous liquid. (JSR, EN) 62
- Dammann, R.E. (JE, EN; see Wedel, R.K.)
- Dash, S.M. (AIAA J, TN; see Pearce, B.E.)
- Dash, S.M., Wilmoth, R.G., and Pergament, H.S. Overlaid viscous/inviscid model for the prediction of near-field jet entrainment. (AIAA J) 950
- Davis, H.O. Secondary bonding of carbon/carbon composites. (JSR) 432
- Davis, R.T. (AIAA J; see Napolitano, M.)
- (AIAA J, TN; see Srivastava, B.N.)
- Davis, S.J. (AIAA J, TN; see Rapagnani, N.L.)
- Davis, Sanford S. (AIAA J, see Kadlec, Robert A.)
- Davis, T.R. and Kuo, K.K. Experimental study of the combustion processes in granular propellant beds. (JSR) 203
- Davy, W.C., Menees, G.P., Lundell, J.H., and Dickey, R.R. Hydrogen-helium ablation of carbonaceous materials: numerical simulation and experiment. (PS, V.64) 228
- Day, F.D., III (JSR; see Chen, J.C.)
- Daywitt, J. (AIAA J; see Salas, Manuel D.)
- DeBra, Daniel B. Control technology challenges for gravitational physics experiments in space. (JGC) 147
- (JGC; see Pelka, Eugene J.)
- Decher, R. (JE; see Mattick, A.T.)
- Deckert, James C. (JGC; see Desai, Mukund N.)
- DeHoff, Ronald L. Identification of a STOL propulsion plant model from flight data. (JGC) 235
- Delattre, Michel M.G. Data acquisition and processing in a large aerodynamic test center. (JA) 141
- Demetriades, Anthony (AIAA J; see Laderman, A.J.)
- Deminet, C. (JSR; see Kenney, J.F.)
- Denli, Nuray and Landweber, L. Thick axisymmetric turbulent boundary layer on a circular cylinder. (JH) 92
- Desai, Mukund N., Deckert, James C., and Deyst, John J., Jr. Dual-sensor failure identification using analytic redundancy. (JGC) 213
- desJardins, Richard (PS, V.67; see Greene, Edward P.)
- Desmarais, R.N. Accurate numerical evaluation of modified Struve functions occurring in unsteady aerodynamics. (JA) 441
- Dettling, J. Ray and McIntyre, Stan Unique nozzle cover for the shuttle booster separation motors. (JSR) 361
- Deyst, John J., Jr. (JGC; see Desai, Mukund N.)
- Dickey, R.R. (PS, V.64; see Davy, W.C.)
- (PS, V.64; see Lundell, J.H.)
- Dickson, John N. (AIAA J, TN; see Wang, James Ting-Shun)
- Diehl, R.E. Adams, M.J., and Rinderle, E.A., Jr. Phobos encounter trajectory and maneuver design. (JGC) 123

- Dietrich, D.A. (JA; see Keith, T.G.)
- Dietz, W.E., Jr. and Altstatt, M.C. Experimental investigation of support interference on an ogive cylinder at high incidence. (JSR, SYN) 67
- Dimatokis, P.E. (AIAA J; see Koochesfahani, M.M.)
- Dirling, Ray B., Jr. and Binder, John D. Jupiter probe heat-shield configuration optimization. (PS, V.64) 321
- Dix, R.E. (JA; see Maddox, A.R.)
- Dodds, Willard J. (JE; see Mularz, Edward J.)
- Dosanji, D.S. (AIAA J; see Bassiouni, M.R.)
- Dowell, Earl H. (JA; see Horikawa, Hidetsugu)
- Driftmyer, R.T. (AIAA J, SYN; see Zien, T.-F.)
- Dring, R.P., Caspar, J.R., and Suo, M. Particle trajectories in turbine cascades. (JE) 161
- Drummond, J. Philip Numerical solution for perpendicular sonic hydrogen injection into a ducted supersonic airstream. (AIAA J, TN) 531
- Dueck, Ernest G. (AIAA J; see Habashi, Wagdi G.)
- Duffy, Thomas J. Concept to enhance strapdown navigation on MarV's. (JGC, EN) 542
- Dunavant, James C. (PS, V.64; see Brandon, Harold J.)
- Dunsworth, L.C. and Reed, G.J. Ramjet engine testing and simulation techniques. (JSR) 382
- Dvorak, F.A. (AIAA J; see Kind, R.J.)
- Dvorak, F.A. and Kind, R.J. Analysis method for viscous flow over circulation-controlled airfoils. (JA) 23
- Dwoyer, D.L., Lewis, Clark H., and Gogineni, P.R. Surface curvature effects on three-dimensional blunt-body boundary layers. (AIAA J, SYN) 133
- Dwyer, H.A. (AIAA J; see Otey, G.R.)
- Dyer, T. Michal Rayleigh scattering measurements of time-resolved concentration in a turbulent propane jet. (AIAA J, TN) 912
- East, J.L., Jr. Ignition and flamespreading phenomena in granular propellant gun charges. (PS, V.66) 228
- Eaton, L.R. and Neste, S.L. Optical motion control applied to the Atmospheric Cloud Physics Laboratory (ACPL). (AIAA J) 261
- Eckert, William T. (JA; see Mori, Kenneth W.)
- Eckhoff, N.D. (JE; see Shultz, J.K.)
- Eckstrom, C.V. JA; see Murrow, H.N.)
- Edelman, Raymond and Harsha, Philip T. Comment on "Centerline formulation in the numerical computation of axisymmetric flows" and "Conservation errors in axisymmetric finite difference equations." (AIAA J, RF) 1151
- Edwards, D.K. (PS, V.65; see Rowe, W.M.)
- Edwards, John W., Ashley, Holt, and Breakwell, John V. Unsteady aerodynamic modeling for arbitrary motions. (AIAA J) 365
- Edwards, John W., Breakwell, John V., and Bryson, Arthur E., Jr. Reply by authors to R. Vepa. (JGC, TC) 447
- Egan, William J., Jr. and Shadowen, James H. Design and verification of a turbobfan swirl augmentor. (JA) 599
- Ehlers, F.E., Epton, M.A., Johnson, F.T., Magnus, A.E., and Rubbert, P.E. Improved higher-order panel method for linearized supersonic flow. (AIAA J, SYN) 225
- Eichblatt, D.L. (JA; see Romere, P.O.)
- Einhorn, I.N. (PS, V.63; see Chatfield, D.A.)
- El-Hawary, M.A. A modified one-equation model of turbulence for the calculation of free shear flows. (AIAA J, TN) 303
- Elishakoff, Isaac and Stavsky, Yehuda Asymmetric vibrations of polar orthotropic laminated annular plates. (AIAA J) 507
- Eller, Thomas J. (JGC; see Asher, Robert B.)
- Ellis, J.F. and Creswell, G.A. Interferometric attitude determination with the global positioning system. (JGC) 522
- Emanuel, George Comment on "Experimental determination of the discharge coefficients for critical flow through an axisymmetric nozzle." (AIAA J, TC) 125
- Eninger, James E. and Marcus, B.D. Marangoni effect and capacity degradation in axially grooved heat pipes. (AIAA J, TN) 797
- Eppler, Richard (JH; see Shen, Young T.)
- Epstein, A.H., Kerrebrock, J.L., and Thompkins, W.T., Jr. Shock structure in transonic compressor rotors. (AIAA J) 375
- Epton, M.A. (AIAA J, SYN; see Ehlers, F.E.)
- Erickson, Gary E. Effect of spanwise blowing on the aerodynamic characteristics of the F-5E. (JA) 695
- Ericsson, Lars E. Nonlinear hypersonic viscous crossflow effects on slender vehicle dynamics. (AIAA J) 586
- Ericsson, L.E., Almroth, B.O., and Bailie, J.A. Hypersonic aerothermoelastic characteristics of a finned missile. (JSR) 187
- Ericsson, Lars E. and Reding, J. Peter Criterion for vortex periodicity in cylinder wakes. (AIAA J, TN) 1012
- Escudier, M.P. and Merkli, P. Observations of the oscillatory behavior of a confined ring vortex. (AIAA J) 253
- Eskenazi, R. and Williams, D.S. Modular onboard adaptive imaging. (PS, V.67) 305
- Eskinazi, S. (AIAA J; see Bojic, Milorad Lj.)
- Eskinazi, S. and Goethals, R. Multiple pump stage loading of a variable-rpm wind turbine. (JE) 114
- Estlinger, Ralph G. and Chung, Benjamin T.F. Periodic heat transfer in radiating and convecting fins or fin arrays. (AIAA J) 1134
- Esposti, Degli P.L. (JSR; see Vallerani, E.)
- Estabrook, F.B. (JSR; see Anderson, J.D.)
- Evans, R.A. (AIAA J; see Bloor, M.I.G.)
- Ewald, B. Development of electron beam welded, strain-gaged wind-tunnel balances. (JA) 349
- Faeth, G.M. (JE; see Shearer, A.J.)
- Fang, B.T. Satellite-to-satellite tracking orbit determination. (JGC) 57
- Fang, J.G. (AIAA J; see Ventrice, M.B.)
- Farmer, Moses G. (JA; see Hwang, Chintsun)
- Farrenkopf, R.L. Optimal open-loop maneuver profiles for flexible spacecraft. (JGC) 491
- Favier, Daniel, Rebont, Jean, and Maresca, Christian Large-amplitude fluctuations of velocity and incidence on an oscillating airfoil. (AIAA J, TN) 1265
- Favin, Stanley (JH; see Schetz, Joseph A.)
- Feldman, Karl Thomas, Jr. and Munje, Satish Experiments with gravity-assisted heat pipes with and without circumferential grooves. (JE) 211
- Feldman, L.A. and Burkhalter, J.E. Numerical solutions of transient MHD phenomena. (AIAA J, SYN) 227
- Felt, L.R., Huttell, Lawrence J., Noll, Thomas E., and Cooley, Dale E. Aeroservoelastic encounters. (JA) 477
- Fenn, J. B. (AIAA J, TC; see Tang, S.P.)
- Ferman, M.A. and Unger, W.H. Fluid-structure interaction dynamics in aircraft fuel tanks. (JA) 885
- Ferziger, J.H. (AIAA J; see McMillan, O.J.)
- Fettis, Henry E. Bessel function evaluation of the clamped end bending moment of an impulsively loaded beam. (AIAA J, TN) 116
- Fey, Wayne A. Stationkeeping at constant distance. (JGC, EN) 90
- Figard, R.L. and Schetz, J.A. Studies of the aerodynamic performance of a 10 kW horizontal-axis windmill. (JE) 3
- Fill, Thomas, J. (JGC; see Battin, Richard H.)
- Fink, Martin R. Noise component method for airframe noise. (JA) 659
- Fisher, E.B. Research test techniques applied to gun interior ballistics. (PS, V.66) 281
- Fisher, H.D. Modal analysis of the transient asymmetric response of thin circular plates. (AIAA J, TN) 1274
- Fitzgerald, Robert J. Shaping filters for disturbances with random starting times. (JGC, EN) 152
- Fitzpatrick, Thomas J. (AIAA J; see Settles, Gary S.)
- Flaggs, D.L. and Vinson, J.R. Shear properties of promising adhesives for bonded joints in composite material structures. (JA) 51
- Flanagan, P., Norster, E.R., and Carrubba, R.V. Development of a gas turbine combustor utilizing a catalyst. (JE) 75
- Flax, Alexander H. Comment on a "A comparison of different forms of dirigible equations of motion." (JGC, TC) 544
- Fleeter, Sanford Aeroelasticity research for turbomachine applications. (JA) 320
- Fleeter, Sanford and Riffel, Ronald E. Time-variant aerodynamics of oscillating airfoil surfaces in a supersonic flowfield. (AIAA J) 465
- Fletcher, C.A.J. and Roberts, B.W. Electricity generation from jet-stream winds. (JE) 241
- Fletcher, L.S. (PS, V.65; see Somers, R.R., II)
- Foreman, Kenneth M. (JE; see Gilbert, Barry L.)
- Forester, Clifford K. (AIAA J; see Roberts, Donald W.)
- Foss, J.F. Measurements in a large-angle oblique jet impingement flow. (AIAA J, SYN) 801
- Foster, Edwin P. (JA; see Storaasli, Olaf O.)
- Foster, Winfred A., Jr. (JSR; see Storzini, Richard H.)
- Fox, John H. Simple recompression model for the Korst base pressure theory. (AIAA J, TN) 311
- Francis, J.E. (PS, V.65; see Love, T.J.)
- Francis, M.S. (AIAA J; see Keese, J.E.)
- Francis, M.S., Keese, J.E., Lang, J.D., Sparks, G.W., Jr., and Sisson, G.E. Aerodynamics characteristics of an unsteady separated flow. (AIAA J) 1332
- Francis, Michael S. and Kennedy, Donald A. Formation of a trailing vortex. (JA) 148
- Frazine, D.F. (JSR; see Roux, J.A.)
- French, J.R., Stuart, J.R., and Zeldin, B. New concepts for Mercury orbiter missions. (JSR) 35
- Friedmann, P.P. (AIAA J; see Kottapalli, S.B.R.)
- Frost, Walter, Crosby, Bill, and Camp, Dennis W. Flight through thunderstorm outflows. (JA) 749
- Frost, Walter, Reddy, Ravi, Crosby, Bill, and Camp, Dennis W. C/STOL flight in wind disturbed by the presence of buildings. (JA) 856
- Fuchs, Arthur J. and Pajerski, Rosemaria S. Role of autonomous satellite navigation in the NEEDS program. (PS, V.67) 233
- Fujimori, Y. (AIAA J; see Lin, Y.K.)
- Fujimori, Y., Lin, Y.K., and Ariaratnam, S.T. Rotor blade stability in turbulent flows — part II. (AIAA J) 673
- Fung, K.-Y. (AIAA J; see Sobieczky, H.)
- Fung, Y.T., Liu, C.H., and Gunzburger, M.D. Simulation of the pressure field near a jet by randomly distributed vortex rings. (AIAA J) 553
- Furukawa, Massao Analytical studies on design optimization of movable louvers for space use. (JSR) 412

- Futrell, J.H. (PS, V.63; see Chatfield, D.A.)
 Gad-el-Hak, Mohamed and Morton, J.B. Experiments on the diffusion of smoke in isotropic turbulent flow. (AIAA J) 558
 Gai, Eliezer (JGC; see Daly, Kevin C.)
 --(JGC; see Walker, Bruce K.)
 Gallagher, R.J. (AIAA J; see Cattolica, R.J.)
 Gany, Alon (AIAA J; see Caveny, Leonard H.)
 Garba, J.A. (JSR; see Chen, J.C.)
 Garg, Subhash Empirical simulation model for hydrazine attitude control thrusters. (JSR) 389
 --Stability analysis of a flexible spacecraft with a sampled-data attitude sensor. (JGC) 169
 Garg, S.C., Hughes, P.C., Millar, R.A. and Vigneron, F.R. Flight results on structural dynamics from Hermes. (JSR) 81
 Gari, H.N. (JE, SYN; see Loehrke, J.C.)
 Gatski, Thomas B. Sound production due to large-scale coherent structures. (AIAA J) 614
 Geller, Edward W. Calculation of flow in the tail region of a body of revolution. (JH, EN) 127
 George, A.R. and Kim, Y.N. High-altitude long-range sonic boom propagation. (JA, EN) 637
 Gharib, M. (AIAA J; see Koochesfahani, M.M.)
 Ghia, K.N., Hankey, W.L., Jr., and Hodge, J.K. Use of primitive variables in the solution of incompressible Navier-Stokes equations. (AIAA J, TN) 298
 Gilbert, Barry L. and Foreman, Kenneth M. Experimental demonstration of the diffuser-augmented wind turbine concept. (JE) 235
 Gill, Georges S. (JSR; see Pouliquen, Marcel)
 Glaser, J. (AIAA J; see Lederman, S.)
 Glasgow, D.A. (AIAA J, TN; see Nelson, H.D.)
 Glassford, A.P.M. (JSR; see Liu, Chang-Keng)
 --Adiabatic cycle analysis for the valved thermal compressor. (JE) 306
 Glaum, Fred (AIAA J, SYN; see Murphree, David L.)
 Gleason, Clifford C. (JE; see Mularz, Edward J.)
 Glick, Robert L. Temperature sensitivity and erosive burning. (JSR, EN) 58
 Glickman, R. (JGC; see Spencer, T.M.)
 Goethals, R. (JE; see Eskinazi, S.)
 Goetz, F. (PS, V.63; see Brill, T.B.)
 Gogineni, P.R. (AIAA J, SYN) see Dwoyer, D.L.)
 Goka, T. (JGC; see Sorenson, J.A.)
 Golden, Harvey and Neiers, James W. Sensor needs for agricultural applications. (PS, V.67) 27
 Goldstein, Sidney Interior ballistic modeling applied to small-arms systems. (PS, V.66) 67
 Gollahalli, S.R. (JA, EN; see Jahani, H.)
 Gonard, R. (JSR; see Langlois, G.)
 Good, W.D. (AIAA J, TN; see Smith, N.K.)
 Gooden, K. (AIAA J; see Kind, R.J.)
 Goodman, Theodore R. and Valentine Daniel T. Effect of hydrostatic pressure on underwater towed body cable configurations. (JH, EN) 131
 Gopinath, R. and Murthy, A.V. Pressure gradient effects on laminar boundary layers at large Prandtl numbers. (AIAA J, SYN) 1153
 Gordon, R.A., Mistretta, G.D., and Watson, J.S. A comparison of classical analytic theories for the motion of artificial satellites. (JGC) 184
 Gottesdiener, L. Experimental study of flow near the trailing edge of a flat plate in rarefied gas. (AIAA J) 1159
 Gough, P.S. Modeling of two-phase flow in guns. (PS, V.66) 176
 Gough, P.S., and Zwarts, F.J. Modeling heterogeneous two-phase reacting flows. (AIAA J) 17
 Gouldin, F.C. (AIAA J; see Smith, K.O.)
 Grammer, J.R., Aliff, W.H., Blue, M.D., and Perkowitz, S. Far-infrared properties of baffle coating materials. (PS, V.65) 39
 Graves, R.A., Jr. (PS, V.64; see Kumar, Ajay)
 --(AIAA J; see Kumar, Ajay)
 Gray, Robin B. (JA; see Raj, Pradeep)
 Green, Michael J. and Nicolet, William E. Aerothermodynamic environment for Jovian entry with silica heat shield. (PS, V.64) 108
 Greenberg, S.A. (JE, TN; see Wedel, R.K.)
 Greene, Edward P. and desJardins, Richard Sensor data autonomy. (PS, V.67) 246
 Greene, R.A. Airborne detection of low-level wind shear. (JA) 823
 Greenfield, M.L. (PS, V.65; see Stimpson, L.D.)
 Grems, E.G. (JE; see Jeter, Sheldon)
 Greszczuk, L.B., Hawley, A.V., and Couch, W. Application of hybrid composites to hydrofoil structures. (JH) 105
 Griggs, E.I. (JE; see Hewitt, H.C., Jr.)
 Groll, M., Munzel, W.D., Supper, W., and Savage, C.J. Development of a liquid-trap heat pipe thermal diode. (JSR) 195
 Groom, Nelson J. (JGC; see Anderson, Willard W.)
 --(JGC, EN; see Joshi, Suresh M.)
 Grossman, Bernard Numerical procedure for the computation of irrotational conical flows. (AIAA J) 828
 --(AIAA J, TN; see Keyfitz, Barbara)
 Grossman, R.L. (JA; see Schnell, W.C.)
 Grotte, Jeffrey H. (JA; see Bracken, Jerome)
 Grubin, Carl Quaternon singularity revisited. (JGC, EN) 255
 Guienne, P.F. The 260-ton French amphibious hovercraft—Naviplane N 500. (JH) 33
 Gundersdorf, C.J. (JH; see Billig, F.S.)
 Gunnarson, Daniel W. and McArdle, Jack C. Inlet and duct for the QSRA boundary-layer control system. (JA) 303
 Gunzburger, M.D. (AIAA J; see Fung, Y.T.)
 Gupta, M.M. (JGC; see Nikiforuk, P.N.)
 --(JGC; see Ohta, H.)
 Gupta, Narendra K. and Hall, W. Earl, Jr. System identification technology for estimating re-entry vehicle aerodynamic coefficients. (JGC) 139
 Gur, I., Shinar, J., and Rom, J. Prediction of roll controllability of slender cruciform canard configurations. (JSR) 238
 Gutman, Shaul On optimal guidance for homing missiles. (JGC) 296
 Gutowski, Robert (AIAA J; see Papazian, John M.)
 Haar, L. (PS, V.66; see Powell, E. G.)
 Habashi, Wagdi G., Dueck, Ernest G., and Kenny, David P. Finite-element approach to compressor blade-to-blade cascade analysis. (AIAA J) 693
 Hackett, J.E. and Boles, R.A. Moving-ground simulation by tangential blowing. (JA) 803
 Hafez, M., South, J., and Murman, E. Artificial compressibility methods for numerical solutions of transonic full potential equation. (AIAA J) 838
 Haftka, Raphael T. (JA; see Starnes, James H., Jr.)
 Hague, D.S. and Levin, Alan D. High performance dash-on-warning air mobile missile system. (JA) 551
 Hahn, H.T. (AIAA J; see Witt, W.P., III)
 Hale, Francis J. and Steiger, Arthur R. Effect of wind on aircraft cruise performance. (JA) 382
 Hall, Dennis R. Reply by author to N.H. Kemp. (AIAA J, RF) 446
 Hall, R.B., Maher, W.E., Nichols, D.B., and Nelson, D.J. High-power laser coupling. (PS, V.65) 179
 Hall, W. Earl, Jr. (JGC; see Gupta, Narendra K.)
 Halsey, N.D. Potential flow analysis of multielement airfoils using conformal mapping. (AIAA J) 1281
 Hamed, A. and Abdallah, S. Streamlike function: a new concept in flow problems formulation. (JA, SYN) 801
 Hammond, E.F., Jr., Neff, W.S., and Shilling, W.J. A 2.5-MVA high-voltage lightweight generator. (JA) 55
 Hanagud, S. and Uppaluri, B. Reusable solid rocket motor case: optimum probabilistic fracture control. (JSR) 147
 Hankey, W.L., Jr. (AIAA J, TN; see Ghia, K.N.)
 Hankey, W.L. (AIAA J; see Shang, J.S.)
 Hanna, W.H. (PS, V.65; see Bledjian, Leon)
 Hara, Takehisa and Umoto, Juro Three-dimensional effects of electrode configuration on diagonal MHD generator performance. (JE) 16
 Harris, Christopher F. (JE, TN; see Myerson, Allan S.)
 Harris, Robert B. and Rickard, William W. Active control transport design criteria. (JA, SYN) 737
 Harrison, James V. (JGC; see Daly, Kevin C.)
 Harsha, Philip T. (AIAA J, RF; see Edelman, Raymond)
 Hastings, Leon J. and Allums, Steve L. Performance characteristics of a 1.8 x 3.7 m Fresnel lens solar concentrator. (JE, SYN) 65
 Haug, Edward J. (AIAA J; see Arora, Jasbir S.)
 Haviland, J.K. and Herling, W.W. Scaling of fluctuating pressures in jet impingement. (JA) 182
 Hawks, Roger J. (JE; see Bowles, David F.)
 Hawley, A.V. (JH; see Greszczuk, L.B.)
 Hayes, Richard M. "Smart" remote sensor needs for U.S. Coast Guard ocean environment missions. (PS, V.67)
 Hazelrigg, George A., Jr. Comment on "SPS cost considerations." (JE, TC) 125
 Hazelrigg, George A., Jr. and Lietzke, Keith R. Research and development and the price of oil. (JE) 349
 Hearn, H.C. Effect of internal physical change on catalytic thruster performance. (JSR) 343
 Heber, Charles E. (JH; see Wilson, Robert A.)
 Heffley, Robert K. (JA; see Jewell, Wayne F.)
 Hegemier, G. (JH; see Nair, S.)
 Heiney, Otto K. Ballistics applied to rapid-fire guns. (PS, V.66) 87
 Heinrich, Juan C. and Marshall, Robert S. Penalty function solution of steady-state Navier-Stokes equations. (AIAA J, TN) 789
 Heller, R.A., Kamat, M.P., and Singh, M.P. Probability of solid-propellant motor failure due to environmental temperatures. (JSR) 140
 Helms, Vernon T., III Measuring flow angle and mass flow rate in an unknown flowfield. (JSR) 20
 Hennis, L.A. and Varon, M.N. Thermal design and development of Pioneer Venus large probe. (PS, V.65) 425
 Heppenheimer, T.A. Lunar material transports: comparison of modes employing achromatic trajectories. (JSR, EN) 60
 Herling, W.W. (JA; see Haviland, J.K.)
 Hermance, C.E. (AIAA J; see Aly, S.L.)
 Hermesh, R., Katzir, S., and Kreindler, E. Optimal thrust for maximal rocket turn. (JGC) 301
 Hertzberg, A. (JE; see Mattick, A.T.)
 Hess, Ronald A. A rationale for human operator pulsive control behavior. (JGC) 221

- Hewitt, H.C., Jr. and Griggs, E.I.** Method to determine an optimal air-flow rate in solar collectors. (JE) 357
- Higenyi, James** (AIAA J; see Bayazitoglu, Yildiz)
- Higuchi, Hiroshi and Rubesin, Morris W.** Behavior of a turbulent boundary layer subjected to sudden transverse strain. (AIAA J) 931
- Hileman, F.D.** (PS, V.63; see Chatfield, D.A.)
- Hiley, P.E., Kitzmiller, D.E., and Willard C.M.** Installed performance of vectoring/reversing nonaxisymmetric nozzles. (JA) 532
- Hill, Eugene G.** (JA, SYN; see Shindo, Shojiro)
- Hinchey, M.J., and Sullivan, P.A.** Duct effects on the dynamic fan characteristics of air cushion systems. (JH, EN) 28
- Hines, R.** (JSR; see Siegelman, D.)
- Hirano, Yoichi** Optimum design of laminated plates under axial compression. (AIAA J, TN) 1017
- Hirsh, R.S.** (AIAA J, TN; see Cebeci, Tuncer)
- Hodapp, Albert E., Jr.** (JSR; see Rollstin, Larry R.)
- Hodge, J.K.** (AIAA J, TN; see Ghia, K.N.)
- Hodge, James K., Stone, Alan L., and Miller, Thomas E.** Numerical solution for airfoils near stall in optimized boundary-fitted curvilinear coordinates. (AIAA J) 458
- Hodges, Dewey H.** A theoretical technique for analyzing aeroelastic stability of bearingless rotors. (AIAA J) 400
- Direct solutions for Sturm-Liouville systems with discontinuous coefficients. (AIAA J, TN) 924
- Hokenson, Gustave** Transport physics and mathematical characteristics. (AIAA J, TN) 781
- Holst, Terry L.** Implicit algorithm for the conservative transonic full-potential equation using an arbitrary mesh. (AIAA J) 1038
- Holst, Terry L. and Ballhaus, William F.** Fast conservative schemes for the full potential equation applied to transonic flows. (AIAA J) 145
- Holzer, J.C.** (JE, SYN; Loehrke, J.C.)
- Hoogendoorn, C.J.** (AIAA J; see van Ooijen, H.)
- Hooke, Frederick H.** A new look at structural reliability and risk theory. (AIAA J) 980
- Hookway, R.O.** (JGC, EN; see Pretty, J.R.)
- Hopenfeld, J.** Simplified correlations for prediction of NO_x emissions from MHD power plants. (JE) 335
- Horikawa, Hidetsugu and Dowell, Earl H.** An elementary explanation of the flutter mechanism with active feedback controls. (JA) 225
- Horst, Albert W.** (PS, V.66; see May, Ingo W.)
- Horstman, C.C.** (AIAA J; see Acharya, M.)
- (AIAA J; see Viegas, J.R.)
- Horstman, C.C. and Hung, C.M.** Computation of three-dimensional turbulent separated flows at supersonic speeds. (AIAA J, SYN) 1155
- Hotov, Steven G.** (AIAA J, TN; see Redhed, David D.)
- Howell, John R.** Flat-plate solar collector design and sizing. (JE, TN) 379
- Howes, D.B.** (JA; see Romere, P.O.)
- Howe, William M., Jr., and Kelly, W. Lane, IV** Information adaptive system of NEEDS. (PS, V.67) 213
- Hsu, C.T.** Comment on "Wind power limitations associated with vortices." (JE, TC) 127
- Hsu, P.W.** (JSR; see Pagano, N.J.)
- Huang, Ju-chin** (AIAA J, TN; see Nopratvarakorn, Vichien)
- Hubbatt, James E.** Study of a vortex augmentor for wind-powered turbine. (JE) 344
- (AIAA J, TN; see Neale, D.H.)
- Huck, Friedrich O. and Park, Stephen K.** Multispectral data acquisition and classification: statistical models for system design. (PS, V.67) 490
- Hughes, P.C.** (JSR; see Garg, S.C.)
- Hughes, Peter C. and Abdel-Rahman, Tarek M.** Stability of proportional-plus-derivative-plus-integral control of flexible spacecraft. (JGC) 499
- Hull, David G. and Williamson, Walton E.** Numerical derivatives for parameter optimization. (JGC, EN) 158
- Hummel, R.H.** (AIAA J; see Azad, R.S.)
- Humphris, R.R.** (AIAA J, SYN; see Catalano, G.D.)
- Hung, C.M.** (AIAA J, SYN; see Horstman, C.C.)
- Hunt, J.L., Lawing, P.L., Marcum, D.C., and Cubbage, J.M.** Performance potential and research needs of a hypersonic, air-breathing, lifting missile concept. (JA) 666
- Hurban, John M.** (PS, V.66; see Watermeier, Leland A.)
- Husain, Z.D. and Hussain, A.K.M.F.** Axisymmetric mixing layer: influence of the initial and boundary conditions. (AIAA J) 48
- Hussain, A.K.M.F.** (AIAA J; see Husain, Z.D.)
- Husson, Charles** (PS, V.67; see Breckenridge, Roger A.)
- Huttsell, L.J.** (JA; see Noll, Thomas E.)
- (JA; see Felt, Larry R.)
- Hwang, Chintsun and Pi, W.S.** Aircraft wake flow and horizontal tail buffet. (JA, EN) 282
- Some observations on the mechanism of aircraft wing rock. (JA) 366
- Hwang, Chintsun, Winther, Bertil A., Mills, George R., Noll, Thomas E., and Farmer, Moses G.** Demonstration of aircraft wing/store flutter suppression systems. (JA) 557
- Ichikawa, Akio** (AIAA J, TN; see Ando, Shigenori)
- Ikawa, Hideo** Real gas laminar boundary-layer separation prediction methodology. (AIAA J, SYN) 1157
- Iliff, Kenneth and Maine, Richard E.** Observations on maximum likelihood estimation of aerodynamic characteristics from flight data. (JGC) 228
- (JA; see Maine, Richard E.)
- Imber, Murray** Inverse problem for the solid cylinder. (AIAA J) 91
- Nonlinear heat transfer in planar solids: direct and inverse applications. (AIAA J) 204
- Imbert, M.** (AIAA J; see Zeitoun, D.)
- Inger, G.R.** Transonic shock-boundary-layer interactions in cryogenic wind tunnels. (JA, EN) 284
- Isogai, Koji** On the transonic-dip mechanism of flutter of a sweptback wing. (AIAA J, TN) 793
- Isopi, R.** New solid propellant for European apogee boost motor. (JSR, SYN) 355
- Iversen, J.D., Corsiglia, V.R., Park, S., Backhus, D.R., and Brickman, R.A.** Hot-wire, laser-anemometer, and force measurements of interacting trailing vortices. (JA) 448
- Ives, David C. and Liutermoza, John F.** Second-order-accurate calculation of transonic flow over turbomachinery cascades. (AIAA J) 870
- Jackson, Charlie M., Jr.** (JGC; see Blair, A.B., Jr.)
- Jahani, H. and Gollahall, S.R.** Burning sprays of jet A fuel-water emulsions. (JA, EN) 798
- Jain, S.R., Krishna, P.M.M., and Pai Verneker, V.R.** Hypergolic ignition of various hydrazones with nitric acid. (JSR) 69
- James, William D.** (JA; see Olson, Lawrence E.)
- Jameson, Antony** (AIAA J; see Caughey, D.A.)
- Jarman, John W.** (PS, V.67; see Murphy, Lawrence P.)
- Jaworski, W.** (PS, V.65; see Stimpson, L.D.)
- Jenke, Leroy M.** Application of digital Fourier analysis in processing dynamic aerodynamic heating measurements. (AIAA J, SYN) 641
- Jenkins, Marion K.** (JE; see Nakamura, Takashi)
- Jeter, Sheldon, Craig, J.I., and Grems, E.G.** Orientation studies for single-axis concentrating collectors. (JE) 151
- Jewell, N.T.** (PS, V.63; see Smart, A.E.)
- Jewell, Wayne F., Heffley, Robert K., Clement, Warren F., and West, Thomas C.** Powered-lift aircraft handling qualities in presence of atmospheric disturbances. (JA) 388
- Jobe, Charles E., Kulfan, Robert M., and Vachal, John D.** Application of laminar flow control to large military transports. (JA) 170
- Wing planforms for large military transports. (JA) 425
- Jobson, Daniel J.** Onboard compensation for temporal changes in pushbroom scanner detector arrays. (PS, V.67) 481
- Johnson, B.V.** (JE; see Suo, M.)
- Johnson, D.A.** (AIAA J; see Modarress, D.)
- (JA; see Owen, F.K.)
- Johnson, E.S.** (JA; see Rowe, W.T.)
- Johnson, F.T.** (AIAA J, SYN; see Ehlers, F.E.)
- Johnson, Gordon R.** Dynamic response of axisymmetric solids subjected to impact and spin. (AIAA J) 975
- Johnson, Wayne and Chopra, Inderjit** Calculated hovering helicopter flight dynamics with a circulation-controlled rotor. (JA) 124
- Johnston, W. and Sockol, P.** Matching procedure for viscous-inviscid interactive calculations. (AIAA J, TN) 661
- Jones, B.** (PS, V.63; see Smart, A.E.)
- Jones, B.G., Adrian, R.J., Nithianandan, C.K., and Planchon, H.P., Jr.** Spectra of turbulent static pressure fluctuations in jet mixing layers. (AIAA J) 449
- Jones, E.** (AIAA J; see Parthasarathy, K.N.)
- Jones, J.** Absence of bending effects on solar-receiver-tube fatigue. (JE, TN) 187
- Jones, J. J.** (PS, V.64; see Sutton, K.)
- (PS, V.64; see Moss, James N.)
- Jordan, A.J.** (JA; see Wilson, D.J.)
- Joshi, Suresh M. and Groom, Nelson J.** Stability bounds for the control of large space structures. (JGC) 349
- Juhasz, Arpad A. and Price, Channon F.** The closed bomb technique for burning rate measurement at high pressure. (PS, V.63) 129
- Juvé, Daniel, Sunyach, Michel, and Comte-Bellot, Geneviève** Filtered azimuthal correlations in the acoustic far field of a subsonic jet. (AIAA J, TN) 112
- Kadlec, Robert A. and Davis, Sanford S.** Visualization of quasiperiodic flows. (AIAA J) 1164
- Kamat, Manohar P.** (JSR; see Heller, R.A.)
- Kamat, Manohar P. and Knight, Norman F., Jr.** Nonlinear transient analysis via energy minimization. (AIAA J, SYN) 968
- Kanonchik, L.E.** (AIAA J; see Vasiliev, L.L.)
- Kanury, A. Murty** Methods of measurements in destructive fires. (PS, V.63) 279
- Kanzawa, A.** (AIAA J; see Suzuki, M.)
- Kaplan, Marshall H., Cwynar, David J., and Alexander, Stephen G.** Simulation of Skylab orbit decay and attitude dynamics. (JGC) 511
- Kaplan, Marshall H., Cwynar, David J., and Bednarz, Joseph A.** nuclear-powered communications satellite for the 1980's. (JSR) 268

- Karam, Robert D.** Temperature distribution in louvered panels. (JSR) 92
- Karashima, Kei-ichi** (AIAA J; see Arai, Norio)
- Karlsson, K.R. and Sedin, Y.C.-J.** Axisymmetric calculations of transonic wind tunnel interference in slotted test sections. (AIAA J, TN) 917
- Kartsounes, G.T.** (JE; see Chiu, H.H.)
- Kato, Kanichiro, Mihara, Shoichiro, and Nakamura, Hidetoshi** The role of the backside parameter in height control. (JGC) 241
- Kato, Kanichiro and Yamane, Takashi** A calculation of rotor impedance for hovering articulated-rotor helicopters (JA) 15
- Calculation of rotor impedance for articulated rotor helicopters in forward flight. (JA) 470
- Numerical prediction of typical articulated rotor impedance. (JA, SYN) 417
- Katz, I.** (JSR; see Parks, D.E.)
- Katz, J.** Method for calculating wing loading during maneuvering flight along a three-dimensional curved path. (JA) 739
- Katzir, S.** (JGC; see Hermesh, R.)
- Kaufman, Harold R.** (JSR; see Wilbur, Paul J.)
- (AIAA J; see Aston, Graeme)
- Kaufman, W.B. and Tower, L.K.** Evaluation of commercially available spacecraft-type heat pipes. (JSR) 98
- Kavanagh, H.M. and Murphy, F.L.** Temperature control analysis and flight results for the Viking Orbiter 1975 Mars atmospheric water detector instrument. (PS V.65) 407
- Kawachi, Keiji** (JA; see Azuma, Akira)
- Kaza, K.R.V. and Kvaternik, R.G.** Examination of the flap-lag stability of rigid articulated rotor blades. (JA) 876
- Keese, David L.** Zero-pressure balloon design. (AIAA J) 12
- Keese, J.E.** (AIAA J; see Francis, M.S.)
- Keese, J.E., Francis, M.S., and Lang, J.D.** Technique for vorticity measurement in unsteady flow. (AIAA J) 387
- Keith, T.G., Jr., Obee, T.N., and Dietrich, D.A.** Total pressure recovery of flared fan nozzles used as inlets. (JA) 110
- Kelly, W. Lane, IV** (PS, V.67; see Howle, William M., Jr.)
- Kemp, Nelson H.** Comment on "Hypersonic free molecular heating of micron size particulate." (AIAA J, RF) 445
- Kemp, Nelson H. and Root, Robert G.** Analytical study of laser-supported combustion waves in hydrogen. (JE) 40
- Nozzle flow in a laser-heated hydrogen rocket. (JSR, SYN) 65
- Kendall, Bruce M.** (PS, V.67; see Blume, Hans-Juergen C.)
- Kennedy, Donald A.** (JA; see Francis, Michael S.)
- Kenney, J.F. and Deminet, C.** Low-pressure diffusion bonding of titanium. (JSR) 88
- Kenny, David P.** (AIAA J; see Habashi, Wagdi G.)
- Kerrebrock, J.L.** (AIAA J; see Epstein, A.H.)
- Keskar, Dinesh A.** (JA; see Queijo, M.J.)
- Keskar, Dinesh A. and Slater, Gary L.** Load factor response of digitally controlled aircraft. (JGC) 247
- Keyfitz, Barbara L., Melnik, Robert E., and Grossman, Bernard** Leading-edge singularity in transonic small-disturbance theory: numerical resolution. (AIAA J, TN) 296
- Khalil, E.E.** (AIAA J, SYN; see Cebeci, Tuncer)
- Khan, M.R., Willmert, K.D., and Thornton, W.A.** An optimality criterion method for large-scale structures. (AIAA J) 753
- Khot, N.S., Berke, L., and Venkayya, V.B.** Comparison of optimality criteria algorithms for minimum weight design of structures. (AIAA J) 182
- Kibler, James F.** (PS, V.67; see Young, George R.)
- Kim, B.S.C.** A shock-tube investigation of heat transfer in the base region of a slender cone-hemisphere. (PS, V.64) 278
- Kim, Byoung Sung and Moon, Francis** Impact induced stress waves in an anisotropic plate. (AIAA J) 1126
- Kim, Thomas J.** (AIAA J, TN; see Patsalides, Nicos M.)
- Kim, Y.N.** (JA, EN; see George, A.R.)
- Kinch, M.A.** (PS, V.67; see Chapman, R.A.)
- Kind, R.J.** (JA; see Dvorak, F.A.)
- Kind, R.J., Gooden, K., and Dvorak, F.A.** Measurements of flows with tangential injection and comparison with prediction methods. (AIAA J) 730
- King, H.M.** (PS, V.65; see Leggett, H.)
- King, Merrill K.** Erosive burning of composite solid propellants: experimental and modeling studies. (JSR) 154
- King, William S.** Estimates of critical Reynolds number for a heated flat plate in water. (JH, EN) 125
- Kirchner, Robert D.** Comment on "Wall shear stress measurements in a shock-wave boundary-layer interaction." (AIAA J, RF) 670
- Kishore, K.** Comprehensive view of the combustion models of composite solid propellants. (AIAA J, SP) 1216
- Kishore, K. and Sunitha, M.R.** Effect of transition metal oxides on decomposition and deflagration of composite solid propellant systems: a survey. (AIAA J, SP) 1118
- Kitzmilller, D.E.** (JA; see Hiley, P.E.)
- Kivel, Bennett** (AIAA J; see Shui, Ven H.)
- Klapp, A.J.** Automated ship routing. (JH) 5
- Klein, M.** (PS, V.66; see Powell, E.G.)
- Klich, Phillip J.** (JSR; see Rehder, John J.)
- Klimas, Paul C.** Inflating parachute canopy differential pressures. (JA) 861
- Knight, Charles J.** Theoretical modeling of rapid surface vaporization with back pressure. (AIAA J) 519
- (AIAA J, TN; see Tong, Kwok-On)
- Knight, Norman F., Jr.** (AIAA J; see Kamat, Manohar P.)
- Knuth, Eldon L.** (AIAA J; see Liu, Shih-Min)
- Kobayakawa, Makoto** (JA; see Okubo, Hiroshi)
- Koch, T.L.** (PS, V.67; see Thom, R.D.)
- Koewing, J.W.** (AIAA J; see Crosbie, A.L.)
- Kohlman, David L.** Flight test results for an advanced technology light airplane. (JA) 250
- Konarski, M.** (JA; see Willard, C.M.)
- Koncsek, J.L.** (JA; see Shaw, R.J.)
- Koochesfahani, M.M., Catherasoo, C.J., Dimatakis, P.E., Gharib, M., and Lang, D.B.** Two-point LDV measurements in a plane mixing layer. (AIAA J) 1347
- Kornreich, P.G.** (PS, V.67; see Kowel, S.T.)
- Kosson, Robert L.** (AIAA J, TN; see Papazian, John M.)
- Kosut, Robert L.** Nonlinear optimal cue-shaping filters for motion base simulators. (JGC) 486
- Kottapalli, S.B.R., Friedmann, P.P., and Rosen, A.** Aeroelastic stability and response of horizontal axis wind turbines blades. (AIAA J) 1381
- Kowel, S.T., Kornreich, P.G., Mahapatra, A., Mehter, M., and Szebenyi, T.** Image feature analysis using DEFT sensors. (PS, V.67) 380
- Kraeutle, K.J.** Particle size analysis in solid propellant combustion research. (PS, V.63) 76
- (PS, V.63; see Boggs, T.L.)
- Kreeb, H.** (JSR; see Savage, C.J.)
- Kreindler, E.** (JGC; see Hermesh, R.)
- Krier, Herman and Adams, Michael J.** An introduction to gun interior ballistics and a simplified ballistic code. (PS, V.66) 1
- Krishna, P.M.M.** (JSR; see Jain, S.R.)
- Krouil, J.C.** (AIAA J; see Chen, C.P.)
- Krupp, W.E.** (JA; see Van Orden, J.M.)
- Kulfan, Robert M.** (JA; see Jobe, Charles E.)
- Kulfan, Robert M. and Sigalla, Armand** Real flow limitations in supersonic airplane design. (JA, SP) 645
- Kulkarni, Satish V.** (AIAA J, SYN; see Chatterjee, Sailendra N.)
- Kumar, Ajay, Tiwari, S.N., and Graves, R.A., Jr.** Laminar and turbulent flows over a spherically blunted cone with massive surface blowing. (AIAA J) 1326
- Radiating viscous shock-layer solutions for Jovian entry at angle of attack. (PS, V.64) 147
- Kunhikrishnan, K.V.** (JA, EN; see Sarma, V.V.S.)
- Kuo, K.K.** (JSR; see Davis, T.R.)
- (AIAA J; see Razdan, M.K.)
- Kuriki, Kyoichi** The MPD thruster test on the space shuttle. (JSR) 326
- Kussoy, M.I.** (AIAA J; see Acharya, M.)
- Kutler, Paul, Pulliam, Thomas H., and Vigneron, Yvon C.** Computation of the viscous supersonic flow over external axial corners. (AIAA J) 571
- Kutsenogii, K.P.** (PS, V.63; see Mikheev, V.F.)
- Kvaternik, R.G.** (JA; see Kaza, K.R.V.)
- Lackman, Leslie** (JA; see Ascani, Leonard)
- Laderman, A.J. and Demetriades, Anthony** Turbulent shear stresses in compressible boundary layers. (AIAA J) 736
- Laitone, J.A.** Erosion prediction near a stagnation point resulting from aerodynamically entrained solid particles. (JA) 809
- Lakshminarayana, B.** (AIAA J; see Reynolds, B.)
- Lan, C. Edward** Ground effects on USB configurations. (JA, EN) 62
- Lan, C. Edward and Mehrotra, Sudhir C.** Improved Woodward's panel method for calculating edge suction forces. (JA, EN) 632
- Landweber, Louis** (JH; see Denli, Nuray)
- Lang, D.B.** (AIAA J; see Koochesfahani, M.M.)
- Lang, J.D.** (AIAA J; see Keese, J.E.)
- (AIAA J; see Francis, M.S.)
- Lang, K.-W. and Nemat-Nasser, S.** An approach for estimating vibration characteristics of nonuniform rotor blades. (AIAA J) 995
- Lang, T.J.** Optimal impulsive maneuvers to accomplish small plane changes in an elliptical orbit. (JGC) 271
- Langlois, G. and Gonard, R.** New law for crack propagation in solid propellant material. (JSR) 357
- Large, Edward** Optimal climb paths for a ballistic rocket within the atmosphere. (JSR, EN) 282
- Larkin, William J. and Thomas, Mitchell** Atmospheric flight of a variable-body. (JGC) 382
- Larson, Terry J.** (JSR; see Siemers, Paul M., III)
- Lau, C.V.** (JE; see Mattick, A.T.)
- Lauchle, Gerald C.** Horizontal buoyancy effects on the pressure distribution of a body in a duct. (JH) 61
- Laurenson, Robert M., McPherson, James I., and Shore, Charles P.** Design procedures for flutter-free surface panels. (AIAA J, SYN) 398
- Lawing, P.L.** (JA; see Hunt, J.L.)
- Lawson, T.W.** (PS, V.65; see Ahern, J.E.)
- Leadbetter, Sumner A.** (JSR; see Pinson, Larry D.)
- Lebacqz, J.V. and Radford, R.C.** Experimental investigation of

- control-display requirements for a jet-lift VTOL aircraft. (JGC) 479
- Lederman, S., Celentano, A., and Glaser, J.** Flowfield diagnostics. (AIAA J) 1106
- Lee, P.K.** Atmospheric limitations on antenna pointing performance. (JSR) 115
- Lee, Tieh-Ying** Coupled thermomechanical effects in high solids propellant. (AIAA J, TN) 1015
- Lee, Y.C.** (JGC, EN; see McVey, E.S.)
- Lefebvre, A.H.** (JE; see Ballal, D.R.)
- Leggett, H. and King, H.M.** Porcelain enamel passive thermal control coating. (PS, V.65) 327
- Lemmerman, L.A. and Sonnad, V.R.** Three-dimensional viscous-inviscid coupling using surface transpiration. (JA) 353
- Leondes, Cornelius T.** (JGC, EN; see Austin, James W.)
- Leondes, Cornelius T., Phillis, Ioannis A., and Chin, Leonard** Method of optimizing the update intervals in hybrid navigation systems. (JGC, EN) 541
- Lerner, Edwin and Markowitz, Joel** An efficient structural resizing procedure for meeting static aeroelastic design objectives. (JA) 65
- Levin, Alan D.** (JA; see Hague, D.S.)
- Lewin, J.** Ground-control system for Satcom satellites. (JSR) 273
- (AIAA J, SYN; see Dwyer, D.L.)
- (PS, V.64; see Moore, G.R.)
- (PS, V.64; see Murray, A.L.)
- Lewis, Clark H.** (AIAA J, SYN; see Waskiewicz, John D.)
- (AIAA J, SYN; see Dwyer, D.L.)
- Lewis, D.A., Platt, C.E. and Smith, E.B.** Aeroelastic instability in F100 labyrinth air seals. (JA) 484
- Libai, Avinoam** Optimization of a stiffened square panel subjected to compressive edge loads. (AIAA J, SYN) 1379
- Lietzke, Keith R.** (JE; see Hazellrigg, George A., Jr.)
- Ligrani, Phillip M. and Moffat, Robert J.** Artificially thickening a smooth-wall turbulent boundary layer. (AIAA J, TN) 907
- Lilley, David G.** Flowfield modeling in practical combustors: a review. (JE, SP) 193
- (JE; see Novick, A.S.)
- Lin, H.C.** (PS, V.67; see Papanicolaou, N.A.)
- Lin, Y.K.** (AIAA J; see Fujimori, Y.)
- Lin, Y.K., Fujimori, Y., and Ariaratnam, S.T.** Rotor blade stability in turbulent flows—part 1. (AIAA J) 545
- Lissaman, P.B.S.** Energy effectiveness of arbitrary arrays of wind turbines. (JE) 323
- Little, B.H., Jr. and Whipkey, R.R.** Locked vortex afterbodies. (JA) 296
- Liu, C.H.** (AIAA J; see Fung, Y.T.)
- Liu, Chang-Keng and Glassford, A.P.M.** Cost-effective method for measuring contamination effects. (JSR) 402
- Liu, C.Y. and Wang, C.T.** Interference effect of catamaran planing hulls. (JH, EN) 31
- Liu, J.S.K. and Chow, W.L.** Axisymmetric transonic turbulent base pressures. (AIAA J, SYN) 330
- Liu, Shih-Min, Sharma, Pramod K., and Knuth, Eldon L.** Satellite drag coefficients calculated from measured distributions of reflected helium atoms. (AIAA J) 1314
- Liutermoza, John F.** (AIAA J; see Ives, David C.)
- Lloyd, K.H. and Brown, D.P.** Instability of spinning projectiles during terminal guidance. (JGC) 65
- Loehrke, J.C., Holzer, J.C., Gari, H.N., and Sharp, M.K.** Stratification enhancement in liquid thermal storage tanks. (JE, SYN) 129
- Loehrke, R.I.** (JE; see Sharp, M.K.)
- Loesch, Franklin C.** Valve delay effects on bending limit cycles of a deadband system. (JGC, EN) 436
- Lombard, C.K.** (AIAA J; see Thomas, P.D.)
- Long, E.** (PS, V.67; see Lum, H.)
- Longhurst, Glen R. and Wilbur, Paul J.** 15-cm Mercury multipole thruster. (JSR) 42
- Look, D.C.** Approximate hemispherical radiative properties. (AIAA J, TN) 443
- Lord, Donald D.** A distributed microcomputer telemetry system for spacecraft applications. (PS, V.67) 255
- Loth, J.L.** Domestic hot water heating using hot air solar collectors. (JE, TN) 377
- Reply by author to C.T. Hsu. (JE, TC) 128
- Tilting wing overspeed control for vertical axis wind turbines. (JE, TN) 375
- Lottati, I.** (JGC; see Nissim, E.)
- Love, T.J. and Francis, J.E.** A linearized analysis for longitudinal fins with radiative and convective exchange. (PS, V.65) 242
- Lubow, Bruce C.** A correlation of spray height data for jets impinging on water. (JH, EN) 29
- Luckring, James M.** Aerodynamics of strake-wing interactions. (JA) 756
- Luedke, E.E.** (PS, V.65; see Rowe, W.M.)
- Lum, H.** (PS, V.67; see McCreight, C.R.)
- Lum, H., Neal, P., Wong, D., and Long, E.** Onboard data processing for the IRAS telescope system. (PS, V.67) 265
- Lundell, J.H.** (PS, V.64; see Davy, W.C.)
- Lundell, J.H. and Dickey, R.R.** Response of heat-shield materials to intense laser radiation. (PS, V.64) 193
- Lutze, Frederick H.** Unaided EVA intercept and rendezvous charts. (JSR) 426
- Lyman, Frederic A.** Experiments in coal devolatilization and combustion. (PS, V.63) 297
- Mahey, Dennis G.** Use of sound absorbing walls to reduce dynamic interference in wind tunnels. (AIAA J, SYN) 334
- (AIAA J, TN; see Raghunathan, S.)
- MacConochie, Ian O.** (JSR; see Rehder, John J.)
- Mackley, Ernest A.** (JA, SYN; see Andrews, Earl H., Jr.)
- Maddox, A.R., Dix, R.E., and Mattasits, G.R.** In-flight captive store loads compared with wind-tunnel and mathematical simulations. (JA) 289
- Maeda, Hiroshi** (JA; see Okubo, Hiroshi)
- Magnus, A.E.** (AIAA J, SYN; see Ehlers, F.E.)
- Mahapatra, A.** (PS, V.67; see Kowel, S.T.)
- Maher, W.E.** High-power laser coupling. (PS, V.65) 179
- (PS, V.65; see Hall, R.B.)
- Mahgoub, H.E.H. and Bradshaw, P.** Calculation of turbulent-inviscid flow interactions with large normal pressure gradients. (AIAA J) 1025
- Maine, Richard E.** (JGC; see Iliff, Kenneth W.)
- Maine, Richard E. and Iliff, Kenneth W.** Maximum likelihood estimation of translational acceleration derivatives from flight data. (JA) 674
- Malcolm, Gerald N.** New rotation-balance apparatus for measuring airplane spin aerodynamics in the wind tunnel. (JA) 264
- Mallay, R.** (JSR; see PaiVerneker, V.R.)
- Mantay, Wayne R., Shidler, Philip A., and Campbell, Richard L.** Some results of the testing of a full-scale Ogee-tip rotor. (JA) 215
- Mantegazza, P.** (AIAA J; see Cardani, C.)
- Marchman, James F., III** Aircraft operating environments around high-speed ships. (JH, SYN) 3
- Marcum, D.C.** (JA; see Hunt, J.L.)
- Marcus, B.D.** (AIAA J, TN; see Eninger, James E.)
- Maresca, Christian** (AIAA J, TN; see Favier, Daniel)
- Marinescu, A.** Low-thrust maneuvers near the libration points. (JGC) 119
- Markowitz, Joel** (JA; see Lerner, Edwin)
- Marshall, Robert S.** (AIAA J, TN; see Heinrich, Juan C.)
- Martin, James A.** Cost comparison of dual-fuel propulsion in advanced shuttles. (JSR) 232
- Marto, P.J. and Wagenseil, L.L.** Augmenting the condenser heat-transfer performance of rotating heat pipes. (AIAA J) 647
- Massey, B.S.** (AIAA J, TN; see Clayton, B.R.)
- Mattasits, G.R.** (JA; see Maddox, A.R.)
- Mattick, A.T., Hertzberg, A., Decher, R., and Lau, C.V.** High-temperature solar photon engines. (JE) 30
- Mattox, Douglas M.** (AIAA J, TN; see Wilcox, William R.)
- May, Ingo W. and Horst, Albert W.** Charge design considerations and their effect on pressure waves in guns. (PS, V.66) 197
- Mayo, Ronald A.** Relative quaternion state transition relation. (JGC) 44
- Mazzola, M.** (PS, V.63; see Monti, R.)
- McArdle, Jack C.** (JA; see Gunnarson, Daniel W.)
- McClendon, Ronald W.** (AIAA J, SYN; see Murphree, David L.)
- McCormick, Michael J.** The user's experience and technology transfer. (PS, V.67) 63
- McCreight, C.R. and Lum, H.** Integrated detector array preprocessing for infrared astronomical applications. (PS, V.67) 455
- McFadin, Louis W.** Application of smart sensor techniques to a solid-state array multispectral sensor. (PS, V.67) 469
- McGowan, Philip R.** (JA; see Olson, Lawrence E.)
- McGogan, J.T. and Walsh, E.J.** Real-time determination of geophysical parameters from a multibeam altimeter. (PS, V.67) 110
- McIntyre, Stan** (JSR; see Dettling, J. Ray)
- McKinnon, R.A.** (JA; see Rowe, W.T.)
- McKissick, B.T.** (JA; see Ashworth, B.R.)
- McMahon, H.M. and Antani, D.L.** Experimental study of a jet issuing from a lifting wing. (JA) 275
- McMillan, O.J. and Ferziger, J.H.** Direct testing of subgrid-scale models. (AIAA J) 1340
- McNamara, R.P.** (PS, V.63; see Strand, L.D.)
- McPherson, James I.** (AIAA J, SYN; see Laurenson, Robert M.)
- McVey, E.S. and Lee, Y.C.** Choice of method for discretization of continuous systems. (JGC, EN) 92
- Mehrota, Sudhir C.** (JA, EN; see Lan, C. Edward)
- Mehta, R.C.** Thermal analysis of a conical cathode of an MPD arc. (AIAA J, TN) 1272
- Mehta, Gopal K. and Strahle, Warren C.** Analysis of axially symmetric external burning propulsion for bluff-base bodies. (AIAA J, SYN) 269
- Mehter, M.** (PS, V.67; see Kowel, S.T.)
- Meirovitch, Leonard** (JGC, EN; see Canavin, Joseph R.)
- Meirovitch L. and Oz, H.** Observer modal control of dual-spin flexible spacecraft. (JGC) 101

- Meirovitch, L., VanLandingham, H.F., and Oz, H.** Distributed control of spinning flexible spacecraft. (JGC) 407
- Mellor, A.M.** (JE; see Schmidt, D.A.)
--(JA; see Washam, R.M.)
--(JE; see Wyatt, W.R.)
- Mellor, A.M. and Washam, R.M.** Characteristic time correlations of pollutant emissions from an annular gas turbine combustor. (JE) 250
- Melnik, Robert E.** (AIAA J, TN; see Keyfitz, Barbara L.)
- Menees, G.P.** (PS, V.64; see Davy, W.C.)
- Meng, S.Y.** (AIAA J, TN; see Cheng, H.K.)
- Meolans, J.G., Nicoli, C., and Brun, R.** Influence of the physical model on the vibration relaxation in expansion flows. (AIAA J, TN) 1260
- Merkli, P.** (AIAA J; see Escudier, M.P.)
- Merz, R.A.** Subsonic base pressure fluctuations. (AIAA J, TN) 436
- Meyer, J.W.** Kinetic model for aerosol formation in rocket contrails. (AIAA J) 135
- Mezines, S.A.** (PS)
- McPherson, James I.** (AIAA J, SYN; see Laurenson, Robert M.)
- McVey, E.S. and Lee, Y.C.** Choice of method for discretization of continuous systems. (JGC, EN) 92
- Mehrota, Sudhir C.** (JA, EN; see Lan, C. Edward)
- Mehta, R.C.** Thermal analysis of a conical cathode of an MPD arc. (AIAA J, TN) 1272
- Mehta, Gopal K. and Strahle, Warren C.** Analysis of axially symmetric external burning propulsion for bluff-base bodies. (AIAA J, SYN) 269
- Mehter, M.** (PS, V.67; see Kowel, S.T.)
- Meirovitch, Leonard** (JGC, EN; see Canavin, Joseph R.)
- Meirovitch L. and Oz, H.** Observer modal control of dual-spin flexible spacecraft. (JGC) 101
- Meirovitch, L., VanLandingham, H.F., and Oz, H.** Distributed control of spinning flexible spacecraft. (JGC) 407
- Mellor, A.M.** (JE; see Schmidt, D.A.)
--(JA; see Washam, R.M.)
--(JE; see Wyatt, W.R.)
- Mellor, A.M. and Washam, R.M.** Characteristic time correlations of pollutant emissions from an annular gas turbine combustor. (JE) 250
- Melnik, Robert E.** (AIAA J, TN; see Keyfitz, Barbara L.)
- Menees, G.P.** (PS, V.64; see Davy, W.C.)
- Meng, S.Y.** (AIAA J, TN; see Cheng, H.K.)
- Meolans, J.G., Nicoli, C., and Brun, R.** Influence of the physical model on the vibration relaxation in expansion flows. (AIAA J, TN) 1260
- Merkli, P.** (AIAA J; see Escudier, M.P.)
- Merz, R.A.** Subsonic base pressure fluctuations. (AIAA J, TN) 436
- Meyer, J.W.** Kinetic model for aerosol formation in rocket contrails. (AIAA J) 135
- Mezines, S.A.** (PS, V.64; see Nelson, H.F.)
- Michel, Roger, Mignosi, Andre, and Quemard, Claude** The induction driven tunnel at ONERA-CERT. (JA) 134
- Mignosi, Andre** (JA; see Michel, Roger)
- Mihara, Shoichiro** (JGC, see Kato, Kanichiro)
- Mikhail, M.N.** Optimum design of wind tunnel contractions. (AIAA J) 471
- Mikheev, V.F., Zarko, V.E., Borin, S.M., Kutsenogii, K.P., and Simonenko, V.N.** Measurement of burning rates in transient combustion processes under the influence of external radiation. (PS, V.63) 173
- Miles, G.A.** (JE; see Novick, A.S.)
- Milinzazzo, F.** (AIAA J; see Oved, Y.)
- Millar, R.A.** (JSR; see Garg, S.C.)
- Millar, R.A. and Vigneron, F.R.** Attitude stability of a pseudorate jet-controlled flexible spacecraft. (JGC) 111
- Miller, J.W.** (PS, V.65; see Somers, R.R., III)
- Miller, M.C.** (JSR; see D'Amico, W.P.)
- Miller, Miles C.** Wind-tunnel measurements of the surface pressure distribution on a spinning Magnus rotor. (JA) 815
- Miller, R.H.** The effect of demand on optimum launch vehicle size. (JSR, EN) 287
--On the weathervaning of wind turbines. (JE, TN) 319
- Miller, R.H. and Akin, D.L.** Space-manufactured satellite power systems. (JE, TN) 373
- Miller, Thomas E.** (AIAA J; see Hodge, James K.)
- Mills, A.F.** Comment on "Calculation of incompressible rough-wall boundary-layer flows." (AIAA J, TC) 220
- Mills, George R.** (JA; see Hwang, Chintsun)
- Millward, Adrian** Definition of yaw meter sensitivity for the "null reading" technique. (JH, EN) 130
- Minning, C.P.** Radiation shape factors between end plane and outer wall of concentric tubular enclosures. (AIAA J, TN) 1406
--Shape factors between coaxial annular disks separated by a solid cylinder. (AIAA J, TN) 318
- Mirels, Harold** Inhomogeneous broadening effects in cw chemical lasers. (AIAA J) 478
- Mistretta, G.D.** (JGC; see Gordon, R.A.)
- Mittal, M.L. and Sarma, P.R.L.** Current distribution at the end regions of a magnetohydrodynamic channel. (JE, TN) 181
- Modarress, D. and Johnson, D.A.** Investigation of turbulent boundary-layer separation using laser velocimetry. (AIAA J) 747
- Moffat, Robert J.** (AIAA J, TN; see Ligrani, Phillip M.)
- Monti, R. and Mazzola, M.** Continuous regression rate measurement in hybrid rockets. (PS, V.63) 111
- Mooij, H.A. and van Gool, M.F.C.** Reply by authors to W.O. Breuhaas. (JA, TC) 640
- Mook, D.T.** (JA; see Asfar, K.R.)
- Moon, Francis** (AIAA J; see Kim, Byoung Sung)
- Moore, John Elliott, Jr. and Cutchins, Malcolm A.** Computational scheme for structural influence coefficients of certain planar wings. (JA) 315
- Moore, G.R., Anderson, L.P., Jr., Lewis, C.H., and Murray, A.L.** Solid rocket motor plume and ablation study. (PS, V.64) 265
- Moran, D.D.** (JH; see Ochi, M.D.)
- Morrison, Phillip A.** (JGC; see Nulk, Robert A.)
- Mort, Kenneth, W., Soderman, Paul T., and Eckert, William T.** Improving large-scale testing capability by modifying the 40- by 80-ft wind tunnel. (JA) 571
- Morton, J.B.** (AIAA J, SYN; see Catalano, G.D.)
--(AIAA J; see Gad-el-Hak, Mohamed)
- Moss, James N.** (PS, V.64; see Zoby, E.V.)
- Moss, James N., Jones, Jim J., and Simmonds, Ann L.** Radiative flux penetration through a blown shock layer for Jupiter entry conditions. (PS, V.64) 22
- Mouch, Thomas N.** (JSR, EN; see Nelson, Robert C.)
- Muggeridge, D.B. and Buckley, T.J.** Dynamics of a fluid conveying fiber-reinforced shell. (AIAA J, TN) 663
--Flexural vibration of orthotropic cylindrical shells in a fluid medium. (AIAA J, TN) 1019
- Muhlstein, Lado Jr., and Coe, Charles F.** Integration time required to extract accurate data from transonic wind-tunnel tests. (JA) 620
- Muirhead, Vincent U. and Saltzman, Edwin J.** Reduction of aerodynamic drag and fuel consumption for tractor-trailer vehicles. (JE) 279
- Mularz, Edward J., Gleason, Clifford C., and Dodds, Willard J.** Combustor concepts for aircraft gas turbine low-power emissions reduction. (JE) 55
- Mulpuru, Sambasiva R. and Banerjee, Sanjoy** Conservative implicit method for shock wave calculations. (AIAA J, TN) 537
- Munje, Satish** (JE; see Feldman, Karl Thomas, Jr.)
- Munzel, W.D.** (JSR; see Groll, M.)
- Murakami, M.** Control of contamination in cryogenically cooled satellite telescopes. (JSR, SYN) 193
- Murman, E.** (AIAA J; see Hafez, M.)
- Murphree, David L., McClendon, Ronald W., Ward, Bradley W., and Glaum, Fred** Mathematical modeling of fish detection with a scanning airborne laser. (AIAA J, SYN) 745
- Murphy, Charles H.** Angular motion of spinning almost-symmetric missiles. (JGC) 504
- Murphy, F.L.** (PS, V.65; see Kavanagh, H.M.)
- Murphy, Lawrence P. and Jarman, John W.** The role of "smart" sensors in Earth resources remote sensing programs. (PS, V.67) 101
- Murray, A.L.** (PS, V.64; see Moore, G.R.)
- Murray, A.L. and Lewis, Clark H.** Heat- and mass-transfer effects on three-dimensional hypersonic viscous shock-layer flows. (PS, V.64) 165
- Murrow, H.N. and Eckstrom, C.V.** Drones for aerodynamic and structural testing (DAST) — a status report. (JA) 521
- Murthy, A.V.** (AIAA J, SYN; see Gopinath, R.)
- Murthy, V. Sreedhara** (AIAA J, RF; see Rose, William C.)
- Musker, A.J.** Explicit expression for the smooth wall velocity distribution in a turbulent boundary layer. (AIAA J, TN) 655
- Myerson, Allan S. and Harris, Christopher F.** Fuel development for open-loop combustion-driven MHD power generation. (JE, TN) 120
- Myhre, S.H. and Beck, C.E.** Repair concepts for advanced composite structures. (JA) 720
- Nabavi, Hassan and Bannerot, Richard B.** Heat-transfer considerations in groove-like solar collectors. (PS, V.65) 229
- Nagib, H.M.** (AIAA J, TN; see Corke, T.C.)
- Nair, S. and Hegemier, G.** Stability of faired underwater towing cables. (JH) 20
- Nakamura, Hidetoshi** (JGC; see Kato, Kanichiro)
- Nakamura, Takashi and Jenkins, Marion K.** Performance of disk generators for open-cycle MHD power generation. (JE) 217
- Nanbu, Kenichi** Separation factors for UF isotopes accelerated by helium expanding spherically into a vacuum. (JE, SYN) 67
- Napolitano, M., Werle, M.J., and Davis, R.T.** Numerical technique for the triple-deck problem. (AIAA J) 699
- Narayanan, M.A. Badri** Universal trends observed in the maxima of the longitudinal velocity fluctuations and the zero crossings in turbulent flows. (AIAA J, TN) 527
- Nassar, Esam M.** Rapid calculation of the resonance frequency for rotationally restrained rectangular plates. (AIAA J) 6
- Nayfeh, A.H.** (JA; see Asfar, K.R.)
- Nayfeh, A.H. and Padhye, A.** Relation between temporal and spatial stability in three-dimensional flows. (AIAA J) 1084

- Nazaroff, Gregory J.** Orientation vector differential equation. (JGC, EN) 351
- Neal, P.** (PS, V.67; see Lum, H.)
- Neale, D.H., Hubbart, J.E., and Strahle, W.C.** Effects of axial and radial air injection on the near wake with and without external compression. (AIAA J, TN) 301
- Neff, W.S.** (JA; see Hammond, E.F., Jr.)
- Neiers, James W.** (PS, V.67; see Golden, Harvey)
- Nelson, Carl W., Adams, George F., and Ward, J. Richard** Comment on "Pressure dependence of burning rate of composite solid propellants." (AIAA J, TC) 222
- Nelson, D.J.** (PS, V.65; see Hall, R.B.)
- Nelson, H.D. and Glasgow, D.A.** Eigenrelations for general second-order systems. (AIAA J, TN) 795
- Nelson, H.F. and Mezzines, S.A.** Analysis of Jupiter probe heat-shield recession uncertainties. (PS, V.64) 293
- Nelson, Robert C. and Mouch, Thomas N.** Cylinder/splitter-plate data illustrating high support interference. (JSR, EN) 126
- Nelson, T.F.** (JA; see Potonides, H.C.)
- Nemat-Nasser, S.** (AIAA J; see Lang, K.-W.)
- Nesline, F. William** Missile guidance for low-altitude air defense. (JGC) 283
- Neste, S.L.** (AIAA J; see Eaton, L.R.)
- Nestler, D.E.** (PS, V.64; see Brant, D.N.)
- Neti, Sudhakar and Clark, Wayne** On-axis velocity component measurement with laser velocimeters. (AIAA J, TN) 1013
- Netzer, David W. and Andrews, James R.** Schlieren studies of solid-propellant combustion. (PS, V.63) 235
- Neumann, R.D., Patterson, J.L., and Sliski, N.J.** Aerodynamic heating to the X-24C hypersonic research configuration. (PS, V.65) 192
- Newsom, Jerry R.** Control law synthesis for active flutter suppression using optimal control theory. (JGC) 388
- Newton, J.F.** (AIAA J; see Cassady, P.E.)
- Nguyen, Khanh H.** (JE, TN; see Pejsa, Jane H.)
- Nicholas, E.B.** (JA; see Sarkos, C.P.)
- Nichols, D.B.** (PS, V.65; see Hall, R.B.)
- Nicolet, William E.** (PS, V.64; see Green, Michael J.)
- Nicoli, C.** (AIAA J, TN; see Meolans, J.G.)
- Nikiforuk, P.N.** (JGC; see Ohta, H.)
- Nikiforuk, P.N., Ohta, H., and Gupta, M.M.** Design of a two-level adaptive flight control system. (JGC) 79
- Nissim, E. and Lottati, I.** Active external store flutter suppression in the YF-17 flutter model. (JGC) 395
- On single-degree-of-freedom flutter induced by activated controls. (JGC) 402
- Nithianandan, C.K.** (AIAA J; see Jones, B.G.)
- Nixon, David** On unsteady transonic shock motions. (AIAA J, TN) 1143
- Noll, T.E. and Huttzell, L.J.** Wing store active flutter suppression—correlation of analyses and wind-tunnel data. (JA) 491
- Noll, Thomas E.** (JA; see Felt, Larry R.)
- (JA; see Hwang, Chintsun)
- Nopratvarakorn, Vichien and Huang, Ju-chin** Quadrilateral plate element for laminated structure. (AIAA J, TN) 95
- Norris, David D.** (PS, V.67; see Wellman, John B.)
- Norster, E.R.** (JE; see Flanagan, P.)
- Novick, A.S., Miles, G.A., and Lilley, D.G.** Modeling parameter influences in gas turbine combustor design. (JE) 257
- Numerical simulation of combustor flowfields: a primitive variable design capability. (JE) 95
- Nulk, Robert A., Pastrick, Harold L., and Morrison, Phillip A.** Copperhead semiactive laser guidance system development. (JGC) 374
- Oates, Gordon C. and Presz, Walter M., Jr.** Effects of nonconstant enthalpy addition on fan-nozzle combinations. (JA, EN) 891
- Obee, T.N.** (JA; see Keith, T.G.)
- Obi, Wilson C.** Formulas for spanwise distribution of lift on aircraft wings. (JA, EN) 733
- O'Brien, Paul J.** (JA; see Tobias, Leonard)
- Ochi, M.D. and Moran, D.D.** Seakeeping quality of advanced marine vehicles for design applications. (JH) 85
- Ogana, Wandera** Derivation of an integral equation for three-dimensional transonic flows. (AIAA J, TN) 305
- Ogg, Jon S. and Taylor, Wilson R.** Accelerated mission testing of gas turbine engines. (JA) 247
- Ohta, H.** (JGC; see Nikiforuk, P.N.)
- Ohta, H., Nikiforuk, P.N., and Gupta, M.M.** Design of desirable handling qualities for aircraft lateral dynamics. (JGC) 31
- Okubo, Hiroshi, Kobayakawa, Makoto, and Maeda, Hiroshi** Lifting surface approach to the estimation of gust response of finite wings. (JA) 309
- Olson, Lawrence E., James, William D., and McGowan, Phillip R.** Theoretical and experimental study of the drag of single- and multi-element airfoils. (JA) 462
- Olstad, W.B.** (PS, V.64; see Zoby, E.V.)
- Orloff, E.I.** Pyrolysis model for an alpha waste incinerator prototype. (JE) 90
- Osborn, J.R.** (AIAA J; see Renie, J.P.)
- Oshima, K.** (PS, V.65; see Shimoji, S.)
- Ostrovsky, Yu. N.** (AIAA J; see Tolubinsky, V.I.)
- Ostrowski, P.P. and Dabora, E.K.** Shock tube measurement of nitric oxide and atomic oxygen by chemiluminescent radiation. (AIAA J) 898
- Otey, G.R. and Dwyer, H.A.** Numerical study of the interaction of fast chemistry and diffusion. (AIAA J) 606
- Oved, Y., Milinazzo, F., Clements, R.M., and Smy, P.R.** Blast waves produced by a time-dependent energy source. (AIAA J) 601
- Owen, F.K. and Johnson, D.A.** Wake vortex measurements of an ogive cylinder at $\alpha = 36$ degrees. (JA) 577
- Oz, H.** (JGC; see Meirovitch, L.)
- Ozkul, Ahmet** Investigation of acoustic radiation from supersonic jets by double-pulse holographic interferometry. (AIAA J) 1068
- Padhye, A.** (AIAA J; see Nayfeh, A.H.)
- Pagano, N.J. and Hsu, P.W.** Geometric analysis of Rosette® exit cones. (JSR) 311
- Pai Verneker, V.R.** (JSR; see Jain, S.R.)
- Pai Verneker, V.R., Seetharamacharyulu, D., and Mallya, R.M.** Combustion of ammonium perchlorate-aluminum mixtures. (JSR, EN) 436
- Pajerski, Rosemarna S.** (PS, V.67; see Fuchs, Arthur J.)
- Palazotto, A.N.** (AIAA J; see Witt, W.P., III)
- (JA; see Cervantes, J.A.)
- Palmer, Everett, A.** (JA; see Tobias, Leonard)
- Palowitch, E.R. and Broussard, P.H., Jr.** Automated guidance and control of longwall mining machines. (JE) 329
- Papanicolau, N.A. and Lin, H.C.** A monolithic SAW-charge transfer device. (PS, V.67) 325
- Papazian, John M.** (AIAA J, TN; see Wilcox, William R.)
- Papazian, John M., Gutowski, Robert, and Wilcox, William R.** Bubble behavior during solidification in low gravity. (AIAA J) 1111
- Papazian, John M. and Kosson, Robert L.** Effect of internal heat transport on the thermal migration of bubbles. (AIAA J, TN) 1279
- Parachivoiu, I. and Bilgen, E.** Free vortices from a wing for wind turbine systems. (JE, TN) 190
- Park, Chul** (PS, V.64; see Prakash, S.G.)
- Park, S.** (JA; see Iversen, J.D.)
- Park, Stephen K.** (PS, V.67; see Huck, Friedrich O.)
- Parks, D.E. and Katz, I.** Spacecraft-generated plasma interaction with high-voltage solar array. (JSR) 258
- Parmley, R.T. and Cunningham, G.R., Jr.** Demonstration of an ultralightweight, evacuated, load-bearing, high-performance microsphere insulation system. (PS, V.65) 295
- Parnes, R.** On the accuracy of linear beam theory. (AIAA J, TN) 219
- Parrish, W.J.** (PS, V.67; see Thom, R.D.)
- Parthasarathy, K.N., Anderson, J.D., Jr., and Jones, E.** Downstream mixing gasdynamic lasers—a numerical solution. (AIAA J) 1208
- Pastrick, Harold L.** (JGC; see Nulk, Robert A.)
- Patel, Rajni P.** Some measurements in radial free jets. (AIAA J, TN) 657
- Patrick, W.P.** (JE; see Suo, M.)
- Patsalides, Nicos M. and Kim, Thomas J.** Effect of nonhomogeneity in orthotropic curved plates. (AIAA J, TN) 1276
- Patterson, J.L.** (PS, V.65; see Neumann, R.D.)
- Pearce, B.E. and Dash, S.M.** Use of matched pressure initial conditions for predicting low-altitude rocket plume radiation. (AIAA J, TN) 667
- Pedley, Barbara** (JA; see Ciffone, Donald L.)
- Pejsa, Jane H., Nguyen, Khanh H., and Wenzler, Stephanie A.** Evaluation of control options for solar climate control systems. (JE, TN) 183
- Pelka, Eugene J. and DeBra, Daniel B.** Effects of relative instrument orientation upon gravity gradiometer system performance. (JGC) 18
- Pepper, William B.** Overtest results for the 7.3-m (24-ft) diameter hybrid Kevlar-29/nylon ribbon parachute. (JA) 47
- Pergament, H.S.** (AIAA J; see Dash, S.M.)
- Perkowitz, S.** (PS, V.65; see Grammer, J.R.)
- Pershing, Bernard M.** Performance of windmills in a closely spaced array. (JE, TN) 185
- Peters, J.E.** (JE; see Wyatt, W.R.)
- Petersen, H.L.** (PS, V.67; see Phillips, D.H.)
- Peterson, Carl W.** A survey of the utilitarian aspects of advanced flowfield diagnostic techniques. (AIAA J, SP) 1352
- (JA; see Croll, Robert H.)
- Peterson, C.W.** Measurements of flowfield properties in a gasdynamic laser nozzle wake. (AIAA J) 854
- Petty, J.S.** (AIAA J; see Shang, J.S.)
- Phillips, D.H. and Petersen, H.L.** High-speed gallium arsenide integrated circuit development for satellite systems. (PS, V.67) 391
- Phillis, Ioannis A.** (JGC, EN; see Leonides, Cornelius T.)
- Pi, W.S.** (JA; see Hwang, Chintsun)
- (JA, EN; see Hwang, Chintsun)
- Pierce, J.** (PS, V.66; see Serao, P.)
- Pierson, Bion L. and Chen, Imao** Minimum landing-approach distance for a sailplane. (JA, EN) 287
- Pindroh, A.L.** (AIAA J; see Cassady, P.E.)
- Pinson, Larry D. and Leadbetter, Sumner A.** Some results from 1/8-scale shuttle model vibration studies. (JSR) 48

- Planchon, H.P., Jr. (AIAA J; see Jones, B.G.)
- Platt, C.E. (JA; see Lewis, D.A.)
- Platus, D.H. Re-entry vehicle dispersion from entry angular misalignment. (JGC) 276
- Poch, L.A. (JE; see Shultis, J.K.)
- Pomeroy, B.D. and Salemm, R.M. Conceptual design of sodium-cooled central receiver solar power plant. (JE) 299
- Porcelli, G. (JGC; see Spencer, T.M.)
- Porcelli, G. and Vogel, E. Modular, spin-stabilized, tandem solid rocket upper stage. (JSR) 338
- Potonides, H.C., Cea, R.A., and Nelson, T.F. Design and experimental studies of a type A V/STOL inlet. (JA) 543
- Pouliquen, Marcel and Gill, Georges S. Performance characteristics of the HM7 rocket engine for the Ariane launcher. (JSR) 367
- Powell, E. G., Wilmot, G., Haar, L., and Klein, M. Equations of state and thermodynamic data for interior ballistics calculations. (PS, V.66) 325
- Powell, R.W. (PS, V.64; see Sutton, K.)
- Prabhakaran, R. Application of brittle coatings to graphite fiber-reinforced plastics. (AIAA J, TN) 110
- Praharaj, S.C. Undisturbed heat-transfer data analysis on the space shuttle external tank barrel section. (PS, V.65) 215
- Prakash, S.G. and Park, Chul Shock-tube studies of atomic silicon emission in the spectral range 180 to 300 nm. (PS, V.64) 245
- Prasad, Anant Melting of solid bodies due to convective heating with the removal of melt. (JSR, EN) 445
- Pratt, David T. Coalescence/dispersion modeling of high-intensity combustion. (JE) 177
- Presley, Leroy L. (AIAA J; see Cook, William J.)
- Presz, Walter M., Jr. (JA, EN; see Oates, Gordon C.)
- Pretty, J.R. and Hookway, R.O. A comparison of different forms of dirigible equations of motion. (JGC, EN) 154
- Price, Channon F. (PS, V.63; see Juhasz, Arpad A.)
- Price, E.W. Velocity coupling in oscillatory combustion of solid propellants. (AIAA J, RF) 799
- Price, Robert D. NASA end-to-end data system program. (PS, V.67) 155
- Prussing, John E. Bounds on the solution to a universal Kepler's equation. (JGC, EN) 440
- Geometrical interpretation of the angles α and β in Lambert's problem. (JGC, EN) 442
- Pzirembel, C.E.G. and Shereda, Donald E. Aerodynamics of slender bodies at high angles of attack. (JSR) 10
- Przemieniecki, J.S. and Talbot, R.J. Dynamic response analysis of structural systems using a direct integration method. (JA) 195
- Pulliam, Thomas H. (AIAA J; see Kutler, Paul)
- Purdy, K.R. (AIAA J; see Ventrice, M.B.)
- Purvis, James W. and Burkhalter, John E. Prediction of critical Mach number for store configurations. (AIAA J) 1170
- Queijo, M.J. (JA; see Wells, William R.)
- Queijo, M.J., Wells, William R., and Keskari, Dinesh A. Influence of unsteady aerodynamics on extracted aircraft parameters. (JA) 708
- Quemard, Claude (JA; see Michel, Roger)
- Raag, V. (JE; see Swerdling, M.)
- Radford, R.C. (JGC; see Lebacqz, J.V.)
- Radgowski, E. and Albrecht, R. Investigation of electrostatic discharge in aircraft fuel tanks during refueling. (JA) 506
- Rae, William H., Jr. (JA, SYN; see Shindo, Shojiro)
- Raghavan, K.S. (AIAA J; see Rao, S.S.)
- Raghunathan, S., Coll, J.B., and Mabey, D.G. Flat plate turbulent boundary layers subject to large pressure fluctuations. (AIAA J, TN) 105
- Transonic shock/boundary-layer interaction subject to large pressure fluctuations. (AIAA J, TN) 1404
- Raj, Pradeep and Gray, Robin B. Computation of three-dimensional potential flow using surface vorticity distribution. (JA) 162
- Rajaram, S. (JGC; see Goel, P.S.)
- Rakich, John V. (AIAA J, SYN; see Tannehill, J.C.)
- Ramachandra, Sridhar M. Some singular acoustic signatures observed in a jet aircraft. (JA, SYN) 513
- Ramakrishnan, S.V. and Subramanian, N.R. Flow past nonconical wings with separation. (JA, ER) 576
- Ramchand, K. (JA; see Sarma, V.V.S.)
- Ramsey, W.D. 12-cm argon/xenon ion source. (JSR) 252
- Rao, Dhanvada M. Side-force alleviation on slender, pointed forebodies at high angles of attack. (JA) 763
- Rao, S.S., and Raghavan, K.S. Dynamic response of inelastic thick plates. (AIAA J) 85
- Rapagnani, N.L. and Davis, S.J. Laser-induced I_2 fluorescence measurements in a chemical laser flowfield. (AIAA J, TN) 1402
- Raper, Richard M. (AIAA J; see Reda, Daniel C.)
- Rastogi, R.P., Singh, H.J., and Srivastava, A.K. Reply by authors to Nelson, Adams, and Ward. (AIAA J, TC) 223
- Ratwani, M.M. Analysis of cracked, adhesively bonded laminated structures. (AIAA J) 988
- Ratwani, M.M. and Wilhelm, D.P. Factors affecting residual strength prediction of a cracked aircraft structure. (JA) 209
- Ravindranath, A. (AIAA J; see Reynolds, B.)
- Razdan, M.K. and Kuo, K.K. Erosive burning study of composite solid propellants by turbulent boundary-layer approach. (AIAA J) 1225
- Rebont, Jean (AIAA J, TN; see Favier, Daniel)
- Reda, Daniel C. Boundary-layer transition experiments on sharp, slender cones in supersonic free flight. (AIAA J) 803
- Reda, Daniel C. and Raper, Richard M. Measurements of transition-front asymmetries on ablating graphite nosetips in hypersonic flight. (AIAA J) 1201
- Reddy, Ravi (JA; see Frost, Walter)
- Redhed, David D., Chen, Allen W., and Hotovy, Steven G. New approach to the 3-D transonic flow analysis using the STAR-100 computer. (AIAA J, TN) 98
- Reding, J. Peter Fluctuating pressures on mildly indented nosetips. (JSR) 302
- (AIAA J, TN; see Ericsson, Lars E.)
- Redman, Reagan S. and Wolff, Calvin M. Development of a multipurpose radiometer. (JSR, EN) 350
- Reece, J.H. (PS, V.67; see Snyder, W.E.)
- Reed, G.J. (JSR; see Dunsworth, L.C.)
- Reemsnnyder, D.C. and Sagerser, D.A. Reverse thrust performance of a variable-pitch fan engine at forward velocity. (JA) 848
- Rehder, John J. and Wurster, Kathryn E. Electric vs chemical propulsion for a large-cargo orbit transfer vehicle. (JSR) 129
- Rehder, John J., Wurster, Kathryn E., MacConochie, Ian O., and Klich, Phillip J. Propulsion options for space-based orbital transfer vehicles. (JSR) 333
- Reilly, J.P., Ballantyne, A., and Woodroffe, J.A. Modeling of momentum transfer to a surface by laser-supported absorption waves. (AIAA J) 1098
- Renie, J.P., Condon, J.A., and Osborn, J.R. Oxidizer size distribution effects on propellant combustion. (AIAA J) 877
- Reshotko, Eli Drag reduction by cooling in hydrogen-fueled aircraft. (JA) 584
- Reubush, David E. Effect of over-the-wing nacelles on wing-body aerodynamics. (JA) 359
- Reynolds, B., Lakshminarayana, B., and Ravindranath, A. Characteristics of the near wake of a compressor of a fan rotor blade. (AIAA J) 959
- Rice, E.J. Optimum wall impedance for spinning modes—a correlation with cutoff ratio. (JA) 336
- Richards, B.E. and Stollery, J.L. Laminar film cooling experiments in hypersonic flow. (JA) 177
- Rickard, William W. (JA, SYN; see Harris, Robert B.)
- Rieger, Thomas J. On the emissivity of alumina/aluminum composite particles. (JSR, EN) 438
- Rietjens, L.H.Th. (JE; see Zlatanovic, M.)
- Riffel, Ronald E. (AIAA J; see Fleeter, Sanford)
- Rinderle, E.A., Jr. (JGC; see Diehl, R.E.)
- Rizza, James J. Triple-point pressure evaporation of impacted droplets. (JSR) 210
- Rizzetta, D.P. Time-dependent response of a two-dimensional airfoil in transonic flow. (AIAA J) 26
- (AIAA J; see Burggraf, Odus R.)
- Rizzetta, Donald P. and Chin, Wilson C. Effect of frequency in unsteady transonic flow. (AIAA J, TN) 779
- Roache, Patrick J. Sixth-order accurate direct solver for the Poisson and Helmholtz equations. (AIAA J, TN) 524
- Roberson, Robert E. Two decades of spacecraft attitude control. (JGC, Historical Survey Lecture) 3
- Roberts, B.W. (JE; see Fletcher, C.A.J.)
- Roberts, Charles C., Jr. Nontracking moderately focusing heat pipe solar collector. (JE, TN) 122
- Roberts, C.G. (PS, V.67; see Chapman, R.A.)
- Roberts, Donald W. and Forester, Clifford K. Parabolic procedure for flows in ducts with arbitrary cross sections. (AIAA J) 33
- Roberts, William B. Axial compressor blade optimization in the low Reynolds number regime. (AIAA J) 1361
- Roberts, William B. and Slovitsky, John A. Location and magnitude of cascade shock loss by high-speed smoke visualization. (AIAA J, TN) 1270
- Robinove, Charles J. (PS, V.67; see Thorley, Gene A.)
- Robinson, Paul A., Jr. Behavior of partially metallized Kapton for spacecraft charging control. (JSR) 104
- Robinson, Stanley R. (JGC; see Asher, Robert B.)
- Rodden, William P. Rebuttal to reply by author to "Comment on 'Flutter of flat finite element panels in a supersonic potential flow'." (AIAA J, RF) 446
- Rodgers, L.W. (JE; see Chiu, H.H.)
- Rollins, J.P. (JE; see Bowles, David F.)
- Rollstin, L.R. Experimental determination of the artillery shell mass-property/trajectory-drift relationship. (JSR) 108
- Rollstin, Larry R. and Hodapp, Albert E., Jr. Experimental evaluation of artillery projectile impact errors induced by principal-axis misalignment. (JSR) 316
- Rom, J. (JSR; see Gur, I.)
- Romere, P.O., Eichblatt, D.L., Underwood, J.M., and Howes, D.B. Orbiter approach and landing tests—correlation of flight and predicted performance data. (JA) 233
- Roos, Frederick W. Hot-film probe technique for monitoring shock-wave oscillations. (JA) 871
- Root, Robert G. (JSR, SYN; see Kemp, Nelson H.)
- (JE; see Kemp, Nelson H.)

- Rose, William C. and Murthy, V. Sreedhara Reply by authors to R.D. Kirchner. (AIAA J, RF) 671
- Rosemary, J.K., Bauerle, G.L., and Springer, T.H. Solar energy storage using reversible hydration-dehydration of $\text{CaO} \cdot \text{Ca}(\text{OH})_2 \cdot \text{O}$. (JE, SYN) 321
- Rosen, A. (AIAA J; see Kottapalli, S.B.R.)
- Rotem, Assa Fatigue failure of multidirectional laminate. (AIAA J) 271
- Rotsztein, Y. (JGC; see Shinar, J.)
- Roux, J.A. (PS, V.65; see Seiber, B.A.)
- Roux, J.A., Wood, B.E., Alt, R.E., Frazine, D.F., Smith, A.M., and Scott, H.E. Optical properties of biopropellant exhaust constituents condensed at 77 K. (JSR) 373
- Rowe, W.M., Luedke, E.E., and Edwards, D.K. Thermal radiative properties of solar sail film materials. (PS, V.65) 3
- Rowe, W.T., Johnson, E.S., and McKinnon, R.A. Technology status of jet noise suppression concepts for advanced supersonic transports. (JA) 95
- Rubbert, P.E. (AIAA J, SYN; see Ehlers, F.E.)
- Rubenstein, Morris W. (AIAA J, SYN; see Higuchi, Hiroshi)
- Rubinstein, N. and Caywood, W.C. Flight vibration environments defined from Mk 12 booster static tests. (JSR) 214
- Rutkowski, Michael J. Aeroelastic stability analysis of the AD-1 manned oblique-wing aircraft. (JA) 401
- Ryder, J.T. (JA; see Van Orden, J.M.)
- Sagerser, D.A. (JA; see Reemsnyder, D.C.)
- Sajben, M. (AIAA J; see Chen, C.P.)
- Sajben, M. and Crites, R.C. Real-time optical measurement of time-dependent shock position. (AIAA J, TN) 910
- Salas, Manuel D. and Daywitt, James Structure of the conical flowfield about external axial corners. (AIAA J) 41
- Saleem, Z.A. (JE; see Chiu, H.H.)
- Salemme, R.M. (JE; see Pomeroy, B.D.)
- Saltzman, Edwin J. (JE; see Muirhead, Vincent U.)
- San Giovanni, Carlo, Jr. Performance of a ring laser strapdown attitude and heading reference for aircraft. (JGC) 320
- Sankar, N.L. (AIAA J, TN; see Tassa, Y.)
- Sarkos, C.P., Spurgeon, J.C., and Nicholas, E.B. Laboratory fire testing of cabin materials used in commercial aircraft. (JA) 78
- Sarma, P.R.L. (JE, TN; see Mittal, M.L.)
- Sarma, V.V.S., Kunhikrishnan, K.V., and Ramchand, K. A decision theory model for health monitoring of aeroengines. (JA, EN) 222
- Sarpkaya, Turgut and Schoaff, Ray L. Inviscid model of two-dimensional vortex shedding by a circular cylinder. (AIAA J) 1193
- Sato, Junzo Settling times of pressure measurements through capillary tubes. (AIAA J) 1061
- Savage, C.J. (JSR; see Groll, M.)
- Savage, C.J., Aalders, B.G.M., and Kreeb, H. A variable-conductance heat pipe radiator for MAROTS-type communication spacecraft. (JSR) 176
- Sawyer, Frank M. (AIAA J, TN; see Stetson, Kenneth F.)
- Sawyer, Patricia L. (AIAA J; see Adelman, Howard M.)
- Sawyer, Wallace C. (JGC; see Blair, A.B., Jr.)
- Schappell, R.T. and Tietz, J.C. Landmark identification and tracking experiments. (PS, V.67) 134
- Schetz, Joseph A. (JE; see Figard, R.L.)
- (AIAA J; see Swann, T.F., Jr.)
- Schetz, Joseph A. and Favin, Stanley Numerical solution of a body-propeller combination flow including swirl and comparisons with data (JH) 46
- Schlinker, Robert H. The transmission of acoustic plane waves at a jet exhaust. (JA) 188
- Schmidt, D.A. and Mellor, A.M. Characteristic time correlation for combustion inefficiency from alternative fuels. (JE) 167
- Schmidt, David K. Optimal flight control synthesis via pilot modeling. (JGC) 308
- Schmidt, L.V. Wing rock due to aerodynamic hysteresis. (JA) 129
- Schmidt, S.F. (JGC; see Sorenson, J.A.)
- Schneider, G.E. Thermal resistance due to arbitrary dirichlet contacts on a half-space. (PS, V.65) 103
- (PS, V.65; see Yovanovich, M.M.)
- Schnell, W.C. and Grossman, R.L. Vectoring nonaxisymmetric nozzle jet induced effects on a V/STOL fighter model. (JA) 863
- Schnepple, W.F., van den Berg, L., and Skinner, N. Growth of HgI_2 single crystals in Spacelab III. (JSR, EN) 441
- Schoaff, Ray L. (AIAA J, see Sarpkaya, Turgut)
- Schum, E.F. (JA, SYN; see Seiler, M.R.)
- Scott, H.E. (JSR; see Roux, J.A.)
- Scott, James N. Propagation of sound waves through a linear shear layer. (AIAA J) 237
- Sears, W.R. Adaptive wind tunnels with imperfect control. (JA) 344
- Sedin, Y.C.-J. (AIAA J, TN; see Karlsson, K.R.)
- Sedlock, Dennis (JA; see Surber, Lewis E.)
- Seebass, A.R. (AIAA J; see Sobieczky, H.)
- Seetharamacharyulu, D. (JSR; see PaiVerneker, V.R.)
- Seiber, B.A., Smith, A.M., Wood, B.E., and Roux, J.A. Solar reflectance of cryodeposits, Part I: H_2O on LN_2 -cooled black paint. (PS, V.65) 47
- Solar reflectance of cryodeposits, Part II: CO_2 on black paint and stainless steel. (PS, V.65) 66
- Seigel, Arnold E. Theory of high-muzzle velocity guns. (PS, V.66) 135
- Seiler, M.R. and Schum, E.F. Analytical experimental investigation of diffusers for VSTOL thrust-augmenting ejectors. (JA, SYN) 643
- SenGupta, G. Reduction of cabin noise during cruise conditions by stringer and frame damping. (AIAA J) 229
- Serao, P. and Pierce, J. Sensitivity of ballistic performance to propellant combustion properties. (PS, V.66) 259
- Sessions, B. (JSR; see Vallerani, E.)
- Settles, Gary S., Fitzpatrick, Thomas J., and Bogdonoff, Seymour M. Detailed study of attached and separated compression corner flowfields in high Reynolds number supersonic flow. (AIAA J) 579
- Sfeir, A.A. Investigation of three-dimensional turbulent rectangular jets. (AIAA J) 1055
- Sforzini, Richard H., Foster, Winfred A., Jr., Shackelford, Benjamin W., Jr. Effects of propellant temperature gradients on thrust imbalance of the space shuttle. (JSR) 135
- Shackelford, Benjamin W., Jr. (JSR; see Sforzini, Richard H.)
- Shackelford, Mark D.A. (JGC; see Asher, Robert B.)
- Shadowen, James H. (JA; see Egan, William J., Jr.)
- Shan, Y.Y. and Tao, C.C. Study on combustion termination of solid propellants by rapid depressurization. (JSR, SYN) 353
- Shang, J.S., Hankey, W.L., and Petty, J.S. Three-dimensional supersonic interacting turbulent flow along a corner. (AIAA J) 706
- Sharma, Pramod K. (AIAA J; see Liu, Shih-Min)
- Sharp, M.K. (JE, SYN; see Loehrke, J.C.)
- Sharp, M.K. and Loehrke, R.I. Stratified thermal storage in residential solar energy applications. (JE) 106
- Shashaty, A.J. Similarity in the modeling of cable twisting and looping. (JH, EN) 133
- Shaw, R.J., Williams, R.C., and Koncsek, J.L. Tilt nacelle aerodynamics and its application to fan blade stresses. (JA) 591
- Shearer, A.J., Tamura, H., and Faeth, G.M. Evaluation of a locally homogeneous flow model of spray evaporation. (JE) 271
- Shen, Peter Supersonic flow over a deep cavity for a laser application. (AIAA J, TN) 216
- Shen, Young T. and Eppler, Richard Section design for hydrofoil wings with flaps. (JH) 39
- Shereda, Donald E. (JSR; see Przirembel, C.E.G.)
- Sherman, M.M. and Smith, D.H. Monte Carlo statistical uncertainty analysis method for nose-tip recession predictions. (PS, V.64) 368
- Sherrieb, H.E. Ground effects testing of two-, three-, and four-jet configurations. (JA) 393
- Shevchuk, E.N. (AIAA J; see Tolubinsky, V.I.)
- Shidler, Philip A. (JA; see Mantay, Wayne R.)
- Shilling, W.J. (JA; see Hammond, E.F., Jr.)
- Shimoji, S. and Oshima, K. A new thermal network correction method by the statistical regression analysis. (PS, V.65) 344
- Shinar, J. (JSR; see Gur, I.)
- Shinar, J., Rotsztein, Y., and Bezner, E. Analysis of three-dimensional optimal evasion with linearized kinematics. (JGC) 353
- Shindo, Shojiro, Rae, William H., Jr., Aoki, Yoshio, and Hill, Eugene G. Improvement of flow quality at the University of Washington subsonic wind tunnel. (JA, SYN) 419
- Shore, Charles P. (AIAA J; see Adelman, Howard M.)
- (AIAA J, SYN; see Laurenson, Robert M.)
- Shrider, K.R. (JA; see Wilson, D.J.)
- Shui, Ven H., Singh, Param I., Kivel, Bennett, and Bressel, Ellen R. Electron attachment at high temperatures. (AIAA J) 1178
- Shultis, J.K., Poch, L.A., and Eckhoff, N.D. Optimum selection of a wind turbine generator system. (JE) 145
- Siebers, D.L. and Viskanta, R. Thermal analysis of some flat-plate solar collector designs for improving performance. (JE) 8
- Siegelman, D. and Hines, R. An approximate analysis of roll/trim dispersion. (JSR) 15
- Siemers, Paul M., III and Larson, Terry J. Space shuttle orbiter and aerodynamic testing. (JSR) 223
- Sigalla, Armand (JA, SP; see Kulfan, Robert M.)
- Simcox, Craig D. Workshop report for the 4th AIAA Aeroacoustics Conference. (JA) 35
- Simkins, T.E. Reply by author to C.D. Bailey (AIAA J, RF) 542
- Reply by author to C.V. Smith Jr. (AIAA J, TC) 127
- Simmonds, Ann L. (PS, V.64; see Moss, James N.)
- Simmons, A. (PS, V.67; see Chapman, R.A.)
- Simon, E.D. Environmental requirements for bubble pressure tests on fine-mesh screen. (JSR) 218
- Simonenko, V.N. (PS, V.63; see Mikheev, V.F.)
- Simpson, R.B. (AIAA J; see Aly, S.L.)
- Singer, Josef and Abramovich, Haim Vibration techniques for definition of practical boundary conditions in stiffened shells. (AIAA J) 762
- Singh, H.J. (AIAA J, TC; see Rastogi, R.P.)
- Singh, M.P. (JSR; see Heller, R.A.)
- Singh, Param I. (AIAA J; see Shui, Ven H.)
- Sisson, G.E. (AIAA J; see Francis, M.S.)
- Skinner, N. (JSR, EN; see Schnepple, W.F.)
- Skogh, Jörgen (AIAA J; see Bushnell, David)
- Slater, Gary L. (JGC; see Keskar, Dinesh A.)
- Sliski, N.J. (PS, V.65; see Neumann, R.D.)
- Slovisky, John A. (AIAA J, TN; see Roberts, William B.)

- Small, R.D.** Overexpanded two-dimensional transonic free jet. (AIAA J, TN) 307
- Smart, A.E., Jones, B., and Jewell, N.T.** Measurements of unsteady parameters in reheat combustion instabilities. (PS, V.63) 221
- Smith, A.M.** (JSR; see Roux, J.A.)
--(PS, V.65; see Seiber, B.A.)
--(PS, V.65; see Wood, B.E.)
- Smith, C.V., Jr.** Comment on "Unconstrained variational statements for initial and boundary-value problems." (AIAA J, TC) 126
- Smith, D.H.** (PS, V.64; see Sherman, M.M.)
- Smith, E.B.** (JA; see Lewis, D.A.)
- Smith, Harry D.** (AIAA J, TN; see Wilcox, William R.)
- Smith, J.H.B.** Comment on "Flow past nonconical wings with separation." (JA, TC) 576
- Smith, K.O. and Gouldin, F.C.** Turbulence effects on flame speed and flame structures. (AIAA J) 1243
- Smith, N.K. and Good, W.D.** Enthalpies of combustion of ramjet fuels. (AIAA J, TN) 905
- Smy, P.R.** (AIAA J; see Oved, Y.)
- Snyder, W.E., Reece, J.H., and Benz, H.F.** Pattern classification using charge transfer devices. (PS, V.67) 315
- Sobiechzy, H., Yu, N.J., Fung, K-Y., and Seebass, A.R.** New method for designing shock-free transonic configurations. (AIAA J) 722
- Sobiesiak, A.** (AIAA J; see Brzustowski, T.A.)
- Sockol, P.** (AIAA J, TN; see Johnston, W.)
- Soderman, Paul T.** (JA; see Mort, Kenneth W.)
- Solman, F. John, Berglund, Carl D., Chick, Richard W., and Clifton, Brian J.** The K_a -band communication system of the Lincoln Experimental Satellites LES-8 and LES-9. (JSR) 181
- Somers, R.R., II, Miller, J.W., and Fletcher, L.S.** Thermal contact conductance of dissimilar metals. (PS, V.65) 149
- Sonnad, V.R.** (JA; see Lemmerman, L.A.)
- Sorenson, J.A., Schmidt, S.F., and Goka, T.** Application of square-root filtering for spacecraft attitude control. (JGC) 426
- Sos, J.Y.** Impact of advanced onboard processing concepts on end-to-end data systems. (PS, V.67) 184
- South, J.** (AIAA J; see Hafez, M.)
- Sparks, G.W., Jr.** (AIAA J; see Francis, M.S.)
- Spencer, T.M., Glickman, R., and Porcelli, G.** Changing inclination for shuttle payloads. (JGC) 264
- Spreiter, John R.** (AIAA J; see Stahara, Stephens S.)
- Springer, T.M.** (JE, SYN; see Rosemary, J.K.)
- Spurgeon, J.C.** (JA; see Sarkos, C.P.)
- Srivastava, A.K.** (AIAA J, TC; see Rastogi, R.P.)
- Srivastava, B.N., Werle, M.J., and Davis, R.T.** Numerical solutions of hypersonic viscous shock-layer equations. (AIAA J, TN) 107
- Stahara, Stephen S. and Spreiter, John R.** Transonic flows past nonaxisymmetric slender shapes—classical equivalence rule and analysis. (AIAA J) 245
- Starnes, James H., Jr. and Haftka, Raphael T.** Preliminary design of composite wings for buckling, strength, and displacement constraints. (JA) 564
- Stavsky, Yehuda** (AIAA J; see Elishakoff, Isaac)
- Stancil, Robert T.** Improved wave drag predictions using modified linear theory. (JA) 41
- Stefan, Karl** Performance theory for hot air balloons. (JA) 539
- Steiger, Arthur R.** (JA; see Hale, Francis J.)
- Stengel, Robert F.** In-flight simulation with pilot-center of gravity offset and velocity mismatch. (JGC, EN) 538
--(JGC; see Binnie, W. Brian) 538
- Stephens, H.E.** Supercritical airfoil technology in compressor cascades: comparison of theoretical and experimental results. (AIAA J) 594
- Stetson, Kenneth F., and Sawyer, Frank M.** Comparison of aerodynamic data obtained by static and dynamic techniques. (AIAA J, TN) 103
- Stevens, H.L.** (JA; see Willard, C.M.)
- Stiefel, Ludwig** Gun propellants. (PS, V.66) 307
- Stimpson, L.D., Greenfield, M.L., Jaworski, W., and Wolf, F.** Thermal studies for a solar sail space vehicle. (PS, V.65) 388
- Stockbridge, R.D.** (JSR; see Waltrup, P.J.)
- Stockman, Norbert O.** (JA; see Boles, Michael A.)
- Stollery, J.L.** (JA; see Richards, B.E.)
- Stone, Alan L.** (AIAA J; see Hodge James K.)
- Storaasli, Olaf O. and Foster, Edwin P.** Cost-effective use of minicomputers to solve structural problems. (JA) 775
- Strahle, Warren C.** (AIAA J, SYN; see Mehta, Gopal K.)
--(AIAA J, TN; see Neale, D.H.)
- Strand, L.D. and McNamara, R.P.** A variable-frequency driver-microwave transient regression rate measurement system. (PS, V.64) 155
- Stroud, W. Jefferson** (AIAA J; see Anderson, Melvin S.)
- Stuart, J.R.** (JSR; see French, J.R.)
- Stubbs, G.S.** (JGC; see D'Amario, L.A.)
- Stuhlinger, Ernst** First steps into space, 1946-1978. (JSR, Historical Survey Lecture) 3
- Stultz, James W.** Thermal analysis of a high-energy propulsion system for a Rover class Mars orbiter. (PS, V.65) 366
--Thermal and other tests of photovoltaic modules performed in natural sunlight. (JE) 363
- Subramanian, N.R.** Reply by author to J.H.B. Smith (JA, TC) 576
--(JA, ERR; see Ramakrishnan, S.V.)
- Subramanian, R. Shankar** (AIAA J, TN; see Wilcox, William R.)
- Sukanek, Peter C.** Conservation errors in axisymmetric finite-difference equations. (AIAA J, TN) 99
--Reply by author to R. Edelman and P.T. Harsha (AIAA J, RF) 1152
- Sullivan, P.A.** (JH, EN; see Hinchey, M.J.)
- Summerfield, Martin** (PS, V.66; see BenReuven, Moshe)
- Sumner, Irving E. and Barber, James R.** Reusable insulation systems for cryogenic Earth-based space vehicles. (PS, V.65) 275
- Sunitha, M.R.** (AIAA J, SP; see Kishore, K.)
- Sunyach, Michel** (AIAA J, TN; see Juvé, Daniel)
- Suo, M.** (JE; see Dring, R.P.)
- Suo, M., Patrick, W.P., and Johnson, B.V.** Particle trajectories near an airfoil with a film-cooled leading edge. (JE) 156
- Supper, W.** (JSR; see Groll, M.)
- Surber, Lewis E. and Sedlock, Dennis** Effects of airframe-inlet integration on half-axisymmetric and two-dimensional supersonic inlet performance. (JA) 612
- Sutton, K.** (PS, V.64; see Zoby, E.V.)
- Sutton, K., Jones, J.J., and Powell, R.W.** Effects of atmospheric structure on radiative heating for Jupiter entry probe. (PS, V.64) 3
- Suzuki, M. and Kanzawa, A.** Boundary-layer charged-particle density profiles in an atmospheric pressure plasma flow. (AIAA J) 1320
- Sved, George** (JGC, EN; see Berreen, Terry)
- Swaim, Robert L. and Yen, Wen-Yo** Effects of dynamic aeroelasticity on aircraft handling qualities. (JA, EN) 635
- Swean, T.F., Jr. and Schetz, J.A.** Flow about a propeller-driven body in temperature-stratified fluid. (AIAA J) 863
- Swerdling, M. and Raag, V.** Solar thermoelectric power generation for Mercury orbiter missions. (JE) 291
- Swift, Calvin T.** (PS, V.67; see Blume, Hans-Juergen C.)
- Sworder, David D.** (JGC; see Archer, Steven M.)
- Szebenyi, T.** (PS, V.67; see Kowel, S.T.)
- Szema, K.Y.** (PS, V.64; see Tiwari, S.N.)
- Tabakoff, W.** (JA; see Wakeman, T.)
- Tausch, David R.** Collimation of high-speed flow with thermal spread losses. (AIAA J, TN) 787
- Talbot, L.** (AIAA J; see Cattolica, R.J.)
- Talbot, R.J.** (JA; see Przemieniecki, J.S.)
- Tamura, H.** (JE; see Shearer, A.J.)
- Tang, S.P. and Fenn, J.B.** Reply by authors to G. Emanuel (AIAA J, TC) 126
- Tao, C.C.** (JSR, SYN; see Shan, Y.Y.)
- Tannehill, J.C., Vigneron, Yvon C., and Rakich, John V.** Numerical solution of two-dimensional turbulent blunt body flows with an impinging shock. (AIAA J, SYN) 1289
- Tapley, Byron D.** (JGC; see Asher, Robert B.)
- Tassa, Y. and Sankar, N.L.** Effect of suction on a shock-separated boundary layer—a numerical study. (AIAA J, TN) 1268
- Tawakley, V.B.** Minimum-ballistic-factor flat-nosed missiles. (JSR, EN) 280
- Taylor, Christopher M. and Bill, Robert C.** Thermal stresses in a plasma-sprayed ceramic gas path seal. (JA) 239
- Taylor, Wilson R.** (JA; see Ogg, Jon S.)
- Tegart, J.R. and Aydelott, J.C.** Effect of vibration on retention characteristics of screen acquisition systems. (JSR) 319
- Tennyson, R.C.** (AIAA J; see Booton, M.)
- Teschner, Winfried** Optimum thrust trajectories in general central force fields. (JGC) 517
- Thames, Frank C.** (JA; see Weston, Robert P.)
- Thom, R.D., Koch, T.L., and Parrish, W.J.** Indium antimonide infrared CCD linear imaging arrays with on-chip preprocessing. (PS, V.67) 411
- Thomas, Mitchell** (JGC; see Larkin, William J.)
- Thomas, P.D. and Lombard, C.K.** Geometric conservation law and its application to flow computations on moving grids. (AIAA J) 1030
- Thompkins, W.T., Jr.** (AIAA J; see Epstein, A.H.)
- Thorley, Gene A. and Robinove, Charles J.** Current and potential uses of aerospace technology by the U. S. Department of the Interior. (PS, V.67) 15
- Thornton, John P. and Waddington, David** Experiments with heliostats for central receiver power plants. (JE) 69
- Thornton, W.A.** (AIAA J; see Khan, M.R.)
- Tien, C.H.** (PS, V.65; see Yovanovich, M.M.)
- Tien, C.L. and Chung, K.S.** Entrainment limits in heat pipes. (AIAA J) 643
- Tien, C.L. and Vafai, K.** Statistical bounds for the effective thermal conductivity of microsphere and fibrous insulation. (PS, V.65) 135
- Tietz, J.C.** (PS, V.67; see Schappell, R.T.)
- Tiwari, S.N.** (PS, V.64; see Kumar, Ajay)
--(AIAA J; see Kumar, Ajay)
- Tiwari, S.N. and Szema, K.Y.** Effects of precursor heating on chemical and radiative nonequilibrium viscous flow around a Jovian entry body. (PS, V.64) 129
--Influence of precursor heating on viscous flow around a Jovian entry body. (PS, V.64) 80

- Tobias, Leonard, Palmer, Everett A., and O'Brien, Paul J. Simulation study of the operational effects of fuel-conservative approaches. (JA) 498
- Tolubinsky, V.I., Antonenko, V.A., Ostrovsky, Yu. N., and Shevchuk, E.N. Heat transfer in the heating zone of low-temperature heat pipes. (AIAA J) 1390
- Tong, Kwok-On and Knight, Charles J. Flow around an isolated porous tube with nonuniform wall thickness. (AIAA J, TN) 1262
- Tower, L.K. (JSR; see Kaufman, W.B.)
- Triebstein, Hermann Unsteady pressure measurements on rotor blade tips with incidence. (AIAA J) 514
- Trischka, John W. Modes of turbulent vortex shedding from a pipe-jet system in a cross-flow. (AIAA J, TN) 315
- Tsai, Morgan S. Nonlinear propagation of a wave packet in a two-dimensional lined duct. (AIAA J, SYN) 129
- Tsuchiya, Kazuo Attitude behavior of a dual-spin spacecraft composed of asymmetric bodies. (JGC) 328
- Tsui, Tien-Yu Finite-element stress analysis of axisymmetric bodies under torsion. (AIAA J, TN) 441
- Turkovich, J.J. (JGC; see Bergmann, Edward V.)
- Twardus, E.M. (AIAA J; see Brzustowski, T.A.)
- Umoto, Juro (JE; see Hara, Takehisa)
- Underwood, J.M. (JA; see Romere, P.O.)
- Unger, W.H. (JA; see Ferman, M.A.)
- Uppaluri, B. (JSR; see Hanagud, S.)
- Uyttenhove, Hugo, J.J. (JA; see Comstock, F.L.)
- Vachal, John D. (JA; see Jobe, Charles E.)
- Vafai, K. (PS, V.65; see Tien, C.L.)
- Vahey, D.W. "Smart" remote holographic processor based on the materials characteristics of LiNbO_3 . (PS, V.67) 352
- Valentine, Daniel T. (JH, EN; see Goodman, Theodore R.)
- Vallerani, E., Esposti, Degli P.L., and Sessions, B. Present capabilities of the Spacelab thermal control system. (JSR) 405
- van den Berg, L. (JSR, EN; see Schneppe, W.F.)
- Vanderplaats, Garret N. Efficient algorithm for numerical airfoil optimization. (JA) 842
- Van Driest, E.R. On isotropic two-dimensional turbulence. (AIAA J, TN) 439
- van Gool, M.F.C. (JA, TC; see Mooij, H.A.)
- Van Kuren, J.T. (AIAA J; see Cudahy, G.F.)
- VanLandingham, H.F. (JGC; see Meirovitch, L.)
- van Ooijen, H. and Hoogendoorn, C.J. Vapor flow calculations in a flat-plate heat pipe. (AIAA J) 1251
- Van Orden, J.M., Krupp, W.E., Walden, E., and Ryder, J.T. Effects of purity on fatigue and fracture of 7XXX-T76511 aluminum extrusion. (JA) 327
- Varon, M.N. (PS, V.65; see Hennis, L.A.)
- Vasiliev, L.L., Abramenko, A.N., and Kanonchik, L.E. Fluid evaporation and boiling heat transfer in the grooves of thin-film evaporators. (AIAA J) 1395
- Vatsa, V.N. (AIAA J; see Burggraf, Odus, R.)
- Veefkind, A. (JE; see Zlatanovic, M.)
- Venkayya, V.B. (AIAA J; see Khot, N.S.)
- Ventrice, M.B., Fang, J.C., and Purdy, K.R. Simulation of liquid propellant rocket engine combustion instabilities. (AIAA J) 1372
- Vepa, Rajan Comment on "Active flutter control using generalized unsteady aerodynamic theory." (JGC, TC) 446
- Verber, C.M. An integrated optical preprocessor for multichannel analog data. (PS, V.67) 367
- Veulliot, J.P. and Viviand, H. Pseudo-unsteady method for the computation of transonic potential flows. (AIAA J, SYN) 691
- Viegas, J.R. and Horstman, C.C. Comparison of multiequation turbulence models for several shock boundary-layer interaction flows. (AIAA J) 811
- Vigneron, F.R. (JSR; see Garg, S.C.)
- (JGC; see Millar, R.A.)
- Vigneron, Yvon C. (AIAA J; see Kutler, Paul)
- (AIAA J, SYN; see Tannehill, J.C.)
- Vinayagalingam, Thuraisingam The pedal wind turbine. (JE, TN) 254
- Vinkler, Aharon and Wood, Lincoln J. Multistep guaranteed cost control of linear systems with uncertain parameters. (JGC) 449
- Vinson, J.R. (JA; see Flaggs, D.L.)
- Viskanta, R. (JE; see Siebers, D.L.)
- Viviand, H. (AIAA J, SYN; see Veulliot, J.P.)
- Vogel, E. (JSR; see Porcelli, G.)
- Voorhees, K.J. (PS, V.63; see Chatfield, D.A.)
- Wada, B.K. (JSR; see Chen, J.C.)
- Wadcock, Alan J. (AIAA J; see Coles, Donald)
- Waddington, David (JE; see Thornton, John P.)
- Wadia, Aspi Rustom Application of the finite-element method to transonic flows with shocks. (AIAA J, TN) 1141
- Wagenseil, L.L. (AIAA J; see Marto, P.J.)
- Wahi, Mahinder K. Airplane brake-energy analysis and stopping performance simulation. (JA) 688
- Tire runway interface friction prediction model concept. (JA) 407
- Wakeman, T. and Tabakoff, W. Erosion behavior in a simulated jet engine environment. (JA) 828
- Walden, E. (JA; see Van Orden, J.M.)
- Walker, Bruce K. and Gai, Eliezer Fault detection threshold determination technique using Markov theory. (JGC) 313
- Wallace Lawrence R. (PS, V.64; see Biolsi, Louis)
- Walsh, E.J. (PS, V.67; see McGoogan, J.T.)
- Walsh, M.J. and Weinstein, L.M. Drag and heat-transfer characteristics of small longitudinally ribbed surfaces. (AIAA J, SYN) 770
- Walsh, Michael J. Criteria for asymptotic supersonic two-dimensional turbulent wakes. (AIAA J, TN) 783
- Waltrup, P.J., Billig, F.S., and Stockbridge, R.D. A procedure for optimizing the design of scramjet engines. (JSR) 163
- Wang, C.R. (AIAA J; see Zakkay, V.)
- Wang, C.T. (JH, EN; see Liu, C.Y.)
- Wang, James Ting-Shun and Dickson, John N. Elastic beams of various orders. (AIAA J, TN) 535
- Ward, Bradley W. (AIAA J, SYN; see Murphree, David L.)
- Ward, J. Richard (AIAA J, TC; see Nelson, Carl W.)
- Ward, Richard S. Galileo dual-spin attitude and articulation control system. (JGC) 420
- Washam, R.M. (JE; see Mellor, A.M.)
- Washam, R.M. and Mellor, A.M. Correlation technique for ambient effects on oxides of nitrogen. (JA) 626
- Waskiewicz, John D. and Lewis, Clark H. Hypersonic viscous flows over sphere cones at high angles of attack. (AIAA J, SYN) 131
- Watermeier, Leland A. and Hurban, John M. An historical perspective on gun interior ballistics at the U. S. Army Ballistic Research Laboratory. (PS, V.66) 349
- Watson, J.S. (JGC; see Gordon, R.A.)
- Watson, Ralph D. Generalized velocities in the outer region of hypersonic turbulent boundary layers. (AIAA J, TN) 919
- Way, J.L. (AIAA J; see Wlezien, R.W.)
- Wayner, P.C., Jr. Effect of thin film heat transfer on meniscus profile and capillary pressure. (AIAA J) 772
- Wedel, R.K., Dammann, R.E., and Greenberg, S.A. Effect of cover material and plastic honeycomb on collector performance. (JE, TN) 62
- Weihhs, D. and Boasson, M. Multiple equilibrium vortex positions in symmetric shedding from slender bodies. (AIAA J, TN) 213
- Weinstein, L.M. (AIAA J, SYN; see Walsh, M.J.)
- Wellman, John B. and Norris, David D. Onboard processing for future space-borne imaging systems. (PS, V.67) 193
- Wells, P.B. and Bathke, E.A. Transient heat conduction from buried underground radioactive nuclear waste. (JE) 227
- Wells, Steven M. (JH; see Wilson, Robert A.)
- Wells, William R. (JA; see Queijo, M.J.)
- Wells, William R. and Queijo, M.J. Simplified unsteady aerodynamic concepts with application to parameter estimation. (JA) 90
- Wen, L. Effect of optical surface properties on high-temperature solar thermal energy conversion. (JE) 82
- Wen, Shih-liang (AIAA J, TN; see Chi, L.K.)
- Wenstrand, S.C. Measurements of vertical profile of current and Richardson number near St. Croix, U.S.V.I. (JH) 69
- Wenzler, S.A. (JE, TN; see Pejsa, Jane H.)
- Werle, M.J. Supersonic laminar boundary-layer separation by slot injection. (AIAA J) 160
- (AIAA J; see Burggraf, Odus R.)
- (AIAA J; see Napolitano, M.)
- (AIAA J, TN; see Srivastava, B.N.)
- West, Thomas C. (JA; see Jewell, Wayne F.)
- Weston, Robert P. and Thames, Frank C. Properties of aspect-ratio-4.0 rectangular jets in a subsonic, crossflow. (JA) 701
- Whipkey, R.R. (JA; see Little, B.H., Jr.)
- White, Bruce D. Velocity required for intercept with perturbations. (JGC, EN) 94
- Whitelaw, J.H. (AIAA J, SYN; see Cebeci, Tuncer)
- (AIAA J, TN; see Cebeci, Tuncer)
- Whitener, P.C. Distributed load aircraft concepts. (JA) 72
- Whitfield, David L. Analytical description of the complete turbulent boundary-layer velocity profile. (AIAA J, TN) 1145
- Wilbur, Paul J. (JSR; see Longhurst, Glen R.)
- Wilbur, Paul J. and Kaufman, Harold R. Double ion production in argon and xenon ion thrusters. (JSR) 264
- Wilcox, William R. (AIAA J; see Papazian, John M.)
- Wilcox, William R., Subramanian, R. Shankar, Papazian, John M., Smith, Harry D., and Mattox, Douglas M. Screening of liquids for thermocapillary bubble movement. (AIAA J, TN) 1022
- Wiley, J. Thomas (AIAA J, TN; see Barron, Ronald M.)
- Wilhem, D.P. (JA; see Ratwani, M.M.)
- Wilkes, James M. General expression for a three-angle rotation matrix. (JGC, EN) 156
- Willard, C.M. (JA; see Hiley, P.E.)
- Willard, C.M., Capone, F.J., Konarski, M., and Stevens, H.L. Static performance of vectoring reversing nonaxisymmetric nozzles. (JA) 116
- Williams, Bobby G. (JGC; see Christensen, Edward J.)
- Williams, D.S. (PS, V.67; see Eskenazi, R.)
- Williams, D.T., and Boykin, W.H., Jr. Millimeter-wave missile seeker aimpoint wander phenomenon. (JGC) 196
- Williams, M.H. Linearization of unsteady transonic flows containing shocks. (AIAA J) 394
- Williams, R.C. (JA; see Shaw, R.J.)

- Williamson, Walton E., Jr.** Minimum and maximum endurance trajectories for gliding flight in a horizontal plane. (JGC) 457
 --Optimal trajectories for a ballistic re-entry vehicle recovery system. (JGC, EN) 536
 --(JGC, EN; see Hull, David G.)
- Willman, Warren W.** Some formal effects of nonlinearities in optimal perturbation control. (JGC, SYN) 99
- Willmert, K.D.** (AIAA J; see Khan, M.R.)
- Wilmot, G.** (PS, V.66; see Powell, E. G.)
- Wilmoth, R.G.** (AIAA J; see Dash, S.M.)
- Wilson, D.J., Zalay, A.D., Brashears, M.R., Craven, C.E., Shrider, K.R., and Jordan, A.J.** Full-scale wake flow measurements with a mobile Laser Doppler Velocimeter. (JA) 155
- Wilson, Robert A., Wells, Steven M., and Heber, Charles E.** Powering prediction for surface effect ships based on model results. (JH) 113
- Wilson, Robert E.** Turbulent compressible boundary layer with heat-transfer effects on conditions at the sublayer. (AIAA J, TN) 777
- Winther, Bertril A.** (JA; see Hwang, Chintsun)
- Witt, W.P., III, Palazotto, A.N., and Hahn, H.T.** Numerical and experimental comparison of the notched stresses in a laminated plate. (AIAA J) 500
- Waterick, Ronald E.** (JA; see Calarese, Wladimiro)
- Wlezien, R.W. and Way, J.L.** Techniques for the experimental investigation of the near wake of a circular cylinder. (AIAA J) 563
- Wojcicki, S.** (AIAA J; see Brzustowski, T.A.)
- Wolf, F.** (PS, V.65; see Stimpson, L.D.)
- Wolff, Calvin M.** (JSR, EN; see Redman, Reagan S.)
- Wolkovitch, Julian** Subsonic VSTOL aircraft configurations with tandem wings. (JA) 605
- Wong, D.** (PS, V.67; see Lum, H.)
- Wood, B.E.** (JSR; see Roux, J.A.)
 --(PS, V.65; see Seiber, B.A.)
- Wood, B.E. and Smith, A.M.** Infrared reflectance and refractive index of condensed gas films on cryogenic mirrors. (PS, V.65) 22
- Wood, Lincoln J.** (JGC; see Vinkler, Aharon)
- Woodcock, Gordon R.** Reply by author to G. Hazelrigg. (JE, TC) 126
- Woodroffe, J.A.** (AIAA J; see Reilly, J.P.)
- Woolley, Charles T.** (JGC; see Anderson, Willard W.)
- Work, C.C.** (JGC; see Bergmann, Edward V.)
- Wright, H.E.** (AIAA J; see Cudahy, G.F.)
- Wright, W.H.** Launch window for a shuttle-based geosynchronous orbit mission. (JSR, EN) 439
- Wu, Peter K.S.** Convective heat flux in a laser-heated thruster. (JSR, EN) 56
- Wuerker, R.F.** (PS, V.63; see Briones, R.A.)
- Wurster, Kathryn E.** (JSR; see Rehder, John J.)
- Wyatt, W.R., Clark, J.A., Peters, J.E., and Mellor, A.M.** Size distribution and surface area measurements of gas turbine combustor smoke. (JE) 285
- Yamamoto, Kingo and Arndt, Roger E. A.** Asymmetry of a circular jet observed in near and far fields. (AIAA J, TN) 533
- Peak Strouhal frequency of subsonic jet noise as a function of Reynolds number. (AIAA J, TN) 529
- Yamane, Takashi** (JA, SYN; see Kato, Kanichiro)
- (JA; see Kato, Kanichiro)
- Yang, T.Y.** Reply by author to rebuttal by W.P. Rodden. (AIAA J, RF) 448
- Yen, Wen-Yo** (JA, EN; see Swaim, Robert L.)
- Yesil, Oktay and Christiansen, Walter H.** Optically pumped carbon dioxide laser mixtures. (JE) 315
- Yoo, Chai Hong** Optimization of triangular laced truss columns with tubular compression members for space application. (AIAA J, TN) 921
- Yoshino, Hozo** High-fidelity airplane simulation model. (JA) 374
- Young, George R. and Kibler, James F.** Earth radiation budget experiment and smart sensors. (PS, V.67) 74
- Yovanovich, M.M.** (PS, V.65; see Burde, S.S.)
- Yovanovich, M.M., Schneider, G.E., and Tien, C.H.** Thermal resistance of hollow spheres subjected to arbitrary flux over their poles. (PS, V.65) 120
- Yu, N.J.** (AIAA J; see Sobieczky, H.)
- Zabinsky, J.M.** Some propulsion and control concepts for a Navy type A V/STOL airplane. (JA) 769
- Zakkay, V., Barra, V., and Wang, C.R.** The nature of boundary-layer turbulence at a high subsonic speed. (AIAA J) 356
- Zalay, A.D.** (JA; see Wilson, D.J.)
- Zarchan, Paul** Complete statistical analysis of nonlinear missile guidance systems—SLAM. (JGC) 71
 --Representation of realistic evasive maneuvers by the use of shaping filters. (JGC) 290
- Zarko, V.E.** (PS, V.63; see Mikheev, V.F.)
- Zaturska, M.B.** (AIAA J, TN; see Banks, W.H.H.)
- Zedan, M. Fouad and Dalton, Charles** Viscous drag computation for axisymmetric bodies at high Reynolds numbers. (JH) 52
- Zeitoun, D. and Imbert, M.** Interaction between the unsteady boundary layer and inviscid hot flow in a shock tube. (AIAA J) 821
- Zeldin, B.** (JSR; see French, J.R.)
- Zien, T.-F., Chien, K.-Y., and Driftmyer, R.T.** Two-dimensional supersonic jet impingement on a flat plate. (AIAA J, SYN) 4
- Zinn, B.T.** (PS, V.63; see Brown, R.S.)
- Zlatanovic, M., Veefkind, A., and Rietjens, L.H.Th.** Performance of a closed-cycle MHD generator with molecular impurities. (JE) 23
- Zoby, E.V., Sutton, K., Olstad, W.B., and Moss, J.N.** Approximate inviscid radiating flowfield analysis for outer planet entry probes. (PS, V.64) 42
- Zondek, B.** Improved orbit estimation by satellite-mounted gravity gradiometers. (JGC) 173
- Zurn, D.E.** (PS, V.63; see Boggs, T.L.)
- Zwarts, F.J.** (AIAA J; see Gough, P.S.)