

- Sobieszczanski-Sobieski, J., C81-025
 Soudak, U., C81-142
 Spaid, F. W., C81-050
 Stainback, P. C., C81-078
 Stalford, H. L., C81-151
 Stallone, M. J., C81-162
 Stark, V. J. E., C81-068
 Steiger, A. R., C79-004
 Stough III, H. P., C81-145
 Striz, A. G., C80-035, C81-164
 Subba Reddy, C., C81-046
 Subramanian, A. K., C81-003
 Sun, J. L. C., C81-176
- Sundaram, C. V., C81-024
 Swinton, P. G., C81-176
 Tam, C. K. W., C81-184
 Tan--atichat, J., C81-097
 Taneja, N. K., C81-006
 Tanna, H. K., C81-052
 Tatum, K. E., C81-158
 Taylor, A. H., C81-120
 Taylor Jr., L. W., C81-156
 Tindell, R. H., C81-173
 Tinoco, E. N., C81-023
 Tischler, M. B., C81-043
 Tomlinson, N. P., C81-018
- Torisaki, T., C81-126
 Trevino, G., C81-157
 Unruh, J. F., C81-125
 Valckenaere, W., C81-008
 van Dam, C. P., C81-106
 van Dam, C. P. G., C81-085
 van Rooyen, R. S., C81-062
 Venkatesan, C., C81-021
 Vershure Jr., R. W., C81-135
 Wang, M. E., C81-051
 Wehrman, M. D., C81-100
 Weissberg, V., C81-144
 Weisshaar, T. A., C81-122
- Wigeland, R. A., C81-097
 Wilhem, D. P., C81-038
 Willis, W. S., C81-147, C81-166
 Wilson, D. R., C81-053
 Wolf, D. F., C81-005
 Woolard, H. W., C80-025
 Wu, J., C81-185
 Wun, W., C81-189
 Yamagishi, K., C81-077
 Yamane, T., C81-077
 Yang, T. Y., C80-035, C81-164
 Yen, J. G., C81-193
 Yen, K. T., C81-119

Chronological Index

C75-001 Dynamic Effects of Shock-Induced Flow Separation. Lars E. Ericsson, *Lockheed Missiles and Space Company, Inc.* (JA 12, 1, p. 86) Article
 Errata (JA 18, 7, p. 608)

C78-001 Prediction of Performance of Low-Pressure-Ratio Thrust-Augmentor Ejectors. J. A. C. Kentfield, *University of Calgary* (JA 15, 12, p. 849) Article based on AIAA Paper 78-145
 Errata (JA 18, 6, p. 512)

C79-003 Some Singular Acoustic Signatures Observed in the Cockpit of a Jet Aircraft. S. M. Ramachandra, *Hindustan Aeronautics Ltd.* (JA 16, 8, p. 513) Synoptic based on AIAA Paper 78-242
 Technical Comment by N. R. Keshavan, *Hindustan Aeronautics Ltd.* (JA 18, 2, p. 158)
 Reply (JA 18, 2, p. 158)

C79-004 Effects of Wind on Aircraft Cruise Performance. Francis J. Hale, *North Carolina State University*; and Arthur R. Steiger, *Booz, Allen and Hamilton* (JA 16, 6, p. 382) Article based on AIAA Paper 78-1496
 Errata (JA 18, 4, p. 320)

C80-004 Analysis and Design of Strake-Wing Configurations. John E. Lamar, *NASA Langley Research Center* (JA 17, 1, p. 20) Article based on AIAA Paper 78-1201
 Errata (JA 18, 2, p. 160)

C80-025 Subsonic and Transonic Similarity Rules for Jet-Flapped Wings. Henry W. Woolard, *U. S. Air Force Flight Dynamics Laboratory* (JA 17, 3, p. 152) Article based on AIAA Paper 79-0343
 Errata (JA 18, 4, p. 320)

C80-035 Flutter Analysis of a NACA 64A006 Airfoil in Small Disturbance Transonic Flow. T. Y. Yang, P. Guruswamy and Alfred G. Striz, *Purdue University*; and James J. Olsen, *Air Force Wright Aeronautical Laboratories, Wright-Patterson Air Force Base* (JA 17, 4, p. 225) Article
 Technical Comment by H. P. Y. Hitch, *British Aerospace Corporation* (JA 18, 2, p. 158)
 Reply (JA 18, 2, p. 159)

C80-115 Water Tunnel Flow Visualization: Insight into Complex Three-Dimensional Flowfields. Gary E. Erickson, *Northrop Corporation* (JA 17, 9, p. 656) Article based on AIAA Paper 79-1530
 Technical Comment by John E. Lamar, *NASA Langley Research Center* (JA 18, 8, p. 704)

C81-001 Carburetor Ice Flight Testing: Use of an Anti-Icing Fuel Additive. Richard L. Newman, *Crew Systems Consultants* (JA 18, 1, p. 5) Synoptic

C81-002 Transonic Flow Past a Symmetrical Airfoil at High Angle of Attack. D. A. Johnson, W. D. Bachalo and F. K. Owen, *NASA Ames Research Center* (JA 18, 1, p. 7) Article based on AIAA Paper 79-1500

C81-003 Ambient Effects on Idling Gas Turbine Emissions. C. W. Kauffman, *The University of Michigan*; A. K. Subramanian, *Cooper Energy Services*; D. W. Rogers, *General Electric Company*; and R. W. Claus, *NASA Lewis Research Center* (JA 18, 1, p. 15) Article based on AIAA Paper 78-3

C81-004 Vibration Analysis of Rotor Blades with Pendulum Absorbers. V. R. Murthy, *Goodyear Aerospace Corporation*; and C. E. Hammond, *U. S. Army Research and Technology Laboratories* (JA 18, 1, p. 23) Article

C81-005 Wind-Tunnel Measurements of Dynamic Reefing Line Force in Ribbon Parachutes. D. F. Wolf and R. H. Croll, *Sandia Laboratories* (JA 18, 1, p. 30) Article based on AIAA Paper 79-0465 CP791

C81-006 Economics of Technological Change: A Joint Model for the Aircraft and Airline Industries. James T. Kneafsey and Nawal K. Taneja, *Massachusetts Institute of Technology* (JA 18, 1, p. 35) Article

C81-007 Impact of Mission Requirements on V/STOL Propulsion Concept Selection. W. R. Boruff and A. J. Roch Jr., *Vought Corporation* (JA 18, 1, p. 43) Article based on AIAA Paper 79-1283

C81-008 Design of the Circulation Control Wing STOL Demonstrator Aircraft. Robert J. Englar and Rodney A. Hemmerly, *David W. Taylor Naval Ship Research and Development Center*; W. Horace Moore, Vladimir Seredinsky, Walter Valckenaere and John A. Jackson, *Grumman Aerospace Corporation* (JA 18, 1, p. 51) Article based on AIAA Paper 79-1842

C81-009 Spanwise Distribution of Control Points in the Method of Finite Elementary Solutions. Ji-Guang An, *Chinese Aerodynamic Research and Development Center* (JA 18, 1, p. 59) Engineering Note based on AIAA Paper 79-1879

C81-010 Aerodynamics of a Round Jet in a Counterflowing Wind. Robert E. Peck, *University of Kentucky* (JA 18, 1, p. 61) Engineering Note

C81-011 Effect of Rear Stagnation Point Position and Trailing Edge Bluntness on Airfoil Characteristics. V. Baskaran and V. S. Holla, *Indian Institute of Science* (JA 18, 1, p. 63) Engineering Note

C81-012 Asymmetric Distortion Generation in a Variable Height Annulus. R. E. Peacock, *U. S. Naval Postgraduate School*; M. A. El-Attar, *The Arab British Engine Co.*; and G. D. Robinson, *General Electric Company* (JA 18, 2, p. 65) Synoptic based on AIAA Paper 79-7002

C81-013 Aircraft Wake Investigation. Wade H. Bailey Jr. and Thomas A. Durham, *Air Force Weapons Laboratory, Kirtland Air Force Base* (JA 18, 2, p. 67) Synoptic

C81-014 Alleviation of Spin-Entry Tendencies through Localization of Wing-Flow Separation. T. W. Feistel and S. B. Anderson, *NASA Ames Research Center*; and R. A. Kroeger, *ARO, Inc.* (JA 18, 2, p. 69) Article based on AIAA Paper 78-1476

C81-015 Role of Figures of Merit in Design Optimization and Technology Assessment. S. C. Jensen, *Boeing Military Airplane Company*; I. H. Rettie and Edward A. Barber, *Boeing Commercial Airplane Company* (JA 18, 2, p. 76) Article based on AIAA Paper 79-0234

C81-016 Full-Scale Wind-Tunnel Study of the Effect of Nacelle Shape on Cooling Drag. Victor R. Corsiglia and Joseph Katz, *NASA Ames Research Center*; and Richard A. Kroeger, *ARO, Inc.* (JA 18, 2, p. 82) Article based on AIAA Paper 79-1820

C81-017 Performance Evaluation of an Air Vehicle Utilizing Nonaxisymmetric Nozzles. J. A. Laughrey, *Wright Aeronautical Laboratories, Wright Patterson Air Force Base*; D. J. Drape and P. E. Hiley, *McDonnell Aircraft Company* (JA 18, 2, p. 89) Article based on AIAA Paper 79-1811

C81-018 Flight Dynamics Simulation of a Heavy Lift Airship. B. L. Nagabhushan and N. P. Tomlinson, *Goodyear Aerospace Corporation* (JA 18, 2, p. 96) Article based on AIAA Paper 79-1593 CP798

C81-019 Critical Field Length Calculations for Preliminary Design. Sidney A. Powers, *Vought Corporation* (JA 18, 2, p. 103) Article

C81-020 Transonic Flow Calculations over Two-Dimensional Canard-Wing Systems. Vijaya Shankar and Norman D. Malmuth, *Rockwell International Science Center*; and Julian D. Cole, *University of California at Los Angeles* (JA 18, 2, p. 108) Article based on AIAA Paper 79-1565

C81-021 Stochastic Modeling of an Aircraft Traversing a Runway Using Time Series Analysis. C. Venkatesan and V. Krishnan, *Indian Institute of Science* (JA 18, 2, p. 115) Article

C81-022 Inverse Transonic Wing Design Method. P. A. Henne, *Douglas Aircraft Company* (JA 18, 2, p. 121) Article based on AIAA Paper 80-0330

C81-023 PAN AIR Applications to Weapons Carriage and Separation. A. Cenko, *Grumman Aerospace Company*; E. N. Tinoco, *Boeing Military Airplane Company*; R. D. Dyer and J. DeJongh, *Air Force Flight Dynamics Laboratory, Wright-Patterson Air Force Base* (JA 18, 2, p. 128) Article based on AIAA Paper 80-0187

C81-024 Noise Characteristics of Coannular Flow with Conventional and Inverted Velocity Profiles. J. R. Maus, B. H. Goethert and C. V. Sundaram, *The University of Tennessee Space Institute* (JA 18, 2, p. 135) Article based on AIAA Paper 80-0167

C81-025 Adaptable Structural Synthesis Using Advanced Analysis and Optimization Coupled by a Computer Operating System. J. Sobieszcanski-Sobieski and R. B. Bhat, *NASA Langley Research Center* (JA 18, 2, p. 142) Article based on AIAA Paper 79-0723 CP793

C81-026 Practical Method of Crack Growth Analyses for Fighter Aircraft. M. Levy, A. S. Kuo and K. Grube, *Fairchild Republic Company* (JA 18, 2, p. 150) Article based on AIAA Paper 80-0405

C81-032 Investigation of Delta Wing Leading-Edge Devices. Dhanvada M. Rao, *Vigyan Research Associates, Inc.*; and Thomas D. Johnson Jr., *Kentron International, Inc., Hampton Technical Center* (JA 18, 3, p. 161) Article based on AIAA Paper 80-0310

C81-033 Numerical Design and Analysis of Optimal Slot Shapes for Transonic Test Sections-Axisymmetric Flows. K. R. Karlsson and Y. C.-J. Sedin, *Saab-Scania AB (Sweden)* (JA 18, 3, p. 168) Article based on AIAA Paper 80-0155

C81-034 Application of the Adaptive Wall Concept in Three Dimensions. R. L. Parker Jr. and W. L. Sickles, *ARO, Inc.* (JA 18, 3, p. 176) Article based on AIAA Paper 80-0157

C81-035 Propeller Slipstream/Wing Interaction in the Transonic Regime. M. H. Rizk, *Flow Research Company* (JA 18, 3, p. 184) Article based on AIAA Paper 80-0125

C81-036 Equilibrium Spinning of a Typical Single-Engine Low-Wing Light Aircraft. Barnes W. McCormick, *The Pennsylvania State University* (JA 18, 3, p. 192) Article

C81-037 Characteristics of Propeller Noise on an Aircraft Fuselage. C. Kearney Barton and John S. Mixson, *NASA Langley Research Center* (JA 18, 3, p. 200) Article based on AIAA Paper 79-0646

C81-038 Fatigue Crack Growth at Stress Concentrations Subjected to Strains beyond Elastic Range. M. M. Ratwani, D. P. Wilhem, J. P. Carter and H. P. Kan, *Northrop Corporation*; and M. Kaplan, *Federal Aviation Administration* (JA 18, 3, p. 206) Article

C81-039 Analysis of Turbine Blades Using a Rapid Three-Dimensional Photoelastic Method. V. J. Parks, *The Catholic University of America*; R. J. Sanford, *Naval Research Laboratory*; and J. Cernosek, *Bell Helicopter Textron* (JA 18, 3, p. 213) Article

C81-040 New Engineering Approach to Motion Cueing Technology for Flight Simulators. Howard Jaslow, *Gould Inc.* (JA 18, 3, p. 220) Article based on AIAA Paper 80-0047

C81-041 Analytical Prediction of Vortex Lift. James W. Purvis, *Sandia National Laboratories* (JA 18, 4, p. 225) Article based on AIAA Paper 79-0363

C81-042 Aerodynamic and Inlet Flow Characteristics of Several Hypersonic Airbreathing Missile Concepts. James L. Dillon, Don C. Marcum Jr., Patrick J. Johnston and James L. Hunt, *NASA Langley Research Center* (JA 18, 4, p. 231) Article based on AIAA Paper 80-0255

C81-043 Determination of the Spin and Recovery Characteristics of a General Aviation Design. M. B. Tischler and J. B. Barlow, *University of Maryland* (JA 18, 4, p. 238) Article based on AIAA Paper 80-0169

C81-044 Criticality of Engine Exhaust Simulations on VSTOL Model-Measured Ground Effects. J. R. Lummus, *General Dynamics* (JA 18, 4, p. 245) Article based on AIAA Paper 80-0230

C81-045 Analysis of Strake Vortex Breakdown Characteristics in Relation to Design Features. Neal T. Frink, *North Carolina State University*; and John E. Lamar, *NASA Langley Research Center* (JA 18, 4, p. 252) Article based on AIAA Paper 80-0326

C81-046 Development of a Vortex-Lift Design Procedure and Application to a Slender Maneuver-Wing Configuration. John E. Lamar, *NASA Langley Research Center*; Roy T. Schemensky, *General Dynamics Corporation*; and C. Subba Reddy, *Old Dominion University* (JA 18, 4, p. 259) Article based on AIAA Paper 80-0327

C81-047 Active Control of Asymmetric Vortex Effects. John E. Fidler, *JEFCO Engineering, Inc.* (JA 18, 4, p. 267) Article based on AIAA Paper 80-0182

C81-048 Adaptive-Wall Wind-Tunnel Development for Transonic Testing. Bodapati Satyanarayana, *Joint Institute for Aeronautics and Acoustics, Stanford University*; Edward Schairer and Sanford Davis, *NASA Ames Research Center* (JA 18, 4, p. 273) Article based on AIAA Paper 80-0441 CP801

C81-049 Effectiveness of Leading-Edge Vortex Flaps on 60 and 75 Degree Delta Wings. J. F. Marchman III, *Virginia Polytechnic Institute and State University* (JA 18, 4, p. 280) Article

C81-050 Experiments on the Flow about a Supercritical Airfoil Including Holographic Interferometry. F. W. Spaid, *McDonnell Douglas Corporation*; and W. D. Bachalo, *Spectron Development Laboratories, Inc.* (JA 18, 4, p. 287) Article based on AIAA Paper 80-0343

C81-051 Wing Effect on Jet Noise Propagation. M. E. Wang, *Douglas Aircraft Company, McDonnell Douglas Corporation* (JA 18, 4, p. 295) Article based on AIAA Paper 80-1047

C81-052 Installation Effects on Propeller Noise. H. K. Tanna, R. H. Burrin and H. E. Plumblee Jr., *Lockheed-Georgia Company* (JA 18, 4, p. 303) Article based on AIAA Paper 80-0993

C81-053 Cross-Flow Propulsion Fan Experimental Development and Finite-Element Modeling. Gary J. Harloff and Donald R. Wilson, *The University of Texas* (JA 18, 4, p. 310) Article based on AIAA Paper 80-0385

C81-054 Inflight Aircraft Vibration Modes and Their Effect on Aircraft Radar Cross Section. S. M. Correa, D. L. Sengupta and W. J. Anderson, *The University of Michigan* (JA 18, 4, p. 318) Engineering Note

C81-057 History of the Pegasus Vectored Thrust Engine. Stanley Hooker, *Rolls-Royce, Ltd.* (JA 18, 5, p. 322) Article

C81-058 Turbulent Wind and Its Effect on Flight. B. Etkin, *University of Toronto* (JA 18, 5, p. 327) Lecture based on AIAA Paper 80-1836

C81-059 Three-Dimensional Oscillatory Piecewise Continuous-Kernel Function Method---Part I: Basic Problems. I. Lottati and E. Nissim, *Technion---Israel Institute of Technology* (JA 18, 5, p. 346) Article

C81-060 Three-Dimensional Oscillatory Piecewise Continuous-Kernel Function Method---Part II: Geometrically Continuous Wings. I. Lottati and E. Nissim, *Technion---Israel Institute of Technology* (JA 18, 5, p. 352) Article

C81-061 Three-Dimensional Oscillatory Piecewise Continuous-Kernel Function Method---Part III: Wings with Geometrical Discontinuities. I. Lottati and E. Nissim, *Technion---Israel Institute of Technology* (JA 18, 5, p. 356) Article

C81-062 Assessment of Propeller Influence on Lateral-Directional Stability of Multiengine Aircraft. R.S. van Rooyen and M.E. Eshelby, *Cranfield Institute of Technology, United Kingdom* (JA 18, 5, p. 364) Article

C81-063 Effects of Fan, Ducting and Powerplant Characteristics on the Cushion Stability of Air Cushion Vehicles. Hideo Matsuo, *Kumamoto University*; and Kensuke Matsuo, *Kumamoto Institute of Technology* (JA 18, 5, p. 372) Article

C81-064 New Rig for Flight Mechanics Studies. Jean Christophe, *Office National d'Etudes et de Recherches Aeronautiques* (JA 18, 5, p. 377) Article based on AIAA Paper 80-0464 CP801

C81-065 System for the Measurement of the Attitude of Wind Tunnel Models. R.D. Law and R.W. Jeffery, *Royal Aircraft Establishment, England* (JA 18, 5, p. 383) Article based on AIAA Paper 80-0465 CP801

C81-066 Gust Response of Rotor and Propeller Systems. G.H. Gaonkar, *Indian Institute of Science* (JA 18, 5, p. 389) Article based on AIAA Paper 80-0703 CP804

C81-067 Trailing-Edge Airframe Noise Source Studies on Aircraft Wings. Werner M. Dobrzynski, *Abteilung Technische Akustik, DFVLR, FRG* (JA 18, 5, p. 397) Article based on AIAA Paper 80-0976

C81-068 Measurement of Derivatives for an Oscillating Airfoil with Flap. Valter J.E. Stark, *Saab Scania AB, Sweden* (JA 18, 5, p. 403) Article

C81-069 Aircraft Technology Development in Sweden 1930-1980. Olof Holme, *Saab-Scania AB, Sweden* (JA 18, 5, p. 408) Engineering Note

C81-070 Viggen Thrust Reverser. Bengt Ahren, *Saab-Scania AB, Sweden* (JA 18, 5, p. 409) Engineering Note

C81-071 Minimum Fuel Paths for a Subsonic Aircraft. E. Large, *Marconi Space and Defense Systems, Ltd., England* (JA 18, 5, p. 410) Engineering Note

C81-072 Gun Firing Similarity for Aircraft Interference Problems. A. Dymont and A. Merlen, *Institut de Mecanique des Fluides de Lille, France* (JA 18, 5, p. 415) Engineering Note

C81-073 Iterative Lifting Surface Method for Thick Bladed Hovering Helicopter Rotors. K. Rajarama Shenoy and Robin B. Gray, *Georgia Institute of Technology* (JA 18, 6, p. 417) Article based on AIAA Paper 79-1517

C81-074 Cruise Flight Duration of a Low Mach Number Ramjet. H.V. Hattingh, *The University of Stellenbosch, South Africa* (JA 18, 6, p. 425) Article based on AIAA Paper 79-7040

C81-075 Experimental Measurements of Shock/Boundary-Layer Interaction on a Supercritical Airfoil. Kenneth P. Burdges, *Lockheed-Georgia Company* (JA 18, 6, p. 431) Article based on AIAA Paper 79-1499

C81-076 Sonic Fatigue Design Data for Bonded Aluminum Aircraft Structures. Marcus J. Jacobson, *Northrop Corporation* (JA 18, 6, p. 438) Article based on AIAA Paper 80-0303

C81-077 Experimental Substantiation for Hovering Rotor Vertical Impedance Calculations. Kanichiro Kato and Takashi Yamane, *University of Tokyo*; Tomoari Nagashima, Naohiro Iboshi and Kazuhiro Yamagishi, *National Defense Academy* (JA 18, 6, p. 445) Article

C81-078 Evaluation of Flow Quality in Two NASA Transonic Wind Tunnels. F. Kevin Owen, *Owen International, Inc.*; P. Calvin Stainback and William D. Harvey, *NASA Langley Research Center* (JA 18, 6, p. 451) Article based on AIAA Paper 79-1532

C81-079 Compression Fatigue Analysis of Fiber Composites. M.M. Ratwani and H.P. Kan, *Northrop Corporation* (JA 18, 6, p. 458) Article based on AIAA Paper 80-0707 CP804

C81-080 The Outside Has To Be Bigger Than the Inside. Howard W. Smith, *University of Kansas*; and Robert Burnham, *The Boeing Company* (JA 18, 6, p. 463) Article based on AIAA Paper 80-0726 CP804

C81-081 Analysis of Boundary Layers on Perforated Walls of Transonic Wind Tunnels. Y. Y. Chan, *National Research Council of Canada* (JA 18, 6, p. 469) Article

C81-082 Study and Experimental Tests of Fibrous Acoustic Treatment for Reduction of Fan Noise from XF3-1 Turbofan Engines. R. Sasaki, *Japan Defense Agency*; K. Ishizawa and K. Higashi, *Ishikawajima-Harima Heavy Industries Company, Ltd.* (JA 18, 6, p. 474) Article based on AIAA Paper 80-0988

C81-083 Propeller Light Aircraft Noise at Discrete Frequencies. Claude Dahan, Leon Avezard, Georges Guillien, Christian Malmarmey and Jacques Chombard, *Office National d'Etudes et de Recherches Aerospatiales* (JA 18, 6, p. 480) Article based on AIAA Paper 80-0997

C81-084 Helicopter Rotor Thickness Noise. Claude Dahan and Edmond Gratieux, *Office National d'Etudes et de Recherches Aerospatiales* (JA 18, 6, p. 487) Article based on AIAA Paper 80-1012

C81-085 Longitudinal Aerodynamic Characteristics of the ATLIT Airplane. J. Roskam, C. P. G. van Dam and M. Griswold, *University of Kansas* (JA 18, 6, p. 495) Engineering Note based on AIAA Paper 80-0186

C81-086 Spanwise Lift Distribution of Forward- and Aft-Swept Wings in Comparison to the Optimum Distribution Form. G. Lobert, *Messerschmitt-Bolkow-Blohm GmbH, FRG* (JA 18, 6, p. 496) Engineering Note

C81-087 Dynamic Stress in a Towing Wire due to Forced Acceleration. C. Matuk, *University of Lulia (Sweden)* (JA 18, 6, p. 498) Engineering Note

C81-088 Utilization of Propagating Stall in a Cascade of Vanes. Joseph V. Foa, *The George Washington University* (JA 18, 6, p. 500) Engineering Note

C81-089 Effects of Drive Slots on Parachute Performance. Dean S. Jorgensen and David J. Cockrell, *University of Leicester* (JA 18, 6, p. 501) Engineering Note

C81-090 Orthogonal Multiblade Coordinates. John E. Prussing, *University of Illinois at Urbana-Champaign* (JA 18, 6, p. 504) Engineering Note

C81-091 Aircraft Engine Combustor Casing Life Simulation Evaluation. S. A. Cimorelli, *General Electric Aircraft Engine Group* (JA 18, 6, p. 506) Engineering Note

C81-092 Radar Ranges for Carrier-Based AEW Aircraft. Ralph R. Nebiker, *Carrier Airborne Early Warning Squadron 115, U. S. Navy* (JA 18, 6, p. 508) Engineering Note

C81-093 A Geometrical Study of the Steady-State Spin for a Typical Low-Wing General Aviation Aircraft. Andrew P. Imbrie, *Princeton University* (JA 18, 6, p. 510) Engineering Note

C81-095 Multiple-Tactical Aircraft Combat Performance Evaluation System. D.S. Hague, *Aerophysics Research Corporation* (JA 18, 7, p. 513) Article based on AIAA Paper 80-0189

C81-096 Rational Design of an Airfoil for a High-Performance Jet Trainer. S. A. Powers and D. F. Sattler, *The Vought Corporation* (JA 18, 7, p. 521) Article based on AIAA Paper 80-0328

C81-097 Evaluation of a New Concept for Reducing Freestream Turbulence in Wind Tunnels. R. A. Wigeland, J. Tan-atchat and H. M. Nagib, *Illinois Institute of Technology* (JA 18, 7, p. 528) Article based on AIAA Paper 80-0432 CP801

C81-098 Recent Development of the YF-17 Active Flutter Suppression System. C. Hwang, E. H. Johnson and W. S. Pi, *Northrop Corporation* (JA 18, 7, p. 537) Article based on AIAA Paper 80-0769 CP804

C81-099 Repair of Advanced Composite Structures. S. H. Myhre and J. D. Labor, *Northrop Corporation* (JA 18, 7, p. 546) Article based on AIAA Paper 80-0776 CP804

C81-100 CAD Produced Aircraft Drawings. Marvin D. Wehrman, *The Boeing Commercial Airplane Company* (JA 18, 7, p. 553) Article based on AIAA Paper 80-0732 CP804

C81-101 Transonic Airloads on an Energy Efficient Transport Wing with Oscillating Control Surfaces. M. C. Sandford, R. H. Ricketts, F. W. Cazier Jr. and H. J. Cunningham, *NASA Langley Research Center* (JA 18, 7, p. 557) Article based on AIAA Paper 80-0738 CP804

C81-102 A Quantitative Assessment of the Variables Involved in Crack Propagation Analysis for In-Service Aircraft. R. L. Circle and F. M. Conley, *Lockheed-Georgia Company* (JA 18, 7, p. 562) Article based on AIAA Paper 80-0752 CP804

C81-103 Noise Transmission and Control for a Light Twin-Engine Aircraft. C. K. Barton and J. S. Mixson, *NASA Langley Research Center* (JA 18, 7, p. 570) Article based on AIAA Paper 80-1036

C81-104 Current Status and the Future of Advanced Supersonic Transport Noise. J. V. O'Keefe, R. A. Mangiarotti and N. Pickup, *Boeing Commercial Airplane Company* (JA 18, 7, p. 576) Article based on AIAA Paper 80-1056

C81-105 Propulsive Aerodynamics of an Advanced Nozzle/Forward Swept Wing Aircraft Configuration. Douglas L. Bowers, *USAF Wright Aeronautical Laboratories* (JA 18, 7, p. 582) Article based on AIAA Paper 80-1158

C81-106 Effect of Winglets on Performance and Handling Qualities of General Aviation Aircraft. Cornelis P. van Dam, *University of Kansas*; Bruce J. Holmes, *NASA Langley Research Center*; and Calvin Pitts, *Oklahoma State University* (JA 18, 7, p. 587) Article based on AIAA Paper 80-1870

C81-107 Scaling Wake-Particle Interactions for Aerial Applications Research. Allen I. Ormsbee, Michael B. Bragg and Mark D. Maughmer, *University of Illinois*; and Frank L. Jordan, *NASA Langley Research Center* (JA 18, 7, p. 592) Article based on AIAA Paper 80-1873

C81-108 Mission Adaptive Wing System for Tactical Aircraft. William W. Gilbert, *General Dynamics/ Forth Worth Division* (JA 18, 7, p. 597) Article based on AIAA Paper 80-1886

C81-109 Magnitude and Frequency of Wind Speed Shears from 3 to 150 Meters. Margaret B. Alexander and Dennis W. Camp, *Marshall Space Flight Center* (JA 18, 7, p. 603) Engineering Note

C81-110 Application of Unsteady Airfoil Theory to Rotary Wings. Krishna Rao V. Kaza, *University of Toledo and NASA Lewis Research Center*; and Raymond G. Kvaternik, *NASA Langley Research Center* (JA 18, 7, p. 604) Engineering Note

C81-111 Retardation System for Relatively Low-Altitude, High-Subsonic Speed, 2000-lb Payload Deliveries. John J. Manon, *Naval Sea Systems Command* (JA 18, 7, p. 606) Engineering Note

C81-113 Refined Prediction Method for Supersonic Nonsteady Aerodynamics with AIC Partition Scheme. Jack Morito II, *The Boeing Company* (JA 18, 8, p. 609) Article based on AIAA Paper 79-0770 CP794

C81-114 Harmonic Optimization of a Periodic Flow Wind Tunnel. John P. Retelle Jr., *United States Air Force Academy*; James M. McMichael, *National Bureau of Standards*; and Donald A. Kennedy, *University of Colorado* (JA 18, 8, p. 618) Article

C81-115 Conditions for Safe Separation of External Stores. Eugene E. Covert, *Massachusetts Institute of Technology* (JA 18, 8, p. 624) Article

C81-116 Computational and Simplified Analytical Treatment of Transonic Wing/Fuselage/Pylon/Store Interactions. Vijaya Shankar and Norman Malmuth, *Rockwell International* (JA 18, 8, p. 631) Article based on AIAA Paper 80-0127

C81-117 Comparison of Experimental and Theoretical Turbulence Reduction from Screens, Honeycomb, and Honeycomb-Screen Combinations. James Scheiman and J.D. Brooks, *NASA Langley Research Center* (JA 18, 8, p. 638) Article based on AIAA Paper 80-0433 CP801

C81-118 An Attractive Method for Displaying Material Damping Data. David I.G. Jones, *Air Force Wright Aeronautical Laboratories* (JA 18, 8, p. 644) Article based on AIAA Paper 80-0692 CP804

C81-119 Vertical Momentum of the Fountain Produced by Multijet Vertical Impingement on a Flat Ground Plane. K.T. Yen, *Naval Air Development Center* (JA 18, 8, p. 650) Article

C81-120 Structural Concepts for a Mach 5 Cruise Airplane LH2 Fuselage Tank. Allan H. Taylor, *Kentron International, Inc.*; and L. Robert Jackson, *NASA Langley Research Center* (JA 18, 8, p. 655) Article based on AIAA Paper 80-0407

C81-121 An Optimization Method for the Determination of the Important Flutter Modes. E. Nissim and I. Lottati, *Technion - Israel Institute of Technology* (JA 18, 8, p. 663) Article based on AIAA Paper 80-0790 CP804

C81-122 Aeroelastic Tailoring of Forward Swept Composite Wings. Terrence A. Weisshaar, *Purdue University* (JA 18, 8, p. 669) Article based on AIAA Paper 80-0795 CP804

C81-123 Naval Airship Program for Sizing and Performance (NAPSAP). Jon W. Lancaster, *Lancaster Analytics*; and David B. Bailey, *U.S. Naval Air Development Center* (JA 18, 8, p. 677) Article based on AIAA Paper 80-0817

C81-124 Fatigue and Fracture Behavior of the High Hardenability Martensitic Transage Titanium Alloys. F.A. Crossley, *Lockheed Missiles and Space Company*; and R.H. Jeal, *Rolls-Royce (1971), Ltd.* (JA 18, 8, p. 683) Article based on AIAA Paper 80-0762 CP804

C81-125 Structure-Borne Noise Prediction for a Single-Engine General Aviation Aircraft. J.F. Unruh, *Southwest Research Institute* (JA 18, 8, p. 687) Article based on AIAA Paper 80-1037

C81-126 Acoustic Characteristics of the External Upper Surface Blowing Propulsive-Lift Configuration. Masataka Maita and Tadao Torisaki, *National Aerospace Laboratory* (JA 18, 8, p. 695) Article based on AIAA Paper 80-1063

C81-127 Effect of Sweep Angles on Aerodynamic Performance of Double Arrow Wing - An Analytical Study. C. Subba Reddy, *Old Dominion University* (JA 18, 8, p. 702) Engineering Note Reply (JA 18, 8, p. 704)

C81-130 Single Pilot IFR Autopilot Complexity/Benefit Trade-off Study. Hugh P. Bergeron, *NASA Langley Research Center* (JA 18, 9, p. 705) Synoptic based on AIAA Paper 80-1869

C81-131 Transonic Flow Calculations for a Wing in a Wind Tunnel. J. E. Mercer, E. W. Geller and M. L. Johnson, *Flow Research Company*; and A. Jameson, *Princeton University* (JA 18, 9, p. 707) Article based on AIAA Paper 80-0156

C81-132 Design of Advanced Titanium Structures. Carlos A. Paez and Robert Gordon, *Grumman Aerospace Corporation* (JA 18, 9, p. 712) Article based on AIAA Paper 79-1805

C81-133 Experimental Modeling of Unstalled Supersonic Turbofan Flutter. Ronald E. Riffel, *General Motors Corporation*; and Sanford Fleeter, *Purdue University* (JA 18, 9, p. 718) Article based on AIAA Paper 80-0454 CP801

C81-134 Flight and Wind-Tunnel Test Results of a Mechanical Jet Noise Suppressor Nozzle. R. D. FitzSimmons, R. A. McKinnon and E. S. Johnson, *Douglas Aircraft Company*; and J. R. Brooks, *Rolls-Royce, Ltd., England* (JA 18, 9, p. 725) Article based on AIAA Paper 80-0165

C81-135 A Cooled Laminated Radial Turbine Technology Demonstration. Roy W. Vershure Jr., Gerold D. Large and Leonard J. Meyer, *The Garrett Turbine Engine Company*; and Jan M. Lane, *U.S. Army Research and Technology Laboratories (AVRADCOM)* (JA 18, 9, p. 731) Article based on AIAA Paper 80-0300

C81-136 Instability of Composite Panels. M. L. Becker, *Air Force Flight Dynamics Laboratory, Wright-Patterson AFB*; A. N. Palazotto, *Air Force Institute of Technology, Wright-Patterson AFB*; and N. S. Khot, *Air Force Flight Dynamics Laboratory, Wright-Patterson AFB* (JA 18, 9, p. 739) Article based on AIAA Paper 80-0687 CP804

C81-137 Effects of Compression-Compression Fatigue on Balanced Graphite/Epoxy Laminates with Holes. James W. Mar, Michael J. Graves and David P. Maass, *Massachusetts Institute of Technology* (JA 18, 9, p. 744) Article based on AIAA Paper 80-0708 CP804

C81-138 Calculation of High-Speed Inlet Flows Using the Navier-Stokes Equations. Doyle D. Knight, *Rutgers University* (JA 18, 9, p. 748) Article based on AIAA Paper 80-1107

C81-139 Analysis of Cracks at Attachment Lugs. T. M. Hsu, *Lockheed-Georgia Company* (JA 18, 9, p. 755) Article based on AIAA Paper 80-0753 CP804

C81-140 Properties of Large Multispot Ultrasonically Welded Joints. T. Renshaw and A. Sarrantonio, *Fairchild Republic Company* (JA 18, 9, p. 761) Article based on AIAA Paper 80-0763 CP804

C81-141 Advanced Composite Structure Repair Guide. C. E. Beck, *Air Force Flight Dynamics Laboratory, Wright-Patterson AFB* (JA 18, 9, p. 766) Article based on AIAA Paper 80-0774 CP804

C81-142 Honeycomb Sandwich Joints for Primary Structures. Uri Soudak, *Israeli Aircraft Industries, Ltd.*; and Robert A. Hamm, *Boeing Commercial Airplane Company* (JA 18, 9, p. 770) Article based on AIAA Paper 80-0780 CP804

C81-143 Maritime Patrol Airship Study (MPAS). D. B. Bailey, *Naval Air Development Center*; and H. K. Rappoport, *Summit Research Corporation* (JA 18, 9, p. 775) Article based on AIAA Paper 80-0818

C81-144 Nondestructive Buckling Test for an Integrally Stiffened Structure. Victor Weissberg, *Israel Aircraft Industries, Ltd.*; and Menahem Baruch, *Technion--Israel Institute of Technology* (JA 18, 9, p. 780) Article

C81-145 Effects of Wing Leading-Edge Design on the Spin Characteristics of a General Aviation Airplane. Daniel J. DiCarlo, H. P. Stough III and James M. Patton Jr., *NASA Langley Research Center* (JA 18, 9, p. 786) Article based on AIAA Paper 80-1843

C81-146 A Simple Technique for Sizing Free Jet Facilities. Irvin J. Benard, *United Technologies*; and Gordon C. Oates, *University of Washington* (JA 18, 9, p. 793) Engineering Note

C81-147 Effect of Cross-Shafting on Landing Reliability of V/STOL Aircraft. William S. Willis, *General Electric Company* (JA 18, 9, p. 794) Engineering Note based on AIAA Paper 80-1858

C81-148 Predicted Airframe Noise Levels for Certification Flights. P. J. W. Block, *NASA Langley Research Center* (JA 18, 9, p. 796) Engineering Note

C81-149 Effect of Leading-Edge Vortex Flaps on Aerodynamic Performance of Delta Wings. C. Subba Reddy, *Old Dominion University* (JA 18, 9, p. 796) Engineering Note

C81-150 A Sensitive Rolling Moment Balance for Use in Supersonic Blowdown Tunnels. H. Sundara Murthy, *National Aeronautical Laboratory, India* (JA 18, 9, p. 799) Engineering Note

C81-151 High-Alpha Aerodynamic Model Identification of T-2C Aircraft Using the EBM Method. H. L. Stalford, *Practical Sciences, Inc.* (JA 18, 10, p. 801) Article based on AIAA Paper 80-0172

C81-152 Comparison of Inlet Suppressor Data with Approximate Theory Based on Cutoff Ratio. Edward J. Rice and Laurence J. Heidelberg, *NASA Lewis Research Center* (JA 18, 10, p. 810) Article based on AIAA Paper 80-0100

C81-153 Analytical Study of the Effects of Wind Tunnel Turbulence on Turbofan Rotor Noise. P. R. Gliebe, *General Electric Company* (JA 18, 10, p. 818) Article based on AIAA Paper 80-1022

C81-154 Upper Surface Blowing Noise of the NASA Ames Quiet Short-Haul Research Aircraft. A. J. Bohn, *Boeing Commercial Airplane Company*; and M. D. Shovlin, *NASA Ames Research Center* (JA 18, 10, p. 826) Article based on AIAA Paper 80-1064

C81-155 Low Reynolds Number Aerodynamic Characteristics of Low-Drag NACA 63-208 Airfoil. H. T. Nagamatsu, *Rensselaer Polytechnic Institute*; and D. E. Cuhe, *Swiss Federal Institute of Technology, Switzerland* (JA 18, 10, p. 833) Article based on AIAA Paper 80-1417

C81-156 Determination of an Angle-of-Attack Sensor Correction for a Light Airplane. Thomas M. Moul and Lawrence W. Taylor Jr., *NASA Langley Research Center* (JA 18, 10, p. 838) Article based on AIAA Paper 80-1845

C81-157 Effects of Inhomogeneities in Atmospheric Turbulence on the Dynamic Response of an Aircraft. George Trevino, *Del Mar College* (JA 18, 10, p. 844) Article based on AIAA Paper 80-1614 CP806

C81-158 Validation of a Wing Leading-Edge Stall Prediction Technique. Jerry Pavelka and Kenneth E. Tatum, *McDonnell Aircraft Company* (JA 18, 10, p. 849) Article based on AIAA Paper 80-1620 CP806

C81-159 Evaluation of Three-Dimensional Transonic Codes Using New Correlation-Tailored Test Data. B. L. Hinson and K. P. Burdges, *Lockheed-Georgia Company* (JA 18, 10, p. 855) Article based on AIAA Paper 80-0003

C81-160 Estimation of Flutter Boundary from Random Responses Due to Turbulence at Subcritical Speeds. Yuji Matsuzaki and Yasukatsu Ando, *National Aerospace Laboratory, Japan* (JA 18, 10, p. 862) Article

C81-161 Cyclic Plasticity and Fatigue of Structural Components. I. Kalev, *National Research Council/NASA Dryden Flight Research Center* (JA 18, 10, p. 869) Article based on AIAA Paper 80-0693 CP804

C81-162 Experimental Investigation of Flutter in Midstage Compressor Designs. R. R. Jutras and M. J. Stallone, *General Electric Company*; and H. R. Bankhead, *AFWAL/POTC, Wright-Patterson AFB* (JA 18, 10, p. 874) Article based on AIAA Paper 80-0786 CP804

C81-163 Stress Measurements in Bias-Constructed Parachute Canopies During Inflation and at Steady State. William L. Garrard and Thomas A. Konicke, *University of Minnesota* (JA 18, 10, p. 881) Article based on AIAA Paper 81-1945

C81-164 Flutter Analysis of MBB A-3 Supercritical Airfoil in Small Disturbance Transonic Flow. T. Y. Yang, A. G. Striz and P. Guruswamy, *Purdue University* (JA 18, 10, p. 887) Engineering Note based on AIAA Paper 80-0736 CP804

C81-165 Prediction of Range and Endurance of Jet Aircraft at Constant Altitude. Charles W. Bert, *University of Oklahoma* (JA 18, 10, p. 890) Engineering Note

C81-166 RALS/VCE Turbine Inlet Temperature and Engine Complexity Optimization Study. William S. Willis, *General Electric Company* (JA 18, 10, p. 892) Engineering Note based on AIAA Paper 80-1853

C81-167 Sharp-Edged Rectangular Wing Characteristics. Erik S. Larson, *The Aeronautical Research Institute of Sweden* (JA 18, 10, p. 895) Engineering Note

C81-168 Historical Development of Aircraft Flutter (History of Key Technologies). I. Garrick and Wilmer H. Reed III, *NASA Langley Research Center* (JA 18, 11, p. 897) Article based on AIAA Paper 81-0491 CP811

C81-169 Study of Nonadiabatic Boundary-Layer Stabilization Time in a Cryogenic Tunnel for Typical Wing and Fuselage Models. Charles B. Johnson, *NASA Langley Research Center* (JA 18, 11, p. 913) Article based on AIAA Paper 80-0417 CP801

C81-170 Influence of Wing, Fuselage, and Tail Design on Rotational Flow Aerodynamics Beyond Maximum Lift. William Birhle Jr., *Birhle Applied Research, Inc.*; and James S. Bowman Jr., *NASA Langley Research Center* (JA 18, 11, p. 920) Article based on AIAA Paper 80-0455 CP801

C81-171 Comparison of Aircraft Noise-Contour Prediction Programs. Robert L. Chapkis, *DyTec Engineering, Inc.*; Inc. Blankenship. Gary L., *DyTec Engineering*; and Alan H. Marsh, *DyTec Engineering, Inc.* (JA 18, 11, p. 926) Article based on AIAA Paper 80-1057

C81-172 Propeller Signatures and Their Use. J. F. Johnston, R. E. Donham and W. A. Guinn, *Lockheed-California Company* (JA 18, 11, p. 934) Article based on AIAA Paper 80-1035

C81-173 Inlet Drag and Stability Considerations for $M/d_0 = 2.00$ Design. R. H. Tindell, *Grumman Aerospace Corporation* (JA 18, 11, p. 943) Article based on AIAA Paper 80-1105

C81-174 Analysis of Thrust-Induced Effects on the Longitudinal Aerodynamics of STOL Fighter Configurations. J. W. Paulson Jr., *NASA Langley Research Center* (JA 18, 11, p. 951) Article based on AIAA Paper 80-1879

C81-175 Linear and Nonlinear Aerodynamics of Three-Surface Aircraft Concepts. J. W. Agnew and G. W. Lyster, *McDonnell Douglas Corporation*; and S. B. Grafton, *NASA Langley Research Center* (JA 18, 11, p. 956) Article based on AIAA Paper 80-1581 CP806

C81-176 Moving-Surface Boundary-Layer Control for Aircraft Operation at High Incidence. V. J. Modi, J. L. C. Sun, T. Akutsu, P. Lake, K. McMillan, P. G. Swinton and D. Mullins, *University of British Columbia, Canada* (JA 18, 11, p. 963) Article based on AIAA Paper 80-1621 CP806

C81-177 Wing/Store Flutter Suppression Investigation. T. E. Noll, L. J. Huttshell and D. E. Cooley, *Air Force Wright Aeronautical Laboratories* (JA 18, 11, p. 969) Article based on AIAA Paper 80-0764 CP804

C81-178 Wind Tunnel Demonstration of Aeroelastic Tailoring Applied to Forward Swept Wings. V. C. Sherrer, T. J. Hertz and M. H. Shirk, *Air Force Wright Aeronautical Laboratories* (JA 18, 11, p. 976) Article based on AIAA Paper 80-0796 CP804

C81-179 Wing/Store Flutter with Nonlinear Pylon Stiffness. Robert N. Desmarais and Wilmer H. Reed III, *NASA Langley Research Center* (JA 18, 11, p. 984) Article based on AIAA Paper 80-0792 CP804

C81-180 Performance Prediction for Light Airplanes. E. V. Laitone, *University of California* (JA 18, 11, p. 988) Engineering Note

C81-181 Influence of Landing Gear Flexibility on Aircraft Performance During Ground Roll. M. M. Sivaramakrishnan, *Indian Institute of Technology* (JA 18, 11, p. 991) Engineering Note

C81-182 Aircraft Applications of Titanium: A Review of the Past and Potential for the Future (History of Key Technologies). F. A. Crossley, *Lockheed Missiles and Space Company* (JA 18, 12, p. 993) Article based on AIAA Paper 81-0893

C81-183 Impact of Ramp Launch Technology on a Navy Support Aircraft. C. R. Engleby, *Lockheed-California Company* (JA 18, 12, p. 1003) Synoptic based on AIAA Paper 80-1878

C81-184 Workshop Report for the AIAA 6th Aeroacoustics Conference. Christopher K. W. Tam, *Florida State University* (JA 18, 12, p. 1005) Article

C81-185 Recent Development of a Jet-Diffuser Ejector. Morton Alperin and Jiunn-Jenq Wu, *Flight Dynamics Research Corporation* (JA 18, 12, p. 1011) Article based on AIAA Paper 80-0231

C81-186 Engine Environmental Effects on Composite Behavior. C. C. Chamis and G. T. Smith, *NASA Lewis Research Center* (JA 18, 12, p. 1019) Article based on AIAA Paper 80-0695 CP804

C81-187 Infrared Emissions from Turbofans with High Aspect Ratio Nozzles. R. Decher, *University of Washington* (JA 18, 12, p. 1025) Article

C81-188 Vortex-Lattice Method for the Calculation of the Nonsteady Separated Flow over Delta Wings. Daniel Levin and Joseph Katz, *NASA Ames Research Center* (JA 18, 12, p. 1032) Article based on AIAA Paper 80-1803

C81-189 Simple Two-Dimensional-Nozzle Plume Model for Infrared Analysis. Chong-Wei Chu, Joe. Der Jr. and Wyman Wun, *Northrop Corporation* (JA 18, 12, p. 1038) Article based on AIAA Paper 80-1808

C81-190 Advanced Circulation Control Wing System for Navy STOL Aircraft. James H. Nichols Jr. and Robert J. Englar, *David W. Taylor Naval Ship Research and Development Center* (JA 18, 12, p. 1044) Article based on AIAA Paper 80-1825

C81-191 Aerodynamics of Inverted Leading-Edge Flaps on Delta Wings. J. F. Marchman III, *Virginia Polytechnic Institute and State University* (JA 18, 12, p. 1051) Article based on AIAA Paper 81-0356

C81-192 Experimental and Theoretical Study of Nonlinear Flutter. Samuel C. McIntosh Jr., Robert E. Reed Jr. and William P. Rodden, *Nielsen Engineering and Research, Inc.* (JA 18, 12, p. 1057) Article based on AIAA Paper 80-0791 CP804

C81-193 Higher Harmonic Control for Helicopters with Two-Bladed and Four-Bladed Rotors. Jing G. Yen, *Bell Helicopter Textron* (JA 18, 12, p. 1064) Article based on AIAA Paper 80-0670 CP804

C81-194 Symmetric Flow Characteristics of Thin Rectangular Wings. Erik S. Larson, *The Aeronautical Research Institute of Sweden* (JA 18, 12, p. 1070) Engineering Note

C81-195 Aeroelastic Divergence of Unrestrained Vehicles. William P. Rodden, *La Canada Flintridge* (JA 18, 12, p. 1072) Engineering Note