

Chronological Index

C85-137 Convergence Characteristics of a Vortex-Lattice Method for Nonlinear Configuration Aerodynamics. Z. Rusak, *Technion-Israel Institute of Technology*; A. Seginer, *NASA Ames Research Center*; and E. Wasserstrom, *Technion-Israel Institute of Technology* (22, 9, p. 743) Article based on AIAA Paper 83-1882 CP834

Technical Comment by James M. Luckring, *NASA Langley Research Center* (23, 10, p. 798)

Reply (23, 10, p. 799)

C85-199 Noise of Counter-rotation Propellers with Non-synchronous Rotors. D. B. Hanson and C. J. McColgan, *Hamilton Standard* (22, 12, p. 1097) Engineering Note
Errata (23, 7, p. 608)

C86-001 Aeroelastic Tailoring--Theory, Practice, and Promise. Michael H. Shirk and Terrence J. Hertz, *Air Force Wright Aeronautical Laboratories, Wright-Patterson Air Force Base*; and Terrence A. Weisshaar, *Purdue University* (23, 1, p. 6) Survey Paper based on AIAA Paper 84-0982 CP844

C86-002 Modeling Aerodynamic Responses to Aircraft Maneuvers--A Numerical Validation. Joseph Katz and Lewis B. Schiff, *NASA Ames Research Center* (23, 1, p. 19) Article based on AIAA Paper 84-2079 CP849

C86-003 Blended Blown Flaps and Vectored Thrust for Low-Speed Flight. John E. Carr, *Grumman Aerospace Corporation* (23, 1, p. 26) Article based on AIAA Paper 84-2199

C86-004 Laboratory Study of Cabin Acoustic Treatments Installed in an Aircraft Fuselage. Karen E. Heitman and John S. Mixson, *NASA Langley Research Center* (23, 1, p. 32) Article based on AIAA Paper 84-2330

C86-005 Numerical Simulation of the Transonic Flowfield for Wing/Nacelle Configurations. Essam H. Atta and Joseph Vadyak, *Lockheed-Georgia Company* (23, 1, p. 39) Article

C86-006 An Experimental Investigation of Blade-Vortex Interaction at Normal Incidence. Ali R. Ahmadi, *Bolt Beranek and Newman Inc.* (23, 1, p. 47) Article based on AIAA Paper 85-0003

C86-007 Surface Roughness Studies for Wind Tunnel Models Used in High Reynolds Number Testing. T. V. Vorburger, M. J. McLay, F. E. Scire, D. E. Gilsinn, C. H. W. Giauque and E. C. Teague, *National Bureau of Standards* (23, 1, p. 56) Article based on AIAA Paper 85-0228

C86-008 The Lightning Threat to Aerospace Vehicles. P. L. Rustan Jr., *Air Force Wright Aeronautical Laboratories, Wright-Patterson Air Force Base* (23, 1, p. 62) Article based on AIAA Paper 85-0094

C86-009 Performance of a Forward Swept Wing Fighter Utilizing Thrust Vectoring and Reversing. Eugene H. Miller, *Grumman Aerospace Corporation* (23, 1, p. 68) Article based on AIAA Paper 83-2482

C86-010 Airfoil Aerodynamics in Icing Conditions. M. B. Bragg, G. M. Gregorek and J. D. Lee, *Ohio State University* (23, 1, p. 76) Article

C86-011 Finite Element Analysis of an Ultralight Aircraft. T. V. Baughn and P. F. Packman, *Southern Methodist University* (23, 1, p. 82) Article based on AIAA Paper 85-0616 CP851

C86-012 Application of Kevlar to Parachute System Design. C. W. Peterson, W. B. Pepper, D. W. Johnson and I. T. Holt, *Sandia National Laboratories* (23, 1, p. 87) Article based on AIAA Paper 84-0810 CP843

C86-013 Wall Temperature Control of Low-Speed Body Drag. John C. Lin, *NASA Langley Research Center*; and Robert L. Ash, *Old Dominion University* (23, 1, p. 93) Engineering Note

C86-014 Reverse-Flow Theorem Applied to Subsonic Unsteady Aerodynamic Forces. I. Lottati, *Technion-Israel Institute of Technology* (23, 1, p. 95) Engineering Note

C86-015 A Class of Airfoils Having Finite Trailing-Edge Pressure Gradients. A. I. Ormsbee, *University of Illinois*; and M. D. Maughmer, *The Pennsylvania State University* (23, 2, p. 97) Article based on AIAA Paper 85-0206

C86-016 Influence of Nonlinear Blade Damping on Helicopter Ground Resonance Instability. D. M. Tang and E. H. Dowell, *Duke University* (23, 2, p. 104) Article

C86-017 Longitudinal Flying Qualities Criteria for Single-Pilot Instrument Flight Operations. Aharon Bar-Gill and Robert F. Stengel, *Princeton University* (23, 2, p. 111) Article

C86-018 Wind Tunnel Wall Influence Considering Two-Dimensional High-Lift Configurations. T. E. Labrujere, R. A. Maarsingh and J. Smith, *National Aerospace Laboratory (NLR), The Netherlands* (23, 2, p. 118) Article

C86-019 Asymptotic Convergence of Higher-Order Accurate Panel Methods. B. Oskam, *National Aerospace Laboratory (NLR), The Netherlands* (23, 2, p. 126) Article

C86-020 Composite Statistical Method for Modeling Wind Gusts. James R. Schiess, *NASA Langley Research Center* (23, 2, p. 131) Article based on AIAA Paper 85-1750 CP855

C86-021 Aeroacoustics of an Advanced Propeller Design Under Takeoff and Landing Conditions. S. Fujii, H. Nishiwaki and K. Takeda, *National Aerospace Laboratory, Japan* (23, 2, p. 136) Article

C86-022 A Propeller Model for Studying Trace Velocity Effects on Interior Noise. J. R. Mahan, *Virginia Polytechnic Institute and State University*; and C. R. Fuller, *Virginia Polytechnic and State University* (23, 2, p. 142) Article based on AIAA Paper 85-0787 CP851

C86-023 Control of Aeroelastic Instabilities Through Stiffness Cross-Coupling. Terrence A. Weisshaar, *Purdue University*; and Rosemary J. Ryan, *Rockwell International Corporation* (23, 2, p. 148) Article based on AIAA Paper 84-0985 CP844

C86-024 Compressibility Corrections for Multifoil Sections. Alan Harris, *de Havilland Aircraft of Canada, Ltd.* (23, 2, p. 156) Engineering Note

C86-025 Applications of Adaptive-Wall Wind Tunnels. Sanford S. Davis, *NASA Ames Research Center* (23, 2, p. 158) Engineering Note

C86-026 The Joined Wing: An Overview. Julian Wolkovitch, *ACA Industries, Inc.* (23, 3, p. 161) Survey Paper based on AIAA Paper 85-0274

C86-027 Direct Derivative Measurements in the Presence of Sting Plunging. Martin E. Beyers, *National Research Council of Canada* (23, 3, p. 179) Article based on AIAA Paper 84-2107 CP849

C86-028 Numerical Simulation of a Controlled-Flow Tunnel for V/STOL Testing. Paresh C. Parikh and Robert G. Joppa, *University of Washington* (23, 3, p. 186) Article based on AIAA Paper 84-2152

C86-029 Numerical Optimization Design of Advanced Transonic Wing Configurations. Gary B. Cosentino, *University of Colorado*; and Terry L. Holst, *NASA Ames Research Center* (23, 3, p. 192) Article based on AIAA Paper 85-0424

C86-030 A New and Less Complex Alternative to the Handley Page Slat. Arthur L. Williams, *Northrop Corporation* (23, 3, p. 200) Article based on AIAA Paper 85-0352

C86-031 Measurements of the Response of Transport Aircraft Ceiling Panels to Fuel Fires. C. P. Bankston and L. H. Back, *Jet Propulsion Laboratory, California Institute of Technology* (23, 3, p. 207) Article

C86-032 Steady and Unsteady Transonic Pressure Distributions on NACA 0012. Hermann Triebstien, *Deutsche Forschungs- und Versuchsanstalt für Luft und Raumfahrt e.V.* (23, 3, p. 213) Article

C86-033 STALINS Method for Takeoff and Landing Trajectory Measurements. C. G. Kranenburg, A. Pool and A. J. L. Willekens, *National Aerospace Laboratory (NLR), The Netherlands* (23, 3, p. 220) Article

C86-034 Comparison of Discrete and Continuous Gust Methods for Airplane Design Loads Determination. R. Noback, *National Aerospace Laboratory, The Netherlands* (23, 3, p. 226) Article

C86-035 A Ring-Vortex Downburst Model for Flight Simulations. Michael Ivan, *Boeing Computer Services Company* (23, 3, p. 232) Article based on AIAA Paper 85-1749 CP855

C86-036 An Attached Flow Design of a Noninterfering Leading-Edge Extension to a Thick Delta Wing. Farhad Ghaffari, *Vigyan Research Associates, Inc.*; and John E. Lamar, *NASA Langley Research Center* (23, 3, p. 237) Article based on AIAA Paper 85-0350

C86-037 Cryogenic Tunnel Measurement of Total Temperature and Pressure. Wing-Fai Ng and Joel C. Rosson, *Virginia Polytechnic Institute and State University* (23, 3, p. 244) Article

C86-038 Thrust-Vectored Takeoff, Landing, and Ground Handling of an Airship. B. L. Nagabhushan and N. P. Tomlinson, *Goodyear Aerospace Corporation* (23, 3, p. 250) Article based on AIAA Paper 85-0877 CP853

C86-039 A Review of Computer Simulations for Aircraft-Surface Dynamics. George R. Doyle Jr., *University of Dayton* (23, 4, p. 257) Survey Paper

C86-040 Experimental Analysis of a Pitot-Type Air Intake. Dieter Welte, *Dornier GmbH, Federal Republic of Germany* (23, 4, p. 266) Article

C86-041 Finite Element Modeling of Acoustic Singularities with Application to Propeller Noise. W. Eversman and J. E. Steck, *University of Missouri, Rolla* (23, 4, p. 275) Article based on AIAA Paper 84-2286

C86-042 Solution of the Unsteady Euler Equations for Fixed and Rotor Wing Configurations. N. L. Sankar, B. E. Wake and S. G. Lekoudis, *Georgia Institute of Technology* (23, 4, p. 283) Article based on AIAA Paper 85-0120

C86-043 Unsteady Transonic Flow Calculations for Two-Dimensional Canard-Wing Configurations. John T. Batina, *NASA Langley Research Center* (23, 4, p. 290) Article based on AIAA Paper 85-0585 CP851

C86-044 Computation of Prop-Fan Engine Installation Aerodynamics. C. W. Boppe and B. S. Rosen, *Grumman Corporation* (23, 4, p. 299) Article

C86-045 Aerodynamic Parameters Estimated from Flight and Wind Tunnel Data. V. Klein, *NASA Langley Research Center*; and J. G. Batterson, *George Washington University, NASA Langley Research Center* (23, 4, p. 306) Article

C86-046 Acoustical Design Economic Tradeoff for Transport Aircraft. Arturo Benito, *Polytechnic University of Madrid* (23, 4, p. 313) Article

C86-047 Investigation of Vortex Patterns on Slender Bodies at High Angles of Attack. Wu Genxing, Wang Tzehsing and Tian Shixhong, *Nanjing Aeronautical Institute, China* (23, 4, p. 321) Article

C86-048 Optimum Supersonic Wings with Subsonic Leading Edges. H. J. Bos, *Delft University of Technology, the Netherlands* (23, 4, p. 326) Article

C86-049 Application of Effective Stress Intensity Factors to Crack Growth Rate Description. A. F. Liu, *Northrop Corporation* (23, 4, p. 333) Article based on AIAA Paper 84-0884 CP844

C86-050 New and Existing Techniques for Dynamic Loads Analyses of Flexible Airplanes. Anthony S. Pototzky, *PRC-Kentron, Inc.*; and Boyd Perry III, *NASA Langley Research Center* (23, 4, p. 340) Article based on AIAA Paper 85-0808 CP851

C86-051 Turbulence for Flight Simulation. George Trevino, *Michigan Technological University* (23, 4, p. 348) Engineering Note

C86-052 Experimental and Theoretical Study of Wings with Blunt Trailing Edges. V. Ramjee, E. G. Tulapurkara and V. Balabaskaran, *Indian Institute of Technology* (23, 4, p. 349) Engineering Note

C86-053 Computer Sizing of Fighter Aircraft. Peter G. Coen and Willard E. Foss Jr., *NASA Langley Research Center* (23, 5, p. 353) Synoptic based on AIAA Paper 85-0212

C86-054 Airfoil Optimization. Per Krantz and Sven G. Hedman, *The Aeronautical Research Institute of Sweden (FAA)* (23, 5, p. 355) Synoptic

C86-055 Ground Effect on Slender Wings at Moderate and High Angles of Attack. J. Er-El and D. Weihs, *Technion-Israel Institute of Technology* (23, 5, p. 357) Synoptic

C86-056 Optimal Design of Antisymmetric Laminated Composite Plates. N. G. R. Iyengar, *University of Arizona*; and S. P. Joshi, *Purdue University* (23, 5, p. 359) Synoptic based on AIAA Paper 85-0796 CP851

C86-057 Viscous Effects on Transonic Airfoil Stability and Response. H. M. Berry, *General Dynamics Corporation*; J. T. Batina, *NASA Langley Research Center*; and T. Y. Yang, *Purdue University* (23, 5, p. 361) Article based on AIAA Paper 85-0586 CP851

C86-058 Indicial Coefficients for a Cropped Delta Wing in Incompressible Flow. Valter J. E. Stark, *Saab Scania AB, Sweden* (23, 5, p. 370) Article

C86-059 Euler Solutions for Airfoil/Jet/Ground-Interaction Flowfields. Ramesh K. Agarwal and Jerry E. Deese, *McDonnell Douglas Research Laboratories* (23, 5, p. 376) Article

C86-060 CTOL Ski Jump: Analysis, Simulation, and Flight Test. John W. Clark Jr. and Marvin M. Walters, *Naval Air Development Center* (23, 5, p. 382) Article

C86-061 A Computer-Augmented Procedure for Commercial Aircraft Configuration Development and Optimization. C. Haberland and W. Fenske, *Technical University of Berlin*; and J. Thorbeck, *Deutsche Lufthansa, Federal Republic of Germany* (23, 5, p. 390) Article

C86-062 Aerodynamic Investigations Toward an Adaptive Airfoil for a Transonic Transport Aircraft. G. Redeker, *Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt e.V., Federal Republic of Germany*; G. Wichmann, *Technische Universität Braunschweig, Federal Republic of Germany*; and H.-C. Oelker, *Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt e.V., Federal Republic of Germany* (23, 5, p. 398) Article

C86-063 Integrated Navigation, Communication, and Surveillance Systems Based on Standard Distance Measuring Equipment. A. Becker, *Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt e.V., Federal Republic of Germany* (23, 5, p. 406) Article

C86-064 Optimization of Three-Dimensional Computational Grids. Richard Carcaillet, *University of Texas, Austin*; Stephen R. Kennon and George S. Dulikravich, *The University of Texas, Austin* (23, 5, p. 415) Article based on AIAA Paper 85-4088

C86-065 Unsteady Transonic Flow Calculations for Interfering Lifting Surface Configurations. John T. Batina, *NASA Langley Research Center* (23, 5, p. 422) Article based on AIAA Paper 85-1711

C86-066 A New Approach to Durability Prediction for Fuel Tank Skins. M. A. Ferman, W. H. Unger and C. R. Saff, *McDonnell Aircraft Company*; and M. D. Richardson, *Air Force Wright Aeronautical Laboratory, Wright-Patterson Air Force Base* (23, 5, p. 431) Article based on AIAA Paper 85-0602 CP851

C86-067 Static Strength Analysis of Pin-Loaded Lugs. J. C. Ekvall, *Lockheed-California Company* (23, 5, p. 438) Article

C86-068 Dual-Wing Systems with Decalage Angle Optimization. Kamran Rokhsaz and Bruce P. Selberg, *University of Missouri, Rolla* (23, 5, p. 444) Article based on AIAA Paper 84-2161

C86-069 Canard/Tail Comparison for an Advanced Variable-Sweep-Wing Fighter. Joseph P. Landfield and Dario Rajkovic, *Grumman Corporation* (23, 6, p. 449) Article based on AIAA Paper 84-2401

C86-070 Modeling Wind Tunnel Effects on the Radiation Characteristics of Acoustic Sources. W. Eversman, *University of Missouri, Rolla*; and K. J. Baumeister, *NASA Lewis Research Center* (23, 6, p. 455) Article based on AIAA Paper 84-2364

C86-071 Application of Continuous Vorticity Panels to General Unsteady Incompressible Two-Dimensional Lifting Flows. M. J. Kim and D. T. Mook, *Virginia Polytechnic Institute and State University* (23, 6, p. 464) Article based on AIAA Paper 85-0282

C86-072 Effect of Engine Technology on Advanced Fighter Design and Cost. Otfried Herrmann and Werner Biehl, *Messerschmitt-Boelkow-Blohm GmbH, Federal Republic of Germany* (23, 6, p. 472) Article

C86-073 Design of a Carbon-Fiber-Reinforced Wing for the Alpha-Jet Major Panel Tests. D. Rose and E. Henze, *Dornier GmbH, Federal Republic of Germany*; D. Wurzel and H. Schelling, *Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt e.V., Federal Republic of Germany* (23, 6, p. 477) Article based on AIAA Paper 85-0725 CP851

C86-074 Wake Hazard Alleviation Associated with Roll Oscillations of Wake-Generating Aircraft. Vernon J. Rossow, *NASA Ames Research Center* (23, 6, p. 484) Article based on AIAA Paper 85-1774 CP857

C86-075 Measurement of Ice Growth During Simulated and Natural Icing Conditions Using Ultrasonic Pulse-Echo Techniques. R. John Hansman Jr. and Mark S. Kirby, *Massachusetts Institute of Technology* (23, 6, p. 492) Article based on AIAA Paper 86-0410

C86-076 Lightning Strikes to a NASA Airplane Penetrating Thunderstorms at Low Altitudes. Vladislav Mazur, *National Severe Storms Laboratory*; Bruce D. Fisher, *NASA Langley Research Center*; and John C. Gerlach, *NASA Goddard Space Flight Center* (23, 6, p. 499) Article

C86-077 A Forward-Swept-Wing Fighter Configuration Designed by a Transonic Computational Method. Michael J. Mann and Charles E. Mercer, *NASA Langley Research Center* (23, 6, p. 506) Article based on AIAA Paper 85-4069

C86-078 Application of a Supersonic Euler Code (SWINT) to Wing-Body-Tail Geometries. Jerry M. Allen and James C. Townsend, *NASA Langley Research Center* (23, 6, p. 513) Article based on AIAA Paper 85-1811 CP857

C86-079 Unsteady Flow Around an Ogive Cylinder. Mohamed Gad-el-Hak and Chih-Ming Ho, *Flow Research Company* (23, 6, p. 520) Article based on AIAA Paper 86-0572

C86-080 Response of Composite Material Shallow Arch to Concentrated Load. Eric R. Johnson, *Virginia Polytechnic Institute and State University*; Michael W. Hyer, *University of Maryland*; and Douglas M. Carper, *Pratt and Whitney Aircraft* (23, 6, p. 529) Article based on AIAA Paper 84-0594 CP844

C86-081 Random Vibration Analysis of Stiffened Honeycomb Panels with Beveled Edges. J. Soovere, *Lockheed-California Company* (23, 6, p. 537) Article based on AIAA Paper 85-0603 CP851

C86-082 Rapid Adhesive Bonding of Thermoplastic Composites and Titanium with Thermoplastic Adhesives. Bland A. Stein, William T. Hodges and James R. Tyeryar, *NASA Langley Research Center* (23, 7, p. 545) Synoptic based on AIAA Paper 85-0750 CP851

C86-083 Transonic Aeroelastic Analysis of the B-1 Wing. Guru P. Guruswamy, *Sterling Software/Informatics*; Peter M. Goorjian, *NASA Ames Research Center*; Hiroshi Ide and Gerry D. Miller, *Rockwell International* (23, 7, p. 547) Article based on AIAA Paper 85-0690 CP851

C86-084 Rapid Sizing Method for Airplanes. Jan Roskam, *The University of Kansas* (23, 7, p. 554) Article

C86-085 Propeller-Wing Integration for Minimum Induced Loss. Ilan Kroo, *Stanford University* (23, 7, p. 561) Article based on AIAA Paper 84-2470

C86-086 An Approximate Model of Vortex Decay in the Atmosphere. George C. Greene, *NASA Langley Research Center* (23, 7, p. 566) Article based on AIAA Paper 85-1835 CP857

C86-087 Pressure Loading on Curved Leading Edge Wings in Supersonic Flow. Milton E. Vaughn Jr., *U.S. Army Missile Command*; and John E. Burkhalter, *Auburn University* (23, 7, p. 574) Article

C86-088 Computation of Rotor Blade Flows Using the Euler Equations. B. E. Wake, N. L. Sankar and S. G. Lekoudis, *Georgia Institute of Technology* (23, 7, p. 582) Article based on AIAA Paper 85-5010

C86-089 Buckling, Postbuckling, and Crippling of Shallow-Curved Composite Plates with Edge Stiffeners. Rocky R. Arnold, *Anamet Laboratories Inc.*; S. Y. Yoo, *Hanyang University, Korea*; and J. Mayers, *Stanford University* (23, 7, p. 589) Article based on AIAA Paper 85-0769 CP851

C86-090 Interlaminar Fracture Characteristics of Tougher Thermoset Materials. R. C. Shah, G. Miliziano and A. V. Viswanathan, *Boeing Military Airplane Company* (23, 7, p. 599) Article based on AIAA Paper 85-0609 CP851

C86-091 The Role of Structural and Aerodynamic Damping on the Aeroelastic Behavior of Wings. I. Lottati, *Technion-Israel Institute of Technology* (23, 7, p. 606) Engineering Note

C86-093 Tension Analysis of Stiffened Aircraft Structures. M. Mohaghegh, *Boeing Commercial Airplane Company* (23, 8, p. 609) Synoptic based on AIAA Paper 85-0795 CP851

C86-094 Unsteady Aerodynamic Modeling of a Fighter Wing in Transonic Flow. J. B. Malone, *Lockheed-Georgia Company*; L. N. Sankar, *Georgia Institute of Technology*; and W. A. Sotomayer, *Air Force Wright Aeronautical Laboratories, Wright-Patterson Air Force Base* (23, 8, p. 611) Article based on AIAA Paper 84-1566

C86-095 Karman Vortex Shedding: Friend or Foe of the Structural Dynamicist?. L. E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (23, 8, p. 621) Article based on AIAA Paper 85-0661 CP851

C86-096 Optimal Flight Paths Through Microburst Wind Profiles. Mark L. Psiaki and Robert F. Stengel, *Princeton University* (23, 8, p. 629) Article based on AIAA Paper 85-1833 CP857

C86-097 Vortex-Stretched Flow Around a Cranked Delta Wing. Arthur Rizzi, *FFA, The Aeronautical Research Institute of Sweden*; and Charles J. Purcell, *ETA Systems, Inc.* (23, 8, p. 636) Article based on AIAA Paper 85-4080

C86-098 Aerodynamic Anomalies: Can CFD Prevent or Correct Them? Richard S. Shevell, *Stanford University* (23, 8, p. 641) Article based on AIAA Paper 85-4067

C86-099 Euler Equations Analysis of the Initial Roll-Up of Aircraft Wakes. R. A. Mitcheltree, *North Carolina State University*; R. J. Margason, *NASA Langley Research Center*; and H. A. Hassan, *North Carolina State University* (23, 8, p. 650) Article based on AIAA Paper 86-0078

C86-100 Further Development of the Influence Function Method for Store Aerodynamic Analysis. A. Cenko, *Hofstra University*; R. Meyer and F. Tessitore, *Grumman Aerospace Corporation* (23, 8, p. 656) Article based on AIAA Paper 83-0266

C86-101 Unsteady Transonics of a Wing With Tip Store. Guru P. Guruswamy, *Sterling Software/Informatics*; Peter M. Goorjian and Eugene L. Tu, *NASA Ames Research Center* (23, 8, p. 662) Article based on AIAA Paper 86-0010

C86-102 Body of Revolution Comparisons for Axial- and Surface-Singularity Distributions. Joseph M. D'Sa and Charles Dalton, *University of Houston* (23, 8, p. 669) Engineering Note

C86-103 Aerodynamic Force Calculations of an Elliptical Circulation Control Airfoil. M. Sun, S. I. Pai and I. Chopra, *University of Maryland* (23, 9, p. 673) Article

J86-104 Experimental Investigation of Acoustically Excited Cavity Turbulence in Channel Flow. K. M. M. Alshamani, *University of Technology, Iraq*; J. L. Livesey and F. J. Edwards, *University of Salford, England* (23, 9, p. 681) Article based on AIAA Paper 84-2260

J86-105 Spanwise Variation of Laminar Separation Bubbles on Wings at Low Reynolds Numbers. William G. Bastedo Jr. and Thomas J. Mueller, *University of Notre Dame* (23, 9, p. 687) Article based on AIAA Paper 85-1590

J86-106 Impact of Airfoil Profile on the Supersonic Aerodynamics of Delta Wings. Richard M. Wood and David S. Miller, *NASA Langley Research Center* (23, 9, p. 695) Article based on AIAA Paper 85-4073

J86-107 Turbine Bypass Remote Augmentor Lift System for V/STOL Aircraft. Arthur E. Sheridan, *General Dynamics* (23, 9, p. 703) Article based on AIAA Paper 85-3086

J86-108 Direct-Inverse Transonic Wing Analysis-Design Method with Viscous Interaction. Leland A. Carlson, *Texas A&M University*; and Richard A. Weed, *Lockheed-Georgia Company* (23, 9, p. 711) Article based on AIAA Paper 85-4075

C86-109 Noise and Performance of a Counter-Rotation Propeller. S. Fujii, H. Nishiwaki and K. Takeda, *National Aerospace Laboratory, Tokyo* (23, 9, p. 719) Article

- C86-110 Coordinated Turn Relations: A Graphical Representation.** Charles Libove, *Syracuse University* (23, 9, p. 725) Engineering Note
- C86-111 Aeroelastic Divergence of Trimmed Aircraft.** L. I. T. Niblett, *Royal Aircraft Establishment, England* (23, 9, p. 727) Engineering Note
- C86-112 Dynamic Loads on Twin Jet Exhaust Nozzles Due to Shock Noise.** Thomas D. Norum and John G. Shearin, *NASA Langley Research Center* (23, 9, p. 728) Engineering Note
- C86-113 Visualization of Wing Tip Vortices in Accelerating and Steady Flow.** P. Freymuth, F. Finaish and W. Bank, *University of Colorado* (23, 9, p. 730) Engineering Note based on AIAA Paper 86-1096
- C86-114 Airplane Flight Through Wind-Shear Turbulence.** George Trevino, *Michigan Technological University* (23, 9, p. 733) Engineering Note
- C86-115 Lower-Side Normal Force Characteristics of Delta Wings at Supersonic Speeds.** Erik S. Larson, *FFA, The Aeronautical Research Institute of Sweden* (23, 9, p. 735) Engineering Note
- C86-116 Correlation of Icing Relationships with Airfoil and Rotorcraft Icing Data.** Robert J. Flemming and David A. Lednicer, *United Technologies Corporation* (23, 10, p. 737) Article based on AIAA Paper 85-0337
- C86-117 Mechanical Behavior of 18 Ni 200 Grade Maraging Steel at Cryogenic Temperatures.** John A. Wagner, *NASA Langley Research Center* (23, 10, p. 744) Article based on AIAA Paper 85-0704 CP851
- C86-118 Unsteady Loading on Airfoil Due to Vortices Released Intermittently from Its Surface.** Chuen-Yen Chow and Chyn-Shan Chiu, *University of Colorado* (23, 10, p. 750) Article
- C86-119 Landing Approach Handling Qualities of Transport Aircraft with Relaxed Static Stability.** Knut Wilhelm and Dieter Schafranek, *Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Federal Republic of Germany* (23, 10, p. 756) Article
- C86-120 Experimental Study of Turboshaft Engine Core Noise.** A. Guédel, *Office National d'Etudes et de Recherches Aéropatiales, France*; and A. Farrando, *Turboméca, France* (23, 10, p. 763) Article
- C86-121 Aerodynamic Tradeoff Study of Conventional, Canard, and Trisurface Aircraft Systems.** Bruce P. Selberg and Kamran Rokhsaz, *University of Missouri--Rolla* (23, 10, p. 768) Article based on AIAA Paper 85-4071
- C86-122 Method for Designing Closed Airfoils for Arbitrary Supercritical Speed Distributions.** G. Volpe and R. E. Melnik, *Grumman Corporate Research Center* (23, 10, p. 775) Article based on AIAA Paper 85-5023
- C86-123 Aerodynamic Design Considerations for Efficient High-Lift Supersonic Wings.** David S. Miller and Richard M. Wood, *NASA Langley Research Center* (23, 10, p. 783) Article based on AIAA Paper 85-4076
- C86-124 Experimental Investigation of Apex Fence Flaps on Delta Wings.** Richard A. Wahls, Vess Robert J. and Cary A. Moskovitz, *North Carolina State University* (23, 10, p. 789) Article based on AIAA Paper 85-4055
- C86-127 Performance Augmentation of a 60-Degree Delta Aircraft Configuration by Spanwise Blowing.** A. Segner and M. Salomon, *Technion--Israel Institute of Technology* (23, 11, p. 801) Article
- C86-128 Theoretical Prediction of Roll Moment on Wing-Controlled Missile.** Sadao Akishita and Ryujiro Kurosaki, *Mitsubishi Electric Corporation, Japan*; Kanzo Okada and Tomoji Hirata, *Mitsubishi Research Institute Inc., Japan* (23, 11, p. 808) Article based on AIAA Paper 84-2148
- C86-129 Self-Induced Roll Oscillations Measured on a Delta Wing/Canard Configuration.** Joseph Katz, *San Diego State University*; and Daniel Levin, *Technion R&D Foundation, Israel* (23, 11, p. 814) Article based on AIAA Paper 85-1830 CP857
- C86-130 Density Stratification Effects on Wake Vortex Decay.** Dan H. Neuhaert, George C. Greene, Dale R. Satran and G. Thomas Holbrook, *NASA Langley Research Center* (23, 11, p. 820) Article based on AIAA Paper 85-0050
- C86-131 Fighter Evasive Maneuvers Against Proportional Navigation Missile.** Fumiaki Imado and Susumu Miwa, *Mitsubishi Electric Corporation, Japan* (23, 11, p. 825) Article
- C86-132 Nonlinear Aerodynamics of a Two-Dimensional Membrane Airfoil with Separation.** G. de Matteis and L. de Socio, *Università La Sapienza, Italy* (23, 11, p. 831) Article
- C86-133 Transonic Separated Solutions for an Augmentor Wing.** Jolen Flores and William R. Van Dalsem, *NASA Ames Research Center* (23, 11, p. 837) Article based on AIAA Paper 85-5004
- C86-134 Measurement and Prediction of Model-Rotor Flowfields.** F. Kevin Owen and Michael E. Tauber, *NASA Ames Research Center* (23, 11, p. 843) Article based on AIAA Paper 85-1558
- C86-135 ADAM, An Aeroservoelastic Analysis Method for Analog or Digital Systems.** Thomas Noll, Maxwell Blair and John Cerra, *Air Force Wright Aeronautical Laboratories, Wright-Patterson Air Force Base* (23, 11, p. 852) Article based on AIAA Paper 85-3090
- C86-136 Equivalent Plate Analysis of Aircraft Wing Box Structures with General Planform Geometry.** Gary L. Giles, *NASA Langley Research Center* (23, 11, p. 859) Article based on AIAA Paper 86-0940 CP863
- C86-137 Circulation Control Airfoils as Applied to Rotary-Wing Aircraft.** N. J. Wood, *Stanford University*; and Jack N. Nielsen, *NASA Ames Research Center* (23, 12, p. 865) Survey Paper
- C86-138 Design and Development of a Power Takeoff Shaft.** Domenick J. Gargiulo, *Grumman Aerospace Corporation* (23, 12, p. 876) Article based on AIAA Paper 85-4045
- C86-139 Navier-Stokes Solution for a Complete Re-Entry Configuration.** J. S. Shang and S. J. Scherr, *Air Force Wright Aeronautical Laboratories, Wright-Patterson Air Force Base* (23, 12, p. 881) Article based on AIAA Paper 85-1509
- C86-140 Dynamic Support Interference in High-Alpha Testing.** L. E. Ericsson and J. P. Reding, *Lockheed Missiles & Space Company, Inc.* (23, 12, p. 889) Article based on AIAA Paper 86-0760 CP861

C86-141 Unsteady Transonic Flow Calculations for Wing/Fuselage Configurations. John T. Batina, *NASA Langley Research Center* (23, 12, p. 897) Article based on AIAA Paper 86-0862 CP863

C86-142 Exploratory Flutter Test in a Cryogenic Wind Tunnel. Stanley R. Cole, *NASA Langley Research Center* (23, 12, p. 904) Article based on AIAA Paper 85-0736 CP851

C86-143 Shear Buckling of Composite Cylindrical Panels Considering Material Degradation. A. D. Straw and A. N. Palazotto, *Air Force Institute of Technology, Wright-Patterson Air Force Base* (23, 12, p. 912) Engineering Note based on AIAA Paper 86-0879 CP863

C86-144 Full-Potential Circular Wake Solution of a Twisted Rotor Blade in Hover. Hans R. Aggarwal, *Helicopter Aerodynamics and Noise* (23, 12, p. 914) Engineering Note

From the AIAA Progress in Astronautics and Aeronautics Series . . .

TRANSONIC AERODYNAMICS—v. 81

Edited by David Nixon, Nielsen Engineering & Research, Inc.

Forty years ago in the early 1940s the advent of high-performance military aircraft that could reach transonic speeds in a dive led to a concentration of research effort, experimental and theoretical, in transonic flow. For a variety of reasons, fundamental progress was slow until the availability of large computers in the late 1960s initiated the present resurgence of interest in the topic. Since that time, prediction methods have developed rapidly and, together with the impetus given by the fuel shortage and the high cost of fuel to the evolution of energy-efficient aircraft, have led to major advances in the understanding of the physical nature of transonic flow. In spite of this growth in knowledge, no book has appeared that treats the advances of the past decade, even in the limited field of steady-state flows. A major feature of the present book is the balance in presentation between theory and numerical analyses on the one hand and the case studies of application to practical aerodynamic design problems in the aviation industry on the other.

Published in 1982, 669 pp., 6×9, illus., \$45.00 Mem., \$75.00 List

TO ORDER WRITE: Publications Dept., AIAA, 1633 Broadway, New York, N.Y. 10019