

# Chronological Index

- C86-091 The Role of Structural and Aerodynamic Damping on the Aeroelastic Behavior of Wings.** I. Lottati, *Technion-Israel Institute of Technology* (23, 7, p. 606) Engineering Note Reply (25, 3, p. 288)
- C86-094 Unsteady Aerodynamic Modeling of a Fighter Wing in Transonic Flow.** J. B. Malone, *Lockheed-Georgia Company*; L. N. Sankar, *Georgia Institute of Technology*; and W. A. Sotomayer, *Air Force Wright Aeronautical Laboratories, Wright-Patterson Air Force Base* (23, 8, p. 611) Article based on AIAA Paper 84-1566  
Technical Comment by William P. Rodden, *La Cañada* (25, 3, p. 286)
- C87-069 Aeroelastic Oscillations Caused by Transitional Boundary Layers and Their Attenuation.** D. G. Mabey, P. R. Ashill and B. L. Welsh, *Royal Aircraft Establishment, England* (24, 7, p. 463) Article  
Technical Comment by L. E. Ericsson, *Lockheed Missiles & Space Company* (25, 10, p. 975)
- C87-072 Residual Stresses in 2024-T81 Aluminum Using Caustics and Moiré Interferometry.** Basil P. Leftheris and Robert Schwarz, *Grumman Corporate Research Center* (24, 7, p. 474) Engineering Note  
Technical Comment by Michael A. Landy, *Fatigue Technology, Inc.* (25, 7, p. 671)
- C88-001 Progress in Analysis and Prediction of Dynamic Stall.** Lawrence W. Carr, *NASA Ames Research Center* (25, 1, p. 6) Survey Paper based on AIAA Paper 85-1769 CP857
- C88-002 Effect of Wing/Canard Interference on the Loading of a Delta Wing.** J. Er-El, *Technion-Israel Institute of Technology* (25, 1, p. 18) Article
- C88-003 Efficient Method for Computing Unsteady Transonic Aerodynamics of Swept Wings with Control Surfaces.** D. D. Liu and Y. F. Kao, *Arizona State University*; and K. Y. Fung, *University of Arizona* (25, 1, p. 25) Article based on AIAA Paper 85-4058
- C88-004 Analysis of Strake-Slender-Wing Configurations Using Slender-Wing Theory.** J. Krispin and H. Portnoy, *Technion-Israel Institute of Technology* (25, 1, p. 32) Article
- C88-005 Static Test of an Ultralight Airplane.** Howard W. Smith, *University of Kansas* (25, 1, p. 37) Article based on AIAA Paper 86-2600
- C88-006 Analysis of Samara-Wing Decelerator Steady-State Characteristics.** Peter Crimi, *Textron Defense Systems* (25, 1, p. 41) Article
- C88-007 Control and Use of Residual Stresses in Aircraft Structural Parts.** Bernt Jaensson and Sven-Erik Larsson, *Saab-Scania AB, Sweden* (25, 1, p. 48) Article
- C88-008 Fair Weather Convection and Light Aircraft, Helicopter, and Glider Accidents.** Kevin T. Spillane and G. Dale Hess, *Bureau of Meteorology, Australia* (25, 1, p. 55) Article
- C88-009 Spectral Characteristics of Rotor Blade/Vortex Interaction Noise.** Ruth M. Martin and Jay C. Hardin, *NASA Langley Research Center* (25, 1, p. 62) Article based on AIAA Paper 87-0251
- C88-010 Force and Pressure Study of Thick Cambered/Twisted 58 deg Delta Wings.** Julio Chu and John E. Lamar, *NASA Langley Research Center* (25, 1, p. 69) Article based on AIAA Paper 86-0169
- C88-011 Integrated Aeroservoelastic Tailoring of Lifting Surfaces.** Thomas A. Zeiler, *PRC Kentron, Inc.*; and Terrence A. Weisshaar, *Purdue University* (25, 1, p. 76) Article based on AIAA Paper 86-1005 CP863
- C88-012 Topics in Landing Gear Dynamics Research at NASA Langley.** Harvey G. McComb Jr. and John A. Tanner, *NASA Langley Research Center* (25, 1, p. 84) Article
- C88-013 Modeling Effects on the Prediction of Aerodynamic Performance of Double-Delta Wing.** C. S. Reddy, *State University of New York* (25, 1, p. 94) Engineering Note
- C88-014 Analysis of Wing Flap Configurations by a Nonplanar Vortex Lattice Method.** B. Rajeswari and H. N. V. Dutt, *National Aeronautical Laboratory, India* (25, 2, p. 97) Synoptic
- C88-015 Risk Analysis Approach to Transport Aircraft Technology Assessment.** Robert G. Batson, *University of Alabama*; and Robert M. Love, *Lockheed-Georgia Company* (25, 2, p. 99) Article
- C88-016 Experimental Study of Three-Lifting-Surface Configuration.** C. Ostowari and D. Naik, *Texas A&M University* (25, 2, p. 106) Article
- C88-017 In-Flight Flow Visualization of F-106B Leading-Edge Vortex Using the Vapor-Screen Technique.** J. E. Lamar, R. A. Bruce, J. D. Pride Jr., R. H. Smith and P. W. Brown, *NASA Langley Research Center*; and T. D. Johnson Jr., *PRC Kentron, Inc.* (25, 2, p. 113) Article based on AIAA Paper 86-9785 Errata (25, 5, p. 480)
- C88-018 Improved Exponential Time Series Approximation of Unsteady Aerodynamic Operators.** Lee D. Peterson and Edward F. Crawley, *Massachusetts Institute of Technology* (25, 2, p. 121) Article based on AIAA Paper 85-0663 CP851
- C88-019 Free-Vortex Flow Simulation Using a Three-Dimensional Euler Aerodynamic Method.** P. Raj, J. S. Sikora and J. M. Keen, *Lockheed-California Company* (25, 2, p. 128) Article
- C88-020 Fatigue Crack Growth Predictions in Aramid Reinforced Aluminum Laminates (ARALL).** R. Marissen, *DFVLR, FRG* (25, 2, p. 135) Article
- C88-021 Potential Application of Advanced Propulsion Systems to Civil Aircraft.** Alan Blythe, *British Aerospace, England, UK* (25, 2, p. 141) Article
- C88-022 F-111 Generic Weapons Bay Acoustic Environment.** Leonard Shaw, Rodney Clark and Dick Talmadge, *Wright-Patterson AFB* (25, 2, p. 147) Article based on AIAA Paper 87-0168
- C88-023 High-Speed Propeller Noise Predictions: Effects of Boundary Conditions Used in Blade Loading Calculations.** M. Nallasamy, *Sverdrup Technology, Inc.*; B. J. Clark and J. F. Groeneweg, *NASA Lewis Research Center* (25, 2, p. 154) Article based on AIAA Paper 87-0525
- C88-024 Fluid Dynamics of Airfoils with Moving Surface Boundary-Layer Control.** F. Mokhtarian and V. J. Modi, *University of British Columbia, Canada* (25, 2, p. 163) Article based on AIAA Paper 86-2184 CP868
- C88-025 Langley Advanced Real-Time Simulation (ARTS) System.** Daniel J. Crawford and Jeff I. Cleveland II, *NASA Langley Research Center* (25, 2, p. 170) Article
- C88-026 Influence of Support Oscillation in Dynamic Stability Tests.** Martin E. Beyers, *National Research Council of Canada* (25, 2, p. 178) Article
- C88-027 Effect of Bolt Load Proportioning on the Capacity of Multiple-Bolt Composite Joints.** M. W. Hyer, *University of Maryland*; and P. A. Chastain, *Aerojet Solid Propulsion Company* (25, 2, p. 184) Article based on AIAA Paper 86-0824
- C88-028 Active Control of Asymmetric Forces at High Incidence.** Yang Yongnian, Yu Xinzhi, Li Jianying and Wang Zongdong, *Northwestern Polytechnical University, China* (25, 2, p. 190) Engineering Note
- C88-029 Numerical Analysis of an NACA 0012 Airfoil with Leading-Edge Ice Accretions.** Mark G. Potapczuk, *University of Akron* (25, 3, p. 193) Synoptic based on AIAA Paper 87-0101
- C88-030 Experimental Examination of the Leading-Edge Suction Analogy.** Joseph Er-El and Zohar Yitzhak, *Technion-Israel Institute of Technology* (25, 3, p. 195) Article
- C88-031 Influence of the Aspect Ratio on the Aerodynamics of the Delta Wing at High Angle of Attack.** Y. Zohar and J. Er-El, *Technion-Israel Institute of Technology* (25, 3, p. 200) Article

- C88-032 F-16XL Demonstrates New Capabilities in Flight Test at Edwards Air Force Base.** Patrick K. Talty and Donald J. Caughlin, *Air Force Flight Test Center, Edwards AFB* (25, 3, p. 206) Article
- C88-033 Aircraft Dynamic Response to Variable Wing Sweep Geometry.** Jiguang An, Ming Yan, Wenbo Zhou, Xianghai Sun, and Zhen Yan, *Shanghai Jiao Tong University, China*; and Chuanren Qui, *Shanghai Aircraft Company, China* (25, 3, p. 216) Article based on AIAA Paper 86-2234 CP868
- C88-034 Review of Liquid-Cooled Aircraft Engine Installation Aerodynamics.** S. J. Miley, *Texas A&M University* (25, 3, p. 222) Article based on AIAA Paper 86-2587
- C88-035 New Panel Method for Supersonic Flows About Arbitrary Configurations.** Yuicki Maruyama, Sadao Akishita and Akihito Nakamura, *Mitsubishi Electric Corporation, Japan* (25, 3, p. 229) Article based on AIAA Paper 86-2181 CP868
- C88-036 Control of Vortical Lift on Delta Wings by Tangential Leading-Edge Blowing.** N. J. Wood and L. Roberts, *Stanford University* (25, 3, p. 236) Article based on AIAA Paper 87-0158
- C88-037 Effects of Aspect Ratio and Sidewall Boundary-Layer in Airfoil Testing.** A. V. Murthy, *Old Dominion University Research Foundation* (25, 3, p. 244) Article based on AIAA Paper 87-0295
- C88-038 Velocity Field of a Lifting Rotor Blade in Hover.** N. M. Komerath, T. L. Thompson, O. J. Kwon and R. B. Gray, *Georgia Institute of Technology* (25, 3, p. 250) Article
- C88-039 Passive Devices for Axisymmetric Base Drag Reduction at Transonic Speeds.** P. R. Viswanath, *National Aeronautical Laboratory, India* (25, 3, p. 258) Article
- C88-040 Computational Transonic Flutter Boundary Tracking Procedure.** John W. Gallman, *Purdue University*; John T. Batina, *NASA Langley Research Center*; and T. Y. Yang, *Purdue University* (25, 3, p. 263) Article based on AIAA Paper 86-0902 CP863
- C88-041 Aeroelastic Tailoring of a Composite Wing with a Decoupler Pylon as a Wing/Store Flutter Suppressor.** I. Lottati, *Technion--Israel Institute of Technology* (25, 3, p. 271) Article
- C88-042 Rain Simulation Studies for High-Intensity Acoustic Nose Cavities.** R. M. Clayton, Y. I. Cho, P. Shakkottai and L. H. Back, *Jet Propulsion Laboratory, California Institute of Technology* (25, 3, p. 281) Engineering Note
- C88-043 Effect of Density Ratio on Binary Wing Flutter.** L. T. Niblett, *Royal Aircraft Establishment, England, UK* (25, 3, p. 284) Engineering Note
- C88-046 Stability of Airplanes in Ground Effect.** R. W. Staufenbiel and U.-J. Schlichting, *Technical University Aachen, FRG* (25, 4, p. 289) Article
- C88-047 Low-Speed Aerodynamics of Apex Fences on a Tailless Delta Configuration.** Keith D. Hoffler and Dhanvada M. Rao, *Vigyan Research Associates, Inc.*; and Mark C. Frassinelli, *AFWAL/FIMM, Wright-Patterson AFB* (25, 4, p. 295) Article based on AIAA Paper 86-1838 CP865
- C88-048 Unsteady Low-Speed Aerodynamic Model for Complete Aircraft Configurations.** Joseph Katz, *NASA Ames Research Center*; and Brian Maskew, *Analytical Methods, Inc.* (25, 4, p. 302) Article based on AIAA Paper 86-2180 CP868
- C88-049 Lift Modulation with Lateral Wing-Tip Blowing.** D. A. Tavella, N. J. Wood, C. S. Lee and L. Roberts, *Stanford University* (25, 4, p. 311) Article
- C88-050 Aerodynamic Characteristics and Flow Round Cross Parachutes in Steady Motion.** C. Q. Shen and D. J. Cockrell, *University of Leicester, England, UK* (25, 4, p. 317) Article based on AIAA Paper 86-2458 CP8610
- C88-051 Further Development of Pneumatic Thrust-Deflecting Powered-Lift Systems.** Robert J. Englar, *Lockheed-Georgia Company* (25, 4, p. 324) Article based on AIAA Paper 87-0005
- C88-052 Flow-Around Airfoils with Blunt, Round, and Sharp Trailing Edges.** B. E. Thompson, *Scientific Research Associates, Inc.*; and J. H. Whitelaw, *Imperial College of Science and Technology, England, UK* (25, 4, p. 334) Article based on AIAA Paper 87-0460
- C88-053 Modeling of Surface Blowing as an Anti-icing Technique for Aircraft Surfaces.** A. H. Tabrizi, *Indiana Institute of Technology*; and E. G. Keshock, *University of Tennessee* (25, 4, p. 343) Article based on AIAA Paper 87-0026
- C88-054 Effects of Surface Roughness on Two Shuttle Orbiter Models.** George M. Ware and Bernard Spencer Jr., *NASA Langley Research Center* (25, 4, p. 349) Article based on AIAA Paper 86-1800 CP865
- C88-055 Thermal Environment of Transatmospheric Vehicles.** Michael E. Tauber, *NASA Ames Research Center*; and Henry G. Adelman, *Eloret Institute* (25, 4, p. 355) Article based on AIAA Paper 87-1514
- C88-056 General Formulation for the Aeroelastic Divergence of Composite Swept-Forward Wing Structures.** L. Librescu, *Virginia Polytechnic Institute and State University*; and J. Simovich, *Tel-Aviv University, Israel* (25, 4, p. 364) Article
- C88-057 Buckling and Failure of Sandwich Plates with Graphite-Epoxy Faces and Various Cores.** Pierre Minguet, John Dugundji and Paul A. Lagace, *Massachusetts Institute of Technology* (25, 4, p. 372) Article based on AIAA Paper 87-0795 CP872
- C88-058 Stall Margin Indication.** Arthur W. Hoadley, *Western Michigan University*; and Raymond S. VanderBok, *Electronic Systems Development Company* (25, 4, p. 380) Engineering Note based on AIAA Paper 86-2595
- C88-059 Evaluation of Two Singular Integrals from Thin Airfoil Theory.** Rajendra K. Bera, *National Aeronautical Laboratory, India* (25, 4, p. 383) Engineering Note
- C88-060 Review of Unconventional Aircraft Design Concepts.** Roy H. Lange, *Lockheed Aeronautical Systems Company* (25, 5, p. 385) Survey Paper
- C88-061 Flutter Prediction Involving Trailing-Edge Control Surfaces.** M. French, T. Noll, D. Cooley, R. Moore and F. Zapata, *Wright-Patterson AFB* (25, 5, p. 393) Synoptic based on AIAA Paper 87-0909 CP873
- C88-062 Two Complementary Approaches to Transonic Potential Flow About Oscillating Airfoils.** H. Schippers and M. H. L. Hounjet, *National Aerospace Laboratory, The Netherlands* (25, 5, p. 395) Article based on AIAA Paper 86-1821
- C88-063 Aerodynamics and Radar Signature: A Combination of Theoretical Methods.** Stephen M. Hitzel, *Dornier GmbH, FRG* (25, 5, p. 399) Article based on AIAA Paper 86-1770 CP865
- C88-064 Comparison of Experimental and Numerical Results for Delta Wings with Vortex Flaps.** Kenneth G. Powell and Earl L. Murman, *Massachusetts Institute of Technology*; Richard M. Wood and David S. Miller, *NASA Langley Research Center* (25, 5, p. 405) Article based on AIAA Paper 86-1840 CP865
- C88-065 Insights from Linear Predictions of Aircraft Response to Damaged Airfields.** James J. Olsen, *Flight Dynamics Laboratory, Wright-Patterson AFB* (25, 5, p. 413) Article
- C88-066 Prediction of Helicopter Rotor Discrete Frequency Noise for Three Scale Models.** Kenneth S. Brentner, *NASA Langley Research Center* (25, 5, p. 420) Article based on AIAA Paper 87-0252
- C88-067 Prediction of Propfan Noise by a Frequency-Domain Scheme.** H. Gounet and S. Lewy, *Office National d'Etudes et de Recherches Aéronautiques, Châtillon, France* (25, 5, p. 428) Article
- C88-068 Euler Calculations for Wing-Alone Configuration.** S. Y. Ruo, *Lockheed-Georgia Company*; and L. N. Sankar, *Georgia Institute of Technology* (25, 5, p. 436) Article based on AIAA Paper 87-0108
- C88-069 Computation of Vortical Interaction for a Sharp-Edged Double-Delta Wing.** P.-M. Hartwich, *Vigyan Research Associates, Inc.*; and C.-H. Hsu, *NASA Langley Research Center* (25, 5, p. 442) Article based on AIAA Paper 87-0206

- C88-070 Use, Nonuse, and Abuse of Weather Radar.** Edwin Kessler, *University of Oklahoma* (25, 5, p. 448) Article based on AIAA Paper 87-0441
- C88-071 Evaluation of Methods for Predicting Complex Aircraft Flowfields.** A. Cenko, *U. S. Naval Air Development Center*; and F. Tessitore, *Grumman Aerospace Corporation* (25, 5, p. 453) Article based on AIAA Paper 86-0396
- C88-072 Methodology for Analysis of Afterbodies for Three-Dimensional Aircraft Configurations.** Eugene H. Miller, *Grumman Aircraft Systems* (25, 5, p. 459) Article
- C88-073 Helicopter Transmission Fatigue Life Estimation.** K. F. Fraser and C. N. King, *Defence Science and Technology Organization, Australia* (25, 5, p. 465) Article based on AIAA Paper 86-2692
- C88-074 Calculation of Lift-Curve Slope Using a Wing Tip Biased Vortex Distribution.** James D. Lowe, *Institute for Aerospace Studies, Canada* (25, 5, p. 472) Engineering Note
- C88-075 Flutter Modes of High Aspect Ratio Tailless Aircraft.** J. R. Banerjee, *The City University, England, UK* (25, 5, p. 473) Engineering Note
- C88-076 Spanwise Displacement of a Line Vortex Above a Wing-A Simple Calculation Scheme.** Yungui Jung and Donald D. Seath, *University of Texas at Arlington* (25, 5, p. 476) Engineering Note
- C88-077 Divergence Study of a High-Aspect-Ratio, Forward Swept Wing.** Stanley R. Cole, *NASA Langley Research Center* (25, 5, p. 478) Engineering Note based on AIAA Paper 86-0009
- C88-079 Research on Aircraft/Vortex-Wake Interactions to Determine Acceptable Level of Wake Intensity.** Vernon J. Rossow and Bruce E. Tining, *NASA Ames Research Center* (25, 6, p. 481) Survey Paper
- C88-080 Sublimating Chemical Technique for Boundary-Layer Flow Visualization in Flight Testing.** Clifford J. Obara, *PRC Kentron, Inc.* (25, 6, p. 493) Article based on AIAA Paper 85-2413
- C88-081 Electro-Impulse Deicing of the NASA Lewis Altitude Wind Tunnel Turning Vanes.** Richard Ross, *Ross Aviation Associates* (25, 6, p. 499) Article
- C88-082 Design of a Supercritical Airfoil.** Z. Y. Zhang, *Northwestern Polytechnical University, China*; B. Laschka, *Technical University of Munich, FRG*; and X. T. Yang, *Northwestern Polytechnical University, China* (25, 6, p. 503) Article
- C88-083 Oscillating Wings and Bodies with Flexure in Supersonic Flow.** D. D. Liu, P. Garcia-Fogeda and P. C. Chen, *Arizona State University* (25, 6, p. 507) Article
- C88-084 Flight Simulation of a Wide-Body Transport Aircraft to Evaluate MLS-RNAV Procedures.** James R. Branstetter, *Federal Aviation Administration Field Office*; Jacob A. Houck, *NASA Langley Research Center*; and Arlene D. Guenther, *Unisys Corporation* (25, 6, p. 515) Article
- C88-085 Lift of Delta Wings with Leading-Edge Blowing.** D. A. Tavella, *Stanford University* (25, 6, p. 522) Article based on AIAA Paper 86-2230 CP867
- C88-086 Classifying and Forecasting Microburst Activity in the Denver, Colorado, Area.** Fernando Caracena, *National Oceanic and Atmospheric Administration*; and John A. Flueck, *University of Colorado* (25, 6, p. 525) Article based on AIAA Paper 87-0443
- C88-087 In-Flight Measurement of Airfoil Icing Using an Array of Ultrasonic Transducers.** R. John Hansman Jr. and Mark S. Kirby, *Massachusetts Institute of Technology*; Robert C. McKnight, *NASA Lewis Research Center*; and Robert L. Humes, *Calspan Corporation, Arnold Air Force Station* (25, 6, p. 531) Article based on AIAA Paper 87-0178
- C88-088 Efficient Sizing of Cargo Rotorcraft.** Wilfried H. Meier and John R. Olson, *United Technologies Corporation* (25, 6, p. 538) Article based on AIAA Paper 86-2677
- C88-089 Computation of Transonic Aerodynamically Compensating Pitot Tube.** Shijun Luo and Yun Bao, *Northwestern Polytechnical University, China* (25, 6, p. 544) Article based on AIAA Paper 87-2613 CP875
- C88-090 Airfoil Dynamic Stall at Constant Pitch Rate and High Reynolds Number.** Peter F. Lorber and Franklin O. Carta, *United Technologies Research Center* (25, 6, p. 548) Article
- C88-091 Exploratory Evaluation of Moving-Model Technique for Measurement of Dynamic Ground Effects.** Guy T. Kemmerly and John W. Paulson Jr., *NASA Langley Research Center*; and Michael Compton, *Air Force Wright Aeronautical Laboratory, Wright-Patterson AFB* (25, 6, p. 557) Article based on AIAA Paper 87-1924
- C88-092 Flight Dynamics of Aeroelastic Vehicles.** Martin R. Waszak and David K. Schmidt, *Purdue University* (25, 6, p. 563) Article based on AIAA Paper 86-2077 CP868
- C88-093 OPSGER: Computer Code for Multiconstraint Wing Optimization.** S. C. Gupta, *Institute of Armament Technology, India* (25, 6, p. 572) Engineering Note
- C88-094 Preliminary Weight Estimation of Conventional and Joined Wings Using Equivalent Beam Models.** Prabhat Hajela, *University of Florida*; and Jahau Lewis Chen, *National Cheng Kung University, ROC* (25, 6, p. 574) Engineering Note
- C88-095 Flight-Test Determination of Aircraft Cruise Characteristics Using Acceleration and Deceleration Techniques.** T. R. Yechout, *U. S. Air Force Academy* (25, 7, p. 577) Article
- C88-096 Investigations on High Reynolds Number Laminar Flow Airfoils.** G. Redeker, K. H. Horstmann, H. Köster and A. Quast, *German Aerospace Research Establishment (DFVLR), FRG* (25, 7, p. 583) Article
- C88-097 Experimental Study of Effects of Forebody Geometry on High Angle-of-Attack Stability.** Jay M. Brandon and Luat T. Nguyen, *NASA Langley Research Center* (25, 7, p. 591) Article based on AIAA Paper 86-0331
- C88-098 Efficient Algorithm for Solution of the Unsteady Transonic Small-Disturbance Equation.** John T. Batina, *NASA Langley Research Center* (25, 7, p. 598) Article based on AIAA Paper 87-0109
- C88-099 Wing Laminar Boundary Layer in the Presence of a Propeller Slipstream.** Stan J. Miley, *Texas A&M University*; Richard M. Howard, *U. S. Naval Postgraduate School*; and Bruce J. Holmes, *NASA Langley Research Center* (25, 7, p. 606) Article
- C88-100 Boundary-Layer Measurements on an Airfoil at Low Reynolds Numbers.** M. Brendel and T. J. Mueller, *University of Notre Dame* (25, 7, p. 612) Article based on AIAA Paper 87-0495
- C88-101 Optimization of the Conceptual Design and Mission Profiles of Short-Haul Aircraft.** Dimitri Simos and Lloyd R. Jenkinson, *Loughborough University of Technology, England, UK* (25, 7, p. 618) Article based on AIAA Paper 86-2696
- C88-102 Engineering Analysis of Slender-Body Aerodynamics Using Sychev Similarity Parameters.** Michael J. Hemsch, *PRC Aerospace Technologies Division* (25, 7, p. 625) Article based on AIAA Paper 87-0267
- C88-103 Multilevel Decomposition Approach to the Preliminary Sizing of a Transport Aircraft Wing.** Gregory A. Wrenn and Augustine R. Dovi, *PRC Kentron, Inc.* (25, 7, p. 632) Article based on AIAA Paper 87-0714 CP872
- C88-104 Response of Airline Pilots to Variations in Flight Simulator Motion Algorithms.** Lloyd D. Reid and Meyer A. Nahon, *University of Toronto Institute for Aerospace Studies, Canada* (25, 7, p. 639) Article
- C88-105 Correlation and Analysis for SH-2F 101 Rotor.** Fu-Shang Wei and Robert Jones, *Kaman Aerospace Corporation* (25, 7, p. 647) Article based on AIAA Paper 87-0922 CP873
- C88-106 Results of Acoustic Tests of a Prop-Fan Model.** F. B. Metzger and P. C. Brown, *United Technologies Corporation* (25, 7, p. 653) Article
- C88-107 Simulation of a Birdstrike Impact on Aircraft Canopy Material.** T. V. Baughn, *Southern Methodist University*; and L. W. Graham, *General Dynamics* (25, 7, p. 659) Article

- C88-108 Two-Dimensional Model for Airfoil Unsteady Drag Below Stall.** J. G. Leishman, *University of Maryland* (25, 7, p. 665) Engineering Note
- C88-109 Thick Airfoil at Low Reynolds Number and High Incidence.** S. Raghunathan, J. R. Harrison and B. D. Hawkins, *The Queen's University of Belfast, UK* (25, 7, p. 669) Engineering Note  
Reply (25, 7, p. 672)
- C88-112 Transonic Characteristics of a Humped Airfoil.** Tsze C. Tai and Gregory G. Huson, *David Taylor Research Center*; Raymond M. Hicks, *NASA Ames Research Center*; and Gerald M. Gregorek, *Ohio State University* (25, 8, p. 673) Synoptic based on AIAA Paper 87-1239
- C88-113 Incompressible Navier-Stokes Computations for a Round-Edged Double-Delta Wing.** C. -H. Hsu and P. -M. Hartwich, *Vigyan Research Associates, Inc.*; and C. H. Liu, *NASA Langley Research Center* (25, 8, p. 675) Synoptic based on AIAA Paper 87-1341
- C88-114 Transonic Computations About Complex Configurations Using Coupled Inner and Outer Flow Equations.** Uno G. Nävert and Yngve C. -J. Sedin, *SAAB-SCANIA AB, Sweden* (25, 8, p. 677) Article
- C88-115 Numerical Solutions of Induced Velocities by Semi-Infinite Tip Vortex Lines.** Yihwan Danny Chiu and David A. Peters, *Georgia Institute of Technology* (25, 8, p. 684) Article
- C88-116 Control of Autorotational Characteristics of Light-Airplane Fuselages.** B. N. Pamadi, *Indian Institute of Technology, India*; V. Jambunathan, *Indian Institute of Technology, India*; and A. Rahman, *Indian Institute of Technology, India* (25, 8, p. 695) Article based on AIAA Paper 87-0349
- C88-117 Boundary-Layer Transition Effects on Airplane Stability and Control.** C. P. van Dam, *University of California, Davis*; and B. J. Holmes, *NASA Langley Research Center* (25, 8, p. 702) Article based on AIAA Paper 86-2229 CP868
- C88-118 Navier-Stokes Solution to the Flowfield Over Ice Accretion Shapes.** J. N. Scott, W. L. Hankey, F. J. Giessler and T. P. Gielda, *University of Dayton Research Institute* (25, 8, p. 710) Article based on AIAA Paper 87-0099
- C88-119 Method to Optimize Nacelle Shape in a Supersonic Cruise Aircraft.** Reiner Suikat and Saeed Farokhi, *University of Kansas* (25, 8, p. 717) Article based on AIAA Paper 87-2865
- C88-120 Low-Reynolds-Number Airfoil Design for the M.I.T. Daedalus Prototype: A Case Study.** Mark Drela, *Massachusetts Institute of Technology* (25, 8, p. 724) Article
- C88-121 Convergence Schemes for an Adaptive-Wall Wind Tunnel.** Z. Z. Çelik, *Stanford University*; and S. Bodapati, *U. S. Naval Postgraduate School* (25, 8, p. 733) Article based on AIAA Paper 87-1433
- C88-122 Cruise Noise of the 2/9 Scale Model SR-7A Propeller.** James H. Dittmar, *NASA Lewis Research Center*; and David B. Stang, *Sverdrup Technology, Inc.* (25, 8, p. 740) Article based on AIAA Paper 87-2717
- C88-123 Efficient Vibration Mode Analysis of Aircraft with Multiple External Store Configurations.** M. Karpel, *Israel Aircraft Industries* (25, 8, p. 747) Article
- C88-124 Structure-Borne Noise Control for Propeller Aircraft.** James F. Unruh, *Southwest Research Institute* (25, 8, p. 752) Article based on AIAA Paper 87-2680
- C88-125 Prediction of Aircraft-Propeller-Induced, Structure-Borne Interior Noise.** James F. Unruh, *Southwest Research Institute* (25, 8, p. 758) Article based on AIAA Paper 88-0267
- C88-126 Seaplane Takeoff Performance: Using Delta Ratio as a Method of Correlation.** Dale De Remer, *University of North Dakota* (25, 8, p. 765) Engineering Note
- C88-127 GENMAP: Computer Code for Mission Adaptive Profile Generation.** S. C. Gupta, *Institute of Armament Technology, India* (25, 8, p. 766) Engineering Note
- C88-128 Circular Cylinder Response to Kármán Vortex Shedding.** L. E. Ericsson, *Lockheed Missiles & Space Company* (25, 9, p. 769) Article based on AIAA Paper 86-0999 CP863
- C88-129 Effects of Compressibility on Design of Subsonic Fuselages for Natural Laminar Flow.** P. M. H. W. Vijgen, *University of Kansas*; S. S. Dodbele, *Vigyan Research Associates, Inc.*; B. J. Holmes, *NASA Langley Research Center*; and C. P. van Dam, *University of California, Davis* (25, 9, p. 776) Article based on AIAA Paper 86-1825 CP865
- C88-130 F-5E Departure Warning System Algorithm Development and Validation.** J. H. Taylor and A. M. Skow, *Eidetics International, Inc.* (25, 9, p. 783) Article based on AIAA Paper 86-2284 CP867
- C88-131 Static and Dynamic Analysis of Airships.** Jong-ho Woo and V. R. Murthy, *Syracuse University* (25, 9, p. 790) Article
- C88-132 Determination of Nonlinear Aerodynamic Coefficients Using the Estimation-Before-Modeling Method.** Muthuthamby Sri-Jayantha, *IBM Research Division*; and Robert F. Stengel, *Princeton University* (25, 9, p. 796) Article
- C88-133 Combined Translation/Pitch Motion: A New Airfoil Dynamic Stall Simulation.** D. Favier, *Centre National de la Recherche Scientifique, France*; A. Agnes and C. Barbi, *Centre National de la Recherche Scientifique, France*; and C. Maresca, *Centre National de la Recherche Scientifique, France* (25, 9, p. 805) Article based on AIAA Paper 87-1242
- C88-134 Leading-Edge Vortex Dynamics on a Slender Oscillating Wing.** Young-Whoon Jun and Robert C. Nelson, *University of Notre Dame* (25, 9, p. 815) Article based on AIAA Paper 87-0332
- C88-135 Grid Generation and Inviscid Flow Computation About a Cranked-Winged Airplane Geometry.** L. -E. Eriksson, *Old Dominion University*; R. E. Smith, *NASA Langley Research Center*; M. R. Wiese and N. Farr, *Computer Sciences Corporation* (25, 9, p. 820) Article based on AIAA Paper 87-1125
- C88-136 Finned, Multibody Aerodynamic Interference at Transonic Mach Numbers.** Charles J. Cottrell and Lawrence E. Lijewski, *U. S. Air Force Armament Laboratory, Eglin Air Force Base* (25, 9, p. 827) Article based on AIAA Paper 87-2480 CP875
- C88-137 Spur-Type Instability Observed on Numerically Simulated Vortex Filaments.** Vernon J. Rossow, *NASA Ames Research Center* (25, 9, p. 835) Article
- C88-138 Navier-Stokes Simulation for Flow Past an Open Cavity.** Deepak Om, *Boeing Company* (25, 9, p. 842) Article based on AIAA Paper 86-2628
- C88-139 Experimental Aerodynamic Characteristics of an NACA 0012 Airfoil with Simulated Glaze Ice.** M. B. Bragg, *Ohio State University* (25, 9, p. 849) Article
- C88-140 Integrated Aerodynamic/Structural Design of a Sailplane Wing.** B. Grossman, Z. Gurdal, G. J. Strauch, W. M. Eppard and R. T. Haftka, *Virginia Polytechnic Institute and State University* (25, 9, p. 855) Article based on AIAA Paper 86-2623
- C88-141 Simple Model for Predicting Time to Roll Wings Level in the A-7E.** Albert J. DeSanti, *U. S. Naval Weapons Center* (25, 9, p. 861) Engineering Note
- C88-142 Estimation of the Parameters of Convection Dynamics.** G. Dale Hess and Kevin T. Spillane, *BMRC, Bureau of Meteorology, Australia* (25, 9, p. 862) Engineering Note
- C88-143 Navier-Stokes Calculations of Hovering Rotor Flowfields.** G. R. Srinivasan, *JAI Associates, Inc.*; and W. J. McCroskey, *NASA Ames Research Center* (25, 10, p. 865) Article based on AIAA Paper 87-2629 CP876
- C88-144 Transonic Navier-Stokes Solutions for a Fighter-Like Configuration.** Jolen Flores, Steven G. Reznick, Terry L. Holst and Karen Gundy, *NASA Ames Research Center* (25, 10, p. 875) Article based on AIAA Paper 87-0032
- C88-145 Influence of a Floor on Sound Transmission into an Aircraft Fuselage Model.** J. D. Jones, *Purdue University*; and C. R. Fuller, *Virginia Polytechnic Institute and State University* (25, 10, p. 882) Article based on AIAA Paper 86-1936
- C88-146 General Aviation Cost Effectiveness.** Richard E. Etherington, *Gates Learjet Corporation* (25, 10, p. 890) Article based on AIAA Paper 86-2607
- C88-147 Further Comparisons of Interactive Boundary-Layer and Thin-Layer Navier-Stokes Procedures.** K. C. Chang, *Douglas Aircraft Company*; N. Alemdaroglu, *California State*

University; Unmeel Mehta, *NASA Ames Research Center*; and Tuncer Cebeci, *Douglas Aircraft Company* (25, 10, p. 897) Article based on AIAA Paper 87-0430

**C88-148 New Design Procedures Applied to Landing Gear Development.** Jacques Veaux, *Messier-Hispano-Bugatti, France* (25, 10, p. 904) Article

**C88-149 Zonal Grid Generation Method for Complex Configurations.** E. Atta, L. Birckelbaw and K. Hall, *Lockheed-Georgia Company* (25, 10, p. 911) Article based on AIAA Paper 87-0276

**C88-150 Validation of Approximate Indicial Aerodynamic Functions for Two-Dimensional Subsonic Flow.** J. G. Leishman, *University of Maryland* (25, 10, p. 914) Article

**C88-151 Experimental Investigation of a Jet Impinging on a Ground Plane in Crossflow.** J. M. Cimbal, D. R. Stinebring, A. L. Treaster and M. L. Billet, *Pennsylvania State University*; and M. M. Walters, *U. S. Naval Air Development Center* (25, 1, p. 923) Article

**C88-152 Winglets on Low-Aspect-Ratio Wings.** John M. Kuhlman and Paul Liaw, *West Virginia University* (25, 10, p. 932) Article based on AIAA Paper 87-2482 CP875

**C88-153 Acoustic Transmissibility of Advanced Turboprop Aircraft Windows.** Ferdinand W. Grosveld, *Planning Research Corporation* (25, 10, p. 942) Article based on AIAA Paper 87-2662

**C88-154 Static Aeroelastic Characteristics of Circulation Control Wings.** David J. Haas, *David Taylor Research Center*; and Inderjit Chopra, *University of Maryland* (25, 10, p. 948) Article based on AIAA Paper 87-0920 CP873

**C88-155 Unsteady Transonic Aerodynamics and Aeroelastic Calculations at Low-Supersonic Freestreams.** Guru P. Guruswamy, *Sterling Federal Systems, Inc.*; and Peter M. Goorjian, *NASA Ames Research Center* (25, 10, p. 955) Article

**C88-156 Modern Wing Flutter Analysis by Computational Fluid Dynamics Methods.** Herbert J. Cunningham, John T. Batina and Robert M. Bennett, *NASA Langley Research Center* (25, 10, p. 962) Article

**C88-157 Low-Speed Pressure Distribution on Axisymmetric Elliptic-Nosed Bodies.** Erik S. Larson, *FFA, The Aeronautical Research Institute of Sweden* (25, 10, p. 969) Engineering Note

**C88-158 Three-Dimensional Vortex Systems of Finite Wings.** Peter Freymuth, *University of Colorado* (25, 10, p. 971) Engineering Note

**C88-159 Rotating Air Scoop as Airfoil Boundary-Layer Control.** F. Mokhtarian, V. J. Modi and T. Yokomizo, *University of British Columbia, Canada* (25, 10, p. 973) Engineering Note Reply (25, 10, p. 976)

**C88-162 Moving Wall Effects in Unsteady Flow.** L. E. Ericsson, *Lockheed Missiles & Space Company* (25, 11, p. 977) Article based on AIAA Paper 87-0241

**C88-163 Vortex Breakdown Measurements on a 70 Deg Sweepback Delta Wing.** John F. McKernan, Francis M. Payne and Robert C. Nelson, *University of Notre Dame* (25, 11, p. 991) Synoptic based on AIAA Paper 83-2114

**C88-164 Downstream Vorticity Measurements from Ultrasonic Pulses.** Wolfgang Send, *DFVLR-Institute of Aeroelasticity, Göttingen, FRG* (25, 11, p. 993) Synoptic

**C88-165 Performance Prediction Analysis for Fully Deployed Parachute Canopies.** T. Yavuz, *Karadeniz Technical University, Turkey* (25, 11, p. 995) Article

**C88-166 Evaluation of Aluminum-Lithium Alloys in Compression-Stiffened Aircraft Structures.** J. C. Ekvall and D. J. Chellman, *Lockheed Aeronautical Systems Company* (25, 11, p. 1001) Article based on AIAA Paper 87-0785 CP872

**C88-167 Transonic Wing Design Using Inverse Methods in Curvilinear Coordinates.** Thomas A. Gally and Leland A. Carlson, *Texas A&M University* (25, 11, p. 1009) Article based on AIAA Paper 87-2551 CP875

**C88-168 Aerodynamic Characteristics of Rectangular Cross-Sectional Bodies at  $M = 0.85$ .** Asher Sigal, *Technion-Israel Institute of Technology* (25, 11, p. 1018) Article

**C88-169 Design Studies of Primary Aircraft Structures in ARALL Laminates.** Jan Willem Gunnink, *Delft University of*

*Technology, the Netherlands* (25, 11, p. 1023) Article

**C88-170 Flow Unsteadiness Considerations in High-Alpha Testing.** L. E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (25, 11, p. 1033) Article based on AIAA Paper 88-0057

**C88-171 Dynamic Tire/Soil Contact Surface Interaction Model for Aircraft Ground Operations.** W. S. Pi, *Northrop Corporation* (25, 11, p. 1038) Article based on AIAA Paper 85-0708 CP851

**C88-172 New Solution Method for Steady-State Canopy Structural Loads.** W. D. Sundberg, *Sandia National Laboratories* (25, 11, p. 1045) Article based on AIAA Paper 86-2489 CP8610

**C88-173 Coupled Flow, Thermal, and Structural Analysis of Aerodynamically Heated Panels.** Earl A. Thornton, *Old Dominion University*; and Pramote Dechaumphai, *NASA Langley Research Center* (25, 11, p. 1052) Article based on AIAA Paper 87-0701 CP872

**C88-174 Application of Transient Aerodynamics to the Structural Nonlinear Flutter Problem.** L. O. Brase, *McDonnell Aircraft Company*; and W. Eversman, *University of Missouri-Rolla* (25, 11, p. 1060) Article based on AIAA Paper 87-0908 CP873

**C88-175 Method of Cold Smoke Generation for Vortex Core Tagging.** K. D. Visser, R. C. Nelson and T. T. Ng., *University of Notre Dame* (25, 11, p. 1069) Engineering Note

**C88-176 Drag Reduction Factor Due to Ground Effect.** Young B. Suh and Cyrus Ostowari, *Texas A&M University* (25, 11, p. 1071) Engineering Note

**C88-177 Viscous Transonic Airfoil Workshop Compendium of Results.** Terry L. Holst, *NASA Ames Research Center* (25, 12, p. 1073) Survey Paper based on AIAA Paper 87-1460

**C88-178 Takeoff Drag Prediction for Airbus A-300-600 and A310 Compared with Flight Test Results.** B. Haftmann, F.-J. Debbeler and H. Gielen, *Messerschmitt-Bölkow-Blohm GmbH, FRG* (25, 11, p. 1069) Article

**C88-179 Efficient Numerical Simulation of a One-Dimensional Electrothermal Deicer Pad.** R. J. Roelke, *NASA Lewis Research Center*; T. G. Keith Jr., K. J. DeWitt and W. B. Wright, *University of Toledo* (25, 12, p. 1097) Article based on AIAA Paper 87-0024

**C88-180 Navier-Stokes Calculations of Transonic Viscous Flow About Wing/Body Configurations.** J. E. Deese and R. K. Agarwal, *McDonnell Douglas Research Laboratories* (25, 12, p. 1106) Article based on AIAA Paper 87-1200

**C88-181 Visualization and Measurement of the Tip Vortex Core of a Rotor Blade in Hover.** T. L. Thompson, N. M. Komerath and R. B. Gray, *Georgia Institute of Technology* (25, 12, p. 1113) Article

**C88-182 Improved Thin-Airfoil Theory.** M. F. Zedan and K. Abu-Abdou, *King Saud University, Saudi Arabia* (25, 12, p. 1122) Article

**C88-183 Influence Function Method Applications to Tow Target Trajectory Predictions.** C. Henderson, A. Cenko, W. Tseng and R. Llorens, *U. S. Naval Air Development Center*; and G. Clessas, *U. S. Naval Air Systems Command* (25, 12, p. 1129) Article based on AIAA Paper 88-0527

**C88-184 Local Heat-Transfer Characteristics of Glaze-Ice Accretions on an NACA 0012 Airfoil.** M. R. Pais, S. N. Singh and L. Zou, *University of Kentucky* (25, 12, p. 1136) Article

**C88-185 Parametric Weight Evaluation of Joined Wings by Structural Optimization.** Hirokazu Miura and Albert T. Shyu, *NASA Ames Research Center*; and Julian Wolkovitch, *ACA Industries, Inc.* (25, 12, p. 1142) Article based on AIAA Paper 85-0642 CP851

**C88-186 Integrating Nonlinear Aerodynamic and Structural Analysis for a Complete Fighter Configuration.** Kenneth E. Tatum, *Planning Research Corporation*; and Gary L. Giles, *NASA Langley Research Center* (25, 12, p. 1150) Article based on AIAA Paper 87-2863

**C88-187 Laser Sheet Technique for Visualizing a Periodic Rotor Wake.** A. G. Brand and N. M. Komerath, *Georgia Institute of Technology* (25, 7, p. 667) Article