

Chronological Index

C88-056 General Formulation for the Aerodynamic Divergence of Composite Swept-Forward Wing Structures. L. Librescu, *Virginia Polytechnic Institute and State University*; and J. Simovich, *Tel-Aviv University, Israel* (25, 4, p. 364) Article
Technical Comment by William P. Rodden, *La Cañada, California* (26, 7, p. 695)

Reply (26, 7, p. 695)

C88-077 Divergence Study of a High-Aspect-Ratio, Forward Swept Wing. Stanley R. Cole, *NASA Langley Research Center* (25, 5, p. 478) Engineering Note based on AIAA Paper 86-0009

Technical Comment by William P. Rodden, *La Cañada Flintridge* (26, 8, p. 791)

C88-117 Boundary Layer Transition Effects on Airplane Stability and Control. C. P. van Dam, *University of California, Davis*; and B. J. Holmes, *NASA Langley Research Center* (25, 8, p. 702) Article based on AIAA Paper 86-2229 CP868
Errata (26, 1, p. 96)

C89-001 Application of a Full Potential Method to Supersonic Aircraft Design and Analysis. Kenneth B. Walkley and Gregory E. Smith, *Dynamic Engineering Inc.* (26, 1, p. 6) Article

C89-002 Improvements to an Euler Aerodynamic Method for Transonic Flow Analysis. Pradeep Raj and James E. Brennan, *Lockheed Aeronautical Systems Company* (26, 1, p. 13) Article based on AIAA Paper 87-0040

C89-003 Unsteady Transonic Flow Calculations for Realistic Aircraft Configurations. John T. Batina, David A. Seidel, Samuel R. Bland and Robert M. Bennett, *NASA Langley Research Center* (26, 1, p. 21) Article based on AIAA Paper 87-0850 cp872

C89-004 Numerical Study of a Research Circulation Control Airfoil Using Navier-Stokes Methods. George D. Shrewsbury, *Lockheed Aeronautical Systems Company* (26, 1, p. 29) Article based on AIAA Paper 87-0002

C89-005 Analytic Prediction of the Maximum Amplitude of Slender Wing Rock. L. E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (26, 1, p. 35) Article based on AIAA Paper 87-2496 cp876

C89-006 Measurements of Propeller Noise in a Light Turboprop Airplane. J. F. Wilby and E. G. Wilby, *Astron Research and Engineering* (26, 1, p. 40) Article based on AIAA Paper 87-2737

C89-007 Euler Procedure for Three-Dimensional Transonic Wall Interference. Magdi H. Rizk and Donald R. Lovell, *Flow Research Inc.*; and Timothy J. Baker, *Princeton University* (26, 1, p. 48) Article

C89-008 Similarity for High-Angle-of-Attack Subsonic/Transonic Slender-Body Aerodynamics. M. J. Hemsch, *PRC Aerospace Technologies Division* (26, 1, p. 56) Article based on AIAA Paper 88-0216

C89-009 Further Generalization of an Equivalent Plate Representation for Aircraft Structural Analysis. Gary L. Giles, *NASA Langley Research Center* (26, 1, p. 67) Article based on AIAA Paper 87-0721 cp872

C89-010 Supersonic Flutter of Aeroelastically Tailored Oblique

Wings. Terrence A. Weisshaar and Johnathan D. Bohlmann, *Purdue University* (26, 1, p. 75) Article based on AIAA Paper 87-0734 cp872

C89-011 Integrated Aeroservoelastic Analysis Capability with X-29A Comparisons. K. K. Gupta, M. J. Brenner and L. S. Voelker, *NASA Ames Research Center* (26, 1, p. 84) Article based on AIAA Paper 87-0907 cp873

C89-012 Separated Flows Developing Under Increasingly Adverse Pressure Gradients. Jayesh M. Mehta, *Illinois Institute of Technology* (26, 1, p. 91) Engineering Note

C89-013 Self-Preservation of Turbulent Wakes. Jayesh M. Mehta, *Illinois Institute of Technology* (26, 1, p. 93) Engineering Note

C89-015 Local Buckling and Crippling of Thin-Walled Composite Structures Under Axial Compression. A. D. Reddy, L. W. Rehfield and R. I. Bruttomesso, *Georgia Institute of Technology*; and N. E. Krebs, *Sikorsky Aircraft* (26, 2, p. 97) Article based on AIAA Paper 85-0672 cp851

C89-016 Analysis of Windshear from Airline Flight Data. R. E. Bach Jr. and R. C. Wingrove, *NASA Ames Research Center* (26, 2, p. 103) Article based on AIAA Paper 86-2227 cp868

C89-017 Wing Rock Generated by Forebody Vortices. L. E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (26, 2, p. 110) Article based on AIAA Paper 87-0268

C89-018 Real-Time Comparison of X-29A Flight Data and Simulation Data. Jeffrey E. Bauer and David B. Crawford, *Purdue University*; Joseph Gera, *NASA Ames Research Center*; and Dominick Andrisani II, *Purdue University* (26, 2, p. 117) Article based on AIAA Paper 87-0344

C89-019 Dynamic Response of Aircraft Autopilot Systems to Atmospheric Disturbances. R. John Hansman Jr. and James L. Sturdy, *Massachusetts Institute of Technology* (26, 2, p. 124) Article based on AIAA Paper 88-0578

C89-020 Unsteady Transonic Algorithm Improvements for Realistic Aircraft Applications. John T. Batina, *NASA Langley Research Center* (26, 2, p. 131) Article based on AIAA Paper 88-0105

C89-021 Investigation of Surface Water Behavior During Glaze Ice Accretion. R. John Hansman Jr. and Stephen R. Turnock, *Massachusetts Institute of Technology* (26, 2, p. 140) Article based on AIAA Paper 88-0015

C89-022 Design and Experimental Results for a High-Altitude, Long-Endurance Airfoil. Mark D. Maughmer, *Pennsylvania State University*; and Dan M. Somers, *NASA Langley Research Center* (26, 2, p. 148) Article based on AIAA Paper 87-2554 cp875

C89-023 Source Localization Technique for Impulsive Multiple Sources. D. Blacodon and M. Caplot, *Office National d'Etudes et de Recherches Aérospatiales, France*; and G. Elias, *Office National d'Etudes et de Recherches Aérospatiales, France* (26, 2, p. 154) Article

C89-024 Effect of Sidewall Boundary Layer on a Wing in a Wing Tunnel. V. N. Vatsa, *NASA Langley Research Center*; and B. W. Wedan, *Vigyan Research Associates, Inc.* (26, 2, p. 157) Article based on AIAA Paper 88-0102

C89-025 Geometry-Adaptive Surface Grid Generation Using a Parametric Projection. K. D. Lee and J. M. Loellback, *University of Illinois at Urbana-Champaign* (26, 2, p. 162) Article based on AIAA Paper 88-0522

C89-026 Technique for the Prediction of Airfoil Flutter Characteristics in Separated Flow. Jiunn-Chi Wu, *National Central University, Taiwan, ROC*; K. R. V. Kaza, *NASA Lewis Research Center*; and L. N. Sankar, *Georgia Institute of Technology* (26, 2, p. 168) Article based on AIAA Paper 87-0910 cp873

C89-027 Aluminum Quality Breakthrough for Aircraft Structural Reliability. C. R. Owen, *Alcoa Davenport Works*; R. J. Bucci, *Alcoa Laboratories*; and R. J. Kegarise, *Alcoa Davenport Works* (26, 2, p. 178) Article

C89-028 Turbulence Modeling in Separated Flow Behind Strong Shocks. Don W. Kinsey, *Air Force Wright Aeronautical Laboratories, Wright-Patterson AFB*; and F. E. Eastep, *University of Dayton* (26, 2, p. 185) Engineering Note based on AIAA Paper 88-0706

C89-029 Some Implications of Warping Restraint on the Behavior of Composite Anisotropic Beams. Gabriel A. Oyibo, *Polytechnic University* (26, 2, p. 187) Engineering Note based on AIAA Paper 86-1006 cp863

C89-030 Investigation of Internal Singularity Methods for Multielement Airfoils. D. R. Chen and M. J. Sheu, *National Tsing Hua University, Taiwan, ROC* (26, 2, p. 189) Engineering Note

C89-031 Design of a Small Supersonic Oblique-Wing Transport Aircraft. Alexander J. M. van der Velden, *Stanford University*; and Egbert Torenbeek, *Delft University of Technology, the Netherlands* (26, 3, p. 193) Article

C89-032 Development of Flow Structures in the Lee of an Inclined Body of Revolution. K. C. Ward and J. Katz, *Purdue University* (26, 3, p. 198) Article based on AIAA Paper 87-2276 CP875

C89-033 Sheared Wing-Tip Aerodynamics: Wind-Tunnel and Computational Investigation. P. M. H. W. Vijgen, *High Technology Corporation*; C. P. van Dam, *University of California, Davis*; and B. J. Holmes, *NASA Langley Research Center* (26, 3, p. 207) Article based on AIAA Paper 87-2481 CP875

Errata (26, 8, p. 792)

C89-034 Analysis of Wings with Flow Separation. Tuncer Cebeci, *Douglas Aircraft Company*; D. Sedlock, *Air Force Wright Aeronautical Laboratories, Wright-Patterson AFB*; K. C. Chang and R. W. Clark, *Douglas Aircraft Company* (26, 3, p. 214) Article

C89-035 Severe Winds in the Dalls/Ft. Worth Microburst Measured from Two Aircraft. R. C. Wingrove and R. E. Bach Jr., *NASA Ames Research Center* (26, 3, p. 221) Article based on AIAA Paper 87-2340 CP878

C89-036 Trailing-Edge Region of Airfoils. B. E. Thompson, *Scientific Research Associates, Inc.*; and J. H. Whitelaw, *Imperial College of Science and Technology, London, England, UK* (26, 3, p. 225) Article

C89-037 Full-Potential Analysis of a Supersonic Delta

Wing/Body. O. J. Rose, *Planning Research Corporation*; David S. Miller, *NASA Langley Research Center*; James L. Pittman, *NASA Langley Research Center*; P. R. Ashill and J. L. Fulker, *Royal Aircraft Establishment, Bedford, England, UK* (26, 3, p. 235) Article based on AIAA Paper 88-0480

C89-038 Flow Over an Airfoil with Jets. Yuriy A. Krassin, *Moscow, USSR* (26, 3, p. 241) Article

C89-039 Effect of Roughness on Rollup of Tip Vortices on a Rectangular Hydrofoil. J. Katz, *Johns Hopkins University*; and J. Bueno Galdo, *Purdue University* (26, 3, p. 247) Article

C89-040 Nonlinear Aerodynamics of a Delta Wing in Combined Pitch and Roll. J. Er-El, D. Seter and D. Weihs, *Technion-Israel Institute of Technology* (26, 3, p. 254) Article

C89-041 Integrated Design of Structures. O. Sensburg, G. Schmidinger and K. Füllhas, *Messerschmitt-Bölkow-Blohm GmbH, FRG* (26, 3, p. 260) Article

C89-042 Effects of Modal Symmetry on Transonic Aeroelastic Characteristics of Wing-Body Configurations. Guru P. Guruswamy and Eugene L. Tu, *NASA Ames Research Center* (26, 3, p. 271) Article based on AIAA Paper 88-2308 CP882

C89-043 Nonlinear and Snap-Through Responses of Curved Panels to Intense Acoustic Excitation. C. F. Ng, *NASA Langley Research Center* (26, 3, p. 281) Article

C89-044 Strake-Generated Vortex Interactions for a Fighter-Like Configuration. Steven G. Reznick, *U. S. Space Command Headquarters, Peterson AFB*; and Jolen Flores, *NASA Ames Research Center* (26, 4, p. 289) Article based on AIAA Paper 87-0598

C89-045 Simulation of Transonic Viscous Flow over a Fighter-Like Configuration Including Inlet. Jolen Flores, Neal M. Chaderjian and Reese L. Sorenson, *NASA Ames Research Center* (26, 4, p. 295) Article based on AIAA Paper 87-1199

C89-046 Dynamics of Fan-Duct-Plenum Systems in Large-Amplitude Oscillation. H. Matsuo, K. Fujiwara and K. Mashima, *Kumamoto University, Japan*; and K. Matsuo, *Kumamoto Institute of Technology, Japan* (26, 4, p. 302) Article

C89-047 Experimental Investigation of the Flowfield Behind Grid Models. Hiroshi Higuchi, *University of Minnesota* (26, 4, p. 308) Article based on AIAA Paper 86-2460 CP8610

C89-048 Dynamic Model for Real-Time Estimation of Aerodynamic Characteristics. Jiang Quanwei and Chen Qionggang, *China Aerodynamic Research and Development Center* (26, 4, p. 315) Article based on AIAA Paper 86-2224 CP868

C89-049 Gust Load Alleviation of a Transport-Type Wing: Test and Analysis. Y. Matsuzaki, *Nagoya University, Japan*; T. Ueda, Y. Miyazawa and H. Matsushita, *National Aerospace Laboratory, Japan* (26, 4, p. 322) Article based on AIAA Paper 87-0781 CP872

C89-050 Investigation of the Parallel Blade-Vortex Interaction at Low Speed. D. D. Seath, Jai-Moo Kim and D. R. Wilson, *University of Texas at Arlington* (26, 4, p. 328) Article based on AIAA Paper 87-1345

C89-051 Partitioning of Flight Data for Aerodynamic Modeling of Aircraft at High Angles of Attack. James G. Batterson,

NASA Langley Research Center; and Vladislav Klein, *George Washington University* (26, 4, p. 334) Article based on AIAA Paper 87-2621 CP876

C89-052 Velocity Measurements of Airframe Effects on a Rotor in Low-Speed Forward Flight. S. G. Liou, N. M. Komerath and H. M. McMahon, *Georgia Institute of Technology* (27, 4, p. 340) Article based on AIAA Paper 88-0666

C89-053 Integration of Manned Simulation and Flight Test into Operational Testing and Evaluation. M. J. Williams and M. A. Hartford, *McDonnell Douglas Corporation* (26, 4, p. 349) Article based on AIAA Paper 87-2924

C89-054 Surface-Blowing Anti-Icing Technique for Aircraft Surfaces. A. H. Tabrizi, *Indiana Institute of Technology*; and W. S. Johnson, *University of Tennessee* (26, 4, p. 354) Article

C89-055 Algorithms for Aircraft Parameter Estimation Accounting for Process and Measurements Noise. R. V. Jategaonkar and E. Plaetschke, *DFVLR, Institute of Flight Mechanics, FRG* (26, 4, p. 360) Article

C89-056 Flutter of Circulation Control Wings. David J. Haas, *David Taylor Research Center*; and Inderjit Chopra, *University of Maryland* (26, 4, p. 373) Article based on AIAA Paper 88-2345 CP882

C89-057 Statistical-Discrete-Gust Method for Predicting Aircraft Loads and Dynamic Response. J. G. Jones, *Royal Aerospace Establishment, Farnborough, Hampshire, UK* (26, 4, p. 382) Article

C89-058 Effect of Centrifugal Force on Range of the Aero-Space Plane. Charles W. Bert, *University of Oklahoma* (26, 4, p. 393) Engineering Note

C89-059 Optimum Structural Sizing for Gust-Induced Response. P. Hajela and C. T. Bach, *University of Florida* (26, 4, p. 395) Engineering Note based on AIAA Paper 88-2298 CP882

C89-060 Interactive Boundary-Layer Calculations of a Transonic Wing Flow. Kalle Kaups, *Douglas Aircraft Company*; Unmeel Mehta, *NASA Ames Research Center*; and Tuncer Cebeci, *Douglas Aircraft Company* (26, 4, p. 397) Engineering Note

C89-061 Model for Investigation of Helicopter Fuselage Influence on Rotor Flowfields. Omri Rand and Alfred Gessow, *University of Maryland* (26, 5, p. 401) Synoptic

C89-062 Wind-Tunnel Wall Effects on Delta Wings. Neal T. Frink, *NASA Langley Research Center* (26, 5, p. 403) Synoptic based on AIAA Paper 87-2420

C89-063 Experimental Investigation of Electrostatic Fire Accidents After Aircraft Landing and Preventive Measures. Luo Hansheng, *Institute of Air Force, China* (26, 5, p. 405) Article based on AIAA Paper 86-5.7.1

C89-064 Effect of Wing Tip Strakes on Wing Lift-Drag Ratio. En-Chun Ma, *Beijing Institute of Aeronautics and Astronautics* (26, 5, p. 410) Article

C89-065 Numerical Solutions for the Flowfield Around a Counter-Rotating Propeller. Makoto Kobayakawa, *Kyoto University, Japan* (26, 5, p. 417) Article

C89-066 Thunderstorm-Generated Solitary Waves: A Wind Shear Hazard. R. J. Doviak, *National Oceanic and Atmospheric Administration*; and D. R. Christie, *Australian National University, Australia* (26, 5, p. 423) Article based on AIAA Paper 88-0695

C89-067 Determining and Accounting for a Parachute Virtual Mass. T. Yavuz, *Karadeniz Technical University, Turkey* (26, 5, p. 432) Article

C89-068 Results from Laser Sheet Visualization of a Period Rotor Wake. A. Brand, N. Komerath and H. McMahon, *Georgia Institute of Technology* (26, 5, p. 438) Article based on AIAA Paper 88-0192

C89-069 Modeling of Parachute Opening: An Experimental Investigation. Calvin K. Lee, *U. S. Army Natick Research, Development, and Engineering Center* (26, 5, p. 444) Article

C89-070 Euler and Navier-Stokes Leaside Flows over Supersonic Delta Wings. S. N. McMillin and J. L. Thomas, *NASA Langley Research Center*; and E. M. Murman, *Massachusetts Institute of Technology* (26, 5, p. 451) Article based on AIAA Paper 87-2270 CP875

C89-071 Transonic Buffet of a Supercritical Airfoil with Trailing-Edge Flap. B. H. K. Lee and F. C. Tang, *National Research Council, Canada* (26, 5, p. 459) Article

C89-072 Fuel Holdup and Component Diffusivity in a Cooled Cylindrical Tank. Anthony Leo, Ernst von Meerwall and Rick Bruno, *University of Akron*; Dale Schruben and John Joshua, *Texas A&M University* (26, 5, p. 465) Article

C89-073 Calculation of Blade-Vortex Interaction Airloads on Helicopter Rotors. Wayne Johnson, *Johnson Aeronautics* (26, 5, p. 470) Article

C89-074 Fast, In-Situ Repair of Aircraft Panel Components. S. Dehm and D. Wurzel, *German Aerospace Research Establishment (DFVLR)* (26, 5, p. 476) Article based on AIAA Paper 86-4.6.2

C89-075 Aeroelastic Deformation Effects on the Stopped-Rotor Dynamics of an X-Wing Aircraft. Michael G. Gilbert, *NASA Langley Research Center*; and Walter A. Silva, *Planning Research Corporation* (26, 5, p. 482) Article based on AIAA Paper 87-2563 CP876

C89-076 Induced Drag And the Ideal Wake of a Lifting Wing. C. W. McCutchen, *National Institutes of Health* (26, 5, p. 489) Engineering Note

C89-077 Structural Optimization for Aeroelastic Control Effectiveness. M. Karpel and Z. Sheena, *Israel Aircraft Industries* (26, 5, p. 493) Engineering Note

C89-078 Finite-Surface Spline. Kari Appa, *Northrop Corporation* (26, 5, p. 495) Engineering Note

C89-079 Experimental Investigation of Dynamic Ground Effect. Pai-Hung Lee, C. Edward Lan and Vincent U. Muirhead, *University of Kansas* (26, 6, p. 497) Synoptic

C89-080 Color Helium Bubble Flow-Visualization Technique. Zhao Dong, Wang Zhongqi, Zhang Xiaodi, Qin Jialin and Zhang Xianzhong, *Harbin Aerodynamic Research Institute, China* (26, 6, p. 499) Article

C89-081 Influence of Pitching Motion on Subsonic Wing Rock of Slender Delta Wings. J. M. Elzebeda, D. T. Mook and A. H. Nayfeh, *Virginia Polytechnic Institute and State University* (26, 6, p. 503) Article based on AIAA Paper 87-0496

C89-082 Numerical Simulation of the Unsteady Wake Behind an Airfoil. D. T. Mook and S. Roy, *Virginia Polytechnic Institute and State University*; G. Choksi, *Virginia Polytechnic Institute and State University*; and B. Dong, *Virginia Polytechnic Institute and State University* (26, 6, p. 509) Article based on AIAA Paper 87-0190

C89-083 Optimizing Advanced Propeller Designs by Simultaneously Updating Flow Variables and Design Parameters. Magdi H. Rizk, *Flow Research, Inc.* (26, 6, p. 515) Article

C89-084 Effect of Spatial Wind Gradients on Airplane Aerodynamics. Dan D. Vicroy and Roland L. Bowles, *NASA Langley Research Center* (26, 6, p. 523) Article based on AIAA Paper 88-0579

C89-085 Unsteady Transonic Small-Disturbance Theory Including Entropy and Vorticity Effects. John T. Batina, *NASA Langley Research Center* (26, 6, p. 531) Article based on AIAA Paper 88-2278 CP882

C89-086 Effects of Swirl and High Turbulence on a Jet in a Crossflow. M. S. Kavasaoglu and J. A. Schetz, *Virginia Polytechnic Institute and State University* (26, 6, p. 539) Article

C89-087 Electroimpulse Deicing: Electrodynamical Solution by Discrete Elements. W. D. Bernhart and R. L. Schrag, *Wichita State University* (26, 6, p. 547) Article based on AIAA Paper 88-0018

C89-088 Two-Dimensional Simulation of Electrothermal Deicing of Aircraft Components. W. B. Wright, T. G. Keith Jr. and K. J. De Witt, *University of Toledo* (26, 6, p. 554) Article based on AIAA Paper 88-0288

C89-089 High-Speed Propeller Performance and Noise Predictions at Takeoff/Landing Conditions. M. Nallasamy, *Sverdup Technology, Inc.*; R. P. Woodward and J. F. Groeneweg, *NASA Lewis Research Center* (26, 6, p. 563) Article based on AIAA Paper 88-0264

C89-090 Riblet Drag at Flight Conditions. Michael J. Walsh, William L. Sellers III and Catherine B. McGinley, *NASA Langley Research Center* (26, 6, p. 570) Article based on AIAA Paper 88-2554 CP886

C89-091 Buffeting Criteria for a Systematic Series of Wings. D. G. Mabey, *Royal Aircraft Establishment, England, UK* (26, 6, p. 576) Article

C89-092 Wing-Store Flutter Analysis of an Airfoil in Incompressible Flow. Zhi-Chun Yang, *Northwestern Polytechnic University, ROC*; and Ling-Cheng Zhao, *Northwestern Polytechnic University, ROC* (26, 6, p. 583) Article

C89-093 Flutter Analysis of the CF-18 Aircraft at Supersonic Speeds. B. H. K. Lee, *National Research Council, Canada* (26, 6, p. 588) Engineering Note

C89-094 Calculated and Experimental Stresses in Solid and Ring Slot Parachutes. William L. Garrard and Michael L. Konicke, *University of Minnesota* (26, 6, p. 590) Engineering Note based on AIAA Paper 86-2488 CP8610

C89-095 Observation of Airplane Flowfields by Natural Condensation Effects. James F. Campbell, Joseph R. Chambers and Christopher L. Rumsey, *NASA Langley Research Center* (26, 7, p. 593) Synoptic based on AIAA Paper 88-0191

C89-096 Transonic Unsteady Pressure Measurements on a Supercritical Airfoil at High Reynolds Numbers. Robert W. Hess, David A. Seidel, William B. Igoe and Pierce L. Lawing, *NASA Langley Research Center* (26, 7, p. 605) Article based on AIAA Paper 87-0035

C89-097 Cavity Door Effects on Aerodynamic Loads of Stores Separating from Cavities. A. B. Blair Jr. and R. L. Stallings Jr., *NASA Langley Research Center* (26, 7, p. 615) Article based on AIAA Paper 88-0333

C89-098 Validation of Aerodynamic Parameters for High-Incidence Research Models. A. Jean Ross and Geraldine F. Edwards, *Royal Aerospace Establishment, England, UK*; Vladislav Klein, *George Washington University*; and James G. Batterson, *NASA Langley Research Center* (26, 7, p. 621) Article

C89-099 Lifting-Surface Theory for Propfan Vortices Impinging on a Downstream Wing. R. Martinez, *Cambridge Acoustical Associates, Inc.* (26, 7, p. 629) Article based on AIAA Paper 87-2681

C89-100 Numerical Simulation of the Navier-Stokes Equations for an F-16A Configuration. G. W. Huband, D. P. Rizzetta and J. J. S. Shang, *Wright Research and Development Center, Wright-Patterson AFB* (26, 7, p. 634) Article based on AIAA Paper 88-2507 CP886

C89-101 Flow Past Two-Dimensional Ribbon Parachute Models. Hiroshi Higuchi and Fumiyuki Takahashi, *University of Minnesota* (26, 7, p. 641) Article based on AIAA Paper 88-2524 CP886

C89-102 Hypersonic Parabolized Navier-Stokes Code Validation on a Sharp Nose Cone. Lawrence D. Huebner, *Vigyan Research Associates, Inc.*; James L. Pittman, *NASA Langley Research Center*; and Arthur D. Dilley, *Analytical Services and Materials, Inc.* (26, 7, p. 650) Article based on AIAA Paper 88-2566 CP886

C89-103 Investigations on the Vorticity Sheets of a Close-Coupled Delta-Canard Configuration. Hans-Christoph Oelker and Dietrich Hummel, *Technische Universität Braunschweig, FRG* (26, 7, p. 657) Article based on AIAA Paper 88-5.4.1

C89-104 Identification of XV-15 Aeroelastic Modes Using Frequency Sweeps. C. W. Acree Jr., *NASA Ames Research Center*; and Mark B. Tischler, *U. S. Army Aviation Research and Technology Activity* (26, 7, p. 667) Article

C89-105 Experimental Investigation of the Crashworthiness of Scaled Composite Sailplane Fuselages. Karl-Peter Kampf, *Technical University of Braunschweig, FRG*; Edward F. Crawley and R. John Hansman Jr., *Massachusetts Institute of Technology* (26, 7, p. 675) Article

C89-106 Transonic Aeroelasticity of Fighter Wings with Active Control Surfaces. Guru P. Guruswamy and Eugene L. Tu, *NASA Ames Research Center* (26, 7, p. 682) Engineering Note based on AIAA Paper 87-0709 CP872

C89-107 Effects of Contamination on Riblet Performance. Barry

S. Lazos, *NASA Langley Research Center* (26, 7, p. 684) Engineering Note

C89-108 Acceleration Forces Abroad NASA KC-135 Aircraft During Microgravity Maneuvers. Dennis E. Bahr and Robert D. Schulz, *Bahr Technologies, Inc.* (26, 7, p. 687) Engineering Note

C89-109 Numerical Prediction of Aerodynamic Performance for Low Reynolds Number Airfoils. Fie-Bin Hsiao and Cheng-Chaing Hsu, *National Cheng Kung University, Taiwan, ROC* (26, 7, p. 689) Engineering Note based on AIAA Paper 88-2575 CP886

C89-110 Numerical Simulation of Aircraft Rotary Aerodynamics. Joseph Katz, *San Diego State University* (26, 7, p. 692) Engineering Note based on AIAA Paper 88-0399

C89-113 Computational Simulation of Vortex Generator Effects on Transonic Shock/Boundary-Layer Interaction. G. R. Inger and Timothy Siebersma, *Iowa State University* (26, 8, p. 697) Synoptic based on AIAA Paper 88-2590 CP886

C89-114 Three-Surface Aircraft--Optimum vs Typical. Kamran Rokhsaz and Bruce P. Selberg, *University of Missouri--Rolla* (26, 8, p. 699) Article

C89-115 Experimental Investigation of Wing/Fuselage Integration Geometries. M. Maughmer, D. Hallman, R. Ruzkowski, G. Chappel and I. Waitz, *Pennsylvania State University* (26, 8, p. 705) Article based on AIAA Paper 87-2937

C89-116 Shape Sensitivity Analysis of Wing Static Aeroelastic Characteristics. Jean-François M. Barthelemy, *NASA Langley Research Center*; and Fred D. Bergen, *Virginia Polytechnic Institute and State University* (26, 8, p. 712) Article based on AIAA Paper 88-2301 CP882

C89-117 Development of a Versatile Rotation Transformation Algorithm for Automatic Model Attitude Positioning. E. R. Heim and R. W. Hobbs, *Calspan Corporation/AEDC Operations, Arnold AFB* (26, 8, p. 718) Article based on AIAA Paper 88-0056

C89-118 Unsteady Viscous-Inviscid Interaction Procedures for Transonic Airfoils Using Cartesian Grids. Charles C. Fenno Jr., *North Carolina State University*; Perry A. Newman, *NASA Langley Research Center*; and H. A. Hassan, *North Carolina State University* (26, 8, p. 723) Article based on AIAA Paper 88-259 CP886

C89-119 Investigation of the Buffet Characteristics of Two Supercritical Airfoils. B. H. K. Lee, F. A. Ellis and J. Bureau, *National Research Council, Canada* (26, 8, p. 731) Article

C89-120 Development of an Analytical Model of Wing Rock for Slender Delta Wings. J. M. Elzebeda, A. H. Nayfeh and D. T. Mook, *Virginia Polytechnic Institute and State University* (26, 8, p. 737) Article

C89-121 Pronated Escape System (PRESS). Allen D. Disselkoen and Keith H. Heise, *Aeronautical System Division, Wright-Patterson AFB*; and Curtis H. Spenny, *Air Force Institute of Technology, Wright-Patterson AFB* (26, 8, p. 744) Article

C89-122 Multigrid Transonic Computations About Arbitrary

Aircraft Configurations. B. Epstein, A. L. Luntz and A. Nachshon, *Israel Aircraft Industries* (26, 8, p. 751) Article based on AIAA Paper 88-4.7.3

C89-123 Influence Function Method Applications to Cavity Flowfield Predictions. A. Cenko, D. Chen and R. Turzanski, *U. S. Naval Air Development Center* (26, 8, p. 760) Article based on AIAA Paper 89-0477

C89-124 Modifications to Transonic Flow Codes for Unsteady Perturbations Around an Experimental Mean. L. C. Rodman and D. Nixon, *Nielsen Engineering and Research, Inc.*; and L. J. Huttshell, *Air Force Wright Aeronautical Laboratories, Wright-Patterson AFB* (26, 8, p. 765) Article based on AIAA Paper 89-0447

C89-125 Analytical Flutter Investigation of a Composite Propfan Model. K. R. V. Kaza and O. Mehmed, *NASA Lewis Research Center*; G. V. Narayanan, *Sverdrup Technology, Inc.*; and D. V. Murthy, *University of Toledo* (26, 8, p. 772) Article based on AIAA Paper 87-0738 CP872

C89-126 Effects of Structural Nonlinearities on Flutter Characteristics of the CF-18 Aircraft. B. H. K. Lee and A. Tron, *National Research Council, Canada* (26, 8, p. 781) Article

C89-127 Scaling of Cushion Capacitance in Air Cushion Vehicle Model Testing. P. A. Sullivan and T. A. Graham, *University of Toronto, Canada* (26, 8, p. 787) Engineering Note

C89-128 Lift-Curve Slope for Finite-Aspect-Ratio Wings. E. V. Laitone, *University of California, Berkeley* (26, 8, p. 789) Engineering Note

C89-131 Rectangular Jets in a Crossflow. M. S. Kavsaoglu, J. A. Schetz and A. K. Jakubowski, *Virginia Polytechnic Institute and State University* (26, 9, p. 793) Article based on AIAA Paper 86-0477

C89-132 Analytical Study of the Subsonic Wing-Rock Phenomenon for Slender Delta Wings. A. H. Nayfeh, J. M. Elzebeda and D. T. Mook, *Virginia Polytechnic Institute and State University* (26, 9, p. 805) Article

C89-133 Laminar Separating Flow Over a Prolate Spheroid. C. E. Costis, N. T. Hoang and D. P. Telionis, *Virginia Polytechnic Institute and State University* (26, 9, p. 810) Article based on AIAA Paper 87-1212

C89-134 Study of a Circulation Control Airfoil with Leading/Trailing-Edge Blowing. B. G. McLachlan, *NASA Ames Research Center* (26, 9, p. 817) Article based on AIAA Paper 87-0157

C89-135 Active Aerodynamic Stabilization of a Helicopter/Sling-Load System. Reuben Raz, Aviv Rosen and Tuvia Ronen, *Technion--Israel Institute of Technology* (26, 9, p. 822) Article

C89-137 Aerodynamic Interaction Between Propellers and Wings. Dave P. Witkowski, Alex K. H. Lee and John P. Sullivan, *Purdue University* (26, 9, p. 829) Article based on AIAA Paper 88-0665

C89-137 Numerical and Experimental Investigation of Isolated Propeller Wakes in Axial Flight. D. Favier, A. Ettaouil and C. Maresca, *Université d'Aix-Marseille II, France* (26, 9, p. 837) Article

- C89-138 Aerodynamic Forces on Flight Crew Helmets.** Timothy A. Sestak, *U. S. Naval Air Development Center*; Richard M. Howard and Chester, A. Heard, *U. S. Naval Postgraduate School* (26, 9, p. 847) Article based on AIAA Paper 88-2525 CP886
- C89-139 Evaluation of the Constant Pressure Panel Method for Supersonic Unsteady Airloads Prediction.** Kari Appa and Michael J. C. Smith, *Northrop Corporation* (26, 9, p. 854) Article based on AIAA Paper 88-2282 CP882
- C89-140 Time-Dependent Boundary-Layer Response in a Propeller Slipstream.** Richard M. Howard, *U. S. Naval Postgraduate School*; and Stan J. Miley, *Texas A&M University* (26, 9, p. 863) Article
- C89-141 Transonic Region of High Dynamic Response Encountered on an Elastic Supercritical Wing.** David A. Seidel, Clinton V. Eckstrom and Maynard C. Sandford, *NASA Langley Research Center* (26, 9, p. 870) Article based on AIAA Paper 87-0735 CP872
- C89-142 Wing-Flutter Calculations with the CAP-TSD Unsteady Transonic Small-Disturbance Program.** Robert M. Bennett, John T. Batina and Herbert J. Cunningham, *NASA Langley Research Center* (26, 9, p. 876) Article based on AIAA Paper 88-2347 CP882
- C89-143 Comments on the Lawrence Equation for Low-Aspect-Ratio Wings.** Rajendra K. Bera, *National Aeronautical Laboratory, India*; and G. Suresh, *Birla Institute of Technology and Science, India* (26, 9, p. 883) Engineering Note
- C89-144 Experimental and Analytical Analysis of Grid Fin Configurations.** Ross A. Brooks, *Rockwell International Missile Systems Division*; and John E. Burkhalter, *Auburn University* (26, 9, p. 885) Engineering Note
- C89-145 Transition Limits for Water-Droplet Crystallization with the NASA Lewis Icing Nozzle.** C. John Marek, *NASA Lewis Research Center* (26, 9, p. 887) Engineering Note based on AIAA Paper 88-0289
- C89-146 Modern Experimental Techniques for High-Speed Flow Measurements.** Dariush Modarress, *Physical Research, Inc.*; and Medhat Azzazy, *Spectron Development Laboratories* (26, 10, p. 889) Survey Paper based on AIAA Paper 88-0420
- C89-147 Effects of Random Initial Conditions and Deterministic Winds on Simulated Parachute Motion.** Guido de Matteis and Luciano M. de Socio, *Universita' degli Studi "La Sapienza," Italy* (26, 10, p. 900) Article
- C89-148 Method for Calculating the Unsteady Flow of an Elliptical Circulation-Control Airfoil.** Mao Sun and Wei Wang, *Beijing Institute of Aeronautics and Astronautics, China* (26, 10, p. 907) Article
- C89-149 Slipstream-Induced Pressure Fluctuations on a Wing Panel.** Sten Ljunggren, Ingemar Samuelsson and Kurt Widing, *FFA, Aeronautical Research Institute of Sweden* (26, 10, p. 914) Article based on AIAA Paper 02200
- C89-150 Wave Cancellation Properties of a Splitter-Plate Porous Wall Configuration.** G. M. Elfstrom, *DSMA International, Inc., Canada*; B. Medved, *Vazduhoplovnotehnicki Institut, Yugoslavia*; and W. J. Rainbird, *Carleton University, Canada* (26, 10, p. 920) Article based on AIAA Paper 88-2003 CP884
- C89-151 Optimization of Helicopter Takeoff and Landing.** T. Cerbe and G. Reichert, *Technical University of Braunschweig, FRG* (26, 10, p. 925) Article based on AIAA Paper 88.6.1.2
- C89-152 Wing-Section Effects on the Flight Performance of a Remotely Piloted Vehicle.** J. L. Stollery and D. J. Dyer, *College of Aeronautics, England, UK* (26, 10, p. 932) Article based on AIAA Paper 88-4.9.2
- C89-153 Whirl-Flutter Investigation on an Advanced Turboprop Configuration.** F. Nitzsche, *Empresa Brasileira de Aeronautica S. A., Brazil* (26, 10, p. 939) Article based on AIAA Paper 88-2346 CP882
- C89-154 Design of an Advanced Pneumatic Deicer for the Composite Rotor Blade.** Norbert A. Weisend Jr., *B. F. Goodrich* (26, 10, p. 947) Article based on AIAA Paper 88-0017
- C89-155 Canard-Wing Interaction in Unsteady Supersonic Flow.** Valter J. E. Stark, *Saab Scania AB, Sweden* (26, 10, p. 951) Engineering Note
- C89-156 Materials and Structures for Hypersonic Vehicles.** Darrel R. Tenney, W. Barry Lisagor and Sidney C. Dixon, *NASA Langley Research Center* (26, 11, p. 953) Article based on AIAA Paper 88-2.3.1
- C89-157 Experimental and Numerical Investigation of Vortex Flow over a Sideslipping Delta Wing.** Nick G. Verhaagen and Steven H. J. Naarding, *Delft University of Technology, The Netherlands* (26, 11, p. 971) Article
- C89-158 In-Flight Boundary-Layer Transition Measurements on a Swept Wing.** Anwar Ahmed, *Texas A&M University*; William H. Wentz, *Wichita State University*; and R. Nyenhuis, *Cessna Aircraft Company* (26, 11, p. 979) Article
- C89-159 Navier-Stokes Computations of a Prolate Spheroid at Angle of Attack.** Veer N. Vatsa and James L. Thomas, *NASA Langley Research Center*; and Bruce W. Wedan, *Vigyan Research Associates, Inc.* (26, 11, p. 986) Article
- C89-160 Simulations of Propeller/Airframe Interface Effects Using an Euler Correction Method.** T. Q. Dang, *Douglas Aircraft Company* (26, 11, p. 994) Article
- C89-161 Numerical Study of Single Impinging Jets Through a Crossflow.** J. M. M. Barata, *Instituto Superior Técnico, Portugal*; D. F. G. Durão, *Instituto Superior Técnico, Portugal*; and J. J. McGuirk, *Imperial College of Science and Technology, England, UK* (26, 11, p. 1002) Article based on AIAA Paper 89-0449
- C89-162 Wind Profilers for Support of Flight Operations.** R. G. Strauch, D. A. Merritt, K. P. Moran, B. L. Weber and D. B. Wuertz, *National Oceanic and Atmospheric Administration*; and P. T. May, *Cooperative Institute for Research in Environmental Sciences* (26, 11, p. 1009) Article based on AIAA Paper 89-0713
- C89-163 Topology of the Flow Structure Behind an Inclined Projectile: Part A.** K. C. Ward and J. Katz, *Johns Hopkins University* (26, 11, p. 1016) Article
- C89-164 Topology of the Flow Structure Behind an Inclined**

Projectile: Part B. K. C. Ward and J. Katz, *Johns Hopkins University* (26, 11, p. 1023) Article

C89-165 Investigation of Flow Separation on a Supercritical Airfoil. B. H. K. Lee, *National Research Council, Canada* (26, 11, p. 1032) Article

C89-166 Mach Number Effects on Transonic Aeroelastic Forces and Flutter Characteristics. Ross W. Mohr, *Purdue University*; John T. Batina, *NASA Langley Research Center*; and Henry T. Y. Yang, *Purdue University* (26, 11, p. 1038) Article based on AIAA Paper 88-2304 CP882

C89-167 Accumulated Span Loadings of an Arrow Wing Having Vortex Flow. C. Subba Reddy, *Union College* (26, 11, p. 1047) Engineering Note

C89-168 Noise Prediction of a Counter-Rotation Propfan. T. Watanabe and K. Kawachi, *University of Tokyo, Japan*; and Y. Nakamura, *Ishikawajima-Harima Heavy Industry Company, Ltd.* (26, 12, p. 1049) Synoptic based on AIAA Paper 87-2658

C89-169 Transition Effects on Airfoil Dynamics and the Implications for Subscale Tests. L. E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (26, 12, p. 1051) Article based on AIAA Paper 87-2353 CP875

C89-170 Design and Experimental Verification of an Equivalent Forebody Representation of Flowing Inlets. Davy A. Haynes and David S. Miller, *NASA Langley Research Center*; John R. Klein and Check M. Louie, *McDonnell Aircraft Company* (26, 12, p. 1059) Article based on AIAA Paper 88-0195

C89-171 Computation of Viscous Transonic Flow over Porous Airfoils. Chung-Lung Chen and Chuen-Yen Chow, *University of Colorado*; William R. Van Dalsem and Terry L. Holst, *NASA Ames Research Center* (26, 12, p. 1067) Article based on AIAA Paper 87-0359

C89-172 Direct Search Method to Aeroelastic Tailoring of a Composite Wing under Multiple Constraints. Koji Isogai, *National Aerospace Laboratory, Japan* (26, 12, p. 1076) Article

C89-173 Numerical Simulation of Wings in Steady and Unsteady Ground Effects. A. O. Nuhait and D. T. Mook, *Virginia Polytechnic Institute and State University* (26, 12, p. 1081) Article based on AIAA Paper 88-2546 CP886

C89-174 New Free-Wake Analysis of Rotorcraft Hover Performance Using Influence Coefficients. Todd R. Quackenbush, *Continuum Dynamics, Inc.*; Donald B. Bliss, *Duke University*; and Daniel A. Wachspress, *Continuum Dynamics, Inc.* (26, 12, p. 1090) Article

C89-175 Further Analysis of Wing Rock Generated by Forebody Vortices. L. E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (26, 12, p. 1098) Article based on AIAA Paper 88-2597 CP886

C89-176 Rotor Hover Performance Prediction Using a Free-Wake, Computational Fluid Dynamics Method. K. Ramachandran, *Flow Analysis, Inc.*; C. Tung and F. X. Caradonna, *NASA Ames Research Center* (26, 12, p. 1105) Article based on AIAA Paper 89-0638

C89-177 Knowledge-Based System of Supermaneuver Selection for Pilot Aiding. Hubert H. Chin, *Grumman Aircraft System Division* (26, 12, p. 1111) Article based on AIAA Paper 88-4442

C89-178 Supersonic Low-Density Flow Over Airfoils. Tsze C. Tai and Mark S. Moran, *David Taylor Research Center* (26, 12, p. 1118) Article based on AIAA Paper 89-0530

C89-179 High-Resolution Upwind Scheme for Vortical-Flow Simulations. Kozo Fujii, *Institute of Space and Astronautical Science, Japan*; and Shigeru Obayashi, *NASA Ames Research Center* (26, 12, p. 1123) Article based on AIAA Paper 89-1955