

Chronological Index

C91-017 Equation Decoupling—A New Approach to the Aerodynamic Identification of Unstable Aircraft. Harald Preissler and Horst Schäufele, *Messerschmidt-Bölkow-Blohm GmbH, Germany* (28, 2, p. 146) Article based on AIAA Paper 90-1276

Technical Comment by Li Naihong, Wu Yaohua and Cui Pingyuan, *Harbin Institute of Technology, PRC* (30, 3, p. 431)

C91-041 In-Flight Measurement of Static Pressures and Boundary-Layer State with Integrated Sensors. E. Greff, *Messerschmidt-Bölkow-Blohm GmbH, Germany* (28, 5, p. 289) Article based on AIAA Paper 91-0759

Technical Comment by Dennis G. Mabey, *Imperial College, England, UK* (30, 3, p. 432)

Reply (30, 3, p. 432)

C93-001 Constrasting Requirements for Type II De/Anti-Icing Fluids. J. F. Ross and J. T. Connolly, *Kilfroast Limited, England, UK* (30, 1, p. 10) Article based on AIAA Paper 91-0759

C93-002 Development of an International Standard for Safe Winter Operation. R. Hornig, *Lufthansa German Airlines* (30, 1, p. 14) Article based on AIAA Paper 91-0758

C93-003 Aircraft Ground Deicing, A Flight Crew Perspective. David J. Haase, *Air Line Pilots Association* (30, 1, p. 19) Article based on AIAA Paper 91-0761

C93-004 Aerodynamic Effects of Aircraft Ground Deicing/Anti-Icing Fluids. Eugene G. Hill and Thomas A. Zierten, *Boeing Commerical Airplane Group* (30, 1, p. 24) Article based on AIAA Paper 91-0762

C93-005 Aerodynamic Effects of Ground De/Anti-Icing Fluids on Fokker 50 and Fokker 100. J. van Hengst, *Fokker Aircraft B. V., The Netherlands* (30, 1, p. 35) Article based on AIAA Paper 91-0785

C93-006 New Concept in Runback Water Modeling for Anti-Iced Aircraft Surfaces. Kamel M. Al-Khalil, *National Research Council*; Theo G. Keith Jr. and Kenneth J. De Witt, *University of Toledo* (30, 1, p. 41) Article based on AIAA Paper 91-0266

C93-007 Fountain Flows Produced by Multijet Impingement on a Ground Plane. J. M. M. Barata, *Instituto Superior Técnico, Portugal* (30, 1, p. 50) Article based on AIAA Paper 91-1806

C93-008 Improvement and Modernization of Subsonic Wind Tunnels. T. Wolf, *Technical University of Darmstadt, Germany* (30, 1, p. 57) Article based on AIAA Paper 90-1423

C93-009 Overview of NASA Research Related to the Aging Commercial Transport Fleet. Charles E. Harris and Joseph S. Heyman, *NASA Langley Research Center* (30, 1, p. 64) Article based on AIAA Paper 91-0952 CP911

C93-010 Flowfield in the Vicinity of an F/A-18 Vertical Fin at High Angles of Attack. B. H. K. Lee, D. Brown, F. C. Tang and M. Plosenski, *Institute for Aerospace Research, Canada* (30, 1, p. 69) Article

C93-011 Sonic Boom Focal Zones from Tactical Aircraft Maneuvers. Kenneth J. Plotkin, *Wyle Laboratories* (30, 1, p. 75) Article based on AIAA Paper 90-4003

C93-012 Sound Generation by Rotor-Vortex Interaction in Low Mach Number Flow. F. Obermeier and K.-Q. Zhu, *Max-Planck-Institut für Strömungsforschung, Germany* (30, 1, p. 81) Article based on AIAA Paper 90-3974

C93-013 Mechanisms of Transonic Blade-Vortex Interaction Noise. H.-M. Lent, G. E. A. Meier, K. J. Müller, F. Obermeier, U. Schievelbusch and O. Schürmann, *Max-Planck-Institut für Strömungsforschung, Germany* (30, 1, p. 88) Article based on AIAA Paper 90-3972

C93-014 Wavelet Analysis of Gust Structure in Measured Atmospheric Turbulence Data. J. G. Jones, G. W. Foster and P. G. Earwicker, *Defense Research Agency, RAE Farnborough, England, UK* (30, 1, p. 94) Article based on AIAA Paper 91-0448

C93-015 Military Aircrew Head Support System. R. S. Deakin, *British Aerospace (Military Aircraft), Ltd., England, UK* (30, 1, p. 100) Article

C93-016 Supersonic Flutter of Laminated Thin Plates with Thermal Effects. D. G. Liaw, *Sverdrup Technology, Inc.* (30, 1, p. 105) Article

C93-017 Transonic Shock-Induced Dynamics of a Flexible Wing with a Thick Airfoil. Robert M. Bennett, Bryan E. Dansberry, Moses G. Farmer, Clinton V. Eckstrom, David A. Seidel and José A. Rivera Jr., *NASA Langley Research Center* (30, 1, p. 112) Article based on AIAA Paper 91-1107 CP911

C93-018 Aeroelastic Tailoring Analysis for Preliminary Design of Advanced Propellers with Composite Blades. Takashi Yamane, *Mechanical Engineering Laboratory, Japan*; and Peretz P. Friedmann, *University of California, Los Angeles* (30, 1, p. 119) Article based on AIAA Paper 90-1160 CP902

C93-019 Fastest Climb of a Turbojet Aircraft. Shiva Kumar Ojha, *Indian Institute of Technology* (30, 1, p. 127) Engineering Note

C93-020 Nonunique Solutions in Unsteady Transonic Flow. H. S. Murty, *University of Ottawa, Canada* (30, 1, p. 129) Engineering Note

C93-021 Passive Control of Delta Wing Rock. Costas Emmanuel Synolakis, Brett D. Breuel, Murali Tegulapalle and Chih-Ming Ho, *University of Southern California* (30, 1, p. 131) Engineering Note

C93-022 Computational Method for Matching Aerodynamic Experimental Data with Theoretical Influence Matrices. Claudio Ponzi, *Alenia, Italy* (30, 1, p. 133) Engineering Note

C93-023 Computational Flowfields for Static Testing of Powered Hypersonic Aftbody Models. Lawrence D. Huebner, *NASA Langley Research Center* (30, 1, p. 135) Engineering Note based on AIAA Paper 91-1709

C93-024 Formulation of Design Envelope Criterion in Terms of Deterministic Spectral Procedure. J. G. Jones, *Defence Research Agency, RAE Farnborough, England, UK* (30, 1, p. 137) Engineering Note

C93-025 Coupled Deflection and Rotation of Anisotropic Open-Section Composite Stiffeners. Lawrence C. Bank and Emmanuel Cofie, *Catholic University of America* (30, 1, p. 139) Engineering Note based on AIAA Paper 91-1022 CP911

C93-026 Viscous Subsonic Flow Computation for Wings with Flaps for High-Lift. H. N. V. Dutt, *NAL Bangalore, India*; and K. Jacob, *DLR Goettingen, Germany* (30, 1, p. 141) Engineering Note

C93-027 Transonic Flutter Analysis Using Time-Linearization Aerodynamics. Y. S. Wong, *University of Alberta, Canada*; B. H. K. Lee, *National Research Council, Canada*; and H. S. Murty, *University of Ottawa, Canada* (30, 1, p. 144) Engineering Note

C93-028 Fastest Climb of a Piston-Prop Aircraft. Shiva Kumar Ojha, *Indian Institute of Technology* (30, 1, p. 146) Engineering Note

C93-029 Special Rotation Vectors: A Means for Transmitting Quaternions in Three Components. Ammon Katz, *University of Alabama* (30, 1, p. 148) Engineering Note

C93-030 Total Least Squares Estimation of Aerodynamic Model Parameters from Flight Data. Martin Laban and Kazuya Masui, *Delft University of Technology, The Netherlands* (30, 1, p. 150) Engineering Note

C93-031 Effect of Viscous Drag on Optimum Spanwise Lift Distribution. Kamran Rokhsaz, *Wichita State University* (30, 1, p. 152) Engineering Note based on AIAA Paper 92-0287

C93-032 PAN AIR Analysis of Simply Connected Control Surface Deflections. Seth A. Moyer, *Naval Air Warfare Center* (30, 1, p. 154) Engineering Note

C93-033 Lightning Threat to Aircraft: Do We Know All We Need to Know? Vladislav Mazur, *NOAA/National Severe Storms Laboratory* (30, 1, p. 156) Engineering Note

C93-034 Stability Theory and Transition Prediction Applied to a General Aviation Fuselage. R. E. Spall, *University of South Alabama*; and Y.-S. Wie, *High Technology Corporation* (30, 2, p. 161) Article

C93-035 Regional Fanjet Aircraft Optimization Studies. Lloyd R. Jenkinson, *University of Technology, England, UK* (30, 2, p. 168) Article based on AIAA Paper 91-3081

C93-036 Measurements of Aerodynamic Rotary Stability Derivatives Using a Whirling Arm Facility. Marc J. M. Mulkens and Albert O. Ormerod, *Cranfield Institute of Technology, England, UK* (30, 2, p. 178) Article

C93-037 Euler Study on Porous Transonic Airfoils with a View Toward Multipoint Design. Peter M. Hartwich, *ViGYAN, Inc.* (30, 2, p. 184) Article based on AIAA Paper 91-3286 CP918

C93-038 Laminar-Flow Instrumentation for Wind-Tunnel and Flight Experiments. Wolfgang Nitsche, *Technical University of Berlin, Germany*; and Joachim Szodrich, *Airbus Industrie, France* (30, 2, p. 192) Article

C93-039 Potential Hazard of Aircraft Wake Vortices in Ground Effect with Crosswind. Robert E. Robins and Donald P. Delisi, *Northwest Research Associates, Inc.* (30, 2, p. 201) Article based on AIAA Paper 89-3400 CP898

C93-040 Experimental and Nonlinear Vortex Lattice Method Results for Various Wing-Canard Configurations. J. Rom, B. Melamed and D. Almosnino, *Technion-Israel Institute of Technology* (30, 2, p. 207) Article

C93-041 Schlieren Studies of Compressibility Effects on Dynamic Stall of Transiently Pitching Airfoils. M. S. Chandrasekhara, *Naval Postgraduate School*; S. Ahmed, *MCAT Institute*; and L. W. Carr, *NASA Ames Research Center* (30, 2, p. 213) Article based on AIAA Paper 90-3038 CP908

C93-042 Cruise Noise of an Advanced Propeller with Swirl Recovery Vanes. James H. Dittmar, *NASA Lewis Research Center*; and David G. Hall, *Sverdrup Technology, Inc.* (30, 2, p. 221) Article based on AIAA Paper 90-3932

C93-043 Solution-Adaptive and Quality-Enhancing Grid Generation. Phu V. Luong, Joe F. Thompson and Boyd Gatlin, *Mississippi State University* (30, 2, p. 227) Article based on AIAA Paper 91-1593 CP914

C93-044 Optimal Takeoff of a Helicopter for Category A V/STOL Operations. Yoshinori Okuno, *National Aerospace Laboratory, Japan*; and Keiji Kawachi, *University of Tokyo, Japan* (30, 2, p. 235) Article

C93-045 Conceptual Assessment of Two High-Speed Rotorcraft. John W. Rutherford, Matthew J. O'Rourke, Marc A. Lovenguth and Clark A. Mitchell, *McDonnell Douglas Helicopter Company* (30, 2, p. 241) Article

C93-046 Mathematical Phenomenology for Thrust-Vectoring-Induced Agility Comparisons. Benjamin Gal-Or, *Technion-Israel Institute of Technology*; and Daniel D. Baumann, *Flight Dynamics Directorate, Wright-Patterson AFB* (30, 2, p. 248) Article

C93-047 Role of Leading-Edge Vortex Flows in Prop-Fan Interaction Noise. J. C. Simonich, D. C. McCormick and P. L. Lavrich, *United Technologies Research Center* (30, 2, p. 255) Article based on AIAA Paper 89-1093

C93-048 Structural Analysis of Box Beams Using Symbolic Manipulation Technique. M. Sathyamoorthy and Ravindra Sirigiri, *Clarkson University* (30, 2, p. 262) Article

C93-049 Simultaneous Structure/Control Design Optimization of a Wing Structure with a Gust Load Alleviation System. Shinji Suzuki, *University of Tokyo, Japan*; and Satoshi Yonezawa, *Kobe Steel, Ltd., Japan* (30, 2, p. 268) Article

C93-050 Generation of MIL-HDBK-5 Design Allowables for Aramid/Aluminum Laminates. H. F. Wu, R. J. Bucci and R. H. Wygonik, *Alcoa Technical Center*; and R. C. Rice, *Battelle* (30, 2, p. 275) Article

C93-051 Sensitivity-Based Scaling for Approximating Structural Response. Kwan J. Chang, *Lockheed Engineering and Science Company*; Raphael T. Haftka, *Virginia Polytechnic Institute and State University*; Gary L. Giles, *NASA Langley Research Center*; and Pi-Jen Kao, *Analytical Services and Materials, Inc.* (30, 2, p. 283) Article based on AIAA Paper 91-0925 CP911

C93-052 Fundamentals of Low Radar Cross-Sectional Aircraft Design. Alan C. Brown, *Lockheed Corporation* (30, 3, p. 289) Synoptic

C93-053 Optimal Takeoff Procedures for a Transport Category Tiltrotor. Yoshinori Okuno, *National Aerospace Laboratory, Japan*; and Keiji Kawachi, *University of Tokyo, Japan* (30, 3, p. 291) Synoptic

C93-054 Multiblock Navier-Stokes Solutions About the F/A-18 Wing-LEX-Fuselage Configuration. Farhad Ghaffari, James M. Luckring and James L. Thomas, *NASA Langley Research Center*; Brent L. Bates, *Vigyan, Inc.*; and Robert T. Biedron, *Analytical Services and Materials, Inc.* (30, 3, p. 293) Article based on AIAA Paper 91-3291 CP918

C93-055 Nonequilibrium Turbulence Modeling Study on Light Dynamic Stall of a NACA0012 Airfoil. Mustafa Dindar and Ünver Kaynak, *TUSAS Aerospace Industries, Turkey*; and Kozo Fujii, *Institute of Space and Astronautical Science, Japan* (30, 3, p. 304) Article based on AIAA Paper 90-3040 CP908

C93-056 Limitations of Linear Theory for Sonic Boom Calculations. Christine M. Darden, *NASA Langley Research Center* (30, 3, p. 309) Article based on AIAA Paper 90-0368

C93-057 Vortex Generators Used to Control Laminar Separation Bubbles. M. Kerho, S. Hutcherson, R. F. Blackwelder and R. H. Liebeck, *University of Southern California* (30, 3, p. 315) Article based on AIAA Paper 90-0051

C93-058 Flapping Motion of a Planar Jet Impinging on a V-Shaped Plate. Cheng-Kuang Lin, *Chung Shan Institute of Science and Technology, Taiwan, ROC*; Fei-Bin Hsiao and Shyh-Shiun Sheu, *National Cheng Kung University, Taiwan, ROC* (30, 3, p. 320) Article

C93-059 Computational Investigation of a Pneumatic Forebody Flow Control Concept. Ken Gee, *MCAT Institute*; Domingo Tavella, *Stanford University*; and Lewis B. Schiff, *NASA Ames Research Center* (30, 3, p. 326) Article based on AIAA Paper 91-3249 CP918

C93-060 Effects of Blowing on Delta Wing Vortices During Dynamic Pitching. L. Scott Miller, *Wichita State University*; and Brenda E. Gile, *NASA Langley Research Center* (30, 3, p. 334) Article based on AIAA Paper 92-0407

C93-061 Indicial Lift Approximations for Two-Dimensional Subsonic Flow as Obtained from Oscillatory Measurements. J. G. Leishman, *University of Maryland at College Park* (30, 3, p. 340) Article

C93-062 Slender Wing Rock Revisited. Lars E. Ericsson, *Lockheed Missiles and Space Company, Inc.* (30, 3, p. 352) Article based on AIAA Paper 90-0417

C93-063 Comparison of Two Navier-Stokes Codes for Simulating High-Incidence Vortical Flow. Neal M. Chaderjian, *NASA Ames Research Center* (30, 3, p. 357) Article based on AIAA Paper 91-0175

C93-064 Geometrical and Numerical Considerations in Computing Advanced-Propeller Noise. Valana L. Wells and Arris Han, *Arizona State University* (30, 3, p. 365) Article based on AIAA Paper 90-3997

C93-065 Unsteady Blade Pressures on a Propfan at Takeoff: Euler Analysis and Flight Data. M. Nallasamy, *Sverdrup Technology, Inc.* (30, 3, p. 372) Article based on AIAA Paper 92-0376

C93-066 Damage Tolerance Assessment of the Fighter Aircraft 37 Viggen Main Wing Attachment. Björn Palmberg, Mats-Olof Olsson, Per-Olof Boman and Anders F. Blom, *FFA Aeronautical Research Institute of Sweden* (30, 3, p. 377) Article

C93-067 Extended Range Operations of Two and Three Turbofan Engined Airplanes. Rodrigo Martínez-Val and Emilio Pérez, *Universidad Politécnica de Madrid, Spain* (30, 3, p. 382) Article

C93-068 Integrated Structure/Control/Aerodynamic Synthesis of Actively Controlled Composite Wings. E. Livne, *University of Washington*; L. A. Schmit and P. P. Friedmann, *University of California, Los Angeles* (30, 3, p. 387) Article

C93-069 Evaluation and Extension of the Flutter-Margin Method for Flight Flutter Prediction. S. J. Price, *McGill University, Canada*; and B. H. K. Lee, *Institute for Aerospace Research, Canada* (30, 3, p. 395) Article based on AIAA Paper 92-2101 CP923

C93-070 Optimal Cruise Performance. L. Earl Miller, *University of Dayton* (30, 3, p. 403) Engineering Note

C93-071 Vortex Breakdown Studies of a Canard-Configured X-31A-Like Fighter Aircraft Model. Sheshagiri K. Hebbar and Max F. Platzer, *Naval Postgraduate School*; and Hui Man Kwon, *Korean Air Force* (30, 3, p. 405) Engineering Note based on AIAA Paper 91-1629 CP914

C93-072 Transonic Blade-Vortex Interactions: Noise Reduction. Y. Xue and A. S. Lyrintzis, *University of Minnesota* (30, 3, p. 408) Engineering Note

C93-073 Eddy Viscosity-Entrainment Correlation. H. Dumitrescu, S. Ion and Al. Dumitrache, *Institute of Applied Mathematics of the Romanian Academy* (30, 3, p. 411) Engineering Note

C93-074 Method for Assessing the Electric Power System Reliability of Multiple-Engined Aircraft. Hsing-Juin Lee, *National Chung-Hsing University, Taiwan, ROC*; and Hsing-Wei Lee, *Chung-Cheng Institute of Technology, Taiwan, ROC* (30, 3, p. 413) Engineering Note

C93-075 Application of Oswatitsch's Theorem to Supercritical Airfoil Drag Calculation. G. R. Inger, *Iowa State University* (30, 3, p. 415) Engineering Note based on AIAA Paper 91-3210 CP918

C93-076 Theodorsen's Ideal Propeller Performance with Ambient Pressure in the Slipstream. Gerrit Schouten, *Delft University of Technology, The Netherlands* (30, 3, p. 417) Engineering Note

C93-077 Permeable Airfoils in Incompressible Flow. Virgil M. Musat, *Institute of Applied Mathematics of the Romanian Academy, France* (30, 3, p. 419) Engineering Note

C93-078 Dynamic Stability Derivatives Evaluation in a Low-Speed Wind Tunnel. G. Guglieri, *National Research Council, Italy*; and F. B. Quagliotti, *Turin Polytechnic Institute, Italy* (30, 3, p. 421) Engineering Note based on AIAA Paper 91-3245 CP918

C93-079 Shape Sensitivities and Approximations of Modal Response of Laminated Skew Plates. Sarvesh Singhvi and Rakesh K. Kapania, *Virginia Polytechnic Institute and State University* (30, 3, p. 423) Engineering Note based on AIAA Paper 92-2391 CP922

C93-080 Multiple Pole Rational-Function Approximations for Unsteady Aerodynamics. Ashish Tewari, *National Aeronautical Laboratory, India*; and Jan Brink-Spalink, *Deutsche Airbus GmbH, Germany* (30, 3, p. 426) Engineering Note

C93-081 Neutrally Reinforced Holes in Symmetrically Laminated Plates. E. Senocak and A. M. Waas, *University of Michigan* (30, 3, p. 428) Engineering Note based on AIAA Paper 92-2486 CP922

C93-082 S-Plane Aerodynamics of Nonplanar Lifting Surfaces. Jinsoo Cho, *Pohang Institute of Science and Technology, Republic of Korea*; and Marc H. Williams, *Purdue University* (30, 4, p. 433) Article

C93-083 Time Domain Panel Method for Wings. Max Blair, *Wright Research and Development Center*; and Marc H. Williams, *Purdue University* (30, 4, p. 439) Article based on AIAA Paper 89-1323 CP891

C93-084 Computation of Induced Drag for Elliptical and Crescent-Shaped Wings. Stephen C. Smith, *NASA Ames Research Center*; and Ilan M. Kroo, *Stanford University* (30, 4, p. 446) Article based on AIAA Paper 90-3063 CP908

C93-085 Active Control of Aerothermoelastic Effects for a Conceptual Hypersonic Aircraft. Jennifer Heeg and Michael G. Gilbert, *NASA Langley Research Center*; and Anthony S. Pototzky, *Lockheed Engineering and Sciences Company* (30, 4, p. 453) Article based on AIAA Paper 90-3337 CP909

C93-086 Wake Structure of a Helicopter Rotor in Forward Flight. G. Briassulis and J. Andreopoulos, *City College of the City University of New York* (30, 4, p. 459) Article based on AIAA Paper 91-1753

C93-087 Plume and Wake Dynamics, Mixing, and Chemistry Behind a High Speed Civil Transport Aircraft. R. C. Miake-Lye, M. Martinez-Sanchez, R. C. Brown and C. E. Kolb, *Aerodyne Research, Inc.* (30, 4, p. 467) Article based on AIAA Paper 91-3158

C93-088 CFD Analysis of the X-29 Inlet at High Angle of Attack. R. H. Tindell and W. G. Hill Jr., *Grumman Corporation* (30, 4, p. 480) Article

C93-089 Reynolds Number Effects on Supersonic Asymmetrical Flows over a Cone. J. L. Thomas, *NASA Langley Research Center* (30, 4, p. 488) Article based on AIAA Paper 91-3295 CP918

C93-090 Sensitivity Analysis of a Wing Aeroelastic Response. Rakesh K. Kapania and Lloyd B. Eldred, *Virginia Polytechnic Institute and State University*; and Jean-François M. Barthelemy, *NASA Langley Research Center* (30, 4, p. 496) Article based on AIAA Paper 91-1103 CP911

C93-091 Zero-Thrust Glide Testing for Drag and Propulsive Efficiency of Propeller Aircraft. Jack Norris; and Andrew B. Bauer, *Douglas Aircraft Company* (30, 4, p. 505) Article based on AIAA Paper 90-0233

C93-092 Aileron and Sideslip-Induced Unsteady Aerodynamic Modeling for Lateral Parameter Estimation. Jatinder Singh and S. C. Raisinghani, *Indian Institute of Technology* (30, 4, p. 512) Article

C93-093 Aerospace Plane Design Challenge: Credible Computations. Unmeel B. Mehta, *NASA Ames Research Center* (30, 4, p. 519) Article based on AIAA Paper 90-5248
Errata (30, 6, p. 1009)

C93-094 Navier-Stokes Analysis of Three-Dimensional S-Ducts. G. J. Harloff, C. F. Smith, J. E. Bruns and J. R. DeBonis, *Sverdrup Technology, Inc.* (30, 4, p. 526) Article

C93-095 Static Aeroelastic Control of an Adaptive Lifting Surface. S. M. Ehlers, *McDonnell Douglas Technologies, Inc.*; and T. A. Weisshaar, *Purdue University* (30, 4, p. 534) Article based on AIAA Paper 90-1078 CP902

C93-096 Effect of Stiffness Characteristics on the Response of Composite Grid-Stiffened Structures. Damodar R. Ambur, *NASA Langley Research Center*; and Lawrence W. Rehfield, *University of California, Davis* (30, 4, p. 541) Article based on AIAA Paper 91-1087 CP911

C93-097 Air Dissociation Effects on Aerodynamic Characteristics of an Aerospace Plane. V. Ya. Neyland, *Central Aerohydrodynamic Institute (TsAGI), Russia* (30, 4, p. 547) Engineering Note

C93-098 Visualization and View Simulation Based on Transputers. Klaus Alvermann, *Institute for Flight Mechanics, Germany* (30, 4, p. 550) Engineering Note

C93-099 Use of Eigenvectors in the Solution of the Flutter Equation. Louw H. van Zyl, *AEROTEK, CSIR, South Africa* (30, 4, p. 553) Engineering Note

C93-100 Application of Leading-Edge Vortex Manipulations to Reduce Wing Rock Amplitudes. James Walton and Joseph Katz, *San Diego State University* (30, 4, p. 555) Engineering Note based on AIAA Paper 92-0279

C93-101 Effects of Wing-Tip Vortex Flaps. Lance W. Traub and Alan Nurick, *University of the Witwatersrand, South Africa* (30, 4, p. 557) Engineering Note

C93-102 Aerodynamic Calculation of Complex Three-Dimensional Configurations. F. Roggero and R. Larguier, *Office National d'Etudes et de Recherches Aérospatiales, France* (30, 5, p. 561) Article

C93-103 Computational Effects of Inlet Representation on Powered Hypersonic, Airbreathing Models. Lawrence D. Huebner, *NASA Langley Research Center*; and Kenneth E. Tatum, *Lockheed Engineering and Sciences Company* (30, 5, p. 571) Article

C93-104 DeHavilland Dash-8 Aircraft Airborne System Testing. S. P. Herrlinger, *USAF Air Warfare Center* (30, 5, p. 578) Article based on AIAA Paper 91-3172

C93-105 Euler Analysis of Forebody-Strake Vortex Flows at Supersonic Speeds. O. J. Rose, *Lockheed Engineering & Sciences Company*; and James L. Pittman, *NASA Langley Research Center* (30, 5, p. 586) Article based on AIAA Paper 89-0343

C93-106 Induced Drag of a Crescent Wing Planform. F. Lam and D. J. Maull, *University of Cambridge, England, UK* (30, 5, p. 594) Article

C93-107 Approximate Method for the Prediction of Propeller Noise Near-Field Effects. N. Peake, *University of Cambridge, England, UK*; and W. K. Boyd, *Rolls-Royce plc., England, UK* (30, 5, p. 603) Article based on AIAA Paper 90-3998

C93-108 Numerical Simulation of Unsteady Flow Induced by a Flat Plate Moving Near Ground. A. O. Nuhait and M. F. Zedan, *King Saud University, Saudi Arabia* (30, 5, p. 611) Article

C93-109 Unsteady Subsonic Aerodynamics for Bodies and Wings with External Stores Including Wake Effect. P. C. Chen, *ZONA Technology, Inc.*; H. W. Lee and D. D. Liu, *Arizona State University* (30, 5, p. 618) Article

C93-110 Experimental Study on the Aerodynamic Effects of a Forward-Sweep Angle. Giovanni Lombardi, *University of Pisa, Italy* (30, 5, p. 629) Article

- C93-111 Identification of Actuation System and Aerodynamic Effects of Direct-Lift-Control Flaps.** R. V. Jategaonkar, *Institute of Flight Mechanics, Germany* (30, 5, p. 636) Article based on AIAA Paper 92-0171
- C93-112 Unsteady Wing Surface Pressures in the Wake of a Propeller.** R. T. Johnston and J. P. Sullivan, *Purdue University* (30, 5, p. 644) Article based on AIAA Paper 92-0277
- C93-113 Response of B-2 Aircraft to Nonuniform Spanwise Turbulence.** John P. Crimaldi, Robert T. Britt and William P. Rodden, *Northrop Corporation B-2 Division* (30, 5, p. 652) Article based on AIAA Paper 91-1048 CP911
- C93-114 Application of Nonlinear Systems Theory to Transonic Unsteady Aerodynamic Responses.** Walter A. Silva, *NASA Langley Research Center* (30, 5, p. 660) Article based on AIAA Paper 91-1110 CP911
- C93-115 Euler/Experiment Correlations of Sonic Boom Pressure Signatures.** Susan E. Cliff, *NASA Ames Research Center*; and Scott D. Thomas, *Sterling Software, Inc.* (30, 5, p. 669) Article based on AIAA Paper 91-3276 CP918
- C93-116 Experimental Study of Pylon Cross Sections for a Subsonic Transport Airplane.** Dinesh A. Naik, *ViGYAN, Inc.*; Anthony M. Ingraldi and Odis C. Pendergraft, *NASA Langley Research Center* (30, 5, p. 676) Article based on AIAA Paper 92-0153
- C93-117 Ground Facility Interference on Aircraft Configurations with Separated Flow.** M. E. Beyers, *Institute for Aerospace Research, Canada*; and L. E. Ericsson, *Lockheed Missiles & Space Company* (30, 5, p. 682) Article based on AIAA Paper 92-0673
- C93-118 Multielement Airfoil Performance due to Reynolds and Mach Number Variations.** Walter O. Valarezo and Chet J. Dominik, *Douglas Aircraft Company*; and Robert J. McGhee, *NASA Langley Research Center* (30, 5, p. 689) Article
- C93-119 Efficient Finite Element Method for Aircraft Deicing Problems.** J. R. Huang, Theo G. Keith Jr. and Kenneth J. De Witt, *University of Toledo* (30, 5, p. 695) Article based on AIAA Paper 92-0532
- C93-120 Lateral Aerodynamic Interference Between Tanker and Receiver in Air-to-Air Refueling.** A. W. Bloy, M. G. West, K. A. Lea and M. Jouma'a, *University of Manchester, England, UK* (30, 5, p. 705) Article
- C93-121 Investigation of Vortex Development on a Pitching Slender Body of Revolution.** M. J. Stanek and M. R. Visbal, *Air Force Wright Laboratory* (30, 5, p. 711) Article based on AIAA Paper 91-3273 CP918
- C93-122 Flowfield Simulation About the Stratospheric Observatory for Infrared Astronomy.** Christopher A. Atwood and William R. Van Dalsem, *NASA Ames Research Center* (30, 5, p. 719) Article based on AIAA Paper 92-0656
- C93-123 Rotor Wake/Stator Interaction Noise—Predictions vs Data.** D. A. Topol, *Pratt & Whitney* (30, 5, p. 728) Article based on AIAA Paper 90-3951
- C93-124 Efficient Simulation of Incompressible Viscous Flow over Single and Multielement Airfoils.** Stuart E. Rogers, N. Lyn Wiltberger and Dochan Kwak, *NASA Ames Research Center* (30, 5, p. 736) Article based on AIAA Paper 92-0405
- C93-125 Vector Unsymmetric Eigenvalue Solver for Nonlinear Flutter Analysis on High-Performance Computers.** Jiangning Qin, *Old Dominion University*; Carl E. Gray Jr., *NASA Langley Research Center*; and Chuh Mei, *Old Dominion University* (30, 5, p. 744) Article based on AIAA Paper 91-1169 CP911
- C93-126 Monitoring Load Experience of Individual Aircraft.** J. B. de Jonge, *National Aerospace Laboratory, The Netherlands* (30, 5, p. 751) Article
- C93-127 Unsteady Pressure and Load Measurements on an F/A-18 Vertical Fin.** B. H. K. Lee and F. C. Tang, *Institute for Aerospace Research, Canada* (30, 5, p. 756) Article based on AIAA Paper 92-2675 CP926
- C93-128 Computation of Maximized Gust Loads for Nonlinear Aircraft Using Matched-Filter-Based Schemes.** Robert C. Scott, *NASA Langley Research Center*; Anthony S. Pototzky, *Lockheed Engineering and Science Company*; and Boyd Perry III, *NASA Langley Research Center* (30, 5, p. 763) Article based on AIAA Paper 91-2848 CP916
- C93-129 Stringer Peeling Effects at Stiffened Composite Panels in the Postbuckling Range.** D. Hachenberg, *Deutsche Aerospace Airbus GmbH, Germany*; and H. Kossira, *Technical University, Germany* (30, 5, p. 769) Article
- C93-130 Finite State Aeroelastic Model for Use in Rotor Design Optimization.** Chengjian He and David A. Peters, *Georgia Institute of Technology* (30, 5, p. 777) Article
- C93-131 Envelope Function—A Tool for Analyzing Flutter Data.** J. E. Cooper, P. R. Emmett and J. R. Wright, *University of Manchester, England, UK*; and M. J. Schofield, *British Aerospace (Commercial Aircraft), Ltd., England, UK* (30, 5, p. 785) Article
- C93-132 Transonic Navier-Stokes Flow Computations over Wing-Fuselage Geometries.** S. Agrawal, *McDonnell Douglas Corporation*; V. N. Vatsa, *NASA Langley Research Center*; and T. A. Kinard, *Lockheed Corporation* (30, 5, p. 791) Engineering Note
- C93-133 Effect of Leading-Edge Geometry on Delta Wing Unsteady Aerodynamics.** L. E. Ericsson and H. H. C. King, *Lockheed Missiles and Space Company* (30, 5, p. 793) Engineering Note based on AIAA Paper 92-0173
- C93-134 Alternative Solution to Optimum Gliding Velocity in a Steady Head Wind or Tail Wind.** Philip D. Bridges, *Mississippi State University* (30, 5, p. 795) Engineering Note
- C93-135 Navier-Stokes Investigation of Blunt Trailing-Edge Airfoils Using O Grids.** M. Khalid and D. J. Jones, *Institute for Aerospace Research, National Research Council of Canada* (30, 5, p. 797) Engineering Note
- C93-136 Numerical Analysis of Supersonic Multijets.** Gamal H. Moustafa, *Menoufia University, Egypt*; K. S. Murali Rajan and E. Rathakrishnan, *Indian Institute of Technology* (30, 6, p. 801) Synoptic
- C93-137 Measurement and Improvement of the Lateral Agility of the F-18.** David P. Eggold, John Valasek and David R. Downing, *University of Kansas* (30, 6, p. 803) Synoptic based on AIAA Paper 91-2880 CP916
- C93-138 Transonic Airfoil Design by Constrained Optimization.** K. D. Lee and S. Eyi, *University of Illinois at Urbana-Champaign* (30, 6, p. 805) Synoptic based on AIAA Paper 91-3287 CP918

- C93-139 Aerodynamic Performance Effects due to Small Leading-Edge Ice (Roughness) on Wings and Tails.** Walter O. Valarezo and Frank T. Lynch, *McDonnell Douglas Corporation*; and Robert J. McGhee, *NASA Langley Research Center* (30, 6, p. 807) Article
- C93-140 Experimental Verification of a Wall Interference Correction Method with Interface Measurements.** C. F. Lo and N. Ulbrich, *University of Tennessee Space Institute* (30, 6, p. 813) Article
- C93-141 Vortex Flow Control Using Fillets on a Double-Delta Wing.** Steven B. Kern, *Naval Air Warfare Center* (30, 6, p. 818) Article based on AIAA Paper 92-0411
- C93-142 Target Pitch Angle for the Microburst Escape Maneuver.** Sandeep S. Mulgund and Robert F. Stengel, *Princeton University* (30, 6, p. 826) Article based on AIAA Paper 92-0730
- C93-143 Computational Study of Blowing on Delta Wings at High Alpha.** Ken Craig, *Stanford University* (30, 6, p. 833) Article based on AIAA Paper 92-0410
- C93-144 Aerothermodynamic Properties of Hypersonic Flow over Radiation-Adiabatic Surfaces.** Stefan Riedelbauch, *Deutsche Forschungsanstalt für Luft- und Raumfahrt, Germany*; and Ernst H. Hirschel, *Messerschmitt-Bölkow-Blohm GmbH, Germany* (30, 6, p. 840) Article
- C93-145 Vortex Control Technique for the Attenuation of Fin Buffet.** David E. Bean, Douglas I. Greenwell and Norman J. Wood, *University of Bath, England, UK* (30, 6, p. 847) Article
- C93-146 Forward Flight Trim and Frequency Response Validation of a Helicopter Simulation Model.** Frederick D. Kim and Roberto Celi, *University of Maryland*; and Mark B. Tischler, *NASA Ames Research Center* (30, 6, p. 854) Article
- C93-147 Selected Design Issues of Some High-Speed Rotorcraft Concepts.** Peter D. Talbot, James D. Phillips and Joseph J. Totah, *NASA Ames Research Center* (30, 6, p. 864) Article based on AIAA Paper 90-3297
- C93-148 Ground Vortex Formed by Impinging Jets in Crossflow.** K. Knowles and D. Bray, *Royal Military College of Science (Cranfield Institute of Technology), England, UK* (30, 6, p. 872) Article based on AIAA Paper 91-0768
- C93-149 Investigation of Rotor Tip Vortex Interactions with a Body.** Nai-Pei Bi, J. Gordon Leishman and Gilbert L. Crouse, *University of Maryland* (30, 6, p. 879) Article based on AIAA Paper 91-3228 CP918
- C93-150 Response of Helicopter Blades to a Sharp Collective Increase.** Y. Hecht and O. Rand, *Technion—Israel Institute of Technology* (30, 6, p. 889) Article
- C93-151 Optimization of Joined-Wing Aircraft.** John W. Gallman and Stephen C. Smith, *NASA Ames Research Center*; and Ilan M. Kroo, *Stanford University* (30, 6, p. 897) Article
- C93-152 Optimizing Tuning Masses for Helicopter Rotor Blade Vibration Reduction and Comparison with Test Data.** Jocelyn I. Pritchard, Howard M. Adelman, Joanne L. Walsh and Matthew L. Wilbur, *NASA Langley Research Center* (30, 6, p. 906) Article based on AIAA Paper 92-2376
- C93-153 Euler Code Prediction of Near-Field to Midfield Sonic Boom Pressure Signatures.** M. J. Siclari, *Grumman Corporate Research Center*; and C. M. Darden, *NASA Langley Research Center* (30, 6, p. 911) Article based on AIAA Paper 90-4000
- C93-154 In-Flight Source Noise of an Advanced Large-Scale Single-Rotation Propeller.** Richard P. Woodward and Irvin J. Loeffler, *NASA Lewis Research Center* (30, 6, p. 918) Article based on AIAA Paper 91-0594
- C93-155 Analytical-Experimental Investigation of Free-Vibration Characteristics of Rotating Composite I-Beams.** Ramesh Chandra and Inderjit Chopra, *University of Maryland* (30, 6, p. 927) Article
- C93-156 Numerical Prediction of Vortical Flow over Slender Delta Wings.** J. A. Ekaterinaris and Lewis B. Schiff, *NASA Ames Research Center* (30, 6, p. 935) Article based on AIAA Paper 90-0102
- C93-157 Design Tradeoffs on Scramjet Engine Integrated Hypersonic Waverider Vehicles.** Mary Kae Lockwood O'Neill and Mark J. Lewis, *University of Maryland* (30, 6, p. 943) Article based on AIAA Paper 92-1205
- C93-158 Aerodynamic Shape Optimization Using Sensitivity Analysis on Third-Order Euler Equations.** Oktay Baysal, Mohamed E. Eleashy and Greg W. Burgreen, *Old Dominion University* (30, 6, p. 953) Article based on AIAA Paper 91-1577
- C93-159 Prediction of Fluctuating Pressure in Attached and Separated Turbulent Boundary-Layer Flow.** A. L. Laganelli, *Science Applications International Corporation*; and H. F. Wolfe, *WL/FIBG, Wright-Patterson Air Force Base* (30, 6, p. 962) Article based on AIAA Paper 89-1064
- C93-160 Thermoacoustic Loads and Fatigue of Hypersonic Vehicle Skin Panels.** Robert D. Blevins and Ian Holchouse, *Rohr Industries*; and Kenneth R. Wentz, *Wright Research and Development Center* (30, 6, p. 971) Article
- C93-161 Optimization of Aircraft Engine Suspension Systems.** D. A. Swanson and H. T. Wu, *Lord Corporation*; and H. Ashrafiuon, *Villanova University* (30, 6, p. 979) Article based on AIAA Paper 91-1102 CP911
- C93-162 Impact of Active Controls Technology on Structural Integrity.** Thomas E. Noll, *NASA Langley Research Center*; Edward Austin, *U.S. Army Aviation and Troop Command*; Shawn Donley, *Naval Air Warfare Center*; George Graham, *Canadian Department of National Defence, Canada*; Terry Harris, *U.S. Air Force Wright Laboratory*; Ian Kaynes, *Defence Research Agency, England, UK*; B. H. K. Lee, *Institute for Aerospace Research, Canada*; and James Sparrow, *DSTO Aeronautical Research Laboratory* (30, 6, p. 985) Article based on AIAA Paper 91-0988 CP911
- C93-163 Finite Element Nonlinear Flutter and Fatigue Life of Two-Dimensional Panels with Temperature Effects.** David Y. Xue and Chuh Mei, *Old Dominion University* (30, 6, p. 993) Article based on AIAA Paper 91-1170
- C93-164 Accuracy of Rational-Function Approximations for Linear Transonic Unsteady Aerodynamics.** Ashish Tewari, *National Aeronautical Laboratory, India* (30, 6, p. 1001) Engineering Note
- C93-165 Fractional Order Calculus Model of the Generalized Theodorsen Function.** Ronald L. Bagley, *Air Force Institute of Technology*; David V. Swinney, *Space Systems Division, Los Angeles AFB*; and Kenneth E. Griffin, *Wright Laboratory* (30, 6, p. 1003) Engineering Note
- C93-166 Downwash Measurements on a Pitching Canard-Wing Configuration.** John E. Burkhalter, *Frank J. Seiler Research Laboratory* (30, 6, p. 1005) Engineering Note