

Chronological Index

C92-133 Model Flight Tests of a Spin-Resistant Trainer Configuration. Long P. Yip, Holly M. Ross, and David B. Robelen, *NASA Langley Research Center* (29, 5, p. 799) Article based on AIAA Paper 88-2146 CP885

Technical Comment by U. P. Solies, *University of Tennessee Space Institute* (31, 4, p. 1007)

C94-001 Nonlinear Response and Sonic Fatigue of National Aerospace Space Plane Surface Panels. Rimas Vaicaitis, *Columbia University* (31, 1, p. 10) Survey Paper

C94-002 Sonic Boom of the Oblique Flying Wing. A. Van der Velden, *Deutsche Airbus GmbH, Germany*; and I. Kroo, *Stanford University* (31, 1, p. 19) Article

C94-003 Application of Bifurcation Theory to the High-Angle-of-Attack Dynamics of the F-14. C. C. Jahnke, *Clarkson University*; and F. E. C. Culick, *California Institute of Technology* (31, 1, p. 26) Article

C94-004 Aerodynamic Design of Supersonic Cruise Wings with a Calibrated Linearized Theory. Michael J. Mann, *NASA Langley Research Center*; and Harry W. Carlson, *Lockheed Engineering and Sciences Company* (31, 1, p. 35) Article based on AIAA Paper 91-3302 CP918

C94-005 Frequency-Domain Analysis of Fluctuating Pressure on a Pusher Propeller Blade Surface. Saeed Farokhi, Ray Taghavi, and Kyle K. Wetzell, *University of Kansas* (31, 1, p. 42) Article

C94-006 Experimental Study of Pneumatic Control of Forebody Vortices at High Alpha. Kenneth C. Cornelius, and Noorul-haq Pandit, *Wright State University*; and Russel F. Osborn and Robert W. Guyton, *Wright Laboratory* (31, 1, p. 49) Article based on AIAA Paper 92-0018

C94-007 Sonic Boom Predictions Using a Solution-Adaptive Full-Potential Code. Michael D. Madson, *NASA Ames Research Center* (31, 1, p. 57) Article

C94-008 Investigation of Three-Dimensional Separation at Wing/Body Junctions in Supersonic Flows. B. Lakshmanan and S. N. Tiwari, *Old Dominion University* (31, 1, p. 64) Article

C94-009 Computational Study of Transition Front on a Swept Wing Leading-Edge Model. Venkit Iyer, *ViGYAN, Inc.*; Robert E. Spall, *University of South Alabama*; and J. Ray Dagenhart, *NASA Langley Research Center* (31, 1, p. 72) Article based on AIAA Paper 92-2630 CP926

C94-010 Remote Sensing Observations of Winter Aircraft Icing Conditions: A Case Study. B. B. Stankov and A. J. Bedard Jr., *NOAA/ERL/Wave Propagation Laboratory* (31, 1, p. 79) Article

C94-011 Suppression of Flow-Induced Pressure Oscillations in Cavities. R. L. Sarno and M. E. Franke, *Air Force Institute of Technology* (31, 1, p. 90) Article based on AIAA Paper 90-4018

C94-012 Measurement of Unsteady Airloads on an Oscillating Engine and a Wing/Engine Combination. H. Triebstein and G. Schewe, *DLR, German Aerospace Research Establishment, Germany*; and H. Zingel and S. Vogel, *Deutsche Airbus GmbH, Germany* (31, 1, p. 97) Article

C94-013 Method for the Prediction of Wing Maximum Lift. Walter O. Valarezo and Vincent D. Chin, *McDonnell Douglas*

Aerospace (31, 1, p. 103) Article based on AIAA Paper 92-0401

C94-014 Variable-Complexity Aerodynamic Optimization of a High-Speed Civil Transport Wing. M. G. Hutchison, E. R. Unger, W. H. Mason, B. Grossman, and R. T. Haftka, *Virginia Polytechnic Institute and State University* (31, 1, p. 110) Article based on AIAA Paper 92-0212

C94-015 Integrated Structure/Control Concepts for Oblique Wing Roll Control and Trim. Terrence A. Weisshaar, *Purdue University* (31, 1, p. 117) Article

C94-016 Nonslender Waveriders. X. He and G. Emanuel, *University of Oklahoma* (31, 1, p. 125) Article

C94-017 Static and Dynamic Coefficients of a Cross-Type Parachute. Zalman Shpund and Daniel Levin, *Technion—Israel Institute of Technology* (31, 1, p. 132) Article

C94-018 Effect of Canard Deflection on Close-Coupled Canard-Wing-Body Aerodynamics. Eugene L. Tu, *NASA Ames Research Center* (31, 1, p. 138) Article based on AIAA Paper 92-2602 CP926

C94-019 Aerodynamics of Airfoils with Vortex Trapped by Two Spanwise Fences. Vernon J. Rossow, *NASA Ames Research Center* (31, 1, p. 146) Article based on AIAA Paper 91-3269 CP918

C94-020 Aircraft Spoiler Effects Under Wind Shear. M. M. Abdelrahman, M. A. Ghazi, I. A. Olwi, and A. M. Al-Bahi, *King Abdulaziz University, Saudi Arabia* (31, 1, p. 154) Article based on AIAA Paper 92-2642 CP926

C94-021 Roll Moment Characteristics of Asymmetric Tangential Leading-Edge Blowing on a Delta Wing. D. I. Greenwell and N. J. Wood, *University of Bath, England, UK* (31, 1, p. 161) Article based on AIAA Paper 93-0052

C94-022 Control of Cavity Flow by Upstream Mass-Injection. Ahmad D. Vakili and Christian Gauthier, *University of Tennessee Space Institute* (31, 1, p. 169) Article based on AIAA Paper 91-1645

C94-023 Effect of Wind-Tunnel Walls on Airfoil Droplet Impingement. Michael B. Bragg and Stephen L. Wells, *University of Illinois at Urbana-Champaign* (31, 1, p. 175) Article based on AIAA Paper 92-0642

C94-024 Fundamentals and Similarity Transformations of Vectored Aircraft. Benjamin Gal-Or, *Technion—Israel Institute of Technology* (31, 1, p. 181) Article

C94-025 Multidimensional Mount Effectiveness for Vibration Isolation. Douglas A. Swanson, Lane R. Miller, and Mark A. Norris, *Lord Corporation* (31, 1, p. 188) Article based on AIAA Paper 92-2381 CP922

C94-026 Simulation Model for Tail Rotor Failure. Matthew J. O'Rourke, *Lockheed Engineering and Sciences Company* (31, 1, p. 197) Article based on AIAA Paper 92-4633

C94-027 Integration of Structural Optimization in the General Design Process for Aircraft. O. Sensburg, J. Schweiger, H. Gödel, and A. Lotze, *Deutsche Aerospace, Germany* (31, 1, p. 206) Article

C94-028 Panel Flutter Suppression Using Adaptive Material

Actuators. R. C. Scott, *NASA Langley Research Center*; and T. A. Weisshaar, *Purdue University* (31, 1, p. 213) Article based on AIAA Paper 91-1067 CP911

C94-029 Active Sound Attenuation Across a Double Wall Structure. Ferdinand W. Grosveld, *Lockheed Engineering and Sciences Company*; and Kevin P. Shepherd, *NASA Langley Research Center* (31, 1, p. 223) Article based on AIAA Paper 91-0498

C94-030 Characteristics of the Surface Pressures on a F/A-18 Vertical Fin Due to Buffet. B. H. K. Lee and F. C. Tang, *Institute for Aerospace Research, Canada* (31, 1, p. 228) Article based on AIAA Paper 92-2127 CP923

C94-031 Calculations of Hot Gas Ingestion for a STOVL Aircraft Model. D. M. Fricker and J. D. Holdeman, *NASA Lewis Research Center*; and S. P. Vanka, *University of Illinois at Urbana-Champaign* (31, 1, p. 236) Article based on AIAA Paper 92-0385

C94-032 Unsteady Vortex Structure over a Delta Wing. Raymond E. Gordnier and Miguel R. Visbal, *U.S. Air Force Wright Laboratory* (31, 1, p. 243) Article

C94-033 Quantitative Low-Speed Wake Surveys. G. W. Brune, *Boeing Commercial Airplane Group* (31, 2, p. 249) Article

C94-034 Computational Analysis of a Single Jet Impingement Ground Effect Lift Loss. Xin Zhang, *Southampton University, England, UK*; and Dan N. Ing, *Logico Systems, Ltd., England, UK* (31, 2, p. 256) Article based on AIAA Paper 93-0869

C94-035 Prediction of Ice Shapes and Their Effect on Airfoil Drag. Jaiwon Shin, *NASA Lewis Research Center*; Brian Berkowitz, *Sverdrup Technology, Inc.*; and Hsun H. Chen and Tuncer Cebeci, *California State University* (31, 2, p. 263) Article based on AIAA Paper 91-0264

C94-036 Development of an Improved Model for Runback Water on Aircraft Surfaces. Kamel M. Al-Khalil, *National Research Council*; and Theo G. Keith Jr. and Kenneth J. De Witt, *University of Toledo* (31, 2, p. 271) Article based on AIAA Paper 92-0042

C94-037 Drag Reduction of Airplane Fuselages Through Shaping by the Inverse Method. M. F. Zedan, A. A. Seif, and S. Al-Moufadi, *King Saud University, Saudi Arabia* (31, 2, p. 279) Article

C94-038 Unsteady Lift of a Flapped Airfoil by Indicial Concepts. J. Gordon Leishman, *University of Maryland* (31, 2, p. 288) Article
Errata (31, 5, p. 1232)

C94-039 Forebody Vortex Control for Wing Rock Suppression. T. T. Ng, *University of Toledo*; and C. J. Suarez, B. R. Kramer, L. Y. Ong, B. Ayers, and G. N. Malcolm, *Eidetics International, Inc.* (31, 2, p. 298) Article

C94-040 Propulsion-Induced Aerodynamic Effects Measured with a Full-Scale STOVL Model. Brian E. Smith, *NASA Ames Research Center*; William A. Poppen, *General Dynamics*; and J. David Lye, *de Havilland Incorporated, Canada* (31, 2, p. 306) Article based on AIAA Paper 91-0765

C94-041 Vortex-Wing Interaction of a Close-Coupled Canard Configuration. Eugene L. Tu, *NASA Ames Research Center* (31, 2, p. 314) Article

C94-042 Experimental Studies of Vortex Flaps and Vortex Plates. K. Rinoie and J. L. Stollery, *Cranfield Institute of Tech-*

nology, England, UK (31, 2, p. 322) Article based on AIAA Paper 92-4101 CP9212

C94-043 Supersonic Transport Wing Minimum Weight Design Integrating Aerodynamics and Structures. J.-F. M. Barthelemy, *NASA Langley Research Center*; G. A. Wrenn and A. R. Dovi, *Lockheed Engineering and Sciences Company*; P. G. Coen, *NASA Langley Research Center*; and L. E. Hall, *Unisys Corporation* (31, 2, p. 330) Article based on AIAA Paper 92-2372 CP922

C94-044 Design and Analysis of a Kalman Filter for Terrain-Referenced Positioning and Guidance. Richard E. Zelenka, *NASA Ames Research Center* (31, 2, p. 339) Article based on AIAA Paper 92-4420 CP928

C94-045 Computational Analysis of Off-Design Waveriders. X. He and M. L. Rasmussen, *University of Oklahoma* (31, 2, p. 345) Article

C94-046 Alleviation of Side Force on Tangent-Ogive Forebodies Using Passive Porosity. Stephen X. S. Bauer, *NASA Langley Research Center*; and Michael J. Hemsch, *Lockheed Engineering and Sciences Company* (31, 2, p. 354) Article based on AIAA Paper 92-2711 CP926

C94-047 Effects of Thrust Line Offset on Neutral Point Determination in Flight Testing. U. P. Solies, *University of Tennessee Space Institute* (31, 2, p. 362) Article based on AIAA Paper 92-4082 CP9212

C94-048 Investigation of Monte Carlo Simulation in FAA Program KRASH. Howard J. Fleisher, *Galaxy Scientific Corporation*; and Haym Benaroya, *Rutgers University* (31, 2, p. 367) Article

C94-049 Aircraft Accident Flight Path Simulation and Animation. D. E. Calkins, *University of Washington* (31, 2, p. 376) Article based on AIAA Paper 91-0422

C94-050 Analysis of Aerodynamics of Airfoils Moving over a Wavy Wall. Kyoko Nitta, *Nagoya University, Japan* (31, 2, p. 387) Article

C94-051 Modal Coordinates for Aeroelastic Analysis with Large Local Structural Variations. M. Karpel, *Technion-Israel Institute of Technology*; and C. D. Wieseman, *NASA Langley Research Center* (31, 2, p. 396) Article

C94-052 Time Simulation of Flutter with Large Stiffness Changes. M. Karpel, *Technion-Israel Institute of Technology*; and C. D. Wieseman, *NASA Langley Research Center* (31, 2, p. 404) Article based on AIAA Paper 92-2394 CP922

C94-053 Study of Structurally Efficient Graphite-Thermoplastic Trapezoidal-Corrugation Sandwich and Semisandwich Panels. Dawn C. Jegley, *NASA Langley Research Center* (31, 2, p. 411) Article

C94-054 Aircraft Fleet Maintenance Based on Structural Reliability Analysis. J. N. Yang, *University of California, Irvine*; and S. D. Manning, *Lockheed/Fort Worth Company* (31, 2, p. 419) Article

C94-055 Bombardment Analysis Method for Assessing Truss System Combat Survivability. Hsing-Juin Lee, *National Chung-Hsing University, Taiwan, ROC* (31, 2, p. 426) Article

C94-056 Determination of Tire-Wheel Interface Loads for Aircraft Wheels. S. Kandarpa, B. F. Spencer Jr., and D. J. Kirkner, *University of Notre Dame*; and M. Champion, *Flight Dynamics*

Directorate (31, 2, p. 433) Article based on AIAA Paper 92-2482 CP922

C94-057 Buffet-Induced Structural/Flight-Control System Interaction of the X-29A Aircraft. David F. Voracek and Robert Clarke, *NASA Dryden Flight Research Facility* (31, 2, p. 441) Engineering Note based on AIAA Paper 91-1053 CP911

C94-058 Boundary-Layer Influences on the Subsonic Near-Wake of Bluff Bodies. Colin P. Britcher and Charles W. Alcorn, *Old Dominion University* (31, 2, p. 443) Engineering Note based on AIAA Paper 93-0525

C94-059 In-Flight Velocity Measurements Using Laser Doppler Anemometry. H. W. Jentink, *National Aerospace Laboratory, The Netherlands*; and M. Stieglmeier and C. Tropea, *University of Erlangen-Nürnberg, Germany* (31, 2, p. 444) Engineering Note

C94-060 Aircraft Landing Gear Positioning Concerning Abnormal Landing Cases. Hsing-Juin Lee, *National Chung-Hsing University, Taiwan, ROC*; and Cheng-Yi Chiou, *Chung Shan Institute of Science and Technology, Taiwan, ROC* (31, 2, p. 446) Engineering Note

C94-061 Joined-Wing Model Vibrations Using PC-Based Modal Testing and Finite Element Analysis. Benhe Qu and Malcolm A. Cutchins, *Auburn University* (31, 2, p. 449) Engineering Note based on AIAA Paper 92-2260 CP922

C94-062 Parameter Estimates of an Aeroelastic Aircraft as Affected by Model Simplifications. A. K. Ghosh and S. C. Raisinighani, *Indian Institute of Technology* (31, 2, p. 452) Engineering Note

C94-063 Effects of Model Scale on Flight Characteristics and Design Parameters. William H. Phillips, *NASA Langley Research Center* (31, 2, p. 454) Engineering Note

C94-064 Continuum Sizing Design Sensitivity Analysis of Eigenvectors Using Ritz Vectors. Semyung Wang and Kyung K. Choi, *University of Iowa* (31, 2, p. 457) Engineering Note based on AIAA Paper 91-1092 CP911

C94-065 Scheduled Maintenance Optimization System. Raymond J. Anderson, *McDonnell Douglas Corporation* (31, 2, p. 459) Engineering Note

C94-066 Aerodynamic Properties of Crescent Wing Planforms. P. L. Ardouneau, *Ecole Nationale Supérieure de Mécanique et d'Aérotechnique, France* (31, 2, p. 462) Engineering Note

C94-067 Wake Curvature and Airfoil Lift. Lucien Z. Dumitrescu, *Université de Provence, France* (31, 2, p. 465) Engineering Note

C94-068 Tail Load Calculations for Light Airplanes. E. V. Laitone, *University of California, Berkeley* (31, 2, p. 466) Engineering Note

C94-069 Pressure Measurements on a Forward-Swept Wing-Canard Configuration. Giovanni Lombardi, *University of Pisa, Italy*; and Mauro Morelli, *CSIR Laboratory, South Africa* (31, 2, p. 469) Engineering Note

C94-070 Survey and Comparison of Engineering Beam Theories for Helicopter Rotor Blades. Donald L. Kunz, *McDonnell Douglas Helicopter Company* (31, 3, p. 473) Survey Paper based on AIAA Paper 91-1194 CP911

C94-071 Chine-Shaped Forebody Effects on Directional Stability at High- α . R. Ravi and William H. Mason, *Virginia Polytechnic Institute and State University* (31, 3, p. 480) Article based on AIAA Paper 92-0030

C94-072 Computational Study of the F-5A Forebody Emphasizing Directional Stability. William H. Mason and R. Ravi, *Virginia Polytechnic Institute and State University* (31, 3, p. 488) Article based on AIAA Paper 91-3289 CP918

C94-073 Loading Characteristics of Finite Wings Undergoing Rapid Unsteady Motions: A Theoretical Treatment. Eric J. Jumper and Ronald J. Hugo, *University of Notre Dame* (31, 3, p. 495) Article based on AIAA Paper 91-3263 CP918

C94-074 Effects of Nozzle Exit Geometry on Forebody Vortex Control Using Blowing. Nathan M. Gittner and Ndaona Chokani, *North Carolina State University* (31, 3, p. 503) Article based on AIAA Paper 92-2306 CP922

C94-075 Evaluation of Parameter Estimation Methods for Unstable Aircraft. R. V. Jategaonkar, *DLR, German Aerospace Research Establishment*; and F. Thielecke, *Technical University of Brunswick, Germany* (31, 3, p. 510) Article

C94-076 Unique High-Alpha Roll Dynamics of a Sharp-Edged 65-Deg Delta Wing. L. E. Ericsson, *Lockheed Missiles & Space Company, Inc.*; and E. S. Hanff, *Institute for Aerospace Research, Canada* (31, 3, p. 520) Article based on AIAA Paper 92-0673

C94-077 Influence of Aerodynamic Forces in Ice Shedding. R. J. Scavuzzo, M. L. Chu, and V. Ananthaswamy, *University of Akron* (31, 3, p. 526) Article based on AIAA Paper 91-0664

C94-078 Unsteady Aerodynamic Characteristics of a Dual-Element Airfoil. Ismail H. Tuncer, *Naval Postgraduate School*; and Lakshmi N. Sankar, *Georgia Institute of Technology* (31, 3, p. 531) Article based on AIAA Paper 92-2508 CP922

C94-079 Hunting Phenomena of the Balloon Motions Observed over Antarctica. Jun Nishimura, *Kanagawa University, Japan* (31, 3, p. 538) Article based on AIAA Paper 91-3667

C94-080 Lift Enhancement of an Airfoil Using a Gurney Flap and Vortex Generators. Bruce L. Storms, *Sterling Software*; and Cory S. Jang, *California Polytechnic State University* (31, 3, p. 542) Article based on AIAA Paper 93-0647

C94-081 Significance of the Dihedral Effect in Rapid Fuselage-Reorientation Maneuvers. Spiro Bocvarov, Eugene M. Cliff, and Frederick H. Lutze, *Virginia Polytechnic Institute and State University* (31, 3, p. 548) Article based on AIAA Paper 92-4490 CP928

C94-082 Preliminary Piloted Simulation Studies of the HL-20 Lifting Body. Robert A. Rivers and E. Bruce Jackson, *NASA Langley Research Center*; and W. A. Ragsdale, *Unisys Corporation* (31, 3, p. 556) Article

C94-083 Calculation of Three-Dimensional Low Reynolds Number Flows. Tuncer Cebeci, Hsun H. Chen, and Beng P. Lee, *California State University, Long Beach* (31, 3, p. 564) Article based on AIAA Paper 91-0187

C94-084 Drag and Wake Modification of Axisymmetric Bluff Bodies Using Coanda Blowing. J. B. Freund and M. G. Mungal, *Stanford University* (31, 3, p. 572) Article based on AIAA Paper 92-2705 CP926

C94-085 Reduction in Size and Unsteadiness of VTOL Ground Vortices by Ground Fences. T. B. Harman, J. M. Cimbala, and M.

L. Billet, *Pennsylvania State University* (31, 3, p. 579) Article

C94-086 Wind-Tunnel Test Techniques for Unmanned Aerial Vehicle Separation Investigations. S. A. Moyer and M. D. Talbot, *Naval Air Warfare Center* (31, 3, p. 585) Article based on AIAA Paper 93-0626

C94-087 Physics of Coanda Jet Detachment at High-Pressure Ratio. Kenneth C. Cornelius and Gerald A. Lucius, *Wright State University* (31, 3, p. 591) Article

C94-088 Measured and Theoretical Supersonic Dynamic Stability Characteristics of a National Aero-Space Plane Configuration. David A. Dress, Richmond P. Boyden, and Christopher I. Cruz, *NASA Langley Research Center* (31, 3, p. 597) Article based on AIAA Paper 92-5009

C94-089 Computation of Supersonic Jet Mixing Noise for an Axisymmetric Convergent-Divergent Nozzle. Abbas Khavaran, *Sverdrup Technology, Inc.*; and Eugene A. Krejsa and Chan M. Kim, *NASA Lewis Research Center* (31, 3, p. 603) Article based on AIAA Paper 92-0500

C94-090 Inviscid Parametric Analysis of Three-Dimensional Inlet Performance. Scott D. Holland, *NASA Langley Research Center*; and John N. Perkins, *North Carolina State University* (31, 3, p. 610) Article based on AIAA Paper 92-3099

C94-091 Inlet Drag Prediction for Aircraft Conceptual Design. Paul Malan and Eugene F. Brown, *Virginia Polytechnic Institute and State University* (31, 3, p. 616) Article

C94-092 Computation of Three-Dimensional Hypersonic Flows in Chemical Nonequilibrium. S. Menne, C. Weiland, and M. Pfitzner, *Deutsche Aerospace A. G., Germany* (31, 3, p. 623) Article based on AIAA Paper 92-2876

C94-093 Navier-Stokes Computations for Oscillating Control Surfaces. Shigeru Obayashi and Guru P. Guruswamy, *NASA Ames Research Center* (31, 3, p. 631) Article based on AIAA Paper 92-4431 CP9210

C94-094 Prediction Method for Unsteady Axisymmetric Flow over Parachutes. J. H. Strickland, *Sandia National Laboratories* (31, 3, p. 637) Article based on AIAA Paper 93-1217

C94-095 Unstructured Mesh Quality Assessment and Upwind Euler Solution Algorithm Validation. Paul R. Woodard, *Purdue University*; John T. Batina, *NASA Langley Research Center*; and Henry T. Y. Yang, *Purdue University* (31, 3, p. 644) Article based on AIAA Paper 92-0444

C94-096 Two-Dimensional Euler Zonal Method Using Composite Structured and Unstructured Meshes. H. Hefazi and V. Chin, *California State University, Long Beach*; and L. T. Chen, *Douglas Aircraft Company* (31, 3, p. 651) Article based on AIAA Paper 90-3050 CP908

C94-097 Active Control of Wing Rock Using Tangential Leading-Edge Blowing. G. S. Wong, S. M. Rock, N. J. Wood, and L. Roberts, *Stanford University* (31, 3, p. 659) Article based on AIAA Paper 93-0056

C94-098 Takeoff Performance Monitoring System Display Options. David B. Middleton and Lee H. Person Jr., *NASA Langley Research Center*; and Raghavachari Srivatsan, *ViGYAN, Inc.* (31, 3, p. 666) Article

C94-099 Numerical Investigations on Two-Dimensional Canard-Wing Aerodynamic Interference. San-Yih Lin, Yan-

Shin Chin, and Yuh-Ying Wang, *Institute of Aeronautics and Astronautics, Taiwan, ROC* (31, 3, p. 672) Article based on AIAA Paper 93-0639

C94-100 Design of Optimized Airfoils in Subcritical Flow. J. Olejniczak and A. S. Lyrintzis, *University of Minnesota* (31, 3, p. 680) Article based on AIAA Paper 93-0532

C94-101 Leading-Edge Vortex Breakdown for Wing Planforms with the Same Slenderness Ratio. William A. Straka, *George Washington University*; and Michael J. Hemsch, *Lockheed Engineering & Sciences Company* (31, 3, p. 688) Article

C94-102 Vibration Analysis of Heated Anisotropic Plates with Free Edge Conditions. James E. Locke, *University of Kansas* (31, 3, p. 696) Article

C94-103 Comprehensive Model of Anisotropic Composite Aircraft Wings Suitable for Aeroelastic Analyses. G. Karpouzian, *U.S. Naval Academy*; and L. Librescu, *Virginia Polytechnic Institute and State University* (31, 3, p. 703) Article based on AIAA Paper 91-0934 CP911

C94-104 Whirl-Flutter Suppression in Advanced Turboprops and Propfans by Active Control Techniques. F. Nitzsche, *DLR, German Aerospace Research Establishment, Germany* (31, 3, p. 713) Article

C94-105 Fatigue Crack Propagation in Aerospace Aluminum Alloys. Richard P. Gangloff, *University of Virginia*; and Robert S. Piascik, Dennis L. Dicus, and James C. Newman Jr., *NASA Langley Research Center* (31, 3, p. 720) Article

C94-106 Unsteady Blade Pressures on a Propfan: Predicted and Measured Compressibility Effects. M. Nallasamy, *Sverdrup Technology, Inc.* (31, 3, p. 730) Article based on AIAA Paper 92-3774

C94-107 Hover Acoustic Characteristics of the XV-15 with Advanced Technology Blades. David A. Conner, *NASA Langley Research Center*; and J. Brent Wellman, *NASA Ames Research Center* (31, 4, p. 737) Article

C94-108 Doublet-Point Method for Supersonic Unsteady Aerodynamics of Nonplanar Lifting-Surfaces. Ashish Tewari, *Indian Institute of Technology* (31, 4, p. 745) Article based on AIAA Paper 93-1588 CP931

C94-109 Severe Turbulence and Maneuvering from Airline Flight Records. R. C. Wingrove and R. E. Bach Jr., *NASA Ames Research Center* (31, 4, p. 753) Article based on AIAA Paper 92-4341 CP929

C94-110 Separation Bubble Model for Low Reynolds Number Airfoil Applications. Y. K. Shum and D. J. Marsden, *University of Alberta, Canada* (31, 4, p. 761) Article

C94-111 Tailoring Stall Characteristics Using Leading-Edge Droop Modifications. Holly M. Ross, *NASA Langley Research Center*; and John N. Perkins, *North Carolina State University* (31, 4, p. 767) Article

C94-112 Turbulent Flow Structure Associated with Vortex-Induced Fin Buffeting. Christian Breitsamter and Boris Laschka, *Technische Universität München, Germany* (31, 4, p. 773) Article

C94-113 Problem of Dynamic Stall Simulation Revisited. Lars E. Ericsson (31, 4, p. 782) Article based on AIAA Paper 93-0091

C94-114 Airfoil Shaping for Reduced Radar Cross Section.

Hoang Vinh, C. P. van Dam, and Harry A. Dwyer, *University of California, Davis* (31, 4, p. 787) Article

C94-115 Jet Ground Vortex Formation by Annular Jets. John M. Kuhlman and William M. Cavage, *West Virginia University* (31, 4, p. 794) Article based on AIAA Paper 92-4251

C94-116 Locally Interactive Laminar Separation Bubble Model. Paolo Dini, *Carleton College*; and Mark D. Maughmer, *Pennsylvania State University* (31, 4, p. 802) Article

C94-117 Interrupted Jet as a Candidate for Mixing Enhancement in Aircraft Ejectors. W. R. Quinn, *St. Francis Xavier University, Canada* (31, 4, p. 811) Article

C94-118 Side Force Augmentation at High Angle of Attack from Pneumatic Vortex Control. Kenneth C. Cornelius and Gerald A. Lucius, *Wright State University* (31, 4, p. 818) Article based on AIAA Paper 93-2959

C94-119 Pilot Evaluations of Augmented Flight Simulator Motion. Stuart T. Garrood and Lloyd D. Reid, *University of Toronto Institute for Aerospace Studies, Canada* (31, 4, p. 826) Article

C94-120 Use of Artificial Neural Networks for Buffet Environments. J. H. Jacobs, C. E. Hedgecock, P. F. Lichtenwalner, and L. E. Pado, *McDonnell Douglas Aerospace*; and A. E. Washburn, *ViGYAN, Inc.* (31, 4, p. 831) Article

C94-121 Helicopter Rotor Lift Distributions for Minimum-Induced Power Loss. Steven R. Hall and Kyle Y. Yang, *Massachusetts Institute of Technology*; and Kenneth C. Hall, *Duke University* (31, 4, p. 837) Article

C94-122 Experimental Investigation of Rotor/Lifting Surface Interactions. J. G. Leishman, *University of Maryland*; and Nai-Pei Bi, *Advanced Technologies, Inc.* (31, 4, p. 846) Article based on AIAA Paper 93-0871

C94-123 Prediction of Ice Accretion with Viscous Effects on Aircraft Wings. I. Paraschivoiu, P. Tran, and M. T. Brahim, *Ecole Polytechnique de Montréal, Canada* (31, 4, p. 855) Article based on AIAA Paper 93-0027

C94-124 Steady and Unsteady Pressure Distributions on an F/A-18 Wing at $\alpha = 30$ Deg. B. H. K. Lee, N. R. Valerio, and F. C. Tang, *Institute for Aerospace Research, National Research Council, Canada* (31, 4, p. 862) Article based on AIAA Paper 93-3468

C94-125 Low-Speed Characteristics for the Wing-Canard Configuration of the International Vortex Flow Experiment. D. Hummel, *Institut für Strömungsmechanik, Germany*; and H.-Chr. Oelker, *Dornier Luftfahrt GmbH, Germany* (31, 4, p. 868) Article

C94-126 Subsonic Static and Dynamic Stability Characteristics of a NASP Configuration. Richmond P. Boyden, David A. Dress, Charles H. Fox Jr., Jarrett K. Huffman, and Christopher I. Cruz, *NASA Langley Research Center* (31, 4, p. 879) Article based on AIAA Paper 93-0519

C94-127 Time-Accurate Computational Fluid Dynamics Approach to Transonic Store Separation Trajectory Prediction. Lawrence E. Lijewski, *Wright Laboratory*; and Norman E. Suhs, *Calspan Corporation* (31, 4, p. 886) Article based on AIAA Paper 92-4569 CP928

C94-128 Quantitative Study of Unsteady Compressible Flow on an Oscillating Airfoil. L. W. Carr, *NASA Ames Research Center*; M. S. Chandrasekhara, *Naval Postgraduate School*; and N. J.

Brock, *Aerometrics* (31, 4, p. 892) Article based on AIAA Paper 91-1683

C94-129 Unsteady Vortex Dynamics and Surface Pressure Topologies on a Finite Pitching Wing. Scott J. Schreck and Hank E. Helin, *U.S. Air Force Academy* (31, 4, p. 899) Article based on AIAA Paper 93-0435

C94-130 Flowfield Study of a Close-Coupled Canard Configuration. Richard M. Howard and John F. O'Leary, *Naval Postgraduate School* (31, 4, p. 908) Article based on AIAA Paper 93-3499 CP935

C94-131 Side-Force Control on a Diamond Forebody at High Angles of Attack. Dhanvada M. Rao and Gautam Sharma, *ViGYAN, Inc.* (31, 4, p. 915) Article based on AIAA Paper 93-3407 CP935

C94-132 Forebody Tangential Slot Blowing on an Aircraft Geometry. Ken Gee, *MCAT Institute*; and Yehia M. Rizk and Lewis B. Schiff, *NASA Ames Research Center* (31, 4, p. 922) Article based on AIAA Paper 93-2962

C94-133 Identification of Helicopter Component Loads Using Multiple Regression. David J. Haas and Robin Imber, *David Taylor Model Basin* (31, 4, p. 929) Article based on AIAA Paper 92-2110 CP923

C94-134 Parametric Studies of Bearing Strength for Fiber/Metal Laminates. H. Felix Wu, *Alcoa Technical Center*; and Wim J. Slagter, *Delft University of Technology, The Netherlands* (31, 4, p. 936) Article

C94-135 Flight Loads Test of the Indigenous Defensive Fighter. Yuan-Bin Chang, Tzer-Yuaan Lin, Jee-Ray Wang, and Chih-Chung Chen, *Aeronautical Research Laboratory, Taiwan, ROC* (31, 4, p. 946) Article

C94-136 Lessons from Application of Equivalent Plate Structural Modeling to an HSCT Wing. Eli Livne, *University of Washington*; and Robert A. Sels and Kumar G. Bhatia, *Boeing Commercial Airplane Group* (31, 4, p. 953) Article based on AIAA Paper 93-1413 CP931

C94-137 Analytic Sensitivities for Shape Optimization in Equivalent Plate Structural Wing Models. Eli Livne, *University of Washington* (31, 4, p. 961) Article

C94-138 Tree Lookahead in Air Combat. Amnon Katz, *University of Alabama* (31, 4, p. 970) Engineering Note

C94-139 Nonlinear Flutter Analysis of Wings at High Angle of Attack. Zheng-yin Ye and Ling-ching Zhao, *Northwestern Polytechnical University, PRC* (31, 4, p. 973) Engineering Note

C94-140 Several Considerations Regarding the Variable Blade Length Rotor. Bogdan Popescu and Victor Giurgiutiu, *Institute for Theoretical and Experimental Analysis of Aeronautical Structures, Romania* (31, 4, p. 975) Engineering Note

C94-141 Turbulence Model Evaluation for Use with Supercritical Airfoils. W. Kelly Londenber, *ViGYAN, Inc.* (31, 4, p. 977) Engineering Note based on AIAA Paper 93-0191

C94-142 Direct Solution of the Aeroelastic Stability Equations. Maher N. Bismarck-Nasr, *Instituto Tecnológico de Aeronáutica, Brazil* (31, 4, p. 979) Engineering Note

C94-143 Prevention of Jump in Inertia-Coupled Roll Maneuvers of Aircraft. N. Ananthkrishnan and K. Sudhakar, *Indian*

Institute of Technology (31, 4, p. 981) Engineering Note

C94-144 Aircraft Thrust Vectoring Using Flexible Nonaxisymmetric Nozzles. Kevin W. Whitaker and Noshir S. Gowadia, *University of Alabama* (31, 4, p. 984) Engineering Note

C94-145 Effect of Sidewall Boundary Layer on Transonic Flow over a Wing. William E. Milholen II and Ndaona Chokani, *North Carolina State University* (31, 4, p. 986) Engineering Note based on AIAA Paper 92-4036

C94-146 Experimental Investigation of Vortex Flaps on Thick Delta Wings. D. Levin and A. Seginer, *Technion—Israel Institute of Technology* (31, 4, p. 988) Engineering Note

C94-147 Study of Dynamic Stall Using Real-Time Interferometry. L. W. Carr, *U.S. Army ATCOM and NASA Ames Research Center*; M. S. Chandrasekhara, *Naval Postgraduate School*; S. Ahmed, *MCAT Institute*; and N. J. Brock, *Aerometrics* (31, 4, p. 991) Engineering Note based on AIAA Paper 91-0007

C94-148 Simple Equations for Helical Vortex Wakes. D. H. Wood, *University of Newcastle, Australia* (31, 4, p. 994) Engineering Note

C94-149 Numerical Method for Estimation of Propeller Efficiencies. U. P. Solies, *University of Tennessee Space Institute* (31, 4, p. 996) Engineering Note

C94-150 Experimental Investigation of Vortex Breakdown over a Sideslipping Canard-Configured Aircraft Model. Sheshagiri K. Hebbar and Max F. Platzer, *Naval Postgraduate School*; and Chang Ho Kim, *Korean Air Force* (31, 4, p. 998) Engineering Note

C94-151 Comparing Aircraft Agility Using Mahalanobis Distances. John R. Howell; and Norman E. Howell, *Edwards Air Force Base* (31, 4, p. 1001) Engineering Note

C94-152 Effect of a Fuselage on Delta Wing Vortex Breakdown. William A. Straka, *George Washington University*; and Michael J. Hensch, *Lockheed Engineering and Sciences Company* (31, 4, p. 1002) Engineering Note
Technical Comment by Lars E. Ericsson (31, 4, p. 1006)

C94-153 Recent Studies of Rotorcraft Blade-Vortex Interaction Noise. J. S. Preisser, T. F. Brooks, and R. M. Martin, *NASA Langley Research Center* (31, 5, p. 1009) Article

C94-154 Flight Experience with Lightweight, Low-Power Miniaturized Instrumentation Systems. Philip J. Hamory and James E. Murray, *NASA Dryden Flight Research Facility* (31, 5, p. 1016) Article based on AIAA Paper 92-4111

C94-155 Investigations of Propulsion Integration Interference Effects on a Transport Aircraft Configuration. C.-C. Rossow, *DLR, German Aerospace Research Establishment*; J.-L. Godard, *ONERA, France*; H. Hoheisel, *DLR, German Aerospace Research Establishment*; and V. Schmitt, *ONERA, France* (31, 5, p. 1022) Article based on AIAA Paper 92-3097

C94-156 Numerical Simulation of Steady and Unsteady, Vorticity-Dominated Aerodynamic Interference. Jamal M. Elzebeda, Dean T. Mook, and Ali H. Nayfeh, *Virginia Polytechnic Institute and State University* (31, 5, p. 1031) Article

C94-157 Flight Control System Mode Transitions Influence on Handling Qualities and Task Performance. Lloyd D. Reid, Pavan Rajagopal, and Wolf O. Graf, *University of Toronto, Canada* (31, 5, p. 1037) Article

C94-158 Numerical Simulation of Incidence and Sweep Effects on Delta Wing Vortex Breakdown. J. A. Ekaterinaris and Lewis B. Schiff, *NASA Ames Research Center* (31, 5, p. 1043) Article based on AIAA Paper 90-3000 CP908

C94-159 Analysis of an Oscillating Joukowski Airfoil with Surface Suction and Moving Vortices. Chyn-Shan Chiu, *China Junior College of Technology, Taiwan, ROC* (31, 5, p. 1050) Article

C94-160 Repeatability of Ice Shapes in the NASA Lewis Icing Research Tunnel. Jaiwon Shin and Thomas H. Bond, *NASA Lewis Research Center* (31, 5, p. 1057) Article based on AIAA Paper 92-0647

C94-161 Model Ducted Propulsor Noise Characteristics at Takeoff Conditions. Richard P. Woodward, *NASA Lewis Research Center*; Lawrence A. Bock, *Pratt & Whitney*; Laurence J. Heidelberg, *NASA Lewis Research Center*; and David G. Hall, *NYMA Technology, Inc.* (31, 5, p. 1064) Article

C94-162 Aerodynamic Sensitivity Coefficients Using the Three-Dimensional Full Potential Equation. Hesham M. Elbanna and Leland A. Carlson, *Texas A&M University* (31, 5, p. 1071) Article based on AIAA Paper 92-2670 CP926

C94-163 Preliminary Assessment of Tunnel Wall Interference in the NDA Cryogenic Wind Tunnel. Yutaka Yamaguchi, Masahiro Yorozu, Tadashi Sakaue, and Teruo Saito, *National Defense Academy, Japan* (31, 5, p. 1078) Article based on AIAA Paper 93-0421

C94-164 Comparison of Electrostatic and Aerodynamic Forces During Parachute Opening. M. Horenstein, *Boston University*; and N. Roberts, *U.S. Army Natick Research, Development, and Engineering Center* (31, 5, p. 1084) Article

C94-165 Simulation and Flight Test Evaluation of Head-Up-Display Guidance for Harrier Approach Transitions. D. W. Dorr, E. Moralez III, and V. K. Merrick, *NASA Ames Research Center* (31, 5, p. 1089) Article based on AIAA Paper 92-4233

C94-166 Interpretation of Waverider Performance Data Using Computational Fluid Dynamics. Charles E. Cockrell Jr., *NASA Langley Research Center* (31, 5, p. 1095) Article based on AIAA Paper 93-2921

C94-167 Development and Flight Test of a Deployable Precision Landing System. Alex G. Sim, James E. Murray, and David C. Neufeld, *NASA Dryden Flight Research Facility*; and R. Dale Reed, *PRC, Inc.* (31, 5, p. 1101) Article based on AIAA Paper 94-2141

C94-168 State-Space Representation of Aerodynamic Characteristics of an Aircraft at High Angles of Attack. M. Goman and A. Khrabrov, *Central Aerohydrodynamic Institute, Russia* (31, 5, p. 1109) Article

C94-169 Aerodynamic Characteristics of Strake Vortex Flaps on a Strake-Wing Configuration. Lance W. Traub and Juan van der Merwe, *University of the Witwatersrand, South Africa* (31, 5, p. 1116) Article

C94-170 Selecting and Management of Fire Fighter Aircraft. L. Balis Crema, A. Castellani, and S. Guarniera, *University of Rome "La Sapienza," Italy* (31, 5, p. 1121) Article

C94-171 Radial Reefing Method for Accelerated and Controlled Parachute Opening. Calvin K. Lee, *U.S. Army Natick Research, Development, and Engineering Center* (31, 5, p. 1124) Article based on AIAA Paper 93-1209

- C94-172 Two-Variable Method for Blockage Wall Interference in a Circular Tunnel.** X. Qian and C. F. Lo, *University of Tennessee Space Institute* (31, 5, p. 1130) Article
- C94-173 Waveriders with Finlets.** X. He, M. L. Rasmussen, and R. A. Cox, *University of Oklahoma* (31, 5, p. 1135) Article based on AIAA Paper 93-3442 CP935
- C94-174 Two-Point Transonic Airfoil Design Using Optimization for Improved Off-Design Performance.** J. O. Hager, S. Eyi, and K. D. Lee, *University of Illinois at Urbana-Champaign* (31, 5, p. 1143) Article based on AIAA Paper 92-4225
- C94-175 Experimental Investigations on Limit Cycle Wing Rock of Slender Wings.** Andrew S. Arena Jr., *Oklahoma State University*; and Robert C. Nelson, *University of Notre Dame* (31, 5, p. 1148) Article
- C94-176 Aerodynamic Effects of Delta Planform Tip Sails on Wing Performance.** Lance W. Traub, *University of the Witwatersrand, South Africa* (31, 5, p. 1156) Article
- C94-177 Application of Circulation Control to Advanced Subsonic Transport Aircraft, Part I: Airfoil Development.** Robert J. Englar, Marilyn J. Smith, Sean M. Kelley, and Richard C. Rover III, *Georgia Tech Research Institute* (31, 5, p. 1160) Article based on AIAA Paper 93-0644
- C94-178 Application of Circulation Control to Advanced Subsonic Transport Aircraft, Part II: Transport Application.** Robert J. Englar, Marilyn J. Smith, Sean M. Kelley, and Richard C. Rover III, *Georgia Tech Research Institute* (31, 5, p. 1169) Article based on AIAA Paper 93-0644
- C94-179 Using Adaptive Structures to Attenuate Rotary Wing Aeroelastic Response.** Fred Nitzsche and Elmar J. Breitbach, *DLR, German Aerospace Research Establishment* (31, 5, p. 1178) Article based on AIAA Paper 92-2452 CP922
- C94-180 Coupling Equivalent Plate and Finite Element Formulations in Multiple-Method Structural Analyses.** Gary L. Giles and Keith Norwood, *NASA Langley Research Center* (31, 5, p. 1189) Article
- C94-181 Buckling Analysis of Geodesically Stiffened Composite Panels with Discrete Stiffeners.** Zafer Gürdal and Bruno Grall, *Virginia Polytechnic Institute and State University* (31, 5, p. 1197) Article
- C94-182 Influence of Structural and Aerodynamic Modeling on Flutter Analysis.** Alfred G. Striz, *University of Oklahoma*; and Vipperla B. Venkayya, *Wright Laboratories* (31, 5, p. 1205) Article based on AIAA Paper 90-0954 CP902
- C94-183 Continuous Gust Response and Sensitivity Derivatives Using State-Space Models.** Arie Zole and Mordechai Karpel, *Technion-Israel Institute of Technology* (31, 5, p. 1212) Engineering Note
- C94-184 Interference Between Tanker Wing Wake with Roll-Up and Receiver Aircraft.** A. W. Bloy and M. G. West, *University of Manchester, England, UK* (31, 5, p. 1214) Engineering Note
- C94-185 Offset Thrust Axes and Pitch Stability.** U. P. Solies, *University of Tennessee Space Institute* (31, 5, p. 1217) Engineering Note
- C94-186 Passive Porosity with Free and Fixed Separation on a Tangent-Ogive Forebody.** Richard M. Wood, Daniel W. Banks, and Steven X. S. Bauer, *NASA Langley Research Center* (31, 5, p. 1219) Engineering Note based on AIAA Paper 92-4494 CP929
- C94-187 Vortical Flow Structure near the F/A-18 LEX at High Incidence.** B. H. K. Lee and N. R. Valerio, *Institute for Aerospace Research, Canada* (31, 5, p. 1221) Engineering Note
- C94-188 Minimum Sink-Speed in Power-Off Glide.** Edmund V. Laitone, *University of California, Berkeley* (31, 5, p. 1223) Engineering Note
- C94-189 Brief History of Gust Models for Aircraft Design.** Hubert I. Flomenhoft (31, 5, p. 1225) Engineering Note
- C94-190 Effect of Ground and Ceiling Planes on Shape of Energized Wakes.** Vernon J. Rossow, *NASA Ames Research Center* (31, 5, p. 1227) Engineering Note based on AIAA Paper 93-3410 CP935
- C94-191 Flow Visualization Studies on Sidewall Effects in Two-Dimensional Transonic Airfoil Testing.** Norikazu Sudani, Mamoru Sato, Hiroshi Kanda, and Kenichi Matsuno, *National Aerospace Laboratory, Japan* (31, 6, p. 1233) Article
- C94-192 Pilot Weather Advisor System.** Shashi Seth, *ViGYAN, Inc.*; and Norman L. Crabill, *Aero Space Consultants* (31, 6, p. 1240) Article based on AIAA Paper 93-4002
- C94-193 Progress in High-Lift Aerodynamic Calculations.** Stuart E. Rogers, *NASA Ames Research Center* (31, 6, p. 1244) Article based on AIAA Paper 93-0194
- C94-194 Sidewash on the Vertical Tail in Subsonic and Supersonic Flows.** Chyn-shan Chiu, *China Junior College of Technology, Taiwan, ROC*; and I. J. Lin, *Chung Shan Institute of Science and Technology, Taiwan, ROC* (31, 6, p. 1252) Article
- C94-195 Limit Cycle Phenomena in Computational Transonic Aeroelasticity.** Kenneth A. Kousen, *United Technologies Research Center*; and Oddvar O. Bendiksen, *University of California, Los Angeles* (31, 6, p. 1257) Article based on AIAA Paper 89-1185 CP891
- C94-196 Polar Patrol Balloon.** Jun Nishimura, Nobuyuki Yajima, and Hiromitsu Akiyama, *Institute of Space and Astronautical Science, Japan*; Masaki Ejiri and Ryoichi Fujii, *National Institute of Polar Research, Japan*; and S. Kokubun, *University of Tokyo, Japan* (31, 6, p. 1264) Article based on AIAA Paper 91-3688
- C94-197 Design Constraints in the Payload-Range Diagram of Ultrahigh Capacity Transport Airplanes.** Rodrigo Martinez-Val, Emilio Perez, Tomas Muñoz, and Cristina Cuerno, *Universidad Politecnica de Madrid, Spain* (31, 6, p. 1268) Article based on AIAA Paper 93-3951
- C94-198 Computation of the Poststall Behavior of a Circulation Controlled Airfoil.** Samuel W. Linton, *Sterling Software at NASA Ames Research Center* (31, 6, p. 1273) Article based on AIAA Paper 93-0207
- C94-199 Experimental Investigation of the Flowfield About an Upswept Afterbody.** Ronald J. Epstein, Mario C. Carbonaro, and F. Caudron, *von Kármán Institute for Fluid Dynamics, Belgium* (31, 6, p. 1281) Article
- C94-200 Unstructured Grid Solutions to a Wing/Pylon/Store Configuration.** Paresh Parikh and Shahyar Pirzadeh, *ViGYAN, Inc.*; and Neal T. Frink, *NASA Langley Research Center* (31, 6, p. 1291) Article
- C94-201 Nonlinear Angle of Twist of Advanced Composite**

Wing Boxes Under Pure Torsion. Giulio Romeo, Giacomo Frulla, and Mario Busto, *Politecnico Di Torino, Italy* (31, 6, p. 1297) Article

C94-202 Moving Wall Effect in Relation to Other Dynamic Stall Flow Mechanisms. Lars E. Ericsson (31, 6, p. 1303) Article

C94-203 Ram Accelerator Ballistic Range Concept for Softly Accelerating Hypersonic Free-Flying Models. K. Wieland Naumann, *French-German Research Institute, France*; and Adam P. Bruckner, *University of Washington* (31, 6, p. 1310) Article

C94-204 Separation Control on High-Lift Airfoils via Micro-Vortex Generators. John C. Lin, Stephen K. Robinson, and Robert J. McGhee, *NASA Langley Research Center*; and Walter O. Valarezo, *McDonnell Douglas Aerospace* (31, 6, p. 1317) Article based on AIAA Paper 92-2636 CP926

C94-205 Study of an Airfoil with a Flap and Spoiler. Abdullah Al Shabibi, Munir Al Hammadi, and Joseph Mathew, *Sultan Qaboos University, Oman* (31, 6, p. 1324) Article

C94-206 Stratospheric Towed Vehicle Concept. Wubbo J. Ockels, Joris A. Melkert, and Alfred L. C. Roelen, *Delft University of Technology, The Netherlands* (31, 6, p. 1328) Article

C94-207 Navier-Stokes Prediction of Large-Amplitude Delta-Wing Roll Oscillations. Neal M. Chaderjian, *NASA Ames Research Center* (31, 6, p. 1333) Article based on AIAA Paper 92-4428 CP928

C94-208 Analysis of a Higher Harmonic Control Test to Reduce Blade Vortex Interaction Noise. Thomas F. Brooks, Earl R. Booth Jr., and D. Douglas Boyd Jr., *NASA Langley Research Center*; Wolf R. Spletstoesser, Klaus-J. Schultz, and Roland Kube, *DLR, German Aerospace Research Establishment*; Georg H. Niesl, *Eurocopter Deutschland, Germany*; and Olivier Streby, *Eurocopter France* (31, 6, p. 1341) Article

C94-209 Further Analysis of High-Rate Rolling Experiments of a 65-Deg Delta Wing. Lars E. Ericsson; and Ernest S. Hanff, *Institute for Aerospace Research, Canada* (31, 6, p. 1350) Article based on AIAA Paper 93-0620

C94-210 Engineering Transition Prediction for a Hypersonic Axisymmetric Boundary Layer. J. Stilla, *DLR, German Aerospace Research Establishment, Germany* (31, 6, p. 1358) Article based on AIAA Paper 93-5114

C94-211 Forebody Flow Control on a Full-Scale F/A-18 Aircraft. Wendy R. Lanser and Larry A. Meyn, *NASA Ames Research Center* (31, 6, p. 1365) Article

C94-212 Effect of Underwing Frost on a Transport Aircraft Airfoil at Flight Reynolds Number. M. B. Bragg and D. C. Heinrich, *University of Illinois at Urbana-Champaign*; W. O. Valarezo, *McDonnell Douglas Aerospace*; and R. J. McGhee, *NASA Langley Research Center* (31, 6, p. 1372) Article

C94-213 Pneumatic Concept for Tip-Stall Control of Cranked-Arrow Wings. Dhanvada M. Rao, *ViGYAN, Inc.* (31, 6, p. 1380) Article based on AIAA Paper 92-2637 CP926

C94-214 Structural Acoustic Calculations in the Low-

Frequency Range. S. De Rosa and G. Pezzullo, *CIRA SpA, Italy*; and L. Lecce and F. Marulo, *University of Naples, Italy* (31, 6, p. 1387) Article

C94-215 Postinstability Behavior of a Two-Dimensional Airfoil with a Structural Nonlinearity. S. J. Price, *McGill University, Canada*; B. H. K. Lee, *National Research Council, Canada*; and H. Alighanbari, *McGill University, Canada* (31, 6, p. 1395) Article based on AIAA Paper 93-1474 CP931

C94-216 Dynamic Analysis of Bearingless Tail Rotor Blades Based on Nonlinear Shell Models. Olivier A. Bauchau and Wuying Chiang, *Rensselaer Polytechnic Institute* (31, 6, p. 1402) Article

C94-217 Static Pressure Distribution in the Inlet of a Helicopter Turbine Compressor. Johannes P. van der Walt and Alan Nurick, *University of the Witwatersrand, South Africa* (31, 6, p. 1411) Engineering Note

C94-218 Static Aeroelastic Characteristics of a Composite Wing. In Lee and Seung-Ho Kim, *Korea Advanced Institute of Science and Technology*; and Hirokazu Miura, *NASA Ames Research Center* (31, 6, p. 1413) Engineering Note

C94-219 Experiments on the Automatic Control of Boundary-Layer Transition. J.-L. Rioual, P. A. Nelson, and M. J. Fisher, *University of Southampton, England, UK* (31, 6, p. 1416) Engineering Note

C94-220 Method for the Prediction of the Onset of Wing Rock. Brad S. Liebst and Robert C. Nolan, *Air Force Institute of Technology* (31, 6, p. 1419) Engineering Note

C94-221 Inverse Solutions of the Prandtl-Meyer Function. O. Özcan, F. O. Edis, A. R. Aslan, and I. Pinar, *Istanbul Technical University, Turkey* (31, 6, p. 1422) Engineering Note

C94-222 Flow Study of Supersonic Wing-Nacelle Configuration. Kasim Biber, *Wichita State University*; and Joel Mendoza, *NASA Ames Research Center* (31, 6, p. 1424) Engineering Note based on AIAA Paper 94-0670

C94-223 Analytic Prediction of Lift for Delta Wings with Partial Leading-Edge Thrust. Lance W. Traub, *University of the Witwatersrand, South Africa* (31, 6, p. 1426) Engineering Note

C94-224 Computational Study of Plume-Induced Separation on a Hypersonic Powered Model. L. D. Huebner, *NASA Langley Research Center* (31, 6, p. 1429) Engineering Note

C94-225 Effect of Leeward Flow Dividers on the Wing Rock of a Delta Wing. T. Terry Ng, Tony Skaff, and John Kountz, *University of Toledo* (31, 6, p. 1431) Engineering Note

C94-226 Integration of the Supersonic Kernel Function. Louw H. van Zyl, *AEROTEK, South Africa* (31, 6, p. 1433) Engineering Note

C94-227 Redundancy in the Discrete-Vortex Method for Closed Bodies. Ashok Srivastava, *National Aeronautical Laboratory, India*; and Dean T. Mook, *Virginia Polytechnic Institute and State University* (31, 6, p. 1436) Engineering Note